

## DAFTAR PUSTAKA

- [1] S. Kalpakjian, Steven R. Schmid. (2001). Manufacturing Engineering and Technology Fourth Edition. New Jersey: Pearson Education Inc.
- [2] Nurhadiyanto, D. (2010) “Pengaruh Kekentalan Pendingin Terhadap Keausan Pada Pahat Bermata Potong Ganda”. Jurnal Penelitian Saintek. Volume 15, Nomor 2.
- [3] R. Dhar, M. W. Islam, S. Islam, and M. A. H. Mithu, “The influence of minimum quantity of lubrication (MQL) on cutting temperature, chip and dimensional accuracy in turning AISI-1040 steel,” *J. Mater. Process. Technol., Press.*
- [4] U. Heisel and M. Lutz, “Application of minimum quantity cooling lubrication technology in cutting processes,” *Prod. Eng. II*, pp. 49–54, 1994.
- [5] and T. K. J. Yan, Z. Zhang, “Effect of nanoparticle lubrication in diamond turning of reaction-bonded SiC,” *Int. J. Autom. Technol*, vol. 5, no, pp. 307–312, 2011.
- [6] and E. G. S. S. Singh, E. J. Singh, “Automatic Lubrication System,” *Int. Res. J. Eng. Technol*, vol. 4, no, pp. 894–899, 2017.
- [7] P. S. Paul and A. S. Varadarajan, “Performance evaluation of hard turning of AISI 4340 steel with minimal fluid application in the presence of semi-solid lubricants,” *Proc. Inst. Mech. Eng. Part J J. Eng. Tribol*, vol. 227, pp. 738–748, 2013.
- [8] A. R. Marta, “Prototype alat Feeder Grease untuk pengaplikasian Semi-Solid Lubricant pada Proses Pemesinan,” Padang: Universitas Andalas, 2020.
- [9] Aditya R, "Pengaruh Penggunaan Grease (Gemuk) Sebagai Semi-Solid Lubricant Terhadap Temperatur Pemotongan Pada Proses Bubut," Padang : Universitas Andalas, 2020
- [10] Abdurrahman Hanif, “Potensi Penggunaan Grease Dengan Aplikator Khusus Dalam Mengurangi Temperatur Pemotongan Pada Proses Bubut Dengan Pahat Karbida Non Coating” Padang : Universitas Andalas, 2023

- [11] Nedic BP and Eric MD, "Cutting Temperature Measurement and Material Machinability," *Thermal Science*, 2014.
- [12] Kalpakjian and Serape, "Manufacturing Engineering and Technology 6th Edition," California: *Addison Publishing Company Inc.*, 1992.
- [13] Rochim T, "Perkakas & Sistem Pernerkakas". Bandung : Institut Teknologi Bandung, 2007.
- [14] A. P. Bayuseno, "Kajian Pustaka Tentang Keausan Pada Pahat Bubut," vol. 12, p. 2, 2010.
- [15] T. Rochim, *Teori dan Teknologi Proses Pemesinan*. Bandung : Institut Teknologi Bandung, 1993.
- [16] Darmanto, "Mengenal Pelumas Pada Mesin," *Momentum*, vol. 7, no. 1, pp. 5–10, 2011.
- [17] M. T. Aditya S., Bima dan Arya, Mahendra S. S.T, "Pengaruh Kedalaman dan Cairan Pendingin Terhadap Kekasaran dan Kekerasan Permukaan Pada Proses Bubut Konvensional," Universitas Negeri Surabaya, 2015.
- [18] and E. M. R. E. Benedicto, D. Carou, "Technical, Economic and Environmental Review of the Lubrication/Cooling Systems Used in Machining Processes," *Procedia Eng*, vol. 184, pp. 99–116, 2017.
- [19] ASM Metals Handbook, "Friction, Lubrication, Wear Technology," vol. 18.
- [20] T.A.Stolarski, "Tribology in Machine Design," *Butterworth-Heinemann*, 2000.
- [21] K. Meyer, "Book Review: Lubricants and Lubrication," *Ed. by Theo Mang Wilfried Dresel*, vol. 40, p. 20, 2001.
- [22] W. Bock, "Encyclopedia of Lubricants and Lubrication," 2014.
- [23] I. Justina and S. Modi, "Types of Lubrication Liquid ( Mineral Oils , Synthetic Oils , and Vegetable Oils ) Semi-Solid ( Grease ) Solid ( Graphite , Molybdenum)," 2018.
- [24] and A. K. T. A. K. Sharma, R. K. Singh, A. R. Dixit, "Novel uses of alumina-MoS<sub>2</sub> hybrid nanoparticle enriched cutting fluid in hard turning of AISI 304 steel," *J. Manuf. Process.*, vol. 30, pp. 467–482, 2017.
- [25] G. W. Stachowiak, *Engineering Tribology*. Book AID International, 2005

- [26] L. Shandong Futu Petrochemical Co, "Lithium Complex Grease with Molybdenum Disulfide (MoS<sub>2</sub>)," 2018.
- [27] Songhan Plastic Technology Ltd, "ASSAB Steels 760 Machinery Steel," Shanghai (China) : *look polymers*.
- [28] Selamat ZA, Baba NB, Alias M, Mohamad N, Yusof AR, and Rahman M, "Effect of CNC Lathe Machining Performance by Varying Coolant Nozzle Diameter," *Indian Journal of Science and Technology*, 2016.
- [29] Anonim.2000. The Completely Randomized Design (CRD) with [http://webservant@tfrec.wsu.edu/The%Completely%Randomize%Design%\(CRD\)%with%subsampling](http://webservant@tfrec.wsu.edu/The%Completely%Randomize%Design%(CRD)%with%subsampling)
- [30] Ariyanti E.S and A.M, "Otomisasi Pengukuran Koefisien Viskositas Zat Cair Menggunakan Gelombang Ultrasonik," *Neutrino*, vol. 2, 2010.
- [31] Sani, "Pengaruh Pelarut Phenol Pada Reklamasi Minyak Pelumas," *Unesa Univ. Press*, 2010.
- [32] Cengel YA, "Heat Transfer ( A Practical Approach ) 2<sup>nd</sup> Edition," *Mc Graw-hill*, 2003.
- [33] Hery N.S, Andre B.H, dan Syaefani "PENGARUH JENIS PENDINGINAN TERHADAP KEKERASAN MATERIAL BAJA ST 37 PADA PROSES BOR MILLING"

