

DAFTAR PUSTAKA

1. Rapuano CJ, STout JT, McCannel. Basic and Clinical Science Course, Section 10: Glaucoma. 2022nd–2023rd ed. Anna AP, Boland MV GJ, editor. San Francisco: American Academy Of Ophthalmology.; 2022. 3–130
2. IAPB Vision Atlas {Internet}. International Agency for the Prevention of Blindness. 2019 [cited 18 Maret 2024]. Diunduh dari: <http://atlas.iapb.org/>.
3. Bourne RRA, Flaxman SR, Braithwaite T, Cicinelli M V., Das A, Jonas JB, et al. Magnitude, temporal trends, and projections of the global prevalence of blindness and distance and near vision impairment: a systematic review and meta-analysis. *Lancet Glob Heal.* 2017;5(9):e888–97
4. Tham Y, Xiang L, Tien Y, Harry A, Tin A, Ching-yu C. Global Prevalence of glaucoma and projections of glaucoma burden through 2040: A systematic review and meta-analysis. *Ophthalmology.* 2014;121:2081–90.
5. Flaxman SR, Bourne RRA, Resnikoff S, Ackland P, Braithwaite T, Cicinelli M V., et al. Global causes of blindness and distance vision impairment 1990–2020: a systematic review and meta-analysis. *Lancet Glob Heal.* 2017;5(12):e1221–34.
6. Syumarti, Rini M, Ratnaningsih N, Halim A, Limburgh H. Prevalence and causes of blindness in people age 50 years and above. *J Ophthalmol Clin Res.* 2017;1(1):1–4
7. Pusdatin Kemenkes RI. InfoDatin Glaukoma 2019.pdf. 2019. p. 1–9.
8. Kementerian Kesehatan RI. Profil Kesehatan Indonesia 2014 [Internet]. Vol. 1227. 2014. 496 p. Available from: website: <http://www.kemkes.go.id>
9. Ariesti A, Herriadi D. Profile of Glaucoma at The Dr . M . Djamil Hospital Padang. *J Kesehat Andalas.* 2018;7(Supplement 1):34–7.
10. European Glaucoma Society. Terminology and guidelines for glaucoma. 4thed. Savona, Italy: DOGMA; 2014.
11. Quaranta, L., Riva, I. et al. Quality of Life in Glaucoma: A Review of the Literature. *Advances in Therapy.* 2016; 33(6):959–81.
12. Mangione CM, Lee PP, Gutierrez PR, et al; National Eye Institute Visual Function Questionnaire Field Test Investigators. Development of the 25- item

- National Eye Institute visual function questionnaire. Arch Ophthalmol 2001;119(7):1050–8
13. Shaarawy TM, Sherwood MB, Hitchings RA, Crowston JG. Glaucoma: Medical diagnosis & therapy. Edisi ke-2. Vol 1. Oxford: Elsevier; 2015.
 14. Mangione CM, Lee PP, Gutierrez PR, Spritzer K, Coleman AL. Development of the 25-item National Eye Institute visual function questionnaire. Evidence-Based Eye Care. 2002;3(1):58–9.
 15. Mangione C, Berry S, Spritzer K. Identifying the content area for 51-item National Eye Institute Visual Function Questionnaire: result from focus groups with visually impaired persons. Arch Ophthalmol. 1998;116:227–33.
 16. Mangione C, Lee P, Pitts J, Gutierrez P, Berry S, Hays R. Psychometric properties of the National Eye Institute Visual Function Questionnaire (NEIVFQ). NEI VFQ Field Test Investigators. Arch Ophthalmol. 1998;116:1496–504.
 17. Wu SY, Hennis A, Nemesure B, CristinaLeske M. Impact of glaucoma, lens opacities, and ataract surgery on visual functioning and related quality of life: The Barbados Eye Studies. Investig Ophthalmol Vis Sci. 2008;49(4):1333– 8.
 18. McKean-Cowdin R, Wang Y, Wu J, Azen SP, Varma R. Impact of Visual Field Loss on Health-Related Quality of Life in Glaucoma. The Los Angeles Latino Eye Study. Ophthalmology. 2008;115(6):941–9.
 19. Jr AP, Prata TS, Gracitelli CPB. Factors associated with vision-related quality of life in Brazilian patients with glaucoma. Arquivos Braileiros de oftalmologia 2019;82(6):463–70.
 20. Sihota R, Angmo D, Ramaswamy D, et al. Simplifying “target intraocular pressure for different stages of primary open-angle glaucoma and primary angle-closure glaucoma. Indian Journal of Ophthalmology. 2018;66(4):495–505.
 21. Jr. Susanna R, Vessani RM. Staging Glaucoma Patient: Why and Hoe. The Open Ophthalmology Journal. 2009. 3. 59-64.
 22. Heijl A; Vincent M P; Bengtsson B. Effective Perimetry. Fourth Edition. Dublin, CA : Carl Zeiss Meditec Inc.; 2012:pp.1-22, 45-72
 23. Bengtsson, B., & Heijl, A. A Visual Field Index for Calculation of Glaucoma Rate of Progression. American Journal of Ophthalmology. 2008; 145(2): 343–

24. Peters, D., Heijl, A., Brenner, L., & Bengtsson, B. Visual impairment and vision-related quality of life in the Early Manifest Glaucoma Trial after 20 years of follow-up. *Acta Ophthalmologica*. 2015;93(8); 745–752
25. Rosalina D, Harijo W. Visual Field Abnormality and Quality of Life of Patient with Primary Open Angle Glaucoma. *Jurnal Oftalmologi Indonesia*. 2011; 7(5): 175-180
26. Soemantri I, Prahasta A, Nurwasis, et al. Pedoman Nasional Pelayanan Kedokteran Glaukoma. PERDAMI. 2018
27. Morgan JE. Handbook Glaucoma, 8th ed. Philadelphia; 2009. 57–65 p.
28. Jonas JB, Aung T, Bourne RR, Bron AM, Ritch R, Panda-jonas S. Seminar Glaucoma. 2017;390:83–93.
29. Seibold LK, Feng S, Temple H, et al. Juvenile Open Angle Glaucoma. American Academy of Ophthalmology. 2023.
30. Sari, MD. Interpretasi OCT pada Glaukoma. In *Jurnal Oftamologi Indonesia*. 2018
31. Takada N et al. OCT-Based Quantification and Classification of Optic Disc Structure in Glaucoma Patients. *PLOS one*. 2016.
32. Almazroa A et al. Optic Disc and Optic Cup Segmentation Methodologies for Glaucoma Image Detection: A Survey. In *Journal of Ophthalmology*. 2015
33. Joshua AO, Mabuza-Hocquet G, Nelwamondo FV. Assessment of the Cup to Disc Ratio Method for Glaucoma Detection. In *IEEE Conference Paper*. January 2020
34. Seymour JR. Yee T et al. Visual Fields in Glaucoma [document on the Internet]. Ento Key; 2016 Jul 11 [diunduh 18 Maret 2024]. Tersedia dari: <https://entokey.com/visual-fields-in-glaucoma/>
35. Reynolds AC. Computerized Assessment of Visual Field Progression. [Internet] [cited 18 Maret 2024]. Diunduh dari: [https://glaucomatoday.com/2011/08/computerized-assessment-of-visualfield-progression/](http://glaucomatoday.com/2011/08/computerized-assessment-of-visualfield-progression/)
36. Realini T. The Visual Field Index. [Internet] [cited 18 Maret 2024]. Diunduh dari <https://www.eyeworld.org/article-the-visual-field>

37. Mosteller F, Falotico-Taylor J. Quality of life and technology assessment: monograph of the council on health care technology. Washington DC: National Academy Press; 2015.
38. Kumari N, Singh Pandav S, Gupta PC, Basu D, Kaushik S, Raj S, et al. Quality of Life and Burden of Care in Glaucoma Patients and Their Families in a South Asian Population. *J Clin Exp Ophthalmol*. 2017;08(04):8–13.
39. Pourjavan S, A Spratt, A Kotecha. Patient reported outcomes in glaucoma: associations between the NEI VFQ - 25 and the GQL - 15 and clinical measures of visual function. *Acta Ophtalmologica* [abstract]. 2010 [diunduh 18 Maret 2024]. Tersedia dari: <https://onlinelibrary.wiley.com/doi/abs/10.1111/j.1755-3768.2010.4356.x>
40. Vandebroeck, S., De Geest, S., Zeyen, T et al. Patient-reported outcomes (PRO's) in glaucoma: a systematic review. *Eye*. 2011; 25(5): 555–577
41. National Eye Institute. Visual Function Questionnaire-25. [Internet]. 2000 [cited 18 Maret 2024]. Diunduh dari: <https://www.nei.nih.gov/learnabout-eye-health/resources-for-health-educators/outreach-materials/visualfunction-questionnaire-25>
42. Ruli E, Quaranta L, Riva I, et al. Visual field loss and vision related quality of life in the Italian Primary Open Angle Glaucoma Study. *Scientific Reports*. 2018;1-12.
43. Dahlan MS. Besar sampel dan cara pengambilan sampel dalam penelitian kedokteran dan kesehatan. Edisi 3. Salemba Medika. 2010. (5):76.
44. Sawada, H., Fukuchi, T., & Abe, H. Evaluation of the relationship between quality of vision and the visual function index in Japanese glaucoma patients. *Graefe's Archive for Clinical and Experimental Ophthalmology*. 2011; 249(11): 1721–1727
45. Kementerian Kesehatan Republik Indonesia. Usia kelompok dewasa. [diunduh 20 Maret 2024]. <https://ayosehat.kemkes.go.id/kategori-usia/dewasa>
46. Mulja L, Rini M, Prahasta A. Perbandingan peningkatan kualitas hidup terkait penglihatan pada pasien glaukoma disertai katark yang dilakukan fakotrabekulektomi dengan yang dilakukan fakoemulsifikasi sekuensial setelah trabekulektomi. 2020; 1-11.

47. Liang YB, Friedman DS, Zhou Q, et al. Prevalence of Primary Open Angle Glaucoma in a Rural Adult Chinese Population: The Handan Eye Study. *Invest Ophthalmol Vis Sci.* 2011;52:8250 – 8257
48. Seth PK, Senthil S, Das AV, Garudadri C. Prevalence of glaucoma types, clinical profile and disease severity at presentation: Tertiary Institute based cross-sectional study from South India. *Indian J Ophthalmol* 2023;71:3305-12
49. Kreft D, Doblhammer G, Guthoff RF, et al. Prevalence, incidence, and risk factors of primary open-angle glaucoma – a cohort study based on longitudinal data from a german public health insurance. *BMC Public Health.* 2019;19:851.
50. Tripathi A, Agarwal R, Kharya P, Dwivedi P, Khan I. A comparative study of vision-related quality of life (VRQoL) among glaucoma and nonglaucoma patients at a tertiary care center of North India. *Indian J Ophthalmol* 2023;71:3010-5.
51. Kumar S, Ichhpujani P, Singh R, Thakur S, Sharma M, Nagpal N. The impact of primary open-angle glaucoma: Quality of life in Indian patients. *Indian J Ophthalmol.* 2018;66(3):416-419
52. Chauhan R, Dabbas D, Gupta S. To study the prevalence of glaucoma and all its subtypes and variants in North Eastern Himalayan Foothills. *International Journal of Contemporary Medical Research.* 2020;7(11):K1-K6
53. Onakoya AO, Mbadugha CA, Aribaba OT, et al. Quality of Life of Primery Open Angle Glaucoma Patients in Lagos, Nigeria: Clinical and Sociodemographic Correlates. *J Glaucoma.* 2012; 21:287-295)
54. Wang Y, Alnwisi S, Ke M. The Impact of Mild, Moderate, and Severe Visual Field Loss in Glaucoma on Patients' Quality of Life Measured Via The Glaucoma Quality of Life-15 Questionnaire A Meta-Analysis. *Medicine.* 2017; 96;48
55. Kusumgar P, Bhandary SV, Rao L, et al. Assessment of quality of life in glaucoma patients using the Glaucoma Quality of Life-15 questionnaire. *Asian J Ophthalmol.* 2020; 17:273-284.
56. Guchi GS, Mersha GA, Alimaw YA, et al. Vision-Related Quality of Life and Associated Factors Among an Adult Population with Glaucoma Attending a

Comprehensive Specialized Hospital, Northwest Ethiopia. Clinical Ophthalmology.2023; 17 225-237.

57. Knight L, Ridge B, Graddip, et al. Quality of life in Adults with Childhood Glaucoma. *Ophthalmology Glaucoma*. 2022;5:325-336.
58. Goldberg I, Clement C, Chiang T, et al. Assessing Quality of Life in Patients With Glaucoma Using the Glaucoma Quality of Life-15 (GQL-15) Questionnaire. *J Glaucoma*. 2009;6-12.
59. Gupta V, Duta P, Kapoor K, et al. Effect of Glaucoma on Quality of Life of Young Patients. *Invest Ophthalmol Vis Sci*. 2011;52:8433-8437.
60. Sen S, Mishra A, Das M, Iyer V, Sethi M. Assessment of quality of life in glaucoma patients in a tertiary care center in Eastern India. *Indian J Ophthalmol* 2023;71:2767-72.
61. Hardianti A, Noor N, Saleh L, et al. Correlation of Age, Gender, and Employment Status with Quality of Life Glaucoma Patient. *Macedonian Journal of Medical Sciences*. 2020 Sep 03; 8(T2):47-50.
62. Patricia F, Gustianty E, Musa IR. Korelasi Antara Visual Field Index Dengan Kualitas Hidup Penderita Glaukoma Menggunakan Kuesioner NEI-VFQ-25. *Pusat Mata Nasional RS Mata Cicendo*. 2020; 1-12.
63. Machado LF, Kawamuro M, Portela RC, et al. Factors associated with vision-related quality of life in Brazilian patients with glaucoma. *Arquivos Brasileiros De Oftalmologia*. 2019; 1-8.
64. Peters, D., Heijl, A., Brenner, L., & Bengtsson, B. Visual impairment and vision-related quality of life in the Early Manifest Glaucoma Trial after 20 years of follow-up. *Acta Ophthalmologica*.2015;93(8); 745–752.