

## DAFTAR PUSTAKA

- Aneja, B., Yadav, N. R., Chawla, V. and Yadav, R. C. (2012) ‘Sequence-related amplified polymorphism (SRAP) molecular marker system and its applications in crop improvement’, *Molecular Breeding*, 30(4), pp. 1635–1648. doi: 10.1007/s11032-012-9747-2.
- Anggraini, T., Tai, A., Yoshino, T. and Itani, T. (2011) ‘Antioxidative activity and catechin content of four kinds of Uncaria gambir extracts from West Sumatra , Indonesia’, *African Journal of Biochemistry Research*, 5(1), pp. 33–38.
- Austin, M. B. and Noel, J. P. (2003) ‘The Chalcone Synthase Superfamily of Type III Polyketide Synthases’, *ChemInform*, 34(17). doi: 10.1002/chin.200317284.
- Ayabe, S. I. and Akashi, T. (2006) ‘Cytochrome P450s in flavonoid metabolism’, *Phytochemistry Reviews*, 5(2–3), pp. 271–282. doi: 10.1007/s11101-006-9007-3.
- Bao, Y., Nie, T., Wang, D. and Chen, Q. (2022) ‘Anthocyanin regulatory networks in Solanum tuberosum L. leaves elucidated via integrated metabolomics, transcriptomics, and StAN1 overexpression’, *BMC Plant Biology*, 22(1), p. 228. doi: 10.1186/s12870-022-03557-1.
- Broeckling, C. D., Beger, R. D., Cheng, L. L., Cumeras, R., Cuthbertson, D. J., Dasari, S., Davis, W. C., Dunn, W. B., Evans, A. M., Fernández-Ochoa, A., Gika, H., Goodacre, R., Goodman, K. D., Gouveia, G. J., Hsu, P. C., Kirwan, J. A., Kodra, D., Kuligowski, J., et al. (2023) ‘Current Practices in LC-MS Untargeted Metabolomics: A Scoping Review on the Use of Pooled Quality Control Samples’, *Analytical Chemistry*, pp. 18645–18654. doi: 10.1021/acs.analchem.3c02924.
- Cain, C. C., Saslawsky, D. E., Walker, R. A. and Shirley, B. W. (1997) ‘Expression of chalcone synthase and chalcone isomerase proteins in Arabidopsis seedlings’, *Plant Molecular Biology*, 35(3), pp. 377–381. doi: 10.1023/A:1005846620791.
- Casarrubios, M., Provencio, M., Nadal, E., Insa, A., Del Rosario García-Campelo, M., Lázaro-Quintela, M., Dómine, M., Majem, M., Rodriguez-Abreu, D., Martínez-Martí, A., De Castro Carpeño, J., Cobo, M., Vivanco, G. L., Del Barco, E., Bernabé, R., Viñolas, N., Aranda, I. B., Massuti, B., et al. (2022) ‘Tumor microenvironment gene expression profiles associated to complete pathological response and disease progression in resectable NSCLC patients treated with neoadjuvant chemoimmunotherapy’, *Journal for ImmunoTherapy of Cancer*, 10(9), pp. 1–14. doi: 10.1136/jitc-2022-005320.
- Chang, C.-L. and Wu, R.-T. (2011) ‘Quantification of (+)-catechin and (−)-

- epicatechin in coconut water by LC–MS’, *Food Chemistry*, 126(2), pp. 710–717. doi: 10.1016/j.foodchem.2010.11.034.
- Chen, C., Wu, Y., Lu, H. L., Liu, K. and Qin, X. (2022) ‘Identification of potential biomarkers of vascular calcification using bioinformatics analysis and validation in vivo’, *PeerJ*, pp. 1–27. doi: 10.7717/peerj.13138.
- Cheng, T., Xu, C., Lei, L., Li, C., Zhang, Y. and Zhou, S. (2016) ‘Barcoding the kingdom Plantae: New PCR primers for ITS regions of plants with improved universality and specificity’, *Molecular Ecology Resources*, 16(1), pp. 138–149. doi: 10.1111/1755-0998.12438.
- Cheng, Y., Ma, X., Zhou, K., Humphreys, M. W. and Zhang, X. Q. (2016) ‘Phylogenetic analysis of Festuca–Lolium complex using SRAP markers’, *Genetic Resources and Crop Evolution*, 63(1), pp. 7–18. doi: 10.1007/s10722-015-0324-5.
- Dai, M., Kang, X., Wang, Y., Huang, S., Guo, Y., Wang, R., Chao, N. and Liu, L. (2022) ‘Functional Characterization of Flavanone 3-Hydroxylase (F3H) and Its Role in Anthocyanin and Flavonoid Biosynthesis in Mulberry’, *Molecules*, 27(10), p. 3341. doi: 10.3390/molecules27103341.
- Davies, K. M., Albert, N. W. and Schwinn, K. E. (2012) ‘From landing lights to mimicry: The molecular regulation of flower colouration and mechanisms for pigmentation patterning’, *Functional Plant Biology*, 39(8), pp. 619–638. doi: 10.1071/FP12195.
- Evalia, N. A., Sa’id, E. G. and Suryana, R. N. (2012) ‘Strategi Pengembangan Agroindustri dan Peningkatan Nilai Tambah Gambir di Kabupaten Lima Puluh Kota, Sumatera Barat’, *Jurnal Manajemen & Agribisnis*, 9(3), pp. 173–182.
- Ferrer, J. L., Jez, J. M., Bowman, M. E., Dixon, R. A. and Noel, J. P. (1999) ‘Structure of chalcone synthase and the molecular basis of plant polyketide biosynthesis’, *Nature Structural Biology*, 6(8), pp. 775–784. doi: 10.1038/11553.
- Gravot, A., Larbat, R., Hehn, A., Lièvre, K., Gontier, E., Goergen, J. L. and Bourgaud, F. (2004) ‘Cinnamic acid 4-hydroxylase mechanism-based inactivation by psoralen derivatives: Cloning and characterization of a C4H from a psoralen producing plant - *Ruta graveolens* - Exhibiting low sensitivity to psoralen inactivation’, *Archives of Biochemistry and Biophysics*, 422(1), pp. 71–80. doi: 10.1016/j.abb.2003.12.013.
- Guo, F., Guo, Y., Wang, P., Wang, Y. and Ni, D. (2017) ‘Transcriptional profiling of catechins biosynthesis genes during tea plant leaf development’, *Planta*, 246(6), pp. 1139–1152. doi: 10.1007/s00425-017-2760-2.
- Holton, T. A., Brugliera, F., Lester, D. R., Tanaka, Y., Hyland, C. D., Menting, J.

- G. T., Lu, C. Y., Farcy, E., Stevenson, T. W. and Cornish, E. C. (1993) ‘Cloning and expression of cytochrome P450 genes controlling flower colour’, *Nature*, 366(6452), pp. 276–279. doi: 10.1038/366276a0.
- Jez, J. M., Bowman, M. E., Dixon, R. A. and Noel, J. P. (2000) ‘Structure and mechanism of the evolutionarily unique plant enzyme chalcone isomerase’, *Nature Structural Biology*, 7(9), pp. 786–791. doi: 10.1038/79025.
- Jez, J. M., Bowman, M. E. and Noel, J. P. (2002) ‘Role of hydrogen bonds in the reaction mechanism of chalcone isomerase’, *Biochemistry*, 41(16), pp. 5168–5176. doi: 10.1021/bi0255266.
- Jiang, L., Yue, M., Liu, Y., Zhang, N., Lin, Y., Zhang, Yunting, Wang, Y., Li, M., Luo, Y., Zhang, Yong, Wang, X., Chen, Q. and Tang, H. (2023) ‘A novel R2R3-MYB transcription factor FaMYB5 positively regulates anthocyanin and proanthocyanidin biosynthesis in cultivated strawberries (*Fragaria × ananassa*)’, *Plant Biotechnology Journal*, 21(6), pp. 1140–1158. doi: 10.1111/pbi.14024.
- Jin, Z., Zhu, Q., Guo, Y., Xing, R., Wang, Y., Zhang, Y., Gao, X. and Yu, F. (2022) ‘Functional characterization of secologanin synthase-like homologous genes suggests their involvement in the biosynthesis of diverse metabolites in the secoiridoid biosynthetic pathway of *Camptotheca acuminata* Decne’, *International Journal of Biological Macromolecules*, 222, pp. 2594–2602. doi: 10.1016/j.ijbiomac.2022.10.042.
- Kiselova-Kaneva, Y., Galunska, B., Nikolova, M., Dincheva, I. and Badjakov, I. (2022) ‘High resolution LC-MS/MS characterization of polyphenolic composition and evaluation of antioxidant activity of *Sambucus ebulus* fruit tea traditionally used in Bulgaria as a functional food’, *Food Chemistry*, 367, p. 130759. doi: 10.1016/j.foodchem.2021.130759.
- Koch, W., Kukuła-Koch, W., Czop, M., Helon, P. and Gumbarewicz, E. (2020) ‘The role of extracting solvents in the recovery of polyphenols from green tea and its antiradical activity supported by principal component analysis’, *Molecules*, 25(9), p. 2173. doi: 10.3390/molecules25092173.
- Kukurba, K. R. and Montgomery, S. B. (2015) ‘RNA sequencing and analysis’, *Cold Spring Harbor Protocols*, 2015(11), pp. 951–969. doi: 10.1101/pdb.top084970.
- Levy, H. L., Sarkissian, C. N. and Scriven, C. R. (2018) ‘Phenylalanine ammonia lyase (PAL): From discovery to enzyme substitution therapy for phenylketonuria’, *Molecular Genetics and Metabolism*, 124(4), pp. 223–229. doi: 10.1016/j.ymgme.2018.06.002.
- Liu, M., Tian, H. L., Wu, J. H., Cang, R. R., Wang, R. X., Qi, X. H., Xu, Q. and Chen, X. H. (2015) ‘Relationship between gene expression and the accumulation of catechin during spring and autumn in tea plants (*Camellia*

- sinensis L.)', *Horticulture Research*, 2(November 2014), pp. 1–8. doi: 10.1038/hortres.2015.11.
- Liu, Z., Shi, M. Z. and Xie, D. Y. (2014) 'Regulation of anthocyanin biosynthesis in *Arabidopsis thaliana* red pap1-D cells metabolically programmed by auxins', *Planta*, 239(4), pp. 765–781. doi: 10.1007/s00425-013-2011-0.
- Lukačin, R., Urbanke, C., Gröning, I. and Matern, U. (2000) 'The monomeric polypeptide comprises the functional flavanone 3 $\beta$ -hydroxylase from *Petunia hybrida*', *FEBS Letters*, 467(2–3), pp. 353–358. doi: 10.1016/S0014-5793(00)01116-9.
- MacDonald, M. J. and D'Cunha, G. B. (2007) 'A modern view of phenylalanine ammonia lyase', *Biochemistry and Cell Biology*, 85(3), pp. 273–282. doi: 10.1139/O07-018.
- Martens, S., Teeri, T. and Forkmann, G. (2002) 'Heterologous expression of dihydroflavonol 4-reductases from various plants', *FEBS Letters*, 531(3), pp. 453–458. doi: 10.1016/S0014-5793(02)03583-4.
- Mishra, M. K., Suresh, N., Bhat, A. M., Suryaprakash, N., Kumar, S. S., Kumar, A. and Jayarama (2011) 'Sagenetic molecular analysis of *Coffea Arabica* (Rubiaceae) hybrids using SRAP markers', *Revista de Biología Tropical*, 59(2), pp. 607–617.
- Ngaki, M. N., Louie, G. V., Philippe, R. N., Manning, G., Pojer, F., Bowman, M. E., Li, L., Larsen, E., Wurtele, E. S. and Noel, J. P. (2012) 'Evolution of the chalcone-isomerase fold from fatty-acid binding to stereospecific catalysis', *Nature*, 485(7399), pp. 530–533. doi: 10.1038/nature11009.
- Oliveira, J., Mateus, N. and de Freitas, V. (2013) 'Flavanols: Catechins and proanthocyanidins', in *Natural Products: Phytochemistry, Botany and Metabolism of Alkaloids, Phenolics and Terpenes*. Berlin, Heidelberg: Springer Berlin Heidelberg, pp. 1753–1801. doi: 10.1007/978-3-642-22144-6\_58.
- Owens, D. K., Crosby, K. C., Runac, J., Howard, B. A. and Winkel, B. S. J. (2008) 'Biochemical and genetic characterization of *Arabidopsis* flavanone 3 $\beta$ -hydroxylase', *Plant Physiology and Biochemistry*, 46(10), pp. 833–843. doi: 10.1016/j.plaphy.2008.06.004.
- Ozsolak, F. and Milos, P. M. (2011) 'RNA sequencing: Advances, challenges and opportunities', *Nature Reviews Genetics*, 12(2), pp. 87–98. doi: 10.1038/nrg2934.
- Pang, Y., Abeysinghe, I. S. B., He, J., He, X., Huhman, D., Mudith Mewan, K., Sumner, L. W., Yun, J. and Dixon, R. A. (2013) 'Functional characterization of proanthocyanidin pathway enzymes from tea and their application for metabolic engineering', *Plant Physiology*, 161(3), pp. 1103–

1116. doi: 10.1104/pp.112.212050.
- Pelletier, M. K., Murrell, J. R. and Shirley, B. W. (1997) ‘Characterization of flavonol synthase and leucoanthocyanidin dioxygenase genes in arabidopsis: Further evidence for differential regulation of “early” and “late” genes’, *Plant Physiology*, 113(4), pp. 1437–1445. doi: 10.1104/pp.113.4.1437.
- Petit, P., Granier, T., d’Estaintot, B. L., Manigand, C., Bathany, K., Schmitter, J. M., Lauvergeat, V., Hamdi, S. and Gallois, B. (2007) ‘Crystal Structure of Grape Dihydroflavonol 4-Reductase, a Key Enzyme in Flavonoid Biosynthesis’, *Journal of Molecular Biology*, 368(5), pp. 1345–1357. doi: 10.1016/j.jmb.2007.02.088.
- Pietrowska-Borek, M., Stuible, H. P., Kombrink, E. and Guranowski, A. (2003) ‘4-Coumarate:coenzyme a ligase has the catalytic capacity to synthesize and reuse various (di)adenosine polyphosphates’, *Plant Physiology*, 131(3), pp. 1401–1410. doi: 10.1104/pp.011684.
- Ritter, H. and Schulz, G. E. (2004) ‘Structural basis for the entrance into the phenylpropanoid metabolism catalyzed by phenylalanine ammonia-lyase’, *Plant Cell*, 16(12), pp. 3426–3436. doi: 10.1105/tpc.104.025288.
- Robarts, D. W. H. and Wolfe, A. D. (2014) ‘Sequence-related amplified polymorphism (SRAP) markers: A potential resource for studies in plant molecular biology 1’, *Applications in Plant Sciences*, 2(7), p. 1400017. doi: 10.3732/apps.1400017.
- Rohlf F. J. (1992) *Numerical Taxonomy and Multivariate Analysis System (NTSYS)*, Ver. 1.8.
- Rosati, D., Palmieri, M., Brunelli, G., Morrione, A., Iannelli, F., Frullanti, E. and Giordano, A. (2024) ‘Differential gene expression analysis pipelines and bioinformatic tools for the identification of specific biomarkers: A review’, *Computational and Structural Biotechnology Journal*, 23(October 2023), pp. 1154–1168. doi: 10.1016/j.csbj.2024.02.018.
- Schalk, M. and Croteau, R. (2000) ‘A single amino acid substitution (F363I) converts the regiochemistry of the spearmint (-)-limonene hydroxylase from a C6- to a C3-hydroxylase’, *Proceedings of the National Academy of Sciences of the United States of America*, 97(22), pp. 11948–11953. doi: 10.1073/pnas.97.22.11948.
- Schoenbohm, C., Martens, S., Eder, C., Forkmann, G. and Weisshaar, B. (2000) ‘Identification of the arabidopsis thaliana flavonoid 3'-hydroxylase gene and functional expression of the encoded P450 enzyme’, *Biological Chemistry*, 381(8), pp. 749–753. doi: 10.1515/BC.2000.095.
- Seitz, C., Ameres, S., Schlangen, K., Forkmann, G. and Halbwirth, H. (2015) ‘Multiple evolution of flavonoid 3',5'-hydroxylase’, *Planta*, 242(3), pp.

- 561–573. doi: 10.1007/s00425-015-2293-5.
- Si, C., Dong, W., Teixeira da Silva, J. A., He, C., Yu, Z., Zhang, M., Huang, L., Zhao, C., Zeng, D., Li, C., Qiu, S. and Duan, J. (2023) ‘Functional analysis of flavanone 3-hydroxylase (F3H) from *Dendrobium officinale*, which confers abiotic stress tolerance’, *Horticultural Plant Journal*, 9(2), pp. 356–364. doi: 10.1016/j.hpj.2022.03.006.
- Suryani, E. and Nurmansyah (2019) ‘Teknologi Budidaya dan Pasca Panen Tanaman Gambir (*Uncaria gambir* (Hunter) Roxb)’, *Balai Penelitian Tanaman Rempah dan Obat*, p. 16.
- Tanaka, Y., Brugliera, F. and Chandler, S. (2009) ‘Recent progress of flower colour modification by biotechnology’, *International Journal of Molecular Sciences*, 10(12), pp. 5350–5369. doi: 10.3390/ijms10125350.
- Tanner, G. J., Francki, K. T., Abrahams, S., Watson, J. M., Larkin, P. J. and Ashton, A. R. (2003a) ‘Proanthocyanidin biosynthesis in plants. Purification of legume leucoanthocyanidin reductase and molecular cloning of its cDNA’, *Journal of Biological Chemistry*, 278(34), pp. 31647–31656. doi: 10.1074/jbc.M302783200.
- Tanner, G. J., Francki, K. T., Abrahams, S., Watson, J. M., Larkin, P. J. and Ashton, A. R. (2003b) ‘Proanthocyanidin Biosynthesis in Plants’, *Journal of Biological Chemistry*, 278(34), pp. 31647–31656. doi: 10.1074/jbc.M302783200.
- Terrier, N., Poncet-Legrand, C. and Cheynier, V. (2009) ‘Flavanols, flavonols and dihydroflavonols’, in *Wine Chemistry and Biochemistry*. New York, NY: Springer New York, pp. 463–507. doi: 10.1007/978-0-387-74118-5\_22.
- Urban, P., Mignotte, C., Kazmaier, M., Delorme, F. and Pompon, D. (1997) ‘Cloning, yeast expression, and characterization of the coupling of two distantly related *Arabidopsis thaliana* NADPH-cytochrome P450 reductases with P450 CYP73A5’, *Journal of Biological Chemistry*, 272(31), pp. 19176–19186. doi: 10.1074/jbc.272.31.19176.
- Waki, T., Mameda, R., Nakano, T., Yamada, S., Terashita, M., Ito, K., Tenma, N., Li, Y., Fujino, N., Uno, K., Yamashita, S., Aoki, Y., Denessiouk, K., Kawai, Y., Sugawara, S., Saito, K., Yonekura-Sakakibara, K., Morita, Y., et al. (2020) ‘A conserved strategy of chalcone isomerase-like protein to rectify promiscuous chalcone synthase specificity’, *Nature Communications*, 11(1), p. 870. doi: 10.1038/s41467-020-14558-9.
- Wang, H., Fan, W., Li, H., Yang, J., Huang, J. and Zhang, P. (2013) ‘Functional characterization of dihydroflavonol-4-reductase in anthocyanin biosynthesis of purple sweet potato underlies the direct evidence of anthocyanins function against abiotic stresses’, *PLoS ONE*. Edited by S. Park, 8(11), p. e78484. doi: 10.1371/journal.pone.0078484.

- Wang, H., Provan, G. J. and Helliwell, K. (2003) 'HPLC determination of catechins in tea leaves and tea extracts using relative response factors', *Food Chemistry*, 81(2), pp. 307–312. doi: 10.1016/S0308-8146(02)00510-1.
- Wang, W., Zhou, Y., Wu, Y., Dai, X., Liu, Y., Qian, Y., Li, M., Jiang, X., Wang, Y., Gao, L. and Xia, T. (2018) 'Insight into Catechins Metabolic Pathways of *Camellia sinensis* Based on Genome and Transcriptome Analysis', *Journal of Agricultural and Food Chemistry*, 66(16), pp. 4281–4293. doi: 10.1021/acs.jafc.8b00946.
- Wang, Y. S., Xu, Y. J., Gao, L. P., Yu, O., Wang, X. Z., He, X. J., Jiang, X. L., Liu, Y. J. and Xia, T. (2014) 'Functional analysis of Flavonoid 3',5'-hydroxylase from Tea plant (*Camellia sinensis*): Critical role in the accumulation of catechins', *BMC Plant Biology*, 14(1), pp. 1–14. doi: 10.1186/s12870-014-0347-7.
- Wei, K., Zhang, Y., Wu, L., Li, H., Ruan, L., Bai, P., Zhang, C., Zhang, F., Xu, L., Wang, L. and Cheng, H. (2016) 'Gene expression analysis of bud and leaf color in tea', *Plant Physiology and Biochemistry*, 107, pp. 310–318. doi: 10.1016/j.plaphy.2016.06.022.
- Wilmouth, R. C., Turnbull, J. J., Welford, R. W., Clifton, I. J., Prescott, A. G. and Schofield, C. J. (2002) 'Structure and Mechanism of Anthocyanidin Synthase from *Arabidopsis thaliana*', *Structure*, 10(1), pp. 93–103. doi: 10.1016/S0969-2126(01)00695-5.
- Wittmeier, P. and Hummel, S. (2022) 'Agarose gel electrophoresis to assess PCR product yield: comparison with spectrophotometry, fluorometry and qPCR', *BioTechniques*, 72(4), pp. 155–158. doi: 10.2144/btn-2021-0094.
- Xie, D. Y., Sharma, S. B., Paiva, N. L., Ferreira, D. and Dixon, R. A. (2003) 'Role of anthocyanidin reductase, encoded by BANYULS in plant flavonoid biosynthesis', *Science*, 299(5605), pp. 396–399. doi: 10.1126/science.1078540.
- Yang, R.-H., Su, J.-H., Shang, J.-J., Wu, Y.-Y., Li, Y., Bao, D.-P. and Yao, Y.-J. (2018) 'Evaluation of the ribosomal DNA internal transcribed spacer (ITS), specifically ITS1 and ITS2, for the analysis of fungal diversity by deep sequencing', *PLOS ONE*. Edited by D. Cullen, 13(10), p. e0206428. doi: 10.1371/journal.pone.0206428.
- Yu, J., Wu, X., Liu, C., Newmaster, S., Ragupathy, S. and Kress, W. J. (2021) 'Progress in the use of DNA barcodes in the identification and classification of medicinal plants', *Ecotoxicology and Environmental Safety*, 208, p. 111691. doi: <https://doi.org/10.1016/j.ecoenv.2020.111691>.
- Zhang, Y., Wang, L., Wei, K., Ruan, L., Wu, L., He, M., Tong, H. and Cheng, H. (2020) 'Differential regulatory mechanisms of secondary metabolites revealed at different leaf positions in two related tea cultivars', *Scientia*

*Horticulturae*, 272(April), p. 109579. doi: 10.1016/j.scienta.2020.109579.

- Zhang, Y., Wei, K., Li, H., Wang, L., Ruan, L., Pang, D. and Cheng, H. (2018) 'Identification of key genes involved in catechin metabolism in tea seedlings based on transcriptomic and HPLC analysis', *Plant Physiology and Biochemistry*, 133, pp. 107–115. doi: <https://doi.org/10.1016/j.plaphy.2018.10.029>.
- Zhao, J., Pang, Y. and Dixon, R. A. (2010) 'The mysteries of proanthocyanidin transport and polymerization', *Plant Physiology*, 153(2), pp. 437–443. doi: 10.1104/pp.110.155432.
- Zhao, L., Gao, L., Wang, H., Chen, X., Wang, Y., Yang, H., Wei, C., Wan, X. and Xia, T. (2013) 'The R2R3-MYB, bHLH, WD40, and related transcription factors in flavonoid biosynthesis', *Functional and Integrative Genomics*, 13(1), pp. 75–98. doi: 10.1007/s10142-012-0301-4.
- Zhao, L. Q., Shan, C. M., Shan, T. Y., Li, Q. L., Ma, K. L., Deng, W. W. and Wu, J. W. (2022) 'Comparative transcriptomic analysis reveals the regulatory mechanisms of catechins synthesis in different cultivars of *Camellia sinensis*', *Food Research International*, 157, p. 111375. doi: 10.1016/j.foodres.2022.111375.
- Zhou, L. J., Geng, Z., Wang, Yuxi, Wang, Yiguang, Liu, S., Chen, C., Song, A., Jiang, J., Chen, S. and Chen, F. (2021) 'A novel transcription factor CmMYB012 inhibits flavone and anthocyanin biosynthesis in response to high temperatures in chrysanthemum', *Horticulture Research*, 8(1). doi: 10.1038/s41438-021-00675-z.