

## DAFTAR PUSTAKA

- Adebo, J. A. (2023). A review on the potential food application of lima beans (*Phaseolus lunatus L.*), an underutilized crop. *Applied Sciences*, 13(3), 1996.
- Agarwal, A., Cocuzza, M., Abdelrazik, H., & Sharma, R. K. (2008). 10 Oxidative stress measurement in patients with male or female factor infertility. *Handbook of Chemiluminescent methods in oxidative stress Assessment*, 195-218.
- Ahmed-Farid, O. A., Nasr, M., Ahmed, R. F., & Bakeer, R. M. (2017). Beneficial effects of curcumin nano-emulsion on spermatogenesis and reproductive performance in male rats under protein deficient diet model: Enhancement of sperm motility, conservancy of testicular tissue integrity, cell energy and seminal plasma amino acids content. *Journal of Biomedical Science*, 24(1), 1-14.
- Ajuogu, P. K., Al-Aqbi, M. A., Hart, R. A., Wolden, M., Smart, N. A., & McFarlane, J. R. (2020). The effect of dietary protein intake on factors associated with male infertility: A systematic literature review and meta-analysis of animal clinical trials in rats. *Nutrition and health*, 26(1), 53-64.
- Alfathdry, A., Anshori, K., Dewanto, A., & Gunanegara, R. F. (2023). # 126: The Effect of Maternal Low Protein Diet on Sertoli Cell Population and Testicular Vacuoles in Male Offspring. *Fertility & Reproduction*, 5(04), 554-555
- Alcázar-Valle, M., Lugo-Cervantes, E., Mojica, L., Morales-Hernández, N., ReyesRamírez, H., Enríquez-Vara, J. N., & García-Morales, S. (2020). Bioactive Compounds, Antioxidant Activity, and Antinutritional Content of Legumes: A Comparison between Four *Phaseolus* Species. *Molecules* 2020, Vol. 25, Page 3528, 25(15), 3528.
- Andrade, F.J.E.T., Albuquerque, P.B.S., Moraes, G.M.D., Farias, M.D.P. Teixeira-Sá, D.M.A., Vicente, A A., Carneiro-da-Cunha, M.G. (2018). Influence of hydrocolloids (galactomannan and xanthan gum) on the physicochemical and sensory characteristics of gluten-free cakes based on fava beans (*Phaseolus lunatus*). *Food Funct.* 13.9(12):6369-6379
- Anggraeny, O., Dianovita, C., Putri, E. N., Sastrina, M., & Dewi, R. S. (2016). Korelasi Pemberian Diet Rendah Protein Terhadap Status Protein, Imunitas, Hemoglobin, dan Nafsu Makan Tikus Wistar Jantan. *Indonesian Journal of Human Nutrition*, 3(2), 105-122.
- Appasamy, M., Muttukrishna, S., Pizzey, A. R., Ozturk, O., Groome, N. P., Serhal, P., & Jauniaux, E. (2007). Relationship between male reproductive hormones,

- sperm DNA damage and markers of oxidative stress in infertility. *Reproductive biomedicine online*, 14(2), 159-165.
- Apriliani, M., Nurcahayani, N. dan Busman, H. (2013). Efek Pemaparan Kebisingan terhadap Jumlah Selsel Spermatogenik dan Diameter Tubulus Seminiferus Mencit (*Mus musculus L.*). *Lembaga Penelitian Universitas Lampung*.
- Basmatzou, T., & Hatziveis, K. (2016). Diabetes mellitus and influences on human fertility. *Int J Caring Sci*, 9(1), 371-9.
- Baudoin, J. P. (1989). Sumber Daya Nabati Asia Tenggara1. *Penerjemah Dani-mihardja S. Gramedia Pustaka Utama. Jakarta. Pp*, 66-70.
- Benabbou, M., Allaoui, A., Zahzeh, A. K. M., Boualga, A., & Zahzeh, T. (2023). Protein vs. Energy Restriction Impact on Rat Testis' Function, Redox Status, and Histomorphometry. *Preventive nutrition and food science*, 28(1), 61–68. <https://doi.org/10.3746/pnf.2023.28.1.61>.
- Biswas, S., & Kumar Mukhopadhyay, P. (2020). Casein-and pea-enriched high-protein diet can take care of the reprotoxic effects of arsenic in male rats. *Andrologia*, 52(5), e13560.
- Biswas, S., Pal, P., Mondal, R., & Mukhopadhyay, P. K. (2023). Casein and pea enriched high-protein diet attenuates arsenic provoked apoptosis in testicles of adult rats. *Toxicology Research*, 12(4), 551-563.
- Bondy, S.C. (2023). the hormies concept: strengths and shortcomings. *Biomolecules*, 13(10), 1512.
- Campos-Vega, R., Guevara-Gonzalez, R. G., Guevara-Olvera, B. L., Dave Oomah, B., & Loarca-Piña, G. (2010). Bean (*Phaseolus vulgaris L.*) polysaccharides modulate gene expression in human colon cancer cells (HT-29). *Food Research International*, 43(4), 1057–1064.
- Creasy, D. M., & Chapin, R. E. (2013). Male reproductive system. *Haschek and Rousseaux's handbook of Toxicologic pathology*, 2493-2598.
- de Oliveira, J. C., de Moura, E. G., Miranda, R. A., de Moraes, A. M. P., Barella, L. F., da Conceição, E. P. S., & de Freitas Mathias, P. C. (2018). Low-protein diet in puberty impairs testosterone output and energy metabolism in male rats. *Journal of Endocrinology*, 237(3), 243-254.
- El-Gohery, SS. (2021). Pengaruh perlakuan berbeda terhadap nilai gizi kacang lima (*Phaseolus lunatus*) dan pemanfaatannya dalam pembuatan biskuit. *Ilmu Pangan dan Gizi*, 12 (4), 372-391.
- Ersawati, Neti; Susari, Ni Nyoman Werdi; Setiasih, Ni Luh Eka. (2018). Berat Organ Usus Tikus Putih (*Rattus Norvegicus*) Pasca Penambahan Tepung Daun

- Kelor (Moringa Oleifera) pada Pakan. *Indonesia Medicus Veterinus*, p. 277-283.
- Fadilah, B. C., Khozin, F. A., & Purnama, M. T. E. (2017). Malnutrisi Dapat Menurunkan Frekuensi Libido Mencit Jantan (Mus Musculus). *Jurnal Medik Veteriner*, 1(1), 28-32.
- Gaskins AJ and Chavarro JE. (2018). Diet and fertility: A review. American Journal of Obstetrics and Gynecology 218: 379–389
- Genovese P, Núñez ME, Pombo C, Bielli A. (2010). Undernutrition during foetal and postnatal life affects testicular structure and reduces the number of Sertoli cells in the adult rat. *Reprod Domest Anim.* 45: 233-6.
- Glass, A. R., Anderson, J., Herbert, D., & Vigersky, R. A. (1984). Growth and reproductive adaptation in male rats with chronic protein deficiency. *Journal of andrology*, 5(2), 99-102.\.
- Gourine, H., Grar, H., Dib, W., Mehedi, N., Boualga, A., Saidi, D., & Kheroua, O. (2018). Effect of a normal protein diet on oxidative stress and organ damage in malnourished rats. *Frontiers in Biology*, 13, 366-375.
- Guaragna, R., Rosa, N. B., Moraes, G. G., Perry, M. L., & Bernard, E. A. (1986). Effect of protein malnutrition on glycoprotein synthesis by testes of 20-day-old rats. *International journal of andrology*, 9(6), 467-476.
- Guñtúrkun O. (2009). Cerebral lateralization in animal species. In: Sommer IEC and Kahn RS (eds) Language Lateralization and Psychosis. Cambridge: Cambridge University Press.
- Guyton A.C, dan Hall, J.E., (2014). Buku Ajar Fisiologi Kedokteran.Edisi 12. Penterjemah: Ermita I, Ibrahim I. Singapura: Elsevier.
- Handelsman, D. J., & Staraj, S. (1985). Testicular size: the effects of aging, malnutrition, and illness. *Journal of andrology*, 6(3), 144-151.
- Hanai M and Esashi T. (2007). The interactive effect of dietary protein and vitamin levels on the depression of gonadal development in growing male rats kept under disturbed daily rhythm. *Journal of Nutritional Science and Vitaminology* 53: 138–144.
- Hayes, D. P. (2008). Adverse effects of nutritional inadequacy and excess: a hormetic model. *The American journal of clinical nutrition*, 88(2), 578S-581S.
- Heindel, J. J., & Treinen, K. A. (1989). Physiology of the male reproductive system: endocrine, paracrine and autocrine regulation. *Toxicologic pathology*, 17(2), 411-445.

- Hernawati, T., Erma, S., Utama, S., & Mulyati, S. (2012). Penurunan angka fertilitas spermatozoa dan gambaran histopatologis tubulus seminiferus mencit (Mus Musculus) kondisi malnutrisi. *Veterinaria Medika*, 5(3), 157-162.
- Hu, G., Ling, C., Chi, L., Thind, M. K., Furse, S., Koulman, A., Swann, J. R., Lee, D., Calon, M. M., Bourdon, C., Versloot, C. J., Bakker, B. M., Gonzales, G. B., Kim, P., Bandsma, R. H. J. (2022). The role of the tryptophan-NAD<sup>+</sup> pathway in a mouse model of severe malnutrition-induced liver dysfunction. *Nature Communications*, 13(1), 7576.
- Hruby, A., & Jacques, P. F. (2021). Protein intake and human health: implications of units of protein intake. *Advances in Nutrition*, 12(1), 71-88.
- Ibrahim, I., Oenzil, F., & Amir, A. (2015). Hubungan obesitas dengan hormon testosteron pada mahasiswa STIKes indonesia padang. *Jurnal Kesehatan Andalas*, 4(3).
- Jain A, Ashish AJ, Meena V. (2013). Relation of oxidative stress, zinc, and alkaline phosphatase in energy protein malnutrition. *Arch Physiol Biochem*. 119(1): 15-21.
- Jayalaxmi, B., Vijayalakshmi, D., Ravindra, U., Revanna, M.L., Chandru, R., Ramanjini, P.H., Gowda. (2016). Effect of different processing methods on proximate, mineral and antinutrient content of lima bean (*Phaseolus lunatus*) seeds. *Legume Research* (39):543-549.
- Kamel, O., Ramadan, B., Abd Elwahab, A., Mohamed, S., & Ali, H. (2020). The possible ameliorative effect of carnosine in protein deficient diet induced testicular damage. *Journal of Recent Advances in Medicine*, 1(2), 96-103.
- Karaca, F., Dönmez, H. H., & Karslı, M. A. (2003). Effects of protein deficiency on testosterone levels, semen quality and testicular histology in the developing male rat. *Scandinavian Journal of Laboratory Animal Science*, 30(1), 7-13.
- Kemenkes. (2018). Profil Kesehatan Indonesia. Kementerian Kesehatan Republik Indonesia.
- Khaliq, A., Wraith, D., Nambiar, S., & Miller, Y. (2022). A review of the prevalence, trends, and determinants of coexisting forms of malnutrition in neonates, infants, and children. *BMC Public Health*, 22(1), 1-23.
- Khorram, O., Keen-Rinehart, E., Chuang, T. D., Ross, M. G., & Desai, M. (2015). Maternal undernutrition induces premature reproductive senescence in adult female rat offspring. *Fertility and sterility*, 103(1), 291-298.
- Kumari, N., Goyal, M., & Tiwari, R. K. (2022). Correlation of Serum Biochemical Parameters and Oxidative Stress in Malnourished Children: A Case-control Study. *Journal of Clinical & Diagnostic Research*, 16(10).

- Ling, P. R., & Bistrian, B. R. (2009). Comparison of the effects of food versus protein restriction on selected nutritional and inflammatory markers in rats. *Metabolism*, 58(6), 835-842.
- Listyorini, L., Hernawati, T., & Suprayogi, T. W. (2021). Potensi madu pada peningkatan jumlah sel spermatogenik tikus (*Rattus norvegicus*) yang kekurangan nutrisi. *Ovozoa*, 10, 12-7.
- Léonhardt, M., Lesage, J., Croix, D., Dutriez-Casteloot, I., Beauvillain, J. C., & Dupouy, J. P. (2003). Effects of perinatal maternal food restriction on pituitary-gonadal axis and plasma leptin level in rat pup at birth and weaning and on timing of puberty. *Biology of reproduction*, 68(2), 390-400.
- Louis, G. F., Lewis, A. J., Weldon, W. C., Miller, P. S., Kittok, R. J., & Stroup, W. W. (1994). The effect of protein intake on boar libido, semen characteristics, and plasma hormone concentrations. *Journal of animal science*, 72(8), 2038-2050.
- Loveland, K. L., Klein, B., Pueschl, D., Indumathy, S., Bergmann, M., Loveland, B. E., ... & Schuppe, H. C. (2017). Cytokines in male fertility and reproductive pathologies: immunoregulation and beyond. *Frontiers in Endocrinology*, 8, 307.
- Mahmoodpour, H., Vahdatpour, S., Jafargholipour, M., & Vahdatpour, T. (2017). Effects of low-protein diets supplemented with antioxidants on histopathology of testis and testosterone and performance of male Japanese quail (*Coturnix coturnix japonica*). *Revista Brasileira de Zootecnia*, 46, 123-129.
- Maliza, R., Tofrizal, A., Santoso, P., Jannatan, R., & Amatu Zikrah, A. (2023). Effects Of Lima Bean (*Phaseolus Lunatus*) Flour On Cognitive Function and Growth Recovery Malnutrition Rats. *Journal of microbiology, biotechnology and food sciences*, Article e10332. <https://doi.org/10.55251/jmbfs.10332>
- Malta, A., de Oliveira, J. C., da Silva Ribeiro, T. A., Tófolo, L. P., Barella, L. F., Prates, K. V. & de Freitas Mathias, P. C. (2014). Low-protein diet in adult male rats has long-term effects on metabolism. *Journal of Endocrinology*, 221, 293-303.
- Maneesh, M., Jayalakshmi, H., Singh, T. A., & Chakrabarti, A. (2006). Impaired hypothalamic-pituitary-gonadal axis function in men with diabetes mellitus. *Indian journal of clinical biochemistry*, 21, 165-168.
- Matti, Bergendahl., Johannes, D., Veldhuis., Johannes, D., Veldhuis. (1995). Altered pulsatile gonadotropin signaling in nutritional deficiency in the male.. *Trends in Endocrinology and Metabolism*, 6(5):145-159. doi: 10.1016/1043-2760(95)00081-R

- Mawhinney, M., & Mariotti, A. (2013). Physiology, pathology and pharmacology of the male reproductive system. *Periodontology 2000*, 61(1), 232-251.
- Mescher, A. L. (2012). Histologi Dasar Junqueira edisi 12. Jakarta: Penerbit Buku Kedokteran EGC.
- Mescher, AL. (2018). Junqueira's Basic Histology Text and Atlas. New York McGraw-Hill Education.
- Millar, K. A., Gallagher, E., Burke, R., McCarthy, S., & Barry-Ryan, C. (2019). Proximate composition and anti-nutritional factors of fava-bean (*Vicia faba*), green-pea and yellow-pea (*Pisum sativum*) flour. *Journal of Food Composition and Analysis*, 82, 103233.
- Musa, A., & Zamroni, M. (2021). Kadar hormon estradiol dan testostero ikan Ringau (*Datnioides microlepis*) serta sifat monomorfisme. In *Prosiding Seminar Nasional Biologi* Vol. 7, No. 1, pp. 336-341.
- Munaya, N., Brahmadi, A., & Sakti, Y. B. H. (2018). Efek Stres Puasa terhadap Ketebalan Epitel dan Diameter Tubulus Seminiferus *Rattus norvegicus*. Mutiara Medika: Jurnal Kedokteran dan Kesehatan, 18(1), 1-7.
- Morgan, H. L., Ampong, I., Eid, N., Rouillon, C., Griffiths, H. R., & Watkins, A. J. (2020). Low protein diet and methyl-donor supplements modify testicular physiology in mice. *Reproduction*, 159(5), 627-641.
- Nafi', A., T. Susanto, dan A. Subagio. (2006). Pengembangan Tepung Kaya Protein (TKP) dari koro komak (*Lablab purpureus* L. Sweet) dan koro kratok (*Phaseolus lunatus* L.). *Jurnal Teknol. dan Industri Pangan*, Vol. 17, No.3: 159-165.
- Nurliani, A., & Santoso, H. B. (2005). Perkembangan sel spermatogenik mencit (*Mus musculus* L.) setelah pemberian ekstrak kulit kayu durian (*Durio zibethinus* Murr.). *Berkala Penelitian Hayati*, 11(1), 77-79.
- Obata, F., Yu, G., Ohta, H., Susuki, N., Shimazaki, M., Nishimura, S., & Hanai, M. (2020). Dietary Cystine Ameliorates Defects in Spermatogenesis via Testosterone Production Induced by Protein Deficiency and Darkness in Rats. *Journal of Nutritional Science and Vitaminology*, 66(1), 86-90.
- Obukohwo, O. M., Benneth, B. A., Simon, O. I., Oghenetega, O. B., Victor, E., Faith, F. Y., ... & Kingsley, N. E. (2023). Testosterone: The Male Sex Hormone.
- O'Donnell, L., Dagley, L. F., Curley, M., Darbey, A., O'Shaughnessy, P. J., Diemer, T., ... & Reboucet, D. (2023). Sertoli cell-enriched proteins in mouse and human testicular interstitial fluid. *Plos one*, 18(9), e0290846.
- Oliveira, J., Silva, A., Souza, S., Morais, R., Melo, E. N., Maia, F., & Junior, V. S. (2017). Histomorphometric evaluation of the testicular parenchyma of rats

- submittedto protein restriction during intrauterine and postnatal life. *Turkish Journal of Biology*, 41(3), 428-438.
- Organisasi Kesehatan Dunia (WHO). (2021). Lembar fakta - Malnutrisi <https://www.who.int/news-room/fact-sheets/detail/malnutrition>.
- Ozegbe, P. C., & Omirinde, J. O. (2012). Comparative morphophysiological evaluation of the testis of adult Wistar rats fed low protein-energy diet and dosed with aqueous extracts of *Cuscuta australis*. *Nigerian Journal of Physiological Sciences*, 27(2), 149-155.
- Pezeshki, A., & Chelikani, P. K. (2021). Low protein diets and energy balance: Mechanisms of action on energy intake and expenditure. *Frontiers in Nutrition*, 8, 655833.
- Purwanti, E. dan W. Prihata. (2017). Morphological diversity and germplasm conservation strategies of *Phaseolus lunatus* L in east java. Proceeding of 4th International Conference the Community Development in ASEAN: 238- 247. Phnom Penh, Cambodia, 22-23 Maret, 2017.
- Polkowska J, Drejci P and Snochowski M. (1996). The long-term effect of low protein diet on the somatostatin hypothalamic neuronal system and the pituitary growth hormone cells in growing ewe. *Experimental and Clinical Endocrinology & Diabetes* 104: 59–66.
- Rahmadani, R. (2019). Efek Ekstrak Daun Cengkeh (*Syzygium aromaticum* (L) Merr & Lm Perry) terhadap Kadar Malondialdehyde Dan Hemoglobin Serta Berat Badan Pada Mencit Jantan Yang Terpapar Asap Rokok (Doctoral dissertation, Universitas Andalas).
- Safitri, E., Utama, S., Widiyatno, T. V., Sandhika, W., & Prasetyo, R. H. (2016). Auto-regeneration of mice testicle seminiferous tubules due to malnutrition based on stem cells mobilization using honey. *Asian Pacific Journal of Reproduction*, 5(1), 31-35.
- Sakya, A. T. (2016). Peningkatan ketersediaan nutrisi mikro pada tanaman: upaya mengurangi malnutrisi pada manusia. *Caraka Tani: Journal of Sustainable Agriculture*, 31(2),118-128.
- Salamah, Z., Budiantoro, A. dan Suwartiningsih, N. (2018). Petunjuk Praktikum Mikroteknik Tumbuhan dan Hewan. Yogyakarta: Universitas Ahmad Dahlan. hlm: 35-40.
- Santos, E. W., Oliveira, D. C., Silva, G. B., Tsujita, M., Beltran, J. O., Hastreiter, A., ... & Borelli, P. (2017). Hematological alterations in protein malnutrition. *Nutrition Reviews*, 75(11), 909-919.

- Schulster, M., Bernie, A. M., & Ramasamy, R. (2016). The role of estradiol in male reproductive function. *Asian journal of andrology*, 18(3), 435–440. <https://doi.org/10.4103/1008-682X.173932>
- Sermondade, N., Faure, C., Fezeu, L., Shayeb, AG, Bonde, JP, Jensen, TK, and Czernichow, S. (2013). BMI dalam kaitannya dengan jumlah sperma: tinjauan sistematis yang diperbarui dan meta-analisis kolaboratif. *Pembaruan reproduksi manusia*, 19 (3), 221-231.
- Shaha, C. (2008). Germ cell apoptosis: Relevance to infertility and contraception. *Immunology, Endocrine & Metabolic Agents in Medicinal Chemistry (Formerly Current Medicinal Chemistry-Immunology, Endocrine and Metabolic Agents)*, 8(1), 66-78.
- Sherwood, L. (2012). Fisiologi Manusia: dari Sel ke Sistem (Edisi ke-6). Jakarta: EGC.
- Shidhu, P., Garg, M.L. and Dhawan, D.K. (2004). Protective effects of zinc on oxidative stress enzymes in the liver of protein-deficient rats. *Nutricion Hospitalaria*, 19(6), 341-347.
- Soliman, N., Soliman, A., Alyafei, F., ElSiddig, S., Alaaraj, N., Hamed, N., ... & Itani, M. (2024). The varied effects of protein intake during infancy, childhood, and adolescence: Associations with growth metrics, body composition, and pubertal development timelines. *World Journal of Advanced Research and Reviews*, 21(3), 657-666.
- Susilowati, R. P. (2019). Histopathological Changes of Testes and Testosterone Level of Mice that are Exposed to Permot Leaf Mosquito Mat (*Passiflora foetida*).
- Solang, M & Andriani, M. (2021). Anadara Granosa Substitution in feed improve the Zink, Proteino of the feed, serum albumin, body weight of malnourished rats. *Food Research*, 5(1:132-139). DOI: [https://doi.org/10.26656/fr.2017.5\(1\).458](https://doi.org/10.26656/fr.2017.5(1).458)
- Sofikitis, N., Giotitsas, N., Tsounapi, P., Baltogiannis, D., Giannakis, D., & Pardalidis, N. (2008). Hormonal regulation of spermatogenesis and spermiogenesis. *The Journal of steroid biochemistry and molecular biology*, 109(3-5), 323-330.
- Sulistyoningrum, E., Setiawati, S., Nindyastuti, H., & Putra, A. N. (2012). Mahkota Dewa Mesocarp Infusion Improved Testicular Damage and Sperm Count In Diabetic Rat. *Sains Medika: Jurnal Kedokteran dan Kesehatan*, 4(2), 115-123.
- Tamayo, J., Poveda, T., Paredes, M. (2020). Antimicrobial, Antioxidant and AntiInflammatory Activities of Proteins of Phaseouluslunatus (Fabaceae) Baby Lima Beans Produced in Ecuador.

- Temegne, N. C., Tsoata, E., Ngome, A. F. E., Tonfack, L. B., Agendia, A. P., & Youmbi, E. (2021). Lima bean. In *The Beans and the Peas* pp. 133-152. Woodhead Publishing.
- Teixeira, C. V., Silandre, D., de Souza Santos, A. M., Delalande, C., Sampaio, F. J., Carreau, S., & da Fonte Ramos, C. (2007). Effects of maternal undernutrition during lactation on aromatase, estrogen, and androgen receptors expression in rat testis at weaning. *Journal of Endocrinology*, 192(2), 301-311.
- Theas, M. S. (2018). Germ cell apoptosis and survival in testicular inflammation. *Andrologia*, 50(11), e13083.
- Triawanti, T., Dwi Sanyoto, D., & Yunanto, A. (2018). Kapita selekta malnutrisi.
- Turner, T. T., & Lysiak, J. J. (2008). Oxidative stress: a common factor in testicular dysfunction. *Journal of andrology*, 29(5), 488-498.
- Vawdaw AI and Mandlwana JG. (1990). The effects of dietary protein deficiency on rat testicular function: Der Einfluß einer proteinarmen Diaët auf die Hodenfunktion der Ratte. *Andrologia* 22: 575–583.
- Vidiyanti, I. L. (2018). *Pengaruh Pemberian Ekstrak Etanol 90% Daun Kelor (Moringa oleifera Lam.) Terhadap Kadar Testosteron dan Spermatozoa Serta Gambaran Motilitas dan Diameter Tubulus Seminiferus Secara In Vivo* (Bachelor's thesis, UIN Syarif Hidayatullah Jakarta-FIKES).
- Wahyuni, S. (2006). Pengaruh Boraks terhadap Histologi Testis dan Epididimis Mencit Albino (*Mus musculus*). *Program Pasca Sarjana Universitas Sriwijaya*.
- Walker, W. H., & Cheng, J. (2005). FSH and testosterone signaling in Sertoli cells. *Reproduction*, 130(1), 15-28.
- Windrati, W. S., Bambang Herry, P., & Diniyah, N. (2015). Pengembangan Teknologi Pangan Berbasis Koro-Koroan Sebagai Bahan Pangan Alternatif Pensubstitusi Kedelai.
- Xu, F., Li, X., Niu, W., Ma, G., Sun, Q., Bi, Y., Guo, Z., Ren, D., Hu, J., Yuan, F., Yuan, R., Shi, L., Li, X., Yu, T., Yang, F., He, L., Zhao, X., He, G. (2019) Metabolomic profiling on rat brain of prenatal malnutrition implicated for oxidative stress and schizophrenia. *Metab Brain Dis* 34(6):1607-1613
- Yahaya., A., I., Nwannenna., S., T., Fadason., P., I., Rekwot. (2017). Testicular morphometry and sperm reserves of local turkey toms fed varying levels of protein in the diet. *Sokoto Journal of Veterinary Sciences*, 15(3):10-14. doi: 10.4314/SOKJVS.V15I3.2
- Zakariah, M., Molele, R. A., Mahdy, M. A., Ibrahim, M. I., & McGaw, L. J. (2022). Regulation of spermatogenic cell apoptosis by the pro-apoptotic proteins in

the testicular tissues of mammalian and avian species. *Animal Reproduction Science*, 247, 107158.

Zhang, F. P., Pakarainen, T., Poutanen, M., Toppari, J., & Huhtaniemi, I. (2003). The low gonadotropin-independent constitutive production of testicular testosterone is sufficient to maintain spermatogenesis. *Proceedings of the National Academy of Sciences*, 100(23), 13692-13697.

