

## DAFTAR PUSTAKA

- [1] M. . Dr. Benny A. Pribadi, *Media DAN TEKNOLOGI DALAM PEMBELAJARAN*. PrenadaMedia Group, 2017.
- [2] T. Agung R and H. S. Winata, “Pengolahan Air Limbah Industri Tahu Dengan Menggunakan Teknologi Plasma,” *J. Imiah Tek. Lingkung.*, vol. 2, no. 2, pp. 19–28, 2017.
- [3] S. N. Achmad, R. A. Nugroho, I. Mardliyah, and N. Oktavia, “Rancang Bangun Incinerator Limbah Medis Berteknologi Plasma sebagai Filter Udara Hasil Pembakaran Limbah Medis,” *Ind. Res. Work. Natl. Semin.*, vol. Vol 8, pp. 575–579, 2017.
- [4] M. Morris and L. Waldheim, “Energy recovery from solid waste fuels using advanced gasification technology,” *Waste Manag.*, vol. 18, no. 6, pp. 557–564, 1998, doi: [https://doi.org/10.1016/S0956-053X\(98\)00146-9](https://doi.org/10.1016/S0956-053X(98)00146-9).
- [5] A. Ojha, A. C. Reuben, and D. Sharma, “Solid Waste Management in Developing Countries through Plasma Arc Gasification- An Alternative Approach,” *APCBEE Procedia*, vol. 1, no. January, pp. 193–198, 2012, doi: 10.1016/j.apcbee.2012.03.031.
- [6] H. Nishikawa, M. Ibe, M. Tanaka, T. Takemoto, and M. Ushio, “Effect of DC steam plasma on gasifying carbonized waste,” *Vacuum*, vol. 80, no. 11–12, pp. 1311–1315, 2006, doi: 10.1016/j.vacuum.2006.01.061.
- [7] Y. Byun, M. Cho, S.-M. Hwang, and J. Chung, “thermal plasma gasification of municipal solid waste,” 2012, pp. 183–210. doi: 10.5772/48537.
- [8] U. Syah, “Kajian Konversi Potensi Sampah Kota Pontianak Menjadi Energi Listrik Dengan Gasifikasi Plasma,” *Elkha*, vol. 9, no. 1, p. 28, 2017, doi: 10.26418/elkha.v9i1.21495.
- [9] R. S. Agnitas, “PENGARUH VARIASI KUAT ARUS TERHADAP LEBAR PEMOTONGAN (KERF WIDTH) DAN KEKERASAN PADA PEMOTONGAN BAJA KARBON DENGAN CNC PLASMA ARC CUTTING,” *Jur. Tek. MESIN Fak. Tek. Univ. NEGERI SEMARANG*, 2019.
- [10] M. Gostimirović, D. Rodic, M. Sekulić, and A. Aleksic, “An Experimental Analysis of Cutting Quality in Plasma Arc Machining,” *Adv. Technol. Mater.*, vol. 45, pp. 1–8, Oct. 2020, doi: 10.24867/ATM-2020-1-001.
- [11] A. Hamid, “Variasi Kuat Arus dan Gas Flow Rate terhadap Lebar Kerf pada Pemotongan Aluminium 5083 Menggunakan Cutting Plasma,” *Tek. Mesin Univ. Negeri Malang*, 2014.

- [12] Q. Huang, G. Chen, Y. Wang, L. Xu, and W. Q. Chen, “Identifying the socioeconomic drivers of solid waste recycling in China for the period 2005–2017,” *Sci. Total Environ.*, vol. 725, p. 138137, 2020, doi: 10.1016/j.scitotenv.2020.138137.
- [13] A. Hazmi, R. Desmiarti, E. P. Waldi, and A. Hadiwibowo, “Penghilangan Mikroorganisme dalam Air Minum dengan Dielectric Barrier Discharge,” *J. Rekayasa Elektr.*, vol. 10, no. 1, pp. 1–4, 2012.
- [14] M. Nur, *Plasma Physics and Applications*. 2011. [Online]. Available: <https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=&ved=2ahUKEwiekJjmmMuFAXWNn2MGHRVZCfAQFnoECA4QAQ&url=http%3A%2F%2Fprints.undip.ac.id%2F42899%2F1%2Fbuku-fisika-plasma.pdf&usg=AOvVaw2g4ZUffFO6MwSOsxq5n5nxM&opi=89978449>
- [15] Y. A. Winoko and M. T. A. Ramadhan, “Pengaruh Tegangan Dan Jarak Jarum Elektro Plasma Terhadap Emisi Gas Buang (CO, HC, O<sub>2</sub>) Pada Sepeda Motor,” *J. Flywheel*, vol. 10, pp. 1–8, 2019, [Online]. Available: <https://ejournal.itn.ac.id/index.php/flywheel/article/view/714%0Ahttps://ejournal.itn.ac.id/index.php/flywheel/article/download/714/658>
- [16] W. M. Manheimer 1942-, L. E. Sugiyama, and T. H. Stix, *Plasma science and the environment*. Woodbury, N.Y. SE - xxv, 328 pages : illustrations ; 25 cm: American Institute of Physics, 1997. doi: LK - <https://worldcat.org/title/35243406>.
- [17] R. R. Gudetti, R. Knight, and E. D. Grossmann, “Depolymerization of Polyethylene Using Induction-Coupled Plasma Technology,” *Plasma Chem. Plasma Process.*, vol. 20, no. 1, pp. 37–64, 2000, doi: 10.1023/A:1006969710410.
- [18] D. S. Koten, Wijono, and R. N. Hasanah, “Rancang Bangun Generator Plasma dengan Media Gas Argon,” *J. EECCIS*, vol. 11, no. 1, pp. 33–40, 2017, [Online]. Available: <https://jurnaleeccis.ub.ac.id/index.php/eccis/article/view/427>
- [19] M. Nur, *Fisika Plasma dan Aplikasinya*, no. April. 2011.
- [20] K. Yakin, S. Pramudito, and K. Dahlan, “Perhitungan Energi Disosiasi Gugus Fungsi OH- dan PO43- Hidroksipatit dengan Pemodelan Spektroskopi Inframerah Berbasis Particle Swarm Optimization (PSO),” *Indones. J. Appl. Phys.*, vol. 3, no. 01, p. 86, 2016, doi: 10.13057/ijap.v3i01.1236.
- [21] S. V Dighe, “Plasma Gasification: A Proven Technology.” pp. 39–40, May 19, 2008. doi: 10.1115/NAWTEC16-1938.
- [22] N. Group, “Environmentally Friendly Waste Destruction and Sustainable Renewable Energy. A feasibility document of Nedcorp group,” pp. 3–19, 2009.
- [23] F. N. C. Anyaegbunam, “Plasma Gasification For Waste Destruction And Power Generation In Nigeria,” *Int. J. Eng. Res. Technol.*, vol. 2, no. 7, pp.

- 1067–1079, 2013.
- [24] B. P. Putra and N. Sinaga, “Tinjauan Ringkas Teknologi Gasifikasi Plasma Dalam Pengolahan Limbah Padat Menjadi Energi Baru Terbarukan,” *Eksperi*, vol. 17, no. 2, p. 133, 2021, doi: 10.32497/eksergi.v17i2.2620.
- [25] and I. S. I. Suprapta Winaya, M. Suciptaa, “Pengaruh Temperatur Operasi Dan Kecepatan Superfisial Terhadap Komposisi Gas Produser Pada Gasifikasi Fluidized Bed Berbahan Bakar Sampah Terapung,” vol. 5, pp. 85–90, 2011.
- [26] M. Balas, M. Lisy, and J. Moskalik, “Biomass Gasification: Gas for Cogeneration Unit,” *J. Energy*, vol. 1, no. 4, pp. 203–210, 2007.
- [27] U. Arena, “Process and technological aspects of municipal solid waste gasification. A review,” *Waste Manag.*, vol. 32, no. 4, pp. 625–639, 2012, doi: 10.1016/j.wasman.2011.09.025.
- [28] K. P. Willis, S. Osada, and K. L. Willerton, “Plasma gasification: Lessons learned at ecovalley WTE facility,” *18th Annu. North Am. Waste-to-Energy Conf. NAWTEC18*, pp. 133–140, 2010, doi: 10.1115/nawtec18-3515.
- [29] M. Minutillo, A. Perna, and D. Di Bona, “Modelling and performance analysis of an integrated plasma gasification combined cycle (IPGCC) power plant,” *Energy Convers. Manag.*, vol. 50, no. 11, pp. 2837–2842, 2009, doi: 10.1016/j.enconman.2009.07.002.
- [30] F. Y. Hagos, A. R. A. Aziz, and S. A. Sulaiman, “Trends of syngas as a fuel in internal combustion engines,” *Adv. Mech. Eng.*, vol. 2014, no. January 2014, 2014, doi: 10.1155/2014/401587.
- [31] H. Zhou, K. Xu, X. Yao, J. Li, Z. Zhao, and S. Chen, “Syngas composition and ash characteristics of corn straw under a CO<sub>2</sub> atmosphere,” *Biomass and Bioenergy*, vol. 166, p. 106630, 2022, doi: <https://doi.org/10.1016/j.biombioe.2022.106630>.
- [32] P. Lv, Z. Yuan, C. Wu, L. Ma, Y. Chen, and N. Tsubaki, “Bio-syngas production from biomass catalytic gasification,” *Energy Convers. Manag.*, vol. 48, no. 4, pp. 1132–1139, 2007, doi: 10.1016/j.enconman.2006.10.014.
- [33] K. Moustakas, D. Fatta, S. Malamis, K. J. Haralambous, and M. Loizidou, “Demonstration plasma gasification/vitrification system for effective hazardous waste treatment,” *J. Hazard. Mater.*, vol. 123 1–3, pp. 120–126, 2005, [Online]. Available: <https://api.semanticscholar.org/CorpusID:25280479>
- [34] E. Gomez, D. A. Rani, C. R. Cheeseman, D. Deegan, M. Wise, and A. R. Boccaccini, “Thermal plasma technology for the treatment of wastes: A critical review,” *J. Hazard. Mater.*, vol. 161, no. 2, pp. 614–626, 2009, doi: <https://doi.org/10.1016/j.jhazmat.2008.04.017>.
- [35] T. C. Corke, C. L. Enloe, and S. P. Wilkinson, “Dielectric barrier discharge plasma actuators for flow control,” *Annu. Rev. Fluid Mech.*, vol. 42, pp. 505–

- 529, 2010, doi: 10.1146/annurev-fluid-121108-145550.
- [36] J. Cuntala, A. Kondelova, O. Hock, and M. Pridala, *Electro-thermal modeling of power LED using COMSOL environment*. 2016. doi: 10.1109/ELEKTRO.2016.7512050.
  - [37] “INTRODUCTION TO COMSOL Multiphysics 5.5,” *Www.Comsol.Com*, [Online]. Available: www.comsol.com
  - [38] A. Akhmad, “Pemesinan Nonkonvensional Plasma Arc Cutting,” *J. Rekayasa Mesin*, vol. 9, no. 2, pp. 51–56, 2009.
  - [39] Zaini Miftach, “済無No Title No Title No Title,” pp. 53–54, 2018.
  - [40] U. Sholahuddin, A. Purwadi, N. Heryana, and H. Hindersah, *Modelling and Simulation of Switched Reluctance Motor Based on Comsol*. 2013. doi: 10.1109/AIMS.2013.67.
  - [41] A. Traidia, F. Roger, and A. Chidley, “Effect of helium-argon mixtures on the heat transfer and fluid flow in Gas Tungsten Arc Welding,” *World Acad. Sci. Eng. Technol.*, vol. 73, no. 1, pp. 1053–1059, 2011.
  - [42] Khairiah, “Analisis Konsentrasi Debu Dan Keluhan Kesehatan Pada Masyarakat Di Sekitar Pabrik Semen Di Desa Kuala Indah Kecamatan Sungai Suka Kabupaten Batu Bara,” 2012.