

DAFTAR PUSTAKA

- Ajiwibowo, H., Ash-Shiddiq. R.H.B., and Pratama, M.B. 2019. Water quality and sedimentation modeling in singkarak lake, Western Sumatra. *International Journal of GEOMATE*, 16(54), 94–102. <https://doi.org/10.21660/2019.54.8145>.
- Aksu, I. and Bektaş, Y. 2019. Mitochondrial phylogeny and biogeography of the genus *Gobio* (Teleostei: Cyprinidae) in Turkey. *Zoology in the Middle East*, 65(2), 128–141. <https://doi.org/10.1080/09397140.2019.1586126>.
- Alam, M.A., Parvez, I., Ara, Y., Khan, M.N., Nehrín, S., Mahajebin, T., and Hassan, M.M. 2021. Phylogenetic relations of the cyprinid fishes (Cyprinidae) in Bangladesh inferred from morphological traits and Cytochrome b gene sequences. *AACL Bioflux*, 14(3).
- Alotaibi, A.M., Ahmad, Z., Farooq, M., Albalawi, H.F., & Alrefaei, A.F. 2020. Phylogenetic analysis of three endogenous species of fish from Saudi Arabia verified that *Cyprinion acinaes hijazi* is a sub-species of *Cyprinion acinaces acinases*. *Journal of King Saud University – Science*. 32: 3014–3017.
- Anderson, C.I.H., Horne, J.K., & Boyle, J. 2007. Classifying multi-frequency fisheries acoustic data using a robust probabilistic classification technique. *The Journal of the Acoustical Society of America*, 121(6), EL230–EL237. <https://doi.org/10.1121/1.2731016>.
- Astuti, S.S., Hariati, A.M., Kusuma, W.E. and Wiadnya, D.G.R. 2020. Genetic differences and population structure of spotted barb (cyprinidae) collected from three rivers in Java Island. In *Journal of Physics: Conference Series*, 1665(1)
- Astuti, I., Fadjar, M., Nurdiani, R. and Sulistiyati, T.D. 2022. Mitochondrial cytochrome oxidase 1 (CO1) and morphology of Penja fish (*Sicyopterus* spp.) in Budong-Budong River, West Sulawesi, Indonesia. *Biodiversitas Journal of Biological Diversity*, 23(9). <https://doi.org/10.13057/biodiv/d230939>
- Awas, M., Ahmed, I., Ahmad, S.M., Al-Anazi, K.M., Farah, M.A., and Bhat, B. 2023. Integrative approach for validation of six important fish species inhabiting River Poonch of north-west Himalayan region (India). *Front. Genet.* 13:1047436.
- Batubara, A.S., Muchlisin, Z.A., Efizon, D., Elvyra, R., Fadli, N., & Irham, M. 2018. Morphometric variations of the Genus *Barbonymus* (Pisces, Cyprinidae) harvested from Aceh Waters, Indonesia. *Fisheries and Aquatic Life*, 26(4), 231–237. <https://doi.org/10.2478/aopf-2018-0026>.

- Batubara, A.S., Muchlisin, Z.A., Efizon, D., Elvyra, R., Fadli, N., Rizal, S., Siti-Azizah, M.N. and Wilkes, M., 2021. DNA barcoding (COI genetic marker) revealed hidden diversity of Cyprinid fish (*Barbonymus* spp.) from Aceh Waters, Indonesia. *Biharean Biologist*, 15(1), pp.39-47.
- Belle, E.M.S., Piganeau, G., Gardner, M., & Eyre-Walker, A. 2005. An investigation of the variation in the transition bias among various animal mitochondrial DNA. *Gene*, 355, 58–66. doi:10.1016/j.gene.2005.05.01910.1016/j.
- Benine, R.C., Melo, B.F., Castro, R.M.C., Oliveira, C. 2015. Taxonomic revision and molecular phylogeny of *Gymnocorymbus* Eigenmann, 1908 (Teleostei, Characiformes, Characidae). *Zootaxa* 3956(1): 001–028. <http://dx.doi.org/10.11646/zootaxa.3956.1.1>
- Bookstein, F.L. 1982. Foundation of morphometrics. Annual review of ecology and systematic. 13: 451-470.
- Brown T.A. *Genome*. 2nd edition. Wiley-Liss. Oxford. 2002.
- Burlan, T.G. 2000. DNA STAR's Lasergene Sequens Analysis Sofware. Methods *Mol Biol* 132: 71-91.
- Cailliet, G.M., Love, M.S., and Ebeling, A.W. 1986. Fishes: A Field and Laboratory Manual on Their Structure, Identification, and Natural History. *Taylor dan Francis Group* 117(2): 218-220.
- Calazans, A.M., Martinez, P.A. and Jacobina, U.P. 2021. Lentic and lotic environments affect morphological diversity in characiformes fishes in the Neotropical São Francisco River Basin, Brazil. *Environmental Biology of Fishes*, 104(8), pp.977-987. <https://doi.org/10.1007/s10641-021-01131-6>
- Carrington, V.G., Papa, Y., Beese, C.M., Hall, J., Covain, R., Horn, P., Ladds, M.A. and Rogers, A., 2021. How functionally diverse are fish in the deep? A comparison of fish communities in deep and shallow-water systems. *Diversity and Distributions*, 27(7), pp.1208-1223. <https://doi.org/10.1111/ddi.13268>
- Chase, P.D. 2014. *Meristics. Stock Identification Methods*, 171–184. <https://doi.org/10.1016/B978-0-12-397003-9.00009-6>
- Cheng, P., Baran, E., and Touch, B.T. 2004. *Synthesis of all published information on java barb *Barbonymus gonionotus* (trey chhpin) based on Fishbase*. Worldfish Center and Inland Fisheries Research and Development Institute, Phnom Phen, Cambodia.
- Christensen, M.S. 2007. Investigations on the ecology and fish fauna of the Mahakam River in East Kalimantan (Borneo), Indonesia. *Internationale Revue der gesamten Hydrobiologie und Hydrographie* (4), 593 – 608.

- Clabaut, C., Bunje P.M.E., Salzburger W., Meyer, A. 2007. Geometric morphometric analyses provide evidence for the adaptive character of the Tanganyikan cichlid fish radiations. *Evolution* 1: 560-578. <https://doi.org/10.1111/j.1558-5646.2007.00045.x>
- Cracraft, J., Helm-Bychowski, K. 1991. Parsimony and Phylogenetic Inference Using DNA Sequences: Some Methodological Strategies in Phylogenetic Analysis of DNA Sequences. Oxford Univ Press, New York. 220 p.
- Dahruddin, H., Sholihah, A., Sukmono, T., Sauri, S., Nurhaman, U., Wowor, D., Steinke, D., & Hubert, N. 2021. Revisiting the diversity of *Barbonymus* (Cypriniformes, cyprinidae) in sundaland using dna-based species delimitation methods. *Diversity*, 13(7). <https://doi.org/10.3390/d13070283>.
- Demas. A. 2016. What's your type Locality, that is. Earth Word. <https://www.usgs.gov/news/earthword-type-locality>. Diakses tanggal 9 Juli 2024.
- Dervan, A and Jay S. 2017. The State of Whole-Genome Sequencing. Genomic and Precision Medicine. Elsevier, Inc.
- de Silva, M.P.K.S.K. Liyanage, N.P.P and Hettiarachi, S. 2006. Intra-specific Morphological Plasticity in Three *Puntius* Species in Sri Lanka. Ruhuna *Journal of Science*. Vol. 1: 82-95. <http://dx.doi.org/10.4038/rjs.v1i0.69>
- Desrita, Manik, B.R., Rambey, R., Susetya, I.E., & Hasibuan, J.S. 2021. Morphology and weight-length relationship of tinfoil barb (*Barbonymus schwanenfeldii*) at Tasik River, South Labuhanbatu Regency, Sumatera Utara. *IOP Conference Series: Earth and Environmental Science*, 782(4). <https://doi.org/10.1088/1755-1315/782/4/042013>.
- Desrita, Manik, B.R. and Rambey, R., 2022. Abundance and growth of tinfoil Barb (*Barbonymus schwanenfeldii*) in Tasik river, south Labuhanbatu, north Sumatera, Indonesia. *AACL Bioflux*, 15(6).
- Dianiputri, U., Aji, K.W., Arisuryanti, T. 2022. Polimorfisme gen mitokondria 16s ikan baung (*Hemibagrus nemurus* Valenciennes, 1840) dari Sungai Progo, Magelang, Jawa-Tengah. *Berkala Ilmiah Biologi* 13(1).
- Ding, M.G., Butler, C.A., Saracco, S.A., Fox, T.D., Godard, F., di Rago, J.P., & Trumppower, B.L. 2009. Chapter 27 An Improved Method for Introducing Point Mutations into the Mitochondrial Cytochrome b Gene to Facilitate Studying the Role of Cytochrome b in the Formation of Reactive Oxygen Species. In *Methods in Enzymology* (Vol. 456, Issue A, pp. 491–506). Academic Press Inc. [https://doi.org/10.1016/S0076-6879\(08\)04427-3](https://doi.org/10.1016/S0076-6879(08)04427-3).

- Doherty, D., McCarthy, T.K. 2004. Morphometric and Meristic Characteristics Analyses of Two Western Irish Populations of Arctic Char, *Salvelinus alpinus* (L.). *J of Bio and Env: Proc of The Royal Irish Acad*, 104b(1), 75-85. <http://dx.doi.org/10.1353/bae.2004.0016>
- Domingues, Lucilia. 2017. PCR: Methods and Protocols. Springer-Verlag. New York.
- Dunn, N.R., O'Brien, L.K., Burridge, C.P. and Closs, G.P., 2020. Morphological convergence and divergence in *Galaxias* fishes in lentic and lotic habitats. *Diversity*, 12(5), p.183. <https://doi.org/10.3390/d12050183>
- Esa, Y.B., Japning, J.R.R., Rahim, K.A.A., Siraj, S.S., Daud, S.K., Tan, S.G., Sungan, S. 2012. Phylogenetic Relationships among Several Freshwater Fishes (Family: Cyprinidae) in Malaysia Inferred from Partial Sequencing of the Cytochrome b Mitochondrial DNA (mtDNA) Gene. *Pertanika J. Trop. Agric. Sci.* 35 (2): 307-318.
- Esin, E.V., Bocharova, E.S., Borisova, E.A. and Markevich, G.N. 2020. Interaction among morphological, trophic and genetic groups in the rapidly radiating *Salvelinus* fishes from Lake Kronotskoe. *Evolutionary Ecology*, 34(4), pp.611-632. <https://doi.org/10.1007/s10682-020-10048-y>
- Ewing, B., L. Hillier., M. C. Wendl., dan P. Green. 1998. Base-Calling of Automated Sequencer Traces Using Phred. I. Accuracy Assessment. *Genome Res.* 8, 17.
- Fang, D.A., Luo, H., He, M., Mao, C., Kuang, Z., Qi, H., Xu, D., Tan, L. and Li, Y. 2022. Genetic diversity and population differentiation of naked carp (*Gymnocypris przewalskii*) Revealed by cytochrome oxidase subunit I and d-loop. *Frontiers in Ecology and Evolution*, 10, p.827654. <https://doi.org/10.3389/fevo.2022.827654>
- Farias, I.P., Ortí, G., Sampaio, I., Schneider, H., & Meyer, A. 2001. The cytochrome b gene as a phylogenetic marker: The limits of resolution for analyzing relationships among cichlid fishes. *Journal of Molecular Evolution*, 53(2), 89–103. <https://doi.org/10.1007/s002390010197>.
- Fikiye, P.P., Smit, N.J., Van As, L.L., Truter, M. and Hadfield, K.A. 2023. Integrative Morphological and Genetic Characterisation of the Fish Parasitic Copepod *Ergasilus mirabilis* Oldewage & van As, 1987: Insights into Host Specificity and Distribution in Southern Africa. *Diversity*, 15(9), p.965. <https://doi.org/10.3390/d15090965>
- Fischer, J (ed). 2013. Fish identification tools for biodiversity and fisheries assessments: review and guidance for decision-makers. FAO Fisheries and Aquaculture Technical Paper No. 585. Rome, FAO. 107 pp.

- Franssen, N.R., Stewart, L.K., and Schaefer, J.F. 2013. Morphological Difergence and Flow-induced Phenotypic Plasticity in a Native Fish From Anthropogenically Altered Stream Habitats. *Ecology and Evolution*. 3(14): 4648-4657. <http://dx.doi.org/10.1002/ece3.842>
- Froese, R., and D. Pauly. 2018. Fishbase, Genus *Barbonymus*. <http://www.fishbase.org/Nomenclature/ScientificNameSearchList.php?>. 11 Desember 2022
- Gante, H.F., Costa, L.M., Micael, J., & Alves, M.J. 2008. First record of *Barbonymus schwanenfeldii* Bleeker in the Iberian Peninsula. *Journal of fish Biology*, 72(4), 1089-1094. <http://dx.doi.org/10.1111/j.1095-8649.2007.01773.x>
- Garcia, L.M.B. 2010. Species composition and length-weight relationship of fishes in the Candaba Wetland on Luzon Island, Philippines. *Journal of Applied Ichthyology* 26: 946–948.
- Gonzalez-Martinez, A.C. De-Pablos-Heredero, M. González, J. Rodriguez, C. Barba, García, A. 2021. Morphological Variations of Wild Populations of *Brycon dentex* (Characidae, Teleostei) in the Guayas Hydrographic Basin (Ecuador). The Impact of Fishing Policies and Environmental Conditions. *Animals* ,11 : 1901. <https://doi.org/10.3390/ani11071901>
- Gregory, T.R. Understanding Evolutionary Trees. *Evo Edu Outreach* 1, 121–137 (2008). <https://doi.org/10.1007/s12052-008-0035-x>
- Hebert, P.D.N., Ratnasingham, S., and Ward, J.R. 2003a. Barcoding animal life: cytochrome c oxidase subunit 1 divergences among closely related species. *Proc. R. Soc. B-Biol. Sci* 270: S96–S99.
- Hebert, P.D.N., Cywinska, A., Ball, S.L., De-Waard, J.R. 2003b. Biological identification through DNA barcodes! *Proceeding of Royal Society B* 270: 313- 322.
- Helfman, G.S., Collette, B.B., Facey, D.E., & Bowen, B.W. 2009. *The diversity of fishes: biology, evolution, and ecology*. John Wiley & Sons, page 14.
- Hobbs, J.P.A., Herwerden, L., Jerry, D.R., Jones, G.P., & Munday, P.L. 2013. High genetic diversity in geographically remote populations of endemic and widespread coral reef angelfishes (genus: *Centropyge*). *Diversity* 5: 39-50. <http://dx.doi.org/10.3390/d5010039>
- Hossen, M.A., Hossain, M.Y., Pramanik, M.N.U., Nawer, F., Khatun, D., Parvin, M. F. & Rahman, M.M. 2016. Morphological characters of *Botia lohachata*. *J. Coast. Life Med.* 4 : 689-692.

- Hubbs, C.L. 1922. Variations in the number of vertebrae and other meristic characters of fishes correlated with the temperature of water during development. *Am. Nat.* 56, 360-372.
- Isa, M.M., Shahrul-Anuar, A.S.M.S. and Muhammad-Adlan, M.S.N.B. 2012. Population dynamics of tinfoil barb, *Barbonymus schwanenfeldii* (Bleeker, 1853) in Pedu Reservoir, Kedah. *Population*, 2(5), pp.55-70.
- IUCN. 2019. The IUCN Red List of Threatened Species. Version 2019-2. Available at: www.iucnredlist.org. 1 November 2023.
- Jeong, D.H., Suma, E.A., Butkiewicz, T., Ribarsky, W. & Chang, R. 2010. A continuous analysis process between desktop and collaborative visual analytics environments. In *IEEE Visual Analytics Science and Technology*, pp. 231–232. IEEE.
- Jůza, T., Muška, M., Blabolil, P., Kočvara, L., Sajdlová, Z., Dumpis, J. and Medne, R. 2024. Spatial fish distribution in autumn in a shallow mesotrophic lake, assessed by hydroacoustic surveys, trawling, and beach seining. *Journal of Fish Biology*, 104(5), pp.1525-1536. <https://doi.org/10.1111/jfb.15691>
- Kamarudin, K.R., and Esa, Y. 2009. Phylogeny and phylogeography of *Barbonymus schwanenfeldii* (Cyprinidae) from Malaysia inferred using partial cytochrome b mtDNA gene. *Journal of Tropical Biology & Conservation (JTBC)*, 5. <https://doi.org/10.51200/jtbc.v5i.104>
- Karlina, W., Roesma, D.I., Tjong, D.H. 2016. Phylogenetic study of *Puntius cf. binotatus* fish from Gunung Tujuh Lake in Sumatera Based on Cytochrome b Gene. *Journal of Entomology and Zoology Studies*, 4(2), 538–540. <http://insilico.ehu.es/translate/>.
- Karp. A., Peter G. Isaac and David S. Ingram. 1998. Molecular Tools for Screening Biodiversity. Pub. Chapman & Hall, London. 112-113.
- Kartavtsev, Y.P., & Lee, J.S. 2006. Analysis of nucleotide diversity at the cytochrome b and cytochrome oxidase 1 genes at the population, species, and genus levels. In *Russian Journal of Genetics* Vol. 42, Issue 4, pp. 341–362. <https://doi.org/10.1134/S1022795406040016> .
- Kartavtsev, Y.P. 2011. Divergence at Cyt-b and Co-1 mtDNA genes on different taxonomic levels and genetics of speciation in animals. *Mitochondrial DNA*, 22(3), 55–65. <https://doi.org/10.3109/19401736.2011.588215> .
- Kartavtsev, Y.P.H., Batischeva, N.M., Bogutskaya, N.G., Katugina, A.O., Hanzawa, N. 2016. Molecular systematics and DNA barcoding of Altai osmans, oreoleuciscus (pisces, Cyprinidae, and Leuciscinae), and their nearest relatives, inferred from sequences of cytochrome b (Cyt-b), cytochrome

oxidase c (Co-1), and complete mitochondrial genome. *Mitochondrial DNA Part A*. 28: 502-517.

Kelley, J.L., Davies, P.M., Collin, S.P., and Grierson, P.F. 2017. Morphological plasticity in a native freshwater fish from semiarid Australia in response to variable water flows. *Ecology and Evolution*, 7(16): 6595-6605. <https://doi.org/10.1002/ece3.3167>

Khan M.A., Miyan K., Khan S., Patel D.K., Ansari N.G. 2012. Studies on the elemental profile of otoliths and truss network analysis for stock discrimination of the threatened Stinging Catfish *Heteropneustes fossilis* (Bloch 1794) from the Ganga River and Its tributaries – *Zool. Stud.* 51: 1195-1206.

Knebelsberger, T and Stoger, I. 2012. DNA Extraction, Preservation, and Amplification. *DNA Barcodes*, 858.

Kottelat, M., Kartikasari, S.N., Wirjoatmodjo, S., & Whitten, T. 1993. *Freshwater Fishes of Western Indonesia and Sulawesi*. Periplus Edition.

Kottelat, M. 2001. *Fishes of Laos*. WHT Publications (Pte), Colombo, Sri Lanka.

Kottelat, Maurice., & Raffles Museum of Biodiversity Research. 2013. *The fishes of the inland waters of Southeast Asia: a catalogue and core bibliography of the fishes known to occur in freshwaters, mangroves and estuaries*. National University of Singapore.

Krabbenhoft, T.J., Collyer, M.L. & Quattro, J.M., 2009. Differing evolutionary patterns underlie convergence on elongate morphology in endemic fishes of Lake Waccamaw, North Carolina. *Biological Journal of the Linnean Society*, 98, pp.636-645. <http://dx.doi.org/10.1111/j.1095-8312.2009.01305.x>

Kuang, T., Shuai, F., Li, X., Chen, W. and Lek, S. 2021. Genetic diversity and population structure of *Hemibagrus guttatus* (Bagridae, Siluriformes) in the larger subtropical Pearl River based on COI and Cyt b genes analysis. In *Annales de Limnologie-International Journal of Limnology* (Vol. 57, p. 7). EDP Sciences. <https://doi.org/10.1051/limn/2021005>

Kurniawan, A., Hariati, A.M., Kurniawan A., Wiadnya, D.G.R. 2021. First genetic record and the phylogenetic relationship of *Osteochilus spilurus* (Cyprinidae: Labeoninae) originating from Bangka and Belitung Islands, Indonesia. *Biodiversitas* vol 22(2): 794-802. <https://doi.org/10.13057/biodiv/d220233>

Kusmini, I.I., Gustiano, R., Mulyasari, I. and Huwoyon, G.H., 2015. Ikan lokal tengadak (*Barbomyrus swanenfeldii*) asal Kali-mantan sebagai andalan untuk ikan budi daya. In Prosiding Seminar Nasional Ikan ke-8. Jakarta, Indonesia. Masyarakat Ikhtiologi Indonesia (pp. 177-187).

- Kusuma, R.O., Dadiono, M.S., Kusuma, B., Syakuri, H. 2021. Keragaman Genetik Ikan Uceng (Nemacheilus) di Sungai Wilayah Banyumas Berdasar Sekuen Gen Cytochrome Oxidase Subunit I (COI). Jurnal Perikanan Universitas Gadjah Mada. Vol 23(2):89-94. doi 10.22146/jfs.61167 .
- Langerhans, R. B. 2008. Predictability of phenotypic differentiation across flow regimes in fishes, *Integrative and Comparative Biology*, Volume 48, Issue 6:750–768, <https://doi.org/10.1093/icb/icn092>
- Larkin, M.A., Blackshields, G., Brown, N.P., Chenna, R., Mcgettigan, P.A., McWilliam, H., Valentin, F., Wallace, I.M., Wilm, A., Lopez, R., Thompson, J.D., Gibson, T.J., & Higgins, D.G. 2007. Clustal W and Clustal X version 2.0. *Bioinformatics*, 23(21), 2947–2948. <https://doi.org/10.1093/bioinformatics/btm404>.
- Lindsey, C.C., 1988. 3 Factors controlling meristic variation. In: Hoar, W.S., Randall, D.J. (Eds.), Fish Physiology. Academic Press, pp. 197-274.
- Li, S., Cai, W., Zhou, B. 1993. Variation in morphology and biochemical genetic markers among populations of blunt snout bream (Megalobrama amblycephala). *Aquaculture*, 111(1-4): 117-127.
- Lodish, H., S.L. Berk, P. Zipursky, D. Matdusaira, Baltimore and J. Darnell. 2000. Molecular Cell Biology, 4th Edition. W H Freeman and Company. New York.
- Maizul, R., Wahyudewantoro, G., Setyawati, S.M. and Hidayat, S. 2023. Morphological Variation of Glyptothorax Platypogon Valenciennes, 1840 In Serayu River Banjarnegara And Ringin River Semarang Central Java. *Berita Biologi*, 22(2), pp.189-203. <https://doi.org/10.55981/beritabiologi.2023.1973>
- Malik, D.S., Sharma, A.K., Sharma, A.K., Thakur, R. and Sharma, M. 2020. A review on impact of water pollution on freshwater fish species and their aquatic environment. *Advances in environmental pollution management: wastewater impacts and treatment technologies*, 1, pp.10-28.
- Michener, Charles, D., Corliss, J.O., Cowan, R.S., Raven, P.H., Sabrosky, C.W., Donald S. Squires, and G.W. Wharton. 1970. *Systematics In Support of Biological Research*. Division of Biology and Agriculture, National Research Council. Washington, D.C. 25 pp.
- Mishra, P., Chan, D. 2014. Mitochondrial dynamics and inheritance during cell division, development and disease. *Nat Rev Mol Cell Biol* 15, 634–646. <https://doi.org/10.1038/nrm3877>
- Modak, S.K., Naziat, A., Chakrabarty, J., Mamun, M.M.U., Islam, M.M., Zahangir, M.M. and Akhter, F., 2023. Morphometrics and Truss-networking distances among three species of croaker (*Johnius borneensis*, *Johnius argentatus* and

Johnius belangerii) from Bangladesh coast of the Bay of Bengal. *Bangladesh Journal of Zoology*, 51(3), pp.233-251. <https://doi.org/10.3329/bjz.v51i3.71987>

Murta, A.G. 2000. Morphological variation of horse mackerel (*Trachurus trachurus*) in the Iberian and North African Atlantic: implications for stock identification. *ICES J. Mar.Sci* 57: 1240–1248. <http://dx.doi.org/10.1006/jmsc.2000.0810>

Naz, S., Chatha, A.M.M., Nazir, U., Iqbal, S.S. and Danabas, D., 2023. Morphological and genetic identification of head Taunsa barrage fish species. *Current Trends in OMICS*, 3(1), pp.39-59. <https://doi.org/10.32350/cto.31.03>

Nei, M dan S. Kumar. 2000. Moleculer Evolution and Phylogenetics. Oxford University Press. New York.

Ouassal, K., Perea, S., Doadrio, I., Casal-Lopez, M. and Yahyaoui, A. 2021. Assessment of genetic diversity in *Luciobarbus rifensis* Doadrio, Casal-López & Yahyaoui, 2015 (Teleostei: Cyprinidae) using cytochrome b. *Aquaculture, Aquarium, Conservation & Legislation*, 14(1), pp.282-290.

Parmaksız, A. 2021. Determination of genetic variations by using mitochondrial DNA Cyt b sequences in populations of *Carasobarbus luteus* (Cyprinidae). *Aquatic Research*, 4(4), 313-320. <https://doi.org/10.3153/AR21026>

Parmaksız, A. and Eksi, E., 2017. Genetic diversity of the cyprinid fish *Capoeta trutta* (Heckel, 1843) populations from Euphrates and Tigris rivers in Turkey based on mtDNA COI sequences. *Indian Journal of Fisheries*, 64(1), pp.18-22. <http://dx.doi.org/10.21077/ijf.2017.64.1.62396-03>

Paugy, D., and Lévêque, C. 2017. Taxonomy and systematics.

Pélabon, Christophe & Høyvik Hilde, Christoffer & Einum, Sigurd & Gamelon, Marlène. 2020. On the use of the coefficient of variation to quantify and compare trait variation. <http://dx.doi.org/10.1002/evl3.171>

Peres-Neto P.R., Magnan P. 2004. The influence of swimming demand on phenotypic plasticity and morphological integration: a comparison of two polymorphic charr species. *Oecologia* 140(1): 36–45. <http://dx.doi.org/10.1007/s00442-004-1562-y>

Pérez-Rodríguez, R., Domínguez-Domínguez, O., de León, G.P.P. et al. 2009. Phylogenetic relationships and biogeography of the genus *Algansea* Girard (Cypriniformes: Cyprinidae) of central Mexico inferred from molecular data. *BMC Evol Biol* 9:223. <https://doi.org/10.1186/1471-2148-9-223>

- Peristiwady, Teguh. 2019. *Nilai dan Manfaat Taksonomi dalam Perspektif Keanekaragaman Jenis Ikan Laut di Indonesia*. Jakarta: LIPI Press. hlm: 24-28.
- Putri, U.K., Simanjuntak, R., Febriamansyah, T.A., Roesma, D.I., Tjong, D.H. 2021. The role of molecular taxonomy in uncovering local ornamental Palo Fish (Betta sp.: Osphronemidae) and other Betta based on Cytochrome b gene. *World Journal of Advanced Research and Reviews*. 10(01): 030–040.
- Putri, S.N.N., Maharani, G.R., Farhan, M., Lestari, D.F., Madduppa, H., Subhan, B., Arafat, D., Setyaningsih, W.A., Cakasana, N., Bintang, D.M.C. and Indrajana, H.B. 2022. June. Population connectivity and genetic diversity population connectivity of Rabbitfish (*Siganus canaliculatus*) among Bangladesh, China and Indonesia. In *IOP Conference Series: Earth and Environmental Science*, Vol. 1033, No. 1, p. 012043). Doi: 10.1088/1755-1315/1033/1/012043
- Quadroni, S., De Santis, A.V., Carosi, I., Vanetti, S., Zaccara, M., Lorenzoni. Past and Present Environmental Factors Differentially Influence Genetic and Morphological Traits of Italian Barbels (Pisces: Cyprinidae). *Water* 2023, 15, 325. <https://doi.org/10.3390/w15020325>
- Radona, D., Kusmini, I.I., & Aththar, M.H.F. 2017. Karakterisasi meristik dan morfometrik tiga generasi ikan tengadak *Barbomyus schwanenfeldii* asal Kalimantan Barat, Indonesia. *Jurnal Riset Akuakultur*, 12(1), pp. 1-8. <https://doi.org/10.15578/jra.12.1.2017.1-8>.
- Raghavan, R., & Dahanukar, N. 2015. Taxonomy matters. *Current Science*, 108(8), 1416–1418. <http://www.jstor.org/stabel/24905379>.
- Rainboth, W. 1994. Inland fishes of India and adjacent countries. *Rev Fish Biol Fisheries* 4, 135–136 <https://doi.org/10.1007/BF00043269>
- Rawat, S., Benakappa, S., Kumar, J., Naik, K., Pandey, G. and Pema, C.W., 2017. Identification of fish stocks based on truss morphometric: A review. *Journal of Fisheries and Life Sciences*, 2(1), pp.9-14.
- Ribera, I. and Vogler, A.P., 2000. Habitat type as a determinant of species range sizes: the example of lotic–lentic differences in aquatic Coleoptera. *Biological Journal of the Linnean Society*, 71(1), pp.33-52. <https://doi.org/10.1111/j.1095-8312.2000.tb01240.x>
- Roa-Fuentes CA, Casatti L, Romero RM. 2015. Phylogenetic signal and major ecological shifts in the ecomorphological structure of stream fish in two river basins in Brazil. *Neotrop Ichthyol* 13:165–178. <https://doi.org/10.1590/1982-0224-20140045>.

- Roesma, D.I., & Santoso, P. 2011. Morphological divergences among three sympatric populations of Silver Sharkminnow (Cyprinidae: Osteochilus hasseltii C.V.) in West Sumatra. *Biodiversitas Journal of Biological Diversity*, 12(3). <https://doi.org/10.13057/biodiv/d120304>.
- Roesma, D.I. 2011. Diversitas spesies dan kekerabatan genetic ikan – ikan Cyprinidae di danau-danau dan sungai-sungai di sekitarnya di kawasan Sumatra Barat. *Disertasi*. Universitas Andalas. Padang.
- Roesma, D.I., Syaifulah. 2019. Analisis Morfologi Ikan Hampala macrolepidota (Kuhl & Van Hasselt, 1823) dan Hampala sp Dari Danau Singkarak dan Danau Maninjau, Indonesia. Paper presented at: Seminar Nasional Ikan ke-10.
- Roesma, D.I., Tjong, D.H., Karlina, W., & Aidil, D.R. 2019. Taxonomy confirmation of puntius cf. Binotatus from gunung tujuh lake, Jambi, Indonesia based on cytochrome oxidase-I (COI) gene. *Biodiversitas*, 20(1), 54–60. <https://doi.org/10.13057/biodiv/d200107>.
- Roesma, D.I., Tjong, D.H. and Aidil, D.R., 2020. Phylogenetic analysis of transparent gobies in three Sumatran lakes, inferred from mitochondrial Cytochrome Oxidase I (COI) gene. *Biodiversitas Journal of Biological Diversity*, 21(1). <https://doi.org/10.13057/biodiv/d210107>
- Roesma, D., Tjong, D.H., Janra, M. and Aidil, D. 2022. DNA barcoding of freshwater fish in Siberut Island, Mentawai Archipelago, Indonesia. *Biodiversitas Journal of Biological Diversity*, 23(4).
- Roesma. D.I., Tjong, D.H., Syaifulah, and Aidil, D R. 2023. Phylogenetic Analysis of Cyclocheilichthys apogon and Cyclocheilichthys armatus (Fish: Cyprinidae) from West Sumatra. *HAYATI Journal of Biosciences*. 30(5). pp. 895-906. <https://doi.org/10.4308/hjb.30.5.895-906>.
- Rohlf F. J., 2009. *NTSYS numerical taxonomy and multivariate analysis system version 2.0.2*. Appllied Biostatistic, New York, USA, 43 p.
- Roux, K. H. 2009. Optimization and Troubleshooting in PCR. Cold Spring Harbour Laboratory Press. 4(4): 1-6.
- Rozas, J., Ferrer-Mata, A., Sanchez-DelBarrio, J.C., Guirao-Rico, S., Librado, P., Ramos-Onsins, S.E., & Sanchez-Gracia, A. 2017. DnaSP 6: DNA sequence polymorphism analysis of large data sets. *Molecular Biology and Evolution*, 34(12), 3299–3302. <https://doi.org/10.1093/molbev/msx248>.
- Ruber L, Britz R, Zardoya R. 2006. Molecular phylogenetics and evolutionary diversification of labyrinth fishes (Perciformes: Anabantoidei). *Syst Biol.* 55: 374–397.

- Rutaisire, J., Booth, A.J., Mosambe, C., Nyakaana, S., Muwanika, V.B. 2005. Morphometric and genetic differentiation of Two *Labeo Victorianus* Populations in Lake Victoria. *African Zool* 40 (2): 309-317.
- Ryan, J.R.J., Esa, Y.B. 2006. Phylogenetic analysis of Hampala Fishes (Subfamily Cyprininae) in malaysian inferred from partial mitochondrial cytochrome b dna sequences. *Zoological Science*. 23(10): 893-901.
- Sahami, F.M., Kepel, R.C., Olii, A.H., Pratasik, S.B., Lasabuda, R., Wantasen, A. and Habibie, S.A., 2020. Morphometric and genetic variations of species composers of nile fish assemblages in gorontalo bay waters, Indonesia. *Biodiversitas*, 21(10), pp.4571-4581. Doi: <https://doi.org/10.13057/biodiv/d211015>
- Salis, V.M. 2023. *Karakteristik DNA Barcoding Ikan Balingka dan Kapiek (Barbonyx spp.) dari Danau Singkarak untuk Autentikasi*. Skripsi Sarjana Biologi FMIPA Universitas Andalas. Padang.
- Samaradivakara, S.P., Hirimuthugoda, N.Y., Gunawardana, R.H.A.N.M., Illeperuma, R.J., Fernandopulle, N.D., De Silva, A.D., & Alexander, P.A.B.D. 2012. Morphological Variation of Four Tilapia Populations in Selected Reservoirs in Sri Lanka. *Tropical Agricultural Research*, vol. 23, no. 2: 105–116. <http://dx.doi.org/10.4038/tar.v23i2.4642>
- Sambrook, J., and Russell. D.W. 2001. *Molecular Cloning, A laboratory Manual*. 3rd edition. Cold Spring Harbor Laboratory Press. New York.
- Saitoh, K., Sado, T., Mayden, R.L., Hanzawa, N., Nakamura, K., Nishida, M., Miya, M. 2006. Mitogenomic evolution and interrelationships of the Cypriniformes (Actinopterygii: Ostariophysi): the first evidence toward resolution of higher level relationships of the world's largest freshwater fish clade based on 59 whole mitogenome sequences. *J Mol Evol* (6):826-41.
- Satoh, T.P., Miya, M., Mabuchi, K., & Nishida, M. 2016. Structure and variation of the mitochondrial genome of fishes. *BMC Genomics*, 17(1). <https://doi.org/10.1186/s12864-016-3054-y>.
- Schaefer. S.A. 1991. Morphometric investigations in cyprinid biology. Cyprinid Fishes: Systematic, biology, and exploitation. I. J. Winfield & J. S. Nelson (eds.). Chapman and Hall. London. 667 p.
- Serdiati, N., Arfiati, D., Widodo, M.S., Lelono, T.J., Ndobe, S. and Saranga, R., 2020. Morphological variations and phylogenetic analysis of *Oryzias nigrimas* Kottelat, 1990 (rice fish) from Lake Poso, Central Sulawesi, Indonesia. *Biodiversitas Journal of Biological Diversity*, 21(3). <https://doi.org/10.13057/biodiv/d210305>

- Sprent, P., & Smeeton, N.C. 2007. *Applied Nonparametric Statistical Methods* (4th ed.). Chapman and Hall/CRC. <https://doi.org/10.1201/b15842>.
- Stauffer, J.R., and Kocovsky, P.M. 2007. Exploring Links between Systematics and Fisheries Management. *American Fisheries Society*. 136:1122–1125.
- Stephan, W., Langley, C.H. 1992 Evolutionary consequences of DNA mismatch inhibited repair opportunity. *Genetics* 132:567-574.
- Stevens, Peter, F. 2003. History of Taxonomy. Encyclopedia of Life Sciences. <https://doi.org/10.1038/npg.els.0003093>.
- Strauss, R.E. 1985. Evolutionary allometry and variation in body form in the South American catfish genus *Corydoras* (Callichthyidae). *Syst. Zool.* 34, 381-396. <https://doi.org/10.2307/2413203>
- Suryaningsih, S., Bhagawati, D., Sukmaningrum, S., Sugiharto, and Puspitasari, I.A.R. 2020. The Morphometrical Character of Silver Barb Fish *Barbomyrus gonionotus* (Bleeker, 1849). *IOP Conf. Series: Earth and Environmental Science* 593: 012027. <http://dx.doi.org/10.1088/1755-1315/593/1/012027>.
- Swain, D.P., Hutchings, J.A., Foote, C.J., 2005. Environmental and genetic influences on stock identification characters. In: Cadrin, S.X., Friedland, K.D., Waldman, J.R. (Eds.), *Stock Identification Methods: Applications in Fishery Science*. Elsevier, Amsterdam.
- Syandri, H., Azrita., & Junaidi. 2014. Morphological characterization of Asang fish (*Osteochilus vittatus*, Cyprinidae) in Singkarak Lake, Antokan River and Koto Panjang Reservoir West Sumatra Province, Indonesia. *Journal of Fisheries and Aquaculture*. 5(1), 158–162. <http://www.bioinfopublication.org/jouarchive.php?opt=&joid=BPJ0000265>
- Tabachnick, B and Fidell L.S. 2001. *Using Multivariate Statistics*, 4rd ed. Boston :Allyn & Bacon.
- Tamura, K., Stecher, G., & Kumar, S. 2021. MEGA11: Molecular Evolutionary Genetics Analysis Version 11. *Molecular Biology and Evolution*, 38(7), 3022–3027. <https://doi.org/10.1093/molbev/msab120>.
- Taugbøl, A., Quinn, T.P., Østbye, K. and Asbjørn Vøllestad, L. 2020. Allometric relationships in morphological traits associated with foraging, swimming ability, and predator defense reveal adaptations toward brackish and freshwater environments in the threespine stickleback. *Ecology and Evolution*, 10(23), pp.13412-13426. <https://doi.org/10.1002/ece3.6945>
- Tave, D. 1993. Genetic for Fish Hatchery Managers. Kluwer Academic Publishers. Netherland. 415 p.

- Tsigenopoulos, C.S., Kasapidis, P., Berrebi, P. 2010. Phylogenetic relationships of hexaploid large-sized barbs (genus *Labeobarbus*, Cyprinidae) based on mtDNA data. *Mol Phylo Evol.* 56: 851–856.
- Ude, G.N., Igwe, D.O., Brown, C., Jackson, M., Bangura, A., Ozokonkwo-Alor, O., Ihearah, O.C., Chosen, O., Okoro, M., Ene, C. and Chieze, V., 2020. DNA barcoding for identification of fish species from freshwater in Enugu and Anambra States of Nigeria. *Conservation Genetics Resources*, 12, pp.643-658. <https://doi.org/10.1007/s12686-020-01155-7>
- Voris, H.K. 2000. Maps of Pleistocene Sea Levels In Southeast Asia: Shorelines, River Systems And Time Durations. *Journal of Biogeography*. 27:1153- 1167.
- Waldman, J.R. 2005. Meristics. In *Stock identification methods* (pp. 197-207). Academic Press.
- Yan, C., Duanmu, X., Zeng, L., Liu, B., Song, Z. 2019. Mitochondrial DNA: Distribution, Mutations, and Elimination. *Cells*. 8(4):379. <https://doi.org/10.3390/cells8040379>.
- Ward, R.D., T.S. Zemlak., B.H. Innes., P.R. Last., and P.D.N. Hebert. 2005. DNA Barcoding Australia's Fish Species. *Philos Trans. R Soc B* 360: 1847–1857.
- Weber, M., and de Beaufort, L.F. 1916. *The fishes of the Indo-Australian Archipelago. III. Ostariophysi: II Cyprinoidea Apodes, Synbranchi*. Brill, Leiden, The Netherlands.
- Whitten, T., Damanik, S.J., Anwar, J., Hisyam, N. 2000. *The Ecology of Sumatra*. Periplus Editions (HK) Ltd, Hong Kong.
- Yulianto, D., Indra, I., Batubara, A.S., Fadli, N., Nur, F.M., Rizal, S., Siti-Azizah, M.N. and Muchlisin, Z.A., 2020. Morphometrics and genetics variations of mullets (Pisces: Mugillidae) from Aceh waters. *Indonesia. Biodiversitas Journal of Biological Diversity*, 21(8). Doi: 10.13057/biodiv/d210802
- Zareian, H. and Esmaeili, H.R. 2017. Mitochondrial phylogeny and taxonomic status the *Capoeta damascina* species group (Actinopterygii: Cyprinidae) in Iran with description of a new species. *Iranian Journal of Ichthyology* 4(3): 231-269.
- Zarri, L.J., Palkovacs, E.P., Post, D.M., Therkildsen, N.O. & Flecker, A.S. 2022. The evolutionary consequences of dams and other barriers for riverine fishes. *BioScience*, 72(5), pp.431–448. <https://doi.org/10.1093/biosci/biac004>
- Zorica, B. and Sinović, G. 2008. Biometry, length-length and length-weight relationships of juveniles and adults of Atlantic bonito, *Sarda sarda*, in the eastern Middle Adriatic Sea. *Acta Adriatica*, 49(1), pp.65-72.

Zulfahmi, I., Yuliandhani, D., Sardi, A., Kautsari, N., & Akmal, Y. 2021. Variasi morfometrik, hubungan panjang bobot dan faktor kondisi ikan famili Holocentridae yang didaratkan di Pelabuhan Perikanan Samudra (PPS) Lampulo, Banda Aceh. *Jurnal Kelautan Tropis*, 24(1), 81-92.
<http://dx.doi.org/10.14710/jkt.v24i1.9767>

