

DAFTAR PUSTAKA

- Abaid Samawi, K., Abd-Alkuder Salman, E., Abd-Alsatar Alshekhlly, B., Fawzi Nassar, M., Yousefzadeh Borzehandani, M., Abdulkareem-Alsultan, G., Alif Mohammad Latif, M., & Abdulmalek, E. (2022). Rational design of different π -bridges and their theoretical impact on indolo[3,2,1-jk]carbazole based dye-sensitized solar cells. *Computational and Theoretical Chemistry*, 1212(April), 113725. <https://doi.org/10.1016/j.comptc.2022.113725>
- Asmara, A. P. (2015). Penentuan Metode Komputasi Untuk Analisis Hubungan Kuantitatif Struktur Dan Aktivitas Senyawa Turunan Triazolopiperazin Amida. *Elkawnie : Journal of Islamic Science and Technology*, 1(1), 19–30. <http://dx.doi.org/10.22373/ekw.v1i1.515>
- Azaid, A., Abram, T., Kacimi, R., Sbai, A., Lakhli, T., & Bouachrine, M. (2021). Organic materials based with D- π -A structure based on thiophene and anthracene for application in dye-sensitized solar cells. *Materials Today: Proceedings*, 45, 7363–7369. <https://doi.org/10.1016/j.matpr.2021.01.119>
- Babu, D. D., Gachumale, S. R., Anandan, S., & Adhikari, A. V. (2015). New D- π -A type indole based chromogens for DSSC: Design, synthesis and performance studies. *Dyes and Pigments*, 112, 183–191. <https://doi.org/10.1016/j.dyepig.2014.07.006>
- Britel, O., Fitri, A., Touimi Benjelloun, A., Slimi, A., Benzakour, M., & Mcharfi, M. (2022). Theoretical design of new carbazole based organic dyes for DSSCs applications. A DFT/TD-DFT insight. *Journal of Photochemistry and Photobiology A: Chemistry*, 429(November 2021), 113902. <https://doi.org/10.1016/j.jphotochem.2022.113902>
- Chen, M. (2021). *Development of dye sensitized solar cells*. 01046, 1–4. <https://doi.org/10.1051/e3sconf/202126101046>
- Daniswara, A., Raydiska, G., & Timotius, Y. (2020). Strategi Implementasi Dye Sensitized Solar Cell (DSSC) di Indonesia. *Jurnal Offshore: Oil, Production Facilities and Renewable Energy*, 4(2), 9–15. <https://doi.org/10.30588/jo.v4i2.835>
- Deswita, E. et. a. (2021). Modifikasi Struktur Zat Warna Kuinolin Untuk Meningkatkan Kinerja Sel Surya Menggunakan Metode DFT. *Jurnal Kimia Saintek Dan Pendidikan*, V(2), 10.
- Drzyzga, O. (2003). Diphenylamine and derivatives in the environment: A review. *Chemosphere*, 53(8), 809–818. [https://doi.org/10.1016/S0045-6535\(03\)00613-1](https://doi.org/10.1016/S0045-6535(03)00613-1)
- Due, Y. P., Bukit, M., & Johannes, A. Z. (2019). KKajian Awal Spektrum Serapan UV–Vis

Senyawa Hasil Ekstrak Daun Jeruk Nipis (*Citrus Aurantifolia*) Asal Tarus Kabupaten Kupang. *Jurnal Fisika : Fisika Sains Dan Aplikasinya*, 4(1), 40–47. <https://doi.org/10.35508/fisa.v4i1.1437>

El-Shishtawy, R. M., Elroby, S. A., Asiri, A. M., & Müllen, K. (2016). Optical absorption spectra and electronic properties of symmetric and asymmetric squaraine dyes for use in DSSC solar cells: DFT and TD-DFT studies. *International Journal of Molecular Sciences*, 17(4), 1–12. <https://doi.org/10.3390/ijms17040487>

Elmorsy, M. R., Abdelhamed, F. H., Badawy, S. A., Latif, E. A., Shafi, A. A. A., & Ismail, M. A. (2023). Design , synthesis , and performance evaluation of - TiO₂ - dye sensitized solar cells co - sensitizers. *Scientific Reports*, 0123456789, 1–13. <https://doi.org/10.1038/s41598-023-40830-1>

Fadda, A. A. (2023). *derivatives for dye-sensitized solar cell applications †. i*, 9720–9731. <https://doi.org/10.1039/d3ra00609c>

Fernandes, S. S. M., Mesquita, I., Andrade, L., Mendes, A., Justino, L. L. G., Burrows, H. D., & Raposo, M. M. M. (2017). Synthesis and characterization of push-pull bithiophene and thieno [3 , 2- b] thiophene derivatives bearing an ethyne linker as sensitizers for dye-sensitized solar cells. *Organic Electronics*, 49, 194–205. <https://doi.org/10.1016/j.orgel.2017.06.048>

Francos, J., García-Garrido, S. E., Borge, J., Suárez, F. J., & Cadierno, V. (2016). Butadiene dyes based on 3-(dicyanomethylidene)indan-1-one and 1,3-bis(dicyanomethylidene)indane: Synthesis, characterization and solvatochromic behaviour. *RSC Advances*, 6(9), 6858–6867. <https://doi.org/10.1039/c5ra27005g>

Galappaththi, K., Ekanayake, P., & Iskandar, M. (2018). A rational design of high effi cient and low-cost dye *sensitizer* with exceptional absorptions : Computational study of cyanidin based organic *sensitizer*. *Solar Energy*, 161(December 2017), 83–89. <https://doi.org/10.1016/j.solener.2017.12.027>

Gou, B., Yang, H., Sun, H., Chen, J., Wu, J., & Zhou, L. (2018). Phenanthrene Synthesis by Palladium(II)-Catalyzed γ -C(sp²)–H Arylation, Cyclization, and Migration Tandem Reaction [Rapid-communication]. *Organic Letters*, 21(II), 80–84. <https://doi.org/10.1021/acs.orglett.8b03511>

Gunawardhana, P., Balasooriya, Y., Kandanapitiye, M. S., Chau, Y. F. C., Kooh, M. R. R., & Thotagamuge, R. (2024). Optoelectronic Characterization of Natural Dyes in the Quest for

Enhanced Performance in Dye-Sensitized Solar Cells: A Density Functional Theory Study. *Applied Sciences (Switzerland)*, 14(1). <https://doi.org/10.3390/app14010188>

Hachi, M., Slimi, A., Fitri, A., Benjelloun, A. T., El khattabi, S., Benzakour, M., Mcharfi, M., Khenfouch, M., Zorkani, I., & Bouachrine, M. (2021). Theoretical design and characterization of D-A1-A based organic dyes for efficient DSSC by altering promising acceptor (A1) moiety. *Journal of Photochemistry and Photobiology A: Chemistry*, 407, 113048. <https://doi.org/10.1016/j.jphotochem.2020.113048>

Ho, H. O., & Li, W. K. (2004). Ab initio study of the cycloaddition reaction between hexatriene and ethylene. *Journal of Molecular Structure: THEOCHEM*, 712(1–3), 49–66. <https://doi.org/10.1016/j.theochem.2004.09.027>

Hosseinzadeh, B., Beni, A. S., Azari, M., Zarandi, M., & Karami, M. (2016). Novel D- π -A type triphenylamine based chromogens for DSSC: Design, synthesis and performance studies. *New Journal of Chemistry*, 40(10), 8371–8381. <https://doi.org/10.1039/c6nj01314g>

Imelda, Emriadi, Aziz, H., & Santoni, A. (2022). Computational Design of Novel Coumarin Sensitizers To Improve the Efficiency of Solar Cells. *Moroccan Journal of Chemistry*, 10(1), 180–190.

Imelda, I. (2020). Optimalisasi Struktur Π -Konjugasi Pada Zat Warna Organik Tipe D- Π -a. *Journal of Research and Education Chemistry*, 2(2), 61. [https://doi.org/10.25299/jrec.2020.vol2\(2\).5724](https://doi.org/10.25299/jrec.2020.vol2(2).5724)

Imelda, I., Aziz, H., Aziz, H., & Putri, H. (2022). Modifikasi Struktur Zat Warna Berbasis Trifenilamin untuk Meningkatkan Kinerja Dye-Sensitized Solar CELLS (DSSCs): Metode Komputasi. *Journal of Research and Education Chemistry*, 4(1), 34. [https://doi.org/10.25299/jrec.2022.vol4\(1\).9357](https://doi.org/10.25299/jrec.2022.vol4(1).9357)

Islam, F., Waqas, A., Khan, S., Ali, A., Sattar, A., Tariq, M. A., Arshad, M., & Mehboob, M. Y. (2023). Anthracene-bridged sensitizers for environmentally compatible dye-sensitized solar cells: In silico modelling and prediction. *Journal of Molecular Graphics and Modelling*, 122(March). <https://doi.org/10.1016/j.jmgm.2023.108496>

Jadhav, M. M., Vaghasiya, J. V., Patil, D. S., Soni, S. S., & Sekar, N. (2018). Structure-efficiency relationship of newly synthesized 4-substituted donor- π -acceptor coumarins for dye-sensitized solar cells. *New Journal of Chemistry*, 42(7), 5267–5275. <https://doi.org/10.1039/c7nj04954d>

Jiang, H., Ren, Y., Zhang, W., Wu, Y., Socie, E. C., Carlsen, B. I., Moser, J., Tian, H.,

- Zakeeruddin, S. M., Zhu, W., & Grätzel, M. (2020). *Zuschriften Phenanthrene-Fused-Quinoxaline as a Key Building Block for Highly Efficient and Stable Sensitizers in Copper-Electrolyte-Based Dye- Sensitized Solar Cells* *Zuschriften Angewandte.* 9410–9415. <https://doi.org/10.1002/ange.202000892>
- Justin Thomas, K. R., Singh, P., Baheti, A., Hsu, Y. C., Ho, K. C., & Lin, J. T. S. (2011). Electro-optical properties of new anthracene based organic dyes for dye-sensitized solar cells. *Dyes and Pigments*, 91(1), 33–43. <https://doi.org/10.1016/j.dyepig.2011.02.006>
- Kainulainen, T. P., Sethi, J., Hukka, T. I., & Heiskanen, J. P. (2018). *UV-Blocking Synthetic Biopolymer from Biomass-Based Bifuran Diester and Ethylene Glycol.* <https://doi.org/10.1021/acs.macromol.7b02457>
- Kandregula, G. R., Mandal, S., & Ramanujam, K. (2021). Molecular engineering of near-infrared active boron dipyrromethene moiety with various donors and acceptors for tuning the absorption behavior and electron injection of the resultant dyes. *Journal of Photochemistry and Photobiology A: Chemistry*, 410(October 2020), 113161. <https://doi.org/10.1016/j.jphotochem.2021.113161>
- Khanasa, T., Jantasing, N., Morada, S., Leesakul, N., Tarsang, R., Namuangruk, S., Kaewin, T., Jungsuttiwong, S., Sudyoadsuk, T., & Promarak, V. (2013). Synthesis and characterization of 2D-D- π -A-type organic dyes bearing bis(3,6-di-tert-butylcarbazol-9-ylphenyl)aniline as donor moiety for dye-sensitized solar cells. *European Journal of Organic Chemistry*, 13, 2608–2620. <https://doi.org/10.1002/ejoc.201201479>
- Khanasa, T., Prachumrak, N., Kochapradist, P., Namuangruk, S., Keawin, T., Jungsuttiwong, S., Sudyoadsuk, T., & Promarak, V. (2014). The design, synthesis, and characterization of D- π -A- π -A type organic dyes as sensitizers for dye-sensitized solar cells (DSSCs). *Tetrahedron Letters*, 55(21), 3244–3248. <https://doi.org/10.1016/j.tetlet.2014.04.037>
- Kishore Kumar, D., Kříž, J., Bennett, N., Chen, B., Upadhyaya, H., Reddy, K. R., & Sadhu, V. (2020). Functionalized metal oxide nanoparticles for efficient dye-sensitized solar cells (DSSCs): A review. *Materials Science for Energy Technologies*, 3, 472–481. <https://doi.org/10.1016/j.mset.2020.03.003>
- Kitamoto, Y., & Tomita, K. (2004). Phenol. *Nippon Rinsho. Japanese Journal of Clinical Medicine*, 62 Suppl 1(9), 515–517. <https://doi.org/10.4324/9780429447341-55>
- Kumar, C., Raheem, A. A., Mohan, R., Shanmugam, R., & Praveen, C. (2021). Unravelling the minuscule size effect of auxiliary donor in D-D- π -A type dipolar photosensitizers on quasi-

- solid state DSSC performance. *Dyes and Pigments*, 185, 108959. <https://doi.org/10.1016/j.dyepig.2020.108959>
- Kusumawati, Y., Ivansyah, A. L., Martoprawiro, M. A., & Oktavia, L. W. (2019). *Computational Study of Structure and Photophysical Properties Relationship of Carbazoles with Four Anchoring Groups for DSSC: Consideration for Light Harvesting and Electron Injection*. 46(6), 1219–1228.
- Li, L., Dai, X., Liao, X., Zang, X., Huang, J., Zhang, H., Yin, X., & Hong, Y. (2021). Dual-channel D-(π -A)2 phenoxazine/phenothiazine dyes with an auxiliary N-alkoxy benzoic acid anchor for fabrication of dye-sensitized solar cells. *Solar Energy*, 225(March), 173–183. <https://doi.org/10.1016/j.solener.2021.07.030>
- Li, R., Lv, X., Shi, D., Zhou, D., Cheng, Y., Zhang, G., & Wang, P. (2009). *Dye-Sensitized Solar Cells Based on Organic Sensitizers with Different Conjugated Linkers: Furan, Bifuran, Thiophene, Bithiophene, Selenophene, and Biselenophene*. 7469–7479.
- Lu, F., Yang, G., Xu, Q., Zhang, J., Zhang, B., & Feng, Y. (2018). Tailoring the benzotriazole (BTZ) auxiliary acceptor in a D-A'- π -A type sensitizer for high performance dye-sensitized solar cells (DSSCs). In *Dyes and Pigments* (Vol. 158). Elsevier Ltd. <https://doi.org/10.1016/j.dyepig.2018.05.044>
- Mao, L., Li, J., Zhang, S., Dong, S., Dun, S., Guo, X., Wang, L., & Zhang, J. (2021). Introducing thiophene and benzothiadiazole groups in triphenylamine-based organic dyes with rigidly fused π -bridge to design high-efficiency solar cells: A theoretical investigation. *Solar Energy*, 225(June), 323–332. <https://doi.org/10.1016/j.solener.2021.07.032>
- Nalçakan, H., Kurtay, G., Sarıkavak, K., Şen, N., & Sevin, F. (2023). Computational insights into bis-N,N-dimethylaniline based D- π -A photosensitizers bearing divergent-type of π -linkers for DSSCs. *Journal of Molecular Graphics and Modelling*, 122(February). <https://doi.org/10.1016/j.jmgm.2023.108485>
- Noor, A., Hamdini, M., Ramadina, S., & Tiandho, Y. (2020). Model Dye-Sensitized Solar Cell dan Aplikasinya Berdasarkan Data Temperatur Harian: Studi Kasus Pangkalpinang. *Jurnal Pendidikan Fisika Dan Keilmuan (JPFK)*, 6(2), 131. <https://doi.org/10.25273/jpfk.v6i2.7707>
- Obotowo, I. N., Obot, I. B., & Ekpe, U. J. (2016). Organic sensitizers for dye-sensitized solar cell (DSSC): Properties from computation, progress and future perspectives. *Journal of Molecular Structure*, 1122, 80–87. <https://doi.org/10.1016/j.molstruc.2016.05.080>

- Ouared, I., & Rekis, M. (2021). Efficient triphenyleamine-based organic *sensitizers* for dye sensitized solar cells: Density functional theory study. *Computational and Theoretical Chemistry*, 1202(March). <https://doi.org/10.1016/j.comptc.2021.113309>
- Podlesný, J., Jelínková, V., Pytela, O., Klikar, M., & Bureš, F. (2020). Acceptor-induced photoisomerization in small thienothiophene push-pull chromophores. *Dyes and Pigments*, 179(January), 2–10. <https://doi.org/10.1016/j.dyepig.2020.108398>
- Pongajow, N. T., & Hastiawan, I. (2017). *Penentuan Geometri Dan Karakteristik Ikatan Senyawa Kompleks Ni (II) -Dibutilditiokarbamat Dengan Metode Density Functional Theory*. 7(ii), 33–36.
- Primananda, I., & Rezvozano, R. D. (2017). *METAL : Jurnal Sistem Mekanik dan Termal Karakteristik Dye-Sensitized Solar Cell (DSSC) Berbasis Zat Pewarna Alami dari Ekstrak Jantung Pisang*. 02, 99–108.
- Si, H. M., & Medica. (2020). *Dye-Sensitized Solar Cell : Teori dan Aplikasinya*. March 2019.
- Sun, Z. D., He, M., Chaitanya, K., & Ju, X. H. (2020). Theoretical studies on D-A- π -A and D-(A- π -A)2 dyes with thiophene-based acceptor for high performance p-type dye-sensitized solar cells. *Materials Chemistry and Physics*, 248(February), 122943. <https://doi.org/10.1016/j.matchemphys.2020.122943>
- Vuai, S. A. H., Khalfan, M. S., & Babu, N. S. (2021). DFT and TD-DFT studies for optoelectronic properties of coumarin based donor- π -acceptor (D- π -A) dyes: applications in dye-sensitized solar cells (DSSCs). *Heliyon*, 7(11), e08339. <https://doi.org/10.1016/j.heliyon.2021.e08339>
- Wazzan, N., & Irfan, A. (2020). Promising architectures modifying the D- π -A architecture of 2,3-dipentylidithieno[3,2-f:2',3'-h]quinoxaline-based dye as efficient *sensitizers* in dye-sensitized solar cells: A DFT study. *Materials Science in Semiconductor Processing*, 120(February), 105260. <https://doi.org/10.1016/j.mssp.2020.105260>
- Wüstenberg, B., & Branda, N. R. (2005). A photoswitchable donor- π -linker-acceptor system based on a modified hexatriene backbone. *Advanced Materials*, 17(17), 2134–2138. <https://doi.org/10.1002/adma.200500441>
- Xia, Z. Y., Zhang, Z. Y., Su, J. H., Zhang, Q., Fung, K. M., Lam, M. K., Li, K. F., Wong, W. Y., Cheah, K. W., Tian, H., & Chen, C. H. (2010). Robust and highly efficient blue light-emitting hosts based on indene-substituted anthracene. *Journal of Materials Chemistry*, 20(18), 3768–3774. <https://doi.org/10.1039/c000092b>

Xu, J., Zhao, J., & Liu, W. (2023). A comparative study of renewable and fossil fuels energy impacts on green development in Asian countries with divergent income inequality. *Resources Policy*, 85(PA), 104035. <https://doi.org/10.1016/j.resourpol.2023.104035>

Yoosuf, M., Pradhan, S. C., Soman, S., & Gopidas, K. R. (2019). Triple bond rigidified anthracene-triphenylamine sensitizers for dye-sensitized solar cells. *Solar Energy*, 188(June), 55–65. <https://doi.org/10.1016/j.solener.2019.05.051>

