

DAFTAR PUSTAKA

1. Canakci, M.; Gerpen, J. Van. Biodiesel Production from Jatropha Oil with High Free Fatty Acids. *Indian J. Nat. Prod. Resour.* 2007, 6 (6), 498.
2. Wu, H.; Zhang, J.; Liu, Y.; Zheng, J.; Wei, Q. Biodiesel Production from Jatropha Oil Using Mesoporous Molecular Sieves Supporting K_2SiO_3 as Catalysts for Transesterification. *Fuel Process. Technol.* 2014, 119, 114–120.
3. Fauzan, R.; Syukri; Emdeniz. Optimasi Aktifitas Katalitik Co(II)- Asetonitril Yang Diamobilisasi Pada Silika Modifikasi Dalam Reaksi Transesterifikasi. *J. Kim. Unand* 2012, 1 (1), 106–113.
4. Sari FN, N.; Syukri; Zulhadjri. Penentuan Kondisi Optimum Aktivitas Katalitik Mangan(II) Yang Digrafting Pada Silika Modifikasi. *J. Kim. Unand* 2013, 2 (1), 46–53.
5. Akkari, M.; Aranda, P.; Ben Rhaiem, H.; Ben Haj Amara, A.; Ruiz-Hitzky, E. ZnO/Clay Nanoarchitectures: Synthesis, Characterization and Evaluation as Photocatalysts. *Appl. Clay Sci.* 2016, 131, 131–139.
6. de Luna, M. D. G.; Cuasay, J. L.; Tolosa, N. C.; Chung, T. W. Transesterification of Soybean Oil Using a Novel Heterogeneous Base Catalyst: Synthesis and Characterization of Na-Pumice Catalyst, Optimization of Transesterification Conditions, Studies on Reaction Kinetics and Catalyst Reusability. *Fuel* 2017, 209, 246–253.
7. Hincke, M. T.; Nys, Y.; Gautron, J.; Mann, K.; Rodriguez-Navarro, A. B.; McKee, M. D. The Eggshell: Structure, Composition and Mineralization. *Front. Biosci. (Landmark Ed.)* 2012, 17 (July 2014), 1266–1280.
8. Kwong, T. L.; Yung, K. F. Heterogeneous Alkaline Earth Metal-Transition Metal Bimetallic Catalysts for Synthesis of Biodiesel from Low Grade Unrefined Feedstock. *RSC Adv.* 2015, 5 (102), 83748–83756.
9. Pandiangan, K. D.; Jamarun, N.; Arief, S.; Simanjuntak, W.; Rilyanti, M. The Effect of Calcination Temperatures on the Activity of CaO and CaO/SiO₂ Heterogeneous Catalyst for Transesterification of Rubber Seed Oil in the Presence of Coconut Oil as a Co-Reactant. *Orient. J. Chem.* 2016, 32 (6), 3021–3026.
10. Weems, J. B. Chemistry of Clays. *Iowa Geol. Surv. Annu. Rep.* 2018, 14, 319–346.
11. Ekeoma, M. O.; Okoye, P. Anorthite Clay Formulation as Catalyst for Bio-Diesel Production. *J. Chem. Soc. Niger.* 2016, 41 (2), 130–136.
12. Zhou, C. H. An Overview on Strategies towards Clay-Based Designer Catalysts for Green and Sustainable Catalysis. *Appl. Clay Sci.* 2011, 53 (2), 87–96.
13. Dutta, D. K. Clay Mineral Catalysts, *Development in Clay Sci.* 2018, 9, 289-329.
14. Murray, H. Structure and Composition of the Clay Minerals and Their Physical and Chemical. *Clay Miner.* 1997, 7–31.
15. Barton, C. D.; Karathanasis, A. D. Clay Minerals. *Encycl. Soil Sci.* 2002, 187–192.
16. Reeves, G. M.; Sims, I.; Cripps, J. C. *Clay Materials Used in Construction*; The Geological Society Publishing House: London, 2006.
17. Varma, R. S. Clay and Clay-Supported Reagents in Organic Synthesis. *Tetrahedron* 2002, 58, 1235–1255.
18. Abdelwahab Emam, E. Clay Adsorption Perspective on Petroleum Refining Industry. *Ind. Eng.* 2019, 2 (1), 19.
19. Yusuff, A. S.; Adeniyi, O. D.; Olutoye, M. A.; Akpan, U. G. A Review on Application of Heterogeneous Catalyst in the Production of Biodiesel from Vegetable Oils. *J. Appl. Sci. Process Eng.* 2017, 4 (2), 142–157.
20. Putri, F. D.; Helwani, Z.; Drastinawati, D. Pembuatan Biodiesel Dari Minyak Sawit Off-Grade Menggunakan Katalis CaO Melalui Proses Dua Tahap. *J. Rekayasa*

- Kim. Lingkungan*. 2017, 10 (3).
21. Hammond, E. W. Vegetable Oils: Types and Properties. *Encycl. Food Sci. Nutr. (Second Ed.)* 2003, 5899–5904.
 22. Narasimharao, K.; Lee, A.; Wilson, K. Catalysts in Production of Biodiesel: A Review. *J. Biobased Mater. Bioenergy* 2007, 1, 1–12.
 23. Gromadzka, J.; Wardencki, W. Trends in Edible Vegetable Oils Analysis. Part A. Determination of Different Components of Edible Oils - a Review. *Polish J. Food Nutr. Sci.* 2011, 61 (1), 33–43.
 24. Meher, L. C.; Vidya Sagar, D.; Naik, S. N. Technical Aspects of Biodiesel Production by Transesterification - A Review. *Renew. Sustain. Energy Rev.* 2006, 10 (3), 248–268.
 25. Huang, D.; Zhou, H.; Lin, L. Biodiesel: An Alternative to Conventional Fuel. *Energy Procedia* 2011, 16 (PART C), 1874–1885.
 26. Setiadji, S.; Sundari, C. D. D.; Munir, M.; Fitriyah, S. Synthesis of Solid Catalyst from Egg Shell Waste and Clay for Biodiesel Production. *J. Phys. Conf. Ser.* 2018, 1013 (1).
 27. Mohadi, R.; Lesbani, A.; Susie, D. Y. Preparasi Dan Karakterisasi Kalsium Oksida (CaO) Dari Tulang Ayam. *Chem. Prog* 2013, 6 (2), 76–80.
 28. Joshi, R. M.; Pegg, M. J. Flow Properties of Biodiesel Fuel Blends at Low Temperatures. *Fuel* 2007, 86 (1–2), 143–151.
 29. Nurhayati; Muhdarina; Linggawati, A.; Anita, S.; Amri, T. A. Preparation and Characterization of Calcium Oxide Heterogeneous Catalyst Derived from Anadara Granosa Shell for Biodiesel Synthesis. *KnE Eng.* 2015, 2016, 1–8.
 30. Nuripati, N. Lempung Limau Manis: Modifikasi, Karakterisasi, dan Aktivitas Katalitiknya, *Skripsi, Kimia, FMIPA, Universitas Andalas: Padang*, 2019.
 31. Buasri, A.; Chaiyut, N.; Loryuenyong, V.; Wongweang, C.; Khamsrisuk, S. Effect of Eggshell as a Filler on the Mechanical Properties of Flexible Polyurethane Foam. *Sustain. Energy* 2015, 1 (2), 7–13.
 32. Thomas, R. E. High Temperature Processing of Kaolinitic Materials, The University of Birmingham, 2010.
 33. Aroke, U. O.; Abdulkarim, A.; Ogunbunka, R. O. Fourier-Transform Infrared Characterization of Kaolin, Granite, Bentonite and Barite. *ATBU J. Environ. Technol.* 2013, 6 (1), 42–53.
 34. Schroeder, P. Infrared Spectroscopy in Clay Science. *C. Work. Lect.* 2002, 11 (October), 181–206.
 35. Rezende, J. C. T.; Ramos, V. H. S.; Oliveira, H. A.; Oliveira, R. M. P. B.; Jesus, E. Removal of Cr(VI) from Aqueous Solutions Using Clay from Calumbi Geological Formation, N. Sra. Socorro, SE State, Brazil. *Mater. Sci. Forum* 2018, 912, 1–6.
 36. Unuabonah, E. I.; Günter, C.; Weber, J.; Lubahn, S.; Taubert, A. Hybrid Clay: A New Highly Efficient Adsorbent for Water Treatment. *ACS Sustain. Chem. Eng.* 2013, 1 (8), 966–973.
 37. Hongping, H.; Ray, F. L.; Jianxi, Z. Infrared Study of HDTMA+ Intercalated Montmorillonite. *Spectrochim. Acta - Part A Mol. Biomol. Spectrosc.* 2004, 60 (12), 2853–2859.
 38. Qtaitat, M. A.; Al-Trawneh, I. N. Characterization of Kaolinite of the Baten El-Ghoul Region/South Jordan by Infrared Spectroscopy. *Spectrochim. Acta - Part A Mol. Biomol. Spectrosc.* 2005, 61, 1519–1523.
 39. Seprianti, S. Pemanfaatan Tanah Lempung Alami (Clay) Limau Manis Sebagai Support Katalis Asam, Karakterisasi Dan Aplikasi Katalitiknya, *Skripsi, Kimia, FMIPA, Universitas Andalas, Padang*, 2017.
 40. Mukasa-Tebandeke, I. Z.; Ssebuwufu, P. J. M.; Nyanzi, S. A.; Schumann, A.; Nyakairu, G. W. A.; Ntale, M.; Lugolobi, F. The Elemental, Mineralogical, IR, DTA

- and XRD Analyses Characterized Clays and Clay Minerals of Central and Eastern Uganda. *Adv. Mater. Phys. Chem.* 2015, 05 (02), 67–86.
41. Tomic, Z.; Antic-Mladenovic, S.; Babic, B.; Poharc-Logar, V.; Djordjevic, A.; Cupac, S. Modification of Smectite Structure by Sulfuric Acid and Characteristics of the Modified Smectite. *J. Agric. Sci. Belgrade* 2012, 56 (1), 25–35.
 42. Louati, S.; Baklouti, S.; Samet, B. Geopolymers Based on Phosphoric Acid and Illito-Kaolinitic Clay. *Adv. Mater. Sci. Eng.* 2016, 2016, 1–7.
 43. Beuntner, N.; Thienel, C. Properties of Calcined Lias Delta Clay- Technological Effects, Physical Characteristics and Reactivity in Cement. In *Calcined Clays for Sustainable Concrete*; Springer, Dordrecht, 2015; pp 43–50.
 44. Drzal, L. T.; Rynd, J. P.; Fort, T. Effects of Calcination on the Surface Properties of Kaolinite. *J. Colloid Interface Sci.* 1983, 93 (1), 126–139.
 45. Suryaputra, W.; Winata, I.; Indraswati, N.; Ismadji, S. Waste Capiz (Amusium Cristatum) Shell as a New Heterogeneous Catalyst for Biodiesel Production. *Renew. Energy* 2013, 50, 795–799.
 46. Hwidi, R. S.; Izhar, T. N. T.; Saad, F. N. M.; Dahham, O. S.; Noriman, N. Z.; Shayfull, Z. Characterization of Quicklime as Raw Material to Hydrated Lime: Effect of Temperature on Its Characteristics. *AIP Conf. Proc.* 2018, 2030 (November).
 47. Longa-Avello, L.; Pereyra-Zerpa, C.; Casal-Ramos, J. A.; Delvasto, P. Study of the Calcination Proces of Two Limonitic Iron Ores between 250 OC and 950 OC. *Rev. Fac. Ing.* 2017, 26 (45), 33–45.
 48. Yusuff, A. S.; Gbadamosi, A. O.; Adeniyi, O. D.; Olutoye, M. A.; Akpan, U. G. A Comparison of the Effects of Preparation Variables on Activity of Composite Anthill-Chicken Eggshell Catalyst for Biodiesel Production. *J. Sustain. Sci. Manag.* 2018, 13 (1).
 49. Olutoye, M.; Adeniyi, O. D.; Yusuff, A. S. Synthesis of Biodiesel from Palm Kernel Oil Using Mixed Clay-Eggshell Heterogeneous Catalysts. *Iran. J. Energy Environ.* 2016, 7 (3), 308–314.
 50. Liu, X.; He, H.; Wang, Y.; Zhu, S.; Piao, X. Transesterification of Soybean Oil to Biodiesel Using CaO as a Solid Base Catalyst. *Fuel* 2008, 87 (2), 216–221.
 51. Soetaredjo, F. E.; Ayucitra, A.; Ismadji, S.; Maukar, A. L. KOH/Bentonite Catalysts for Transesterification of Palm Oil to Biodiesel. *Appl. Clay Sci.* 2011, 53 (2), 341–346.

