

## DAFTAR PUSTAKA

1. Lei Chen, Dianna J.Magliano PZZ. The worldwide epidemiology of type 2 diabetes mellitus—present and future perspectives. Natere Rev Endocrinol. 2012;
2. Iee-Ho Choi, Sang-Woo Yeom, Sun-Young Kim, Jihye You, Jong-Seung Kim MK. Analysis of Cause-of-Death Mortality in Children and Young Adults with Diabetes: A Nationwide 10-Year Follow-Up Cohort Study. Pubmed Cent. 2023;
3. Banday MZ, Sameer AS, Nissar S. Pathophysiology of diabetes : An overview. 2021;
4. IDF. IDF Diabetes Atlas. Vol. 266, The Lancet. 2019. 134–137 p.
5. Megawati F, Agustini NPD, Krismayanti NLPD. Studi Retrospektif Terapi Antidiabetik Pada Penderita Diabetes Melitus Rawat Inap Di Rumah Sakit Umum Ari Canti Periode 2018. J Ilm Medicam. 2020;6(1):28–32.
6. Riskesdas. Survei Kesehatan Indonesia. Vol. 01. 2023. 1–68 p.
7. Dinkes. Profil Kesehatan Kota Padang Tahun 2021. Padang; 2021. 1–81 p.
8. Dinkes. Profil Kesehatan Kota Padang Tahun 2022. Padang; 2022. 1–85 p.
9. Barbagallo M and LJD. Magnesium and type 2 diabetes. World J Diabetes. 2015;
10. Dasgupta, Arundhati, Dipti Sarma UKS. Hypomagnesemia in type 2 diabetes mellitus. Indian J Endocrinol Metab. 2012;
11. Kostov K. Effects of magnesium deficiency on mechanisms of insulin resistance in type 2 diabetes: Focusing on the processes of insulin secretion and signaling. Int J Mol Sci. 2019;20(6).
12. Radmanesh A, Choromzade S, Akade E, Bahadoram M, Kaydani GA. Magnesium deficiency as a contributing factor to type 2 diabetes: a review of the literature. J Ren Endocrinol. 2023;9(May):e25086.
13. Nicola V, Dominguez LJ, Pizzol D, Demurtas J, Smith L, Barbagallo Ma. Oral Magnesium Supplementation for Treating Glucose Metabolism Parameters in People with or at Risk of Diabetes: A Systematic Review and Meta-Analysis of Double-Blind Randomized Controlled Trials. Nutrients.

- 2021;13(11).
14. Isvoranu C., Rugina D. SC. Plants and natural compounds with antidiabetic action. 2012;
  15. Castañeda-Ovando A., Pacheco-Hernández M.D.L., Páez-Hernández M.E., Rodriguez J.A. GVCA. Chemical studies of anthocyanins: A review. Food Chem. 2009;
  16. R. Nunes A. Nanoformulations for the Delivery of Dietary Anthocyanins for the Prevention and Treatment of Diabetes Mellitus and Its Complications. 2023;
  17. Kristamtini, Taryono, Basunanda P, Murti RH. Keragaman Genetik Kultivar Padi Beras Hitam Lokal Berdasarkan Penanda Mikrosatelit. 2014;10(2):69–76.
  18. Agustina AW, Anjani G. Cookies tepung beras hitam dan kedelai hitam sebagai alternatif makanan selingan indeks glikemik rendah. J Nutr Coll. 2017;6(2):128.
  19. Novrini S. Mutu Beras Jagung Analog dengan Penambahan Beberapa Jenis Tepung Jagung. J Ilmu Pertan. 2020;8(3):267–71.
  20. Adedayo Bukola C., A. AA, Esther NE, Ganiyu O. Effect of cooking on glycemic index, antioxidant activities,  $\alpha$ -amylase, and  $\alpha$ -glucosidase inhibitory properties of two rice varieties. Food Sci Nutr. 2018;6(8).
  21. Arifa AH, Syamsir E, Budijanto S. Karakterisasi Fisikokimia Beras Hitam (*Oryza sativa L.*) dari Jawa Barat, Indonesia. agriTECH. 2021;41(1):15.
  22. PERKENI. Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia 2021. Global Initiative for Asthma. 2021. 46 p.
  23. Arifin H. Diabetes Melitus: dari Sejarah Sampai Penatalaksanya. Padang: Andalas University; 2013.
  24. Heryana. Faktor Risiko Diabetes Melitus Tipe-2. 2018;1–18.
  25. Imelda. Faktor-Faktor Yang Mempengaruhi Terjadinya diabetes Melitus di Puskesmas Harapan Raya. Sci J. 2018;
  26. Endang L. Diabetes Mellitus Penyakit Kencing Manis. Yogyakarta; 2001.
  27. Mikael Knip HS. Autoimmune mechanisms in type 1 diabetes. Autoimmun Rev. 2008;

28. Diagnosis and classification of diabetes mellitus. Am Diabetes Assoc. 2014;
29. Mujeeb Z. Banday, Aga S. Sameer and SN. Pathophysiology of diabetes: An overview. Avicenna J Med. 2020;
30. Deborah M Muoio CBN. Mechanisms of disease:Molecular and metabolic mechanisms of insulin resistance and beta-cell failure in type 2 diabetes. PubMed. 2008;
31. Rosarlian. Pengaruh Diabetes Self-Management Education (DSME) Terhadap Pengetahuan, Sikap dan Kadar Gula Darah Penderita Diabetes Melitus Tipe 2 Di Wilayah Kerja Puskesmas Kaledupa. 2022;
32. Baynest H. Classification, Pathophysiology, Diagnosis and Manajement of Diabetes Melitus. 2015;
33. Flaws, B., Kuchinski., and Canasas RJ. The Treatment of Diabetes Melitus with Chinese Medicine. 2002;
34. Saanin H. Taksonomi dan Identifikasi Ikan 2. Binacipta. Jakarta; 1984.
35. Cahyati AI, Nurrahman N, Aminah S. Sifat Kimia dan Fisik Engay Food Berbasis Ikan Kembung dengan Penambahan Kedelai Hitam. J Teknol Pertan. 2022;11(1):9–17.
36. USDA. Fish, mackerel, Atlantic, raw [Internet]. 2018. Available from: <https://fdc.nal.usda.gov/fdc-app.html#/food-details/175119/nutrients>
37. Markus. Tingkat Pengetahuan Mahasiswa FK USU Angkatan 2015 tentang Peran Omega-3 bagi Kesehatan. Repos USU. 2017;
38. ELDerawi WA, Naser IA, Taleb MH, Abutair AS. The Effects of Oral Magnesium Supplementation on Glycemic Response among Type 2 Diabetes Patients. Nutrients. 2019;
39. Aryana IGPM. Padi Beras Hitam. Mataram; 2020.
40. Fatchiyah F, Sari DRT, Safitri A, Cairns JRK. Phytochemical compound and nutritional value in black rice from Java Island, Indonesia. Syst Rev Pharm. 2020;11(7):414–21.
41. Kristamtini, Taryono, Basunanda P, Rudi Hari Murti D. Keragaman Genetik dan Korelasi Parameter Warna Beras dan Kandungan Antosianin Total Sebelas Kultivar Padi Beras Hitam Lokal Genetic Variability of Rice Pericarp Color Parameters and Total Anthocyanine Content of Eleven Local

- Black Rice and Their Correlati. Ilmu Pertan. 2014;17(1):90–103.
42. Priska M, Peni N, Carvallo L, Ngapa YD. Antosianin dan Pemanfaatannya. Cakra Kim (Indonesian E-Journal Appl Chem. 2018;6(2):79–97.
43. Kumari S. Black Rice: An emerging “super food.” Pantnagar J Res. 2020;18(1):15–8.
44. Chaiyavat C, Bhagavathi SS, Noppawat, Pengkumsri Waranya K, Periyanaika K, Manee S, Parichart T, et al. Germinated Thai Black Rice Extract Protects Experimental Diabetic Rats from Oxidative Stress and Other Diabetes-Related Consequences. Pharmaceuticals. 2017;
45. Kim C. Computational identification of seed-specific transcription factors involved in anthocyanin production in black rice. Biochip J. 2010;
46. Syaifauzah S, Taib IS, Katas H, Latip J, Zainalabidin S, Hamid ZA, et al. The Role of Anthocyanin in Modulating Diabetic Cardiovascular Disease and Its Potential to Be Developed as a Nutraceutical. Pharmaceuticals. 2022;
47. Li J, Kang M, Kim J, Kim J, Kang S, Lim S, et al. Purple corn anthocyanins retard diabetes-associated glomerulosclerosis in mesangial cells and db/db mice. Eur J Nutr. 2011;
48. Monikasari M, Widyastiti NS, Mahati E, Syauqy A, Al-Baarri AN. Pengaruh pemberian ekstrak bekatul beras hitam (*Oryza sativa L. indica*) terhadap kadar MDA, SOD dan trigliserida pada tikus diabetes mellitus tipe 2. Aceh Nutr J. 2023;8(1):129.
49. Tarun B, Seyed FN, Seyed MN, Solomon H. Dietary Anthocyanins and Insulin Resistance: When Food Becomes a Medicine. Nutrients. 2017;
50. Putri D, Artanti G, Sachriani. Pengaruh Substitusi Tepung Beras Hitam (*Oryza Sativa L. Indica*) Pada Pembuatan Roti Tawar Terhadap Daya Terima Konsumen. J Sains Boga. 2021;4(2):66–76.
51. Muktiyati R, Hartati F. *Oryza sativa*. Food Sci Technol J. 2021;1:20–7.
52. Marita AA. Eksperimen Pembuatan Roll Cake Bahan Dasar Tepung Beras Hitam (*Oryza sativa L . indica* ) Substitusi Tepung Terigu. 2015;
53. Gröber U, Joachim S, Klaus K. Magnesium in prevention and therapy. Nutrients. 2015;
54. Volpe SL. Magnesium in Disease Prevention and Overall Health.

- ELSEVIER. 2013;4(3):378S-383S.
- 55. R. Swaminathan, J. Ayuk NJG. Magnesium Metabolism and its Disorders. Contemporary view of the clinical relevance of magnesium homeostasis. *Ann Clin Biochem*. 2014;
  - 56. Porri D, Biesalski H, Limitone A, Bertuzzo L, Cena H. Effect of magnesium supplementation on women's health and well-being. *Nutr Food Sci*. 2021;23:30–6.
  - 57. M.M. Gommers LG. HJJ. BRHF de BJ. Hypomagnesemia in Type 2 Diabetes: A Vicious Circle? *Am Diabetes Assoc*. 2015;
  - 58. Tarigan SP. Peran Magnesium dalam Mobilitas Fungsional pada Lanjut Usia. *Cermin Dunia Kedoteran*. 2017;44(8):573–5.
  - 59. Cazzola R, Della Porta M, Manoni M, Iotti S, Pinotti L, Maier JA. Going to the roots of reduced magnesium dietary intake: A tradeoff between climate changes and sources. *Heliyon*. 2020;6(11):e05390.
  - 60. Kostov K. Effects of Magnesium Deficiency on Mechanisms of Insulin Resistance in Type 2 Diabetes: Focusing on the Processes of Insulin Secretion and Signaling. *Int J Mol Sci*. 2019;
  - 61. Radmanesh A, Choromzade S, Akade E, Bahadoram M, Kaydani GA. Magnesium deficiency as a contributing factor to type 2 diabetes: a review of the literature. *J Ren Endocrinol*. 2023;9(June):e25086.
  - 62. Guerrero-Romero F. RMM. Oral magnesium supplementation: an adjuvant alternative to facing the worldwide challenge of type 2 diabetes. 2014;
  - 63. Sara AC, James S, Yiqing S, Xinmin L, James L, Yuko Y, et al. Magnesium supplementation, metabolic and inflammatory markers, and global genomic and proteomic profiling: a randomized, double-blind, controlled, crossover trial in overweight individuals. *Am J Clin Nutr*. 2011;
  - 64. M.M. Gommers LG. HJJ. BRHF de BJ. Hypomagnesemia in Type 2 Diabetes. *Am Diabetes Assoc*. 2015;
  - 65. Kong JM. Analysis and biological activities of anthocyanins. 2003;
  - 66. Ovando AC. Chemical studies of anthocyanins: A review. *Food Chem*. 2009;
  - 67. Sharma S, Ghumika P, Bhosale YK. Anthocyanin: Potential tool for diabetes management and different delivery aspects. *Trends Food Sci Technol*.

- 2023;140.
68. McDougall GJ. Different polyphenolic components of soft fruits inhibit alpha-amylase and alpha-glucosidase. 2005;
  69. Yao Y. Antioxidant and alpha-glucosidase inhibitory activity of colored grains in China. 2010;
  70. Suhartatik\* N, Nur Cahyanto M, Raharjo S, S. Rahayu E. Antioxidant Activity of Anthocyanin of Black Glutinous Rice During Fermentation. *J Teknol dan Ind Pangan*. 2013;24(1):115–9.
  71. Les F, Casedas G, Gomez C, Moliner C, Valero M, Lopez V. The role of anthocyanins as antidiabetic agents: From molecular mechanisms to in vivo and human studies. 2021;109–31.
  72. Perera P, Li Y. Functional herbal food ingredients used in type 2 diabetes mellitus. *Pharmacogn Rev*. 2012;37–45.
  73. Wedick NM, Pan A, Aedí C, Rimm EB, Sampson L, Rosner B, et al. Dietary flavonoid intakes and risk of type 2 diabetes in US men and women. *Am J Clin Nutr*. 2012;95(4):925–33.
  74. T Matsui, T Ueda, T Oki, K Sugita, N Terahara KM. alpha-Glucosidase inhibitory action of natural acylated anthocyanins. 2. alpha-Glucosidase inhibition by isolated acylated anthocyanins. 2001;
  75. Tuba E, Miriam RW, Anke S, Peter W, Gerald R. Fractionation, enzyme inhibitory and cellular antioxidant activity of bioactives from purple sweet potato (*Ipomoea batatas*). *Food Chem*. 2017;221:447–56.
  76. Matsui T. alpha-Glucosidase inhibitory action of natural acylated anthocyanins. 1. Survey of natural pigments with potent inhibitory activity. 2001;
  77. Xiaonan S, Yan Z, Zhou W. Bread fortified with anthocyanin-rich extract from black rice as nutraceutical sources: Its quality attributes and in vitro digestibility. *Food Chem*. 2016;196:910–6.
  78. Hélder O, Ana F, Natércia FB, Nuno M, Victor de F, Iva F. Anthocyanins as Antidiabetic Agents-In Vitro and In Silico Approaches of Preventive and Therapeutic Effects. *Molecules*. 2020;
  79. Manley. Biscuit, Cracker, and Cookie Recipes For The Food Industry.

- England: Woodhead Publishing Limited, Abington; 2001.
80. Winata. Kualitas Biscuit dengan Kombinasi Tepung Kacang Mete (*Annacardium Occidentale L.*) dan Tepung Singkong (*Manihot Esculenta*). Univeritas Atma Jaya Yogyakarta. 2015;
81. BSN. Standar Nasional Biskuit. Jakarta; 2018.
82. Oktafa H, Permadi MR, Agustianto K. Studi Komparasi Data Uji Sensoris Makanan dengan Preference Test (Hedonik dan Mutu Hedonik), antara Algoritma Naïve Bayes Classifier dan Radial Basis Function Network. Semin Nas Has Penelit. 2017;75–8.
83. Gibney MJ. Gizi Kesehatan Masyarakat. Jakarta; 2009.
84. Setyaningsih, Dwi, Anton Apriyantono dan MPS. Analisis Sensori untuk Industri Pangan dan Argo. IPB Press. 2010;
85. Husna F, Suyatna FD, Arozal W, Purwaningsih EH. Model Hewan Coba pada Penelitian Diabetes. Pharm Sci Res. 2019;6(3):131–41.
86. Malole MBM dan CSP. Penggunaan hewan-hewan percobaan laboratorium. Bogor; 1989.
87. Akbar B. Tumbuhan dengan kandungan senyawa aktif yang berpotensi sebagai bahan antifertilitas. Jakarta; 2010.
88. Sharp P VJ. The Laboratory Rat. CRC Press. 2013;
89. Ighodaro OM, Adeosun AM AO. Alloxan-induced diabetes, a common model for evaluating. Medicina (B Aires). 2017;
90. Handajani F. Metode Pemilihan dan pemnbuatan hewan model beberapa penyakit pada penelitian eksperimental. 2021. 9–25 p.
91. A Mostafavinia, A Amini, Ghorishi, R Pouriran M bayat. The effects of dosage and the routes of administrations of streptozotocin and alloxan on induction rate of type 1 diabetes mellitus and mortality rate in rats. 2016;
92. Haris H, Nafsiyah I. Formulasi Campuran Limbah Ikan Dan Ikan Rucah Terhadap Kandungan Dan Daya Cerna Protein Tepung Ikan Formulation of Mixed Fish Waste and Waste Fish on Content and Digestibility of Protein Fish Meal. Maj BIAM [Internet]. 2019;15(02):82–93. Available from: <http://dx.doi.org/10.29360/mb.v15i2.5606>
93. Daeng RA. Pemanfaatan Tepung Tulang Ikan Cakalang (Katsuwonus

- pelamis) sebagai Sumber Kalsium dan Fosfor untuk Meningkatkan Nilai Gizi Biskuit. *J Biosainstek*. 2019;1(01):22–30.
94. Hidayat RR, Sugitha IM, Wiadnyani AAIS. Pengaruh Perbandingan Tepung Beras Hitam (*Oryza sativa L. indica*) Dengan Terigu Terhadap Karakteristik Bakpao. *J Ilmu dan Teknol Pangan*. 2019;8(2):207.
  95. Kahar SM, Lasindrang M, Bait Y. Formulasi Biskuit Bayi Dengan Penambahan Tepung Ubi Jalar Kuning (*Ipomoea Batatas*) Termodifikasi yang di Fortifikasi Dengan Tepung Ikan Gabus (*Ophiocephalus Striatus*). *Jambura J Food Technol*. 2022;4:198–212.
  96. Gomez KA, Gomez AA. Statistical Procedures For Agricultural Research. Singapore; 1984.
  97. Lahamendu B, Bodhi W, Siampa JP. Uji Efek Analgetik Ekstrak Etanol Rimpang Jahe Putih ( *Zingiber officinale Rosc . var . Amarum* ) Pada Tikus Putih Jantan Galur Wistar ( *Rattus norvegicus* ). *Farmacon*. 2019;8(November):928–35.
  98. Pujiatiningsih AS. Pemberian Ekstrak Daun Putri Malu (*Mimosa pudica Linn*) secara Oral Menurunkan Kadar Gula Darah Post Prandial pada xvii Tikus (*Rattus Norvegicus*) Jantan Galur Wistar Perdiabetesi. 2014;
  99. Jung JY, Lim Y, Moon MS KJ dan KO. Hypoglycemic effects of a phenolic acid fraction of rice bran and ferulic acid. *Nutr Metab*. 2011;
  100. Su TC, Yang MJ, Huang HH, Kuo CC, Chen LY. Using Sensory Wheels to Characterize Consumers' Perception for Authentication of Taiwan Specialty Teas. *Foods*. 2021;10(4).
  101. Stone, Herbert and Joel S. *Sensory Evaluation Practices*. 3rd ed. USA: Elsevier Academic Press; 2004.
  102. Tiyani U, Suharti S, Andriani S. Formulasi Dan Uji Organoleptik Teh Celup Daun Kersen (*Muntingia Calabura L.*) Untuk Memelihara Kadar Gula Darah Dan Penambahan Rimpang Jahe (*Zingiber Officinale*) Sebagai Penghangat Tubuh. *J Holist Heal Sci*. 2020;
  103. Food and Drug Administration. *Food Labeling: Revision of the Nutrition and Supplement Facts Labels*. Vol. 81. 2016. 240–402 p.
  104. Herfayati Putri, Pandia Setiaty NH. Karakteristik Antosianin dari Kulit Buah

- Nipah (*Nypa frutican*) sebagai Pewarna Alami dengan Metode Soxhletas. J Tek Kim USU. 2020;09(2):80–6.
105. Irmayanti Wode, Hermanto, Nur A. Analisis Organoleptik Dan Proksimat Biskuit Berbahan Dasar Ubi Jalar (Ipomea batatas L) Dan Kacang Hijau (Phaseolus radiatus L). 2017;2(2):413–24.
  106. Munira, Husain R, Suherman SP. Karakteristik Biskuit Yang Disubstitusi Tepung Ikan Kembung (Rastrelliger Brachysoma) Sebagai Pemberian Makanan Tambahan Anak Sekolah (Pmt-As). CAKRAWALA. 2023;6(April):1143–55.
  107. Astiana I, Lahay AF, Putu S, Dia S, Farida I, Samanta PN, et al. Karakteristik Organoleptik Dan Nilai Gizi Biskuit Ikan Dengan Fortifikasi Tepung Surimi Ikan Swanggi. JPHPI. 2023;26.
  108. Busono GS, Atmaka W, Anam C. Kajian Sifat Kimia Dan Sensori Makanan Instan Dengan Substitusi Tepung Bekatul Beras Merah Dan Tepung Ubi Jalar Kuning. J Teknoscains Pangan. 2014;3.
  109. Hustiany R, Purba F, Nuradina F, Turana S. Pengaruh lama dan suhu pemanasan serta pengecilan ukuran terhadap mutu puree pisang talas (*Musa paradisiaca* var *sapientum* L.). J Teknol Ind Pertan. 2023;17(4):884–95.
  110. Dwiatmini K, Afza H. Karakterisasi Kadar Antosianin Varietas Lokal Padi Warna Sebagai SDG Pangan Fungsional. Bul Plasma Nutfah [Internet]. 2018;24(2):125–34. Available from: <http://dx.doi.org/10.21082/blpn.v24n2.2018.p125-134>.
  111. Luh N, Artini GS, Agustini NP, Nyoman N, Dewi A, Jurusan A, et al. Studi Pembuatan Cookies Beras Hitam. J Nutr Sci. 2022;9(3):68–77.
  112. Mozin F, Nurhaeni, Ahmad R. Analisis Kadar Serat dan Kadar Protein Serta Pengaruh Waktu Simpan Terhadap Sereal Berbasis Tepung Ampas Kelapa dan Tepung Tempe. J Ris Kim. 2019;5.
  113. Dara W, Yensasnidar Y, Pandeni A, Mailinda R. Biskuit Balita Tepung Sagu yang Disubstitusi Tepung Ikan Gabus (*Channa striata*). J Kesehat PERINTIS (Perintis's Heal Journal). 2023;10(1):21–9.
  114. Mukti AE, Laili Hidayati, Issutarti. Pengaruh Substitusi Tepung Daging Ikan Kuniran (*Upeneus Moluccensis*) Terhadap Sifat Organoleptik Kastengel. J

- Sains Boga [Internet]. 2023;6(1):20–7. Available from: <https://journal.unj.ac.id/unj/index.php/boga/article/view/31724>
115. Sari DK, Marliyati SA, Kustiyah L, Khomsan A, Gantohe TM. Uji Organoleptik Formulasi Biskuit Fungsional Berbasis Tepung Ikan Gabus (*Ophiocephalus striatus*). 2014;34(2):120–5.
  116. Salampessy RBS, Susanto A, Irianto H eko. Pengembangan Produk Kukis Ikan Gabus (*Channa Striata*) Menggunakan Mixture Design. JP. 2024;27.
  117. Rosalinda S, Febriananda T, Nurjanah S. Penggunaan Berbagai Konsentrasi Kulit Buah Pepaya dalam Penurunan Kadar Kafein pada Kopi. J Teknotan. 2021;15(1):27.
  118. Bastian F, Ishak E, Tawali A., Bilang M. Daya Terima dan Kandungan Zat Gizi Formula Tepung Tempe dengan Penambahan Semi Refined Carrageenan (SRC) dan Bubuk Kakao. J Apl Teknol Pangan. 2013;Vol.2 No.1:5–8.
  119. Kusharto CM, Marliyati A. Formulasi Biskuit Dengan Substitusi Tepung Ikan Lele Dumbo ( *Clarias Gariepinus* ) Dan Isolat Protein Kedelai ( *Glycine Max* ) Sebagai Makanan Potensial Untuk Anak Balita Gizi Kurang. J Ind dan Teknol Pangan. 2012;XXIII(1).
  120. Moeljanto. Pengolahan Hasil-hasil Samping Ikan. Jakarta: PT Penebar Swadaya; 1982.
  121. BR S, P RV. Black rice flour: proximate composition , physicochemical properties and phytochemical screening in sequential extracts. Int J Food Sci Nutr. 2020;5(3):82–6.
  122. Pratama RI, Rostini L, Liviawaty E. Karakteristik Biskuit dengan Penambahan Tepung Tulang Ikan Jangilus (*Istiophorus Sp.*). J Akuatika. 2014;5.
  123. Sakinah KN, Melani V, Swamilaksita PD, Ronitawati P, Sitoayu L. Coopas Cookies Berbasis Tepung Ampas Tahu dan Tepung Beras Hitam sebagai Alternatif Snack Tinggi Protein dan Serat untuk Anak Usia Sekolah. Gizi Indones. 2011;
  124. Mulyawan IB, Handayani BR, Dipokusumo B, Werdiningsih W, Siska AI. Pengaruh teknik pengemasan dan jenis kemasan terhadap mutu dan daya

- simpan ikan pindang bumbu kuning. *J Pengolah Has Perikan Indones.* 2019;22(3):464–75.
125. Setyawati R, Dwiyanti H, Aini N. Suplementasi tepung ikan-tempe pada biskuit ubi kayu sebagai upaya penanggulangan kurang energi protein pada ibu hamil. *Unsoed.* 2017;314–23.
  126. Mudjajanto ES, Kholilah W. Nilai Gizi serta Daya Terima Biskuit dengan Penambahan Tepung Ikan Layang (*Decapterus russelli*) dan Ikan Selar (*Caranx SP*). *J Sains.* 2015;5(1):26–38.
  127. Sinung Pranata F, Anis Oktaviani C, Reni Swasti Y. Kualitas Kue Lompong dengan Penambahan Ekstrak Cincau Hitam (*Mesona palustris*, BL.) sebagai Senyawa Antioksidan. *J Teknol Pangan dan Has Pertan [Internet].* 2021;16(2):1–14. Available from: <http://journals.usm.ac.id/index.php/jtphp>
  128. Almatsier S. *Penuntun Diet.* 3rd ed. Jakarta: PT Gramedia Pustaka Utama; 2007. 138–139 p.
  129. Agustia FC, Subardjo YP, Sari HP. Pengembangan Biskuit Mocaf-Garut Dengan Substitusi Hati Sebagai Alternatif Biskuit Tinggi Zat Besi Untuk Balita. *J Gizi dan Pangan.* 2017;12(2):129–38.
  130. Hidayah N, Poernomo A, Rohadatul'aisy NI, Bertiantono A, Sugiyono S. Mutu dan Umur Simpan Cookies yang difortifikasi dengan Hidrolisat Protein Ikan. *J Pascapanen dan Bioteknol Kelaut dan Perikan.* 2023;18(1):75.
  131. Ntau LA, Labatjo R, Yani Arbie F, Gizi Poltekkes Kemenkes Gorontalo J. Uji Sifat Kimia Pada Mie Basah Yang Telah Disubsitusi Dengan Tepung Ikan Kembung (*Rastrelliger sp.*). *Jambura J Heal Sci Res.* 2022;4(1):397–405.
  132. Handito D, Basuki E, Saloko S, Cicilia S, Suardani NKN. Karakteristik Cookies dari Terigu dan Tepung jagung Fermentasi. *Lppm.* 2022;4(November 2021):197–206.
  133. Normilawati, Fadlilaturrahmah, Hadi S, Normaida. Penetapan Kadar Air Dan Kadar Protein Pada Biskuit Yang Beredar di Pasar Banjarbaru. *CERATA J Ilmu Farm.* 2019;10(2):51–5.
  134. Fitri, Nuraini dan Eni P. Pengaruh subsitusi tepung ikan kembung

- (Rastrelliger brachysoma) terhadap kadar protein dan daya terima biskuit. Univ Muhammad Surakarta. 2017;
135. Gita RSD, Danuji S. Studi pembuatan biskuit fungsional dengan substitusi tepung ikan gabus dan tepung daun kelor. *J Pendidik Biol dan Sains*. 2018;1:155–62.
136. Cahyawardani C, Sulistyowati E, Widajati E. Carbohydrate and Fiber Intake on Fasting Blood Glucose Levels in Patients with Type 2 Diabetes Mellitus Following Brown-Rice Diet Intervention. *Indones J Hum Nutr*. 2023;
137. Anugrahati NA, Aurielle P, Studi P, Pangan T, Harapan UP. Pengaruh jenis dan rasio substitusi tepung beras hitam terhadap karakteristik fisikokimia rempeyek. 2021;12(36).
138. Wulandari, Herpandi, Lestari SD, Putri RM. KARAKTERISTIK FISIKOKIMIA BISKUIT DENGAN FORTIFIKASI TEPUNG BELUT. *JPHPI*. 2019;22:246–54.
139. Sales CH, Pedrosa LFC, Lima JG, Lemos TMAM, Colli C. Influence of magnesium status and magnesium intake on the blood glucose control in patients with type 2 diabetes. *Clin Nutr*. 2011;30(3):359–64.
140. Faradhita A, Handayani D, Kusumastuty I. Hubungan Asupan Magnesium Dan Kadar Glukosa Darah Puasa Pasien Rawat Jalan Diabetes Melitus Tipe 2. *Indones J Hum Nutr*. 2014;1(2):71–88.
141. Kumar P, Bhargava S, Agarwal PK, Garg A, Khosla A. Association of serum magnesium with type 2 diabetes mellitus and diabetic retinopathy. *J Fam Med Prim Care*. 2019;
142. Larsson SC, Wolk A. Magnesium intake and risk of type 2 diabetes: a meta-analysis. *J Intern Med*. 2007;
143. Kim H, Koo K, Park W, Kang DM, Kim H, Lee B, et al. Anti-obesity activity of anthocyanin and carotenoid extracts from color-fleshed sweet potatoes. *J Food Biochem*. 2020;44(10).
144. Sapien S, Taib IS, Katas H, Latip J, Zainalabidin S, Hamid ZA, et al. The Role of Anthocyanin in Modulating Diabetic Cardiovascular Disease and Its Potential to Be Developed as a Nutraceutical. *Pharmaceuticals*. 2022;15(11).
145. Cruz PL, Moraes-Silva IC, Ribeiro AA, Machi JF, Melo MDT, Santo F Dos,

- et al. Nicotinamide attenuates streptozotocin-induced diabetes complications and increases survival rate in rats: role of autonomic nervous system. *BMC Endocr Disord*. 2021;
146. Ghosh D, Konishi T. Anthocyanins And Anthocyanin-Rich Extracts. *Asia Pac J Clin Nutr*. 2007;16(2):200–8.
  147. Bhagavan N., Ha CE. Perturbations of Energy Metabolism: Obesity and Diabetes Mellitus. *Essentials Med Biochem*. 2011;261–74.
  148. Liu M, Jeong EM, Liu H, Xie, A N, So, E Y, Shi G, et al. Magnesium supplementation improves diabetic mitochondrial and cardiac diastolic function. *Cardiology [Internet]*. 2019; Available from: <https://insight.jci.org/articles/view/123182>
  149. Solati M, Ouspid E, Hosseini S, Soltani N, Keshavarz M, Dehghani M. Oral magnesium supplementation in type II diabetic patients. *Med J Islam Repub Iran*. 2014;
  150. Utama LJ, Suryana S, Sembiring AC. Effects of mixture powder of black rice (*Oryza sativa L indica*), red beans (*Phaseolus vulgaris L*), and moringa leaves (*Moringa oleifera L*) on blood glucose concentration in hyperglycemic Rats. *J Gizi Indones (The Indones J Nutr*. 2021;9(2):136–43.
  151. Tantipaiboonwong P, Pintha K, Chaiwangyen W, Chewonarin T, Pangjit K, Chumphukam O, et al. Anti-hyperglycaemic and anti-hyperlipidaemic effects of black and red rice in streptozotocin-induced diabetic rats. *ScienceAsia*. 2017;43(5):281–8.
  152. Babu, P, V A, Liu D, R. Gilbert E. Recent advances in understanding the anti-diabetic actions of dietary flavonoids. *J Nutr Biochem*. 2013;24(11):1777–89.
  153. Cespedes, C L, Pavon N, Dominguez M, Alarcon J, Balbontin C, Kubo I, et al. Buah super Chili, blackberry *Aristotelia chilensis* (Elaeocarpaceae), Maqui sebagai mediator dalam gangguan terkait peradangan. *Food Chem Toxicol*. 2017;108:438–50.
  154. Nugroho AE. Hewan Percobaan Diabetes Mellitus : Patologi Dan Mekanisme Aksi Diabetogenik. *Biodiversitas J Biol Divers*. 2006;7:378–832.

155. Djunaidi CS, Affandi DR, Praseptiangga D. Efek hipoglikemik tepung komposit (ubi jalar ungu, jagung kuning, dan kacang tunggak) pada tikus diabetes induksi streptozotocin. *J Gizi Klin Indones*. 2014;10(3):119.
156. Tahmasebpour N, Dehgan G, Feizi MA., Esmaeili H. Variation in body weight and some hematological parameters in streptozotocin-induced diabetic rats, treated with *teucrium orientale*. *Pharmacology*. 2013;
157. Ighodaro O, Adeosum A, Akinloye O. Alloxan-induced diabetes, a common model for evaluating the glycemic-control potential of therapeutic compounds and plants extracts in experimental studies. *Medicina (B Aires)*. 2017;53(6):365–74.

