

DAFTAR PUSTAKA

- Akbar, N. (2018). *Uji Normalitas Data untuk Penelitian*. Bali: Jayapangus Press.
- Aldama, S. (2021). Analisis Kadar Kromium Total pada Air Sumur Bor, Reservoir, Dan Konsumen Menggunakan Spektrofotometri Uv-Vis. *Amina*, 3(1), 18–23.
- Andarani, S. (2016). Kemampuan Tumbuhan Kayu Au (*Pistia Stratiotes L.*) dalam Menyisihkan Kromium Total (Cr-T) dan COD Limbah Elektroplating. *Jurnal Teknik Lingkungan*, 5(4).
- Ariyani, S. B. (2017). Kemampuan Limbah Tandan Kosong Kelapa Sawit Sebagai Bioadsorben Logam Perak pada Limbah Cair Sisa Pengukuran COD. *Majalah BIAM* 13, I, 17–21.
- Asmadi, A., S, E., & Oktiawan, W. (2018). Pengurangan Chrom (Cr) dalam Limbah Cair Industri Kulit Pada Proses Tannery Menggunakan Senyawa Alkali Ca(OH)₂, NaOH dan NaHCO₃ (Studi Kasus PT. Trimulyo Kencana Mas Semarang). *Jurnal Air Indonesia*, 5(1).
- Asrofi, M., Abral, H., Kasim, A., Pratoto, A., Mahardika, M., Park, J. W., & Kim, H. J. (2018). Isolation of Nanocellulose from Water Hyacinth Fiber (WHF) Produced via Digester-Sonication and Its Characterization. *Fibers and Polymers*, 19(8), 1618–1625.
- Astuti, W. (2018). *Adsorpsi Menggunakan Material Berbasis Lignoselulosa*. In Unnes Press.
- Atkins, P., Paula, J. de, & Keeler, J. (2018). *Physical Chemistry (11th ed.)*. Oxford University Express.
- Badan Pusat Statistik. 2023. Provinsi Sumatera Barat dalam Angka 2023. Badan Pusat Statistik. Sumatera Barat.
- Badan Standarisasi Nasional. (2008). SNI 6989.59:2008. Metoda Pengambilan Contoh Air Permukaan. Jakarta.
- Badan Standarisasi Nasional. (2009). SNI 6989.17:2009. Air dan Air Limbah Bagian 17: Cara uji kromium total (Cr-T) secara Spektrofotometri Serapan Atom (SSA) – nyala. Jakarta.
- Baunsele, A. B., & Missa, H. (2020). Kajian Kinetika Adsorpsi Metilen Biru Menggunakan Adsorben Sabut Kelapa. *Akta Kimia Indonesia*, 5(2), 76.
- Bhernama, B. G., Nurhayati, Surya Adi Saputra, & Jihan Amalia. (2023). Karakterisasi Selulosa dan Selulosa Asetat dari Limbah Cangkang Biji Pala (*Myristica Fragrans*) Aceh Selatan. *Jurnal Riset Kimia*, 14(1), 81–93.
- Budiwanto, S. (2017). *Metode Statistika: Untuk Mengolah Data Keolahragaan*. Fakultas Ilmu Keolahragaan Universitas Negeri Malang 2017, 1–233.
- Cahyanto, R. B. (2023). Verifikasi Metode Penentuan Kromium Total (Cr) pada

Air Limbah Industri Penyamakan Kulit Menggunakan Metode Spektrofotometer. Skripsi, Program Studi Kimia, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Gadjah Mada, Yogyakarta.

Canra, M., Fadli, A., & Komalasari. (2017). *Jom Fakultas Teknik Volume 4 No . 2 Oktober 2017.* 4(2), 1–11.

Carey, M., & Barsoum, M. W. (2021). MXene polymer nanocomposites: a review. *Materials Today Advances*, 9, 100120.

Darjito, D., Purwonugroho, D., & Ningsih, R. (2014). The Adsorption of Cr (VI) Ions Using Chitosan-Alumina Adsorbent. *J. Pure App. Chem. Res*, 3(June), 53–61.

Dini, L., Kusumadewi, R. A., & Hadisoebroto, R. (2023). Adsorpsi Logam Berat Kromium (Cr) dan Zat Warna dengan Adsorben Kulit Pisang Kepok dalam Air Limbah Batik. *Jurnal Reka Lingkungan*, 11(1), 37–48.

Dong, Y., Sang, D., He, C., Sheng, X., & Lei, L. (2019). Mxene/alginate composites for lead and copper ion removal from aqueous solutions. *RSC Advances*, 9(50), 29015–29022.

Eckenfelder, W. (2000). *Industrial Water Pollution Control (Third)*. McGraw Hill

Fahira, U. (2023). *Variasi Dosis dan Rasio Adsorben Terhadap Penyisihan Metilen Biru dari Larutan Artifisial Menggunakan Nanokomposit MXene/Eceng Gondok*. Tugas Akhir, Departemen Teknik Lingkungan, Fakultas Teknik, Universitas Andalas, Padang.

Fahma, F., Iwamoto, S., Hori, N., Iwata, T., & Takemura, A. (2010). Isolation, preparation, and characterization of nanofibers from oil palm empty-fruit-bunch (OPEFB). *Cellulose*, 17(5), 977–985.

Fard, A. K., Mckay, G., Chamoun, R., Rhadfi, T., Preud'Homme, H., & Atieh, M. A. (2017). Barium removal from synthetic natural and produced water using MXene as two dimensional (2-D) nanosheet adsorbent. *Chemical Engineering Journal*, 317, 331–342.

Farhan, M. Z. (2022). *Uji Kemampuan Adsorben Nanokomposit MXene/Eceng Gondok dalam Penyisihan Logam Tembaga (Cu) dari Air Limbah Artifisial Dengan Variasi Rasio Nanokomposit dan Konsentrasi Adsorbat*. Tugas Akhir, Departemen Teknik Lingkungan, Fakultas Teknik, Universitas Andalas, Padang.

Gustaman, A. S. R. A. (2017). Pengendalian Kromium (Cr) yang Terdapat di Limbah Batik dengan Metode Fitoremediasi. *Unnes Journal of Public Health*, 3(6), 1–10.

Harinaldi. (2005). *Prinsip-Prinsip Statistik Untuk Teknik dan Sains*. Jakarta: Erlangga.

Hao, C., Li, G., Wang, G., Chen, W., & Wang, S. (2022). Preparation of acrylic

- acid modified alkalized MXene adsorbent and study on its dye adsorption performance. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 632(August 2021).
- Hasyyati, L., Hartati, E., & Djaenudin, D. (2020). Penyisihan Kromium pada Pengolahan Air Limbah Penyamakan Kulit Menggunakan Metode Elektrokoagulasi. *Jurnal Serambi Engineering*, 5(4), 1313–1320.
- He, L., Huang, D., He, Z., Yang, X., Yue, G., Zhu, J., Astruc, D., & Zhao, P. (2020). Nanoscale zero-valent iron intercalated 2D titanium carbides for removal of Cr(VI) in aqueous solution and the mechanistic aspect. *Journal of Hazardous Materials*, 388(Vi), 121761.
- Herlina, A. (2022). *Uji Kemampuan Adsorben Nanokomposit MXene/Eceng Gondok dalam Penyisihan Logam Berat Cu dari Air Limbah Electroplating dengan Variasi pH dan Rasio Nanokomposit*. Tugas Akhir, Departemen Teknik Lingkungan, Fakultas Teknik, Universitas Andalas, Padang.
- Huang, X., Mu, W., & Chang, C. (2023). CTAB intercalation into two-dimensional transition-metal carbides: Enhancing adsorption performance of Cr (VI). *Journal of Alloys and Compounds*, 968(May).
- Ibnu Hajar, E. W., Sitorus, R. S., Mulianingtias, N., & Welan, F. J. (2018). Efektivitas Adsorpsi Logam Pb^{2+} dan Cd^{2+} Menggunakan Media Adsorben Cangkang Telur Ayam. *Konversi*, 5(1), 1.
- Indrawati, T., Ningsih, N. I. D., & Sumarwanto, P. (2023). Penyisihan Kromium dalam Limbah Cair Laboratorium Dengan Metode Adsorpsi dan Fitoremediasi. *Jurnal Pengelolaan Laboratorium Pendidikan*, 5(2), 83–90.
- Indriyani, S. M. (2016). *Aplikasi Nanofiber Selulosa Tandan Kosong Kelapa Sawit (Tkks) Sebagai Reinforcement Agent Pada Komposit Thermoplastic Starch-Polivinil Alkohol (Tps-Pva)*. Tugas Akhir, Departemen Teknik Lingkungan, Fakultas Teknik, Institut Pertanian Bogor.
- Inglezakis, V. J., Zorpas, A. A., Grigoropoulou, H. P., & Loizidou, M. D. (2006). *Batch and column studies of phosphorus removal from aqueous solutions using natural and modified zeolites*. Desalination, 186(1-3), 111-118.
- Irawan, C., Purwanti, A., & Norhasanah, N. (2019). Adsorpsi Logam Timbal Secara Batch dan Kontinu Menggunakan Karbon Aktif dari Cangkang Kelapa Sawit. *JTERA (Jurnal Teknologi Rekayasa)*, 4(2), 267.
- Ismadji, S., Soetardjo, F. E., Santoso, S. P., Putro, J. N., Yuiana, M., Hartono, S. B., & Lunardi, V. B. (2021). *Adsorpsi Pada Fase Cair Kesetimbangan, Kinetika Dan Termodinamika*. Universitas Katolik Widya Mandala Surabaya.
- Jagaba, A. H., Kutty, S. R. M., Hayder, G., Baloo, L., Ghaleb, A. A. S., Lawal, I. M., Abubakar, S., Al-dhawi, B. N. S., Almahbashi, N. M. Y., & Umaru, I. (2021). Degradation of Cd, Cu, Fe, Mn, Pb and Zn by Moringa-oleifera, zeolite, ferric-chloride, chitosan and alum in an industrial effluent. *Ain Shams*

Engineering Journal, 12(1), 57–64.

- Jin, L., Chai, L., Yang, W., Wang, H., & Zhang, L. (2020). Two-Dimensional Titanium Carbides ($Ti_3C_2T_x$) Functionalized by Poly (m-phenylenediamine) for Efficient Adsorption and Reduction of Hexavalent Chromium. *International Journal of Environmental Research and Public Health*, 17, 167.
- Julinawati, Marlina, Nasution, & Sheilatina. (2015). Applying Sem-edx Techniques to Identifying the Types of Mineral of Jades (Giok) Takengon, Aceh. *Jurnal Natural Unsyiah*, 15(2), 44–48.
- Jun, B., Heo, J., Taheri-qazvini, N., Min, C., & Yoon, Y. (2020). Adsorption of selected dyes on $Ti_3C_2T_{x2}$ MXene and Al-based metal-organic framework. *Ceramics International*, 46 (October 2019), 2960–2968.
- Jun, B. M., Her, N., Park, C. M., & Yoon, Y. (2020). Effective removal of Pb(ii) from synthetic wastewater using $Ti_3C_2T_x$ MXene. *Environmental Science: Water Research and Technology*, 6(1), 173–180.
- Karthikeyan, P., Ramkumar, K., Pandi, K., Fayyaz, A., Meenakshi, S., & Park, C. M. (2021). Effective removal of Cr(VI) and methyl orange from the aqueous environment using two-dimensional (2D) $Ti_3C_2T_x$ MXene nanosheets. *Ceramics International*, 47(3), 3692–3698.
- Kartiningrum, E. D., Basuki, H., Bambang, N., Otok, W., Nurul, E., & Yuswatiningsih, K. E. (2022). Aplikasi Regresi Dan Korelasi Dalam Analis Data Hasil Penelitian. In *E-Book Penerbit STIKes Majapahit*.
- Khaliq, A. (2019). Analisis sistem pengolahan air limbah pada kelurahan kelayan luar kawasan ipal pekapuran raya pd pal kota banjarmasin. *Jurnal Poros Teknik*, 7(1), 34–42.
- Khan, A. R., Awan, S. K., Husnain, S. M., Abbas, N., Anjum, D. H., Abbas, N., Benaissa, M., Mirza, C. R., Mujtaba-ul-Hassan, S., & Shahzad, F. (2021). 3D flower like $\delta\text{-MnO}_2$ /MXene Nano-hybrids for the removal of hexavalent Cr from wastewater. *Ceramics International*, 47(18), 25951–25958.
- Kong, A., Sun, Y., Peng, M., Gu, H., Fu, Y., Zhang, J., & Li, W. (2021). Amino-functionalized MXenes for efficient removal of Cr (VI). *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 617(February), 126388.
- Lakhanpal, S., Dhulia, A., & Ganguly, R. (2021). Magnetite coated sand adsorbent for Cr(VI) removal from synthetic and pharmaceutical wastewater: adsorption isotherms and kinetics. *Arabian Journal of Geosciences*, 14(12).
- Lestari, A., & Samsunar, S. (2021). Analisis Kadar Padatan Tersuspensi Total (TSS) dan Logam Kromium Total (Cr) pada Limbah Tekstil di Dinas Lingkungan Hidup Sukoharjo. *Indonesian Journal of Chemical Research*, 6(1), 32–41.
- Lima, É. C., Adebayo, M. A., & Machado, F. M. (2015). Kinetic and equilibrium

- models of adsorption. In *Carbon Nanostructures* (Vol. 0, Issue 9783319188744).
- Liu, D., Li, T., Sun, W., Zhou, W., & Zhang, G. (2022). Magnetic Ti₃C₂MXene Nanomaterials for Doxorubicin Adsorption from Aqueous Solutions: Kinetic, Isotherms, and Thermodynamic Studies. *ACS Omega*, 7(36), 31945–31953.
- Lumunon, E. I., Riogilang, H., & Supit, C. J. (2021). Evaluasi Kinerja Instalasi Pengolahan Air Limbah Rsd Mangusada Kabupaten Badung. *Jurnal Ilmiah Teknik Sipil*, 25(1), 30.
- Melliaroza, M. (2022). *Uji Kemampuan Adsorben Nanokomposit MXene/Eceng Gondok dalam Penyisihan Logam Berat Cu dari Air Limbah Electroplating dengan Variasi Dosis Adsorben dan Rasio Nanokomposit*. Tugas Akhir, Departemen Teknik Lingkungan, Fakultas Teknik, Universitas Andalas, Padang.
- Muhammad. (2014). Penyerapan β-Karoten Menggunakan Karbon Aktif Tempurung Kelapa Sawit. *Jurnal Teknologi Kimia Unimal*, 3(2), 53–63.
- Murdani, F. C. (2017). Pengolahan Tandan Kosong Kelapa Sawit (TKKS) Sebagai Alternatif Material Tekstil dengan Teknik Rekarakit Tekstil. *E-Proceeding of Art & Design*, 4(3), 1187–1206.
- Nabiela, M., Hidayah, M., & Azizati, Z. (2020). Adsorpsi Ion Logam Kromium Heksavalen Cr (VI) Dalam Larutan Menggunakan Zeolit Berlapis Oksida Mangan (MnO₂). *Walisongo Journal of Chemistry*, 3(2), 52.
- Nalendra, A. R. A., Rosalinah, Y., Priadi, A., Subroti, I., Rahayuningsih, R., Lestari, R., Kusamandari, S., Yuliasari, R., Astuti, D., Latumahina, J., Purnomo, M. W., & Zede, V. A. (2021). Statistika Seri Dasar dengan SPSS. In *Penerbit Media Sains Indonesia*.
- Nandiyanto, A. B. D., Oktiani, R., & Ragadhita, R. (2019). How to read and interpret ftir spectroscope of organic material. *Indonesian Journal of Science and Technology*, 4(1), 97–118.
- Nurhayati, I., Vigiani, S., & Majid, D. (2020). Kromiun (Cr), COD dan BOD Limbah Cair Laboratorium dengan Pengenceran, Koagulasi, dan Adsorbsi. *Ecotrophic*, 14(1), 74–87.
- Nuryadi, Astuti, T. D., Utami, E. S., & Budiantara, M. (2017). Buku Ajar Dasar-dasar Statistik Penelitian. In *Sibuku Media* (1st ed.). Sibuku Media.
- Peng, Q., Guo, J., Zhang, Q., Xiang, J., Liu, B., Zhou, A., Liu, R., & Tian, Y. (2014). Unique lead adsorption behavior of activated hydroxyl group in two-dimensional titanium carbide. *Journal of the American Chemical Society*, 136(11), 4113–4116.
- Pholosi, A., Naidoo, E. B., & Ofomaja, A. E. (2019). Batch and continuous flow studies of Cr(VI) adsorption from synthetic and real wastewater by magnetic

- pine cone composite. *Chemical Engineering Research and Design*, 153(Vi), 806–818.
- Pratiwi, D. Y. (2020). Dampak Pencemaran Logam Berat (Timbal, Tembaga, Merkuri, Kadmium, Krom) Terhadap Organisme Perairan Dan Kesehatan Manusia. *Jurnal Akuatek*, 1(1), 59–65.
- Pratiwi, L. (2023). *Pengaruh Variasi pH dan Rasio Adsorben Nanokomposit MXene/Eceng Gondok terhadap Penyisihan Metilen Biru dari Larutan Artifisial*. Tugas Akhir, Departemen Teknik Lingkungan, Fakultas Teknik, Universitas Andalas, Padang.
- Prihatini, N. S., Abdi, C., Pratama, Y. A., & Noor, I. (2020). Efisiensi Sistem Lahan Basah Buatan Aliran Permukaan dengan Variasi Debit dalam Menyisihkan Mangan Pada Air Asam Tambang. *Jukung (Jurnal Teknik Lingkungan)*, 6(1), 77–85.
- Puspitasari, I. (2018). *Penurunan Kadar Kromium Total (Cr) pada Limbah Penyamakan Kulit Menggunakan Sistem Kombinasi Adsorpsi Metode Kolom dan Fitoremediasi Removal of Total Chromium (Cr) in Tannery Wastewater Using Combination System of Column Method Adsorption and Phytorem*. 1–12.
- Qing, Q., Shi, X. Y., Hu, S. Z., Li, L., Huang, T., Zhang, N., & Wang, Y. (2023). Synchronously Enhanced Removal Ability and Stability of MXene through Biomimetic Modification. *Langmuir*, 39(27), 9453–9467.
- Rahmasita, M. E., Farid, M., & Ardhyananta, H. (2017). Analisa Morfologi Serat Tandan Kosong Kelapa Sawit Sebagai Bahan Penguat Komposit Absorpsi Suara. *Jurnal Teknik ITS*, 6 (2).
- Rasheed, T., Kausar, F., Rizwan, K., Adeel, M., Sher, F., Alwadai, N., & Alshammari, F. H. (2022). Two dimensional MXenes as emerging paradigm for adsorptive removal of toxic metallic pollutants from wastewater. *Chemosphere*, 287(P3), 132319.
- Said, N. I. (2018). Metoda Penghilangan Logam Berat (As, Cd, Cr, Ag, Cu, Pb, Ni dan Zn) di dalam Air Limbah Industri. *Jurnal Air Indonesia*, 6(2), 136–148.
- Salleh, N. F. M., Ghafar, N. A., Shukri, N. M., Md Hanafiah, S. F., & Hapani, M. (2022). Oil Palm Empty Fruit Bunch (OPEFB) Pellets as a Biosorbent for Ni (II) and Cr (VI) removal in an aqueous solution. *IOP Conference Series: Earth and Environmental Science*, 1102(1).
- Sawyer, C.N., Mc Carty, P., dan Parkin, G.F. 2003. *Chemistry for Environmental Engineering and Science*. Mc. Graw Hill: Boston
- Setyaningtyas, 2005, Pemanfaatan Abu Sekam Padi Sebagai Adsorben Kadmium (II) dalam Pelarut Air, *Jurnal Kimia Universitas Jenderal Soedirman.*, 31(1): 33-41.

- Setyowati, J. (2018). *Kinetika Adsorpsi Ion Logam Cu, Cd, dan Mn dalam Air Limbah Menggunakan Adsorben Serbuk Gergaji Kayu Meranti*. 1–74.
- Sha, X., Huang, H., Sun, S., Huang, H., Huang, Q., He, Z., Liu, M., Zhou, N., Zhang, X., & Wei, Y. (2020). Mussel-inspired preparation of MXene-PDA-Bi₆O₇ composites for efficient adsorptive removal of iodide ions. *Journal of Environmental Chemical Engineering*, 8(5), 104261.
- Shah, S., Mubeen, I., Pervaiz, E., & Nasir, H. (2023). Enhanced removal of toxic Cr(VI) and Pb(II) from water using carboxylic terminated Ti₃C₂T_x nanosheets. *RSC Advances*, 13(33), 23320–23333.
- Shahzad, A., Rasool, K., Miran, W., Nawaz, M., Jang, J., Mahmoud, K. A., & Lee, D. S. (2017). Two-Dimensional Ti₃C₂T_x MXene Nanosheets for Efficient Copper Removal from Water. *ACS Sustainable Chemistry and Engineering*, 12, 11481–11488.
- Shahzad, A., Rasool, K., Miran, W., Nawaz, M., Jang, J., Mahmoud, K. A., & Lee, D. S. (2018). Mercuric ion capturing by recoverable titanium carbide magnetic nanocomposite. *Journal of Hazardous Materials*, 344, 811–818.
- Shekhawat, K., Chatterjee, S., & Joshi, B. (2015). Chromium Toxicity and its Health Hazards. *International Journal of Advanced Research*, 3(7), 167–172.
- Sherly, A., & Cahyaningrum, S. E. (2014). Aktivasi Kulit Pisang Kepok (*Musa Acuminata L.*) dengan H₂SO₄ dan Aplikasinya sebagai Adsorben Ion Logam Cr(VI). *UNESA Journal of Chemistry*, 3(1), 22–25.
- Simonin, J. P. (2016). On the comparison of pseudo-first order and pseudo-second order rate laws in the modeling of adsorption kinetics. *Chemical Engineering Journal*, 300, 254–263.
- Song, G., Kang, R., Guo, L., Ali, Z., Chen, X., Zhang, Z., Yan, C., Lin, C. Te, Jiang, N., & Yu, J. (2020). Highly flexible few-layer Ti₃C₂ MXene/cellulose nanofiber heat-spreader films with enhanced thermal conductivity. *New Journal of Chemistry*, 44(17), 7186–7193.
- Sun, Q., Zhang, L., Li, J., & Yang, Y. (2024). Construction of polyaniline/MXene/graphene oxide ternary nanohybrid for sequestration and reduction of hypertoxic Cr(VI) in water. *Journal of Environmental Chemical Engineering*, 12(3), 112955.
- Surya, R. F. (2022). *Penyisihan Logam Berat Cu pada Air Limbah Electroplating Artifisial Menggunakan Adsorben Nanokomposit MXene/Eceng Gondok dengan Variasi Rasio Nanokomposit dan Konsentrasi Ion*.
- Syukur, A., Indah, S., & Komala, P. S. (2023). Studi Kinetika dan Isoterm Adsorpsi Abu Tandan Kosong Kelapa Sawit dalam Penyisihan Warna Air Limbah Pabrik Minyak Kelapa Sawit. *Cived*, 10(1), 218.
- Tamsin, H. T. (2020). *Bioakumulasi Logam Kromium (Cr) pada Insang dan Usus*

- Ikan Nila (Oreochromis niloticus) Akibat Paparan Limbah Cair Penyamakan Kulit (Studi Kasus: UPTD Pengolahan Kulit Padang Panjang).*
- Tan, K. L., & Hameed, B. H. (2017). Insight into the adsorption kinetics models for the removal of contaminants from aqueous solutions. *Journal of the Taiwan Institute of Chemical Engineers*, 74, 25–48.
- Tang, Y., Yang, C., & Que, W. (2018). A novel two-dimensional accordion-like titanium carbide (MXene) for adsorption of Cr(VI) from aqueous solution. *Journal of Advanced Dielectrics*, 8(5).
- Tasanif, R., Isa, I., & Kunusa, W. R. (2020). Potensi Ampas Tebu Sebagai Adsorben Logam Berat Cd, Cu dan Cr. *Jambura Journal of Chemistry*, 2(1), 35–45.
- Tchobanoglou, G., L. Burton, F., & Stensel, D. H. (2014). Metcalf & Eddy : Wastewater Engineering: Treatment and Reuse. In *McGraw Hill Companies, Inc.* (Issue 7, p. 421).
- Tunesi, M. M., Soomro, R. A., Han, X., Zhu, Q., Wei, Y., & Xu, B. (2021). Application of MXenes in environmental remediation technologies. *Nano Convergence*, 8(1).
- Utami, Elystia, S., & Aziz, Y. (2017). Adsorpsi Zat Warna Rhodamin B Menggunakan Karbon Aktif dari Tandan Kosong Kelapa Sawit (Elaeis Guneensis Jacq). *Jom FTeknik*, 4(1), 1–7.
- Vakili, M., Cagnetta, G., Huang, J., Yu, G., & Yuan, J. (2019). Synthesis and regeneration of a MXene-based pollutant adsorbent by mechanochemical methods. *Molecules*, 24(13), 1–11.
- Viera Valencia, L. F., & Garcia Giraldo, D. (2019). 濟無. *Angewandte Chemie International Edition*, 6(11), 951–952., 2.
- Wan, H., Nan, L., Geng, H., Zhang, W., & Shi, H. (2021). Green synthesis of a novel mxene–cs composite applied in treatment of Cr (VI) contaminated aqueous solution. *Processes*, 9(3).
- Wang, H., Cui, H., Song, X., Xu, R., Wei, N., Tian, J., & Niu, H. (2019). Facile synthesis of heterojunction of MXenes/TiO₂ nanoparticles towards enhanced hexavalent chromium removal. *Journal of Colloid and Interface Science*, 553, 530–539.
- Wei, Z., Peigen, Z., Wubian, T., Xia, Q., Yamei, Z., & ZhengMing, S. (2018). Alkali treated Ti₃C₂T_x MXenes and their dye adsorption performance. *Materials Chemistry and Physics*, 206, 270–276.
- Wijayanto, S. O., & A.P Bayuseno. (2013). Analisis Kegagalan Material Pipa pada Waste Heat Boiler Akibat Suhu Tinggi Berdasarkan Pengujian : Mikrografi dan Kekerasan. *Jurnal Teknik Mesin Undip*, 1(4), 33–39.
- Xie, X., Chen, C., Zhang, N., Tang, Z. R., Jiang, J., & Xu, Y. J. (2019).

- Microstructure and surface control of MXene films for water purification. *Nature Sustainability*, 2(9), 856–862.
- Yadi, S. P. (2023). *Penyisihan Logam Cu dari Larutan Artifisial Menggunakan Asorben Nanocomposite MXene/Eceng Gondok dengan Variasi Rasio Nanocomposite 5:1 dan 40:1*. Universitas Andalas. Tugas Akhir, Departemen Teknik Lingkungan, Fakultas Teknik, Universitas Andalas, Padang.
- Ying, Y., Liu, Y., Wang, X., Mao, Y., Cao, W., Hu, P., & Peng, X. (2015). Two-dimensional titanium carbide for efficiently reductive removal of highly toxic chromium(VI) from water. *ACS Applied Materials and Interfaces*, 7(3), 1795–1803.
- Yuni Hendrawati, T., Umar, E., Ilmar Ramadhan, A., Meta Sari, A., Salsabila, M., Suryani, R., & Budhi Rahardja, I. (2023). Sintesis Dan Karakterisasi Nanoselulosa Serbuk Dari Tandan Kosong Kelapa Sawit Menggunakan Ultrasonifikasi. *Jurnal Teknologi*, 15(1), 160–166.
- Zeng, X., Wang, Y., He, X., Liu, C., Wang, X., & Wang, X. (2021). Enhanced removal of Cr (VI) by reductive sorption with surface-modified $Ti_3C_2T_x$ MXene nanocomposites. *Journal of Environmental Chemical Engineering*, 9(5), 106203.
- Zhang, G., Wang, T., Xu, Z., Liu, M., Shen, C., & Meng, Q. (2020). Synthesis of amino-functionalized $Ti_3C_2T_x$ MXene by alkalization-grafting modification for efficient lead adsorption. *Chemical Communications*, 56 (76), 11283–11286.
- Zhang, H., Li, M., Zhu, C., Tang, Q., Kang, P., & Cao, J. (2020). Preparation of magnetic MXene with excellent photocatalytic performance. *Ceramics International*, 46(1), 81–88.
- Zhang, L., & Zhang, Y. (2014). Adsorption characteristics of hexavalent chromium on HCB/TiO₂. *Applied Surface Science*, 316(1), 649–656.
- Zuhrah, P. F., Elystia, S., Zultiniar, Z., & Sari Ermal, D. A. (2022). Penyisihan Logam Cr (VI) dari Limbah Cair Elektroplating Menggunakan Adsorben Beads Komposit Chitosan-Clay. *Jurnal Sains Dan Teknologi: Jurnal Keilmuan Dan Aplikasi Teknologi Industri*, 22(2), 252.