

DAFTAR PUSTAKA

- Alfahel, R., Azzam, R. S., Hafiz, M. A., Hawari, A. H., Pandey, R. P., Mahmoud, K. A., Hassan, M. K., & Elzatahry, A. A. (2020). Fabrication of fouling resistant $Ti_3C_2T_x$ (MXene)/cellulose acetate nanocomposite membrane for forward osmosis application. *Journal of Water Process Engineering*, 38. <https://doi.org/10.1016/j.jwpe.2020.101551>
- Alfi, R., Lubis, F., Nasution, H. I., & Zubir, M. (2020). Production of activated carbon from natural sources for water purification. *Indonesian Journal of Chemical Science and Technology*, 3(2), 67-73.
- Amanda, D. (2019). *Uji Persamaan Langmuir Dan Freundlich Pada Penyerapan Ion Logam Kobalt (Ii) Oleh Kitosan Dari Kulit Udang Windu (Penaeus Monodon)*.
- Andika, B., Wahyuningsih, P., & Fajri, R. (2020). Penentuan Nilai Bod Dan Cod Sebagai Parameter Pencemaran Air Dan Baku Mutu Air Limbah Di Pusat Penelitian Kelapa Sawit (Ppks) Medan. <https://ejournalunsam.id/index.php/jq>
- Ashish, B., Neeti, K., & Himanshu, K. (2013). Copper Toxicity: A Comprehensive Study. In *Research Journal of Recent Sciences* (Vol. 2). www.isca.in
- Astuti, W. (2018). Adsorpsi Menggunakan Material Berbasis Lignoselulosa. In *Unnes Press*. Unnes Press.
- Atkins, P. (2018). *Physical Chemistry* (11th ed.). Oxford University Press.
- Baunsele, A. B., & Missa, H. (2020). Kajian Kinetika Adsorpsi Metilen Biru Menggunakan Adsorben Sabut Kelapa. *Akta Kimia Indonesia*, 5(2), 76. <https://doi.org/10.12962/j25493736.v5i2.7791>
- Basyiruddin, F., Setiawan, A., & Dermawan, D. (2018). Identifikasi Pengaruh pH Terhadap Kemampuan Biosorpsi *Saccharomyces cerevisiae* dalam Mengurangi Kadar Cu. In *Conference Proceeding on Waste Treatment Technology* (Vol. 1, No. 1, pp. 85-90).
- Carey, M., & Barsoum, M. W. (2021). MXene polymer nanocomposites: a review. *Materials Today Advances*, 9. <https://doi.org/10.1016/j.mtadv.2020.100120>

- Collini, L. (2012). *Copper Alloys - Early Applications and Current Performance - Enhancing Processes*. In *Copper Alloys - Early Applications and Current Performance - Enhancing Processes*. BoD—Books on Demand.
- Dong, Y., Sang, D., He, C., Sheng, X., & Lei, L. (2019). Mxene/alginate composites for lead and copper ion removal from aqueous solutions. *RSC Advances*, 9(50), 29015–29022. <https://doi.org/10.1039/c9ra05251h>
- Dwiasi, D. W., Setyaningtyas, T., Riyani (2018). Penurunan Kadar Metilen Biru Dalam Limbah Batik Sokaraja Menggunakan Sistem Fe₂O₃-H₂O₂-UV Decrease Level of Methylene Blue In Sokaraja Liquid Waste Using Fe₂O₃-H₂O₂-UV System. *Jurnal Rekayasa Kimia Dan Lingkungan*, 13(1), 78–86. <https://doi.org/10.23955/rkl.v12i1>
- Eckenfelder, W. wesley. (2000). *Industrial Water Pollution Control (3rd Edition)*.
- Fahma, F., Iwamoto, S., Hori, N., Iwata, T., & Takemura, A. (2010). *Isolation, preparation, and characterization of nanofibers from oil palm empty-fruit-bunch (OPEFB)*. 17(5), 977–985. <https://doi.org/10.1007/s10570-010-9436-4>
- Febrianti, N. (2019). *Analisis Kandungan Logam Berat (Pb, Cd, Fe, Cu) pada Air Tanah di Rawa Pening Kabupaten Semarang Jawa Tengah. 1*, 105–112.
- Fuad, M. T., Aunurohim, & Nurhidayati, T. (2013). *Efektivitas Kombinasi Salvinia molesta dengan Hydrilla verticillata dalam Remediasi Logam Cu pada Limbah Elektroplating*. *Jurnal Sains dan Seni ITS*, 2(2), E240-E245.
- Ginting, F. D. (2008). *Pengujian Alat Pendingin Sistim Adsorpsi Dua Adsorber dengan Menggunakan Metanol 1000 ml Sebagai Refrigeran*. Laporan Tugas Akhir Jurusan Teknik Mesin, Fakultas Teknik, Universitas Indonesia, Jakarta.
- Hajar, E. W., Sitorus, R. S., Mulianingtias, N., & Welan, F. J. (2018). Efektivitas Adsorpsi Logam Pb²⁺ Dan Cd²⁺ Menggunakan Media Adsorben Cangkang Telur Ayam. *Konversi*, 5(1), 1. <https://doi.org/10.20527/K.V5i1.4771>
- Haq, Y. U., Ullah, R., Mazhar, S., Khattak, R., Qarni, A. A., Haq, Z. U., & Amin, S. (2022). Synthesis and characterization of 2D MXene: Device fabrication for humidity sensing. *Journal of Science: Advanced Materials and Devices*, 7(1), 100390. <https://doi.org/10.1016/j.jsamd.2021.08.003>

- Harinaldi. (2005). *Prinsip - Prinsip Statistik Untuk Teknik dan Sains*. Erlangga.
- Hendrawati, T. Y., Umar, E., Ilmar Ramadhan, A., Meta Sari, A., Salsabila, M., Suryani, R., & Budhi Rahardja, I. (2023). Sintesis Dan Karakterisasi Nanoselulosa Serbuk Dari Tandan Kosong Kelapa Sawit Menggunakan Ultrasonifikasi. *Jurnal Teknologi*, 15(1), 160–166.
- Herlina, A. (2022). Uji Kemampuan Adsorben Nanokomposit MXene/Eceng Gondok dalam Penyisihan Logam Berat Cu dari Air Limbah Electroplating (Doctoral dissertation, Universitas Andalas).
- Hwang, S. K., Kang, S. M., Rethinasabapathy, M., Roh, C., & Huh, Y. S. (2020). MXene: An emerging two-dimensional layered material for removal of radioactive pollutants. In *Chemical Engineering Journal* (Vol. 397). Elsevier B.V. <https://doi.org/10.1016/j.cej.2020.125428>
- Ifa, L., Akbar, M., Ramli, A. F., & Wiyani, L. (2018). Pemanfaatan Cangkang Kerang Dan Cangkang Kepiting Sebagai Adsorben Logam Cu, Pb Dan Zn Pada Limbah Industri Pertambangan Emas. *Journal Of Chemical Process Engineering*, 03(01).
- Ihsanullah, I. (2020). MXenes (two-dimensional metal carbides) as emerging nanomaterials for water purification: Progress, challenges and prospects. In *Chemical Engineering Journal* (Vol. 388). Elsevier B.V. <https://doi.org/10.1016/j.cej.2020.124340>
- Imansuri, F., Hadiguna, R. A., & Afrinaldi, F. (2019). Model Optimasi Perancangan Jaringan Rantai Pasok Biomassa dari Tandan Kosong Kelapa Sawit di Sumatera Barat. *Jurnal Optimasi Sistem Industri*, 18(1), 1–13. <https://doi.org/10.25077/josi.v18.n1.p1-13.2019>
- Indah, D. R. (2020). Adsorpsi Logam Tembaga (Cu) Pada Karbon Baggase Teraktivasi Natrium Hidroksida (NaOH). In *Jurnal Ilmiah Ikip Mataram* (Vol. 7, Issue 1).
- Indriyani, S. M. (2016). Aplikasi Nanofiber Selulosa Tandan Kosong Kelapa Sawit (TKKS) Sebagai Reinforcement Agent Pada Komposit Thermoplastic Starch-Polivinil Alkohol (Tps-Pva).

- Irawan, C., Purwanti, A., & Norhasanah, N. (2019). Adsorpsi Logam Timbal Secara Batch dan Kontinu Menggunakan Karbon Aktif dari Cangkang Kelapa Sawit. *JTERA (Jurnal Teknologi Rekayasa)*, 4(2), 267. <https://doi.org/10.31544/jtera.v4.i2.2019.267-276>
- Jun, B. M., Her, N., Park, C. M., & Yoon, Y. (2020). Effective removal of Pb(ii) from synthetic wastewater using $Ti_3C_2T_x$ MXene. *Environmental Science: Water Research and Technology*, 6(1), 173–180. <https://doi.org/10.1039/c9ew00625g>
- Khairunisa, R. (2008). Kombinasi teknik elektrolisis dan teknik adsorpsi menggunakan karbon aktif untuk menurunkan konsentrasi senyawa fenol dalam air. Skripsi Program Studi Kimia Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Indonesia. Jakarta
- Khatami, M., & Iravani, S. (2021). MXenes and MXene-based Materials for the Removal of Water Pollutants: Challenges and Opportunities. *Comments on Inorganic Chemistry*, 41(4), 213–248. <https://doi.org/10.1080/02603594.2021.1922396>
- Khurshid, H., Mustafa, M. R. U., & Isa, M. H. (2022). Adsorption of chromium, copper, lead and mercury ions from aqueous solution using bio and nano adsorbents: A review of recent trends in the application of AC, BC, nZVI and MXene. *Environmental Research*, 212. <https://doi.org/10.1016/j.envres.2022.113138>
- Kwon, S., Fan, M., DaCosta, H. F. M., Russell, A. G., Berchtold, K. A., & Dubey, M. K. (2011). CO₂ Sorption. In *Coal Gasification and Its Applications* (pp. 293–339). Elsevier. <https://doi.org/10.1016/b978-0-8155-2049-8.10010-5>
- Langmuir, I. (1918). The Adsorption of Gases on Plane Surfaces of Glass, Mica and Platinum. *Journal of the American Chemical Society*, 40(9), 1361–1403.
- Lathifah, W. D. (2022). *Pengaruh Perilaku Masyarakat dan Penerapan Tangki Septik Terhadap Kejadian Penyakit Diare di Kota Padang (Studi Kasus: Kecamatan Koto Tangah)* (Doctoral Dissertation, Universitas Andalas).

- Li, S., Wang, L., Peng, J., Zhai, M., & Shi, W. (2019). Efficient thorium(IV) removal by two-dimensional Ti₂CT_x MXene from aqueous solution. *Chemical Engineering Journal*, 366, 192–199. <https://doi.org/10.1016/j.cej.2019.02.056>
- Liu, T., Yang, X., Wang, Z. L., & Yan, X. (2013). Enhanced chitosan beads-supported Fe-nanoparticles for removal of heavy metals from electroplating wastewater in permeable reactive barriers. *Water Research*, 47(17), 6691–6700. <https://doi.org/10.1016/j.watres.2013.09.006>
- Liu, Y., Khan, A., Wang, Z., Chen, Y., Zhu, S., Sun, T., Liang, D., & Yu, H. (2020). Upcycling of electroplating sludge to prepare erdite-bearing nanorods for the adsorption of heavy metals from electroplating wastewater effluent. *Water (Switzerland)*, 12(4). <https://doi.org/10.3390/W12041027>
- Lyubchik, S., Lyubchik, A., & Lygina, O. (2011). *4 Comparison of the Thermodynamic Parameters Estimation for the Adsorption Process of the Metals from Liquid Phase on Activated Carbons*. www.intechopen.com
- Nandiyanto, A. B. D., Oktiani, R., & Ragadhita, R. (2019). How to read and interpret ftir spectroscopy of organic material. *Indonesian Journal of Science and Technology*, 4(1), 97–118. <https://doi.org/10.17509/ijost.v4i1.15806>
- Nasrum, A. (2018). *Uji Normalitas Data untuk Penelitian*. <http://jayapanguspress.org>
- Neeris, J. B., Luzardo, F. H. M., Santos, P. F., De Almeida, O. N., & Velasco, F. G. (2019). Evaluation of single and tri-element adsorption of Pb²⁺, Ni²⁺ and Zn²⁺ ions in aqueous solution on modified water hyacinth (*Eichhornia crassipes*) fibers. *Journal of Environmental Chemical Engineering*, 7(1). <https://doi.org/10.1016/j.jece.2019.102885>
- Nuhman. (2019). *Logam Timbal (Pb) Dan Tembaga (Cu) (Lc50 Pada Berbagai Sub Stadia Udang Vannamei)*. Surabaya. Hang Tuah University Press
- Nurmasari, R., Yani Km, J. A., & Selatan, K. (2008). *Kajian Adsorpsi Krom(III) Pada Biomassa Tandan Kosong Kelapa Sawit The Study Of Adsorption Cr(III) From Empty Fruit Bunches Biomass* (Vol. 2, Issue 2).

- Nuryadi, Astuti, T. D., Utami, E. S., & Budiantara, M. (2017). *Dasar-Dasar Statistik Penelitian*. www.sibuku.com
- Patel, H. (2019). Fixed-bed column adsorption study: a comprehensive review. In *Applied Water Science* (Vol. 9, Issue 3). Springer Verlag. <https://doi.org/10.1007/s13201-019-0927-7>
- Peng, Q., Guo, J., Zhang, Q., Xiang, J., Liu, B., Zhou, A., Liu, R., & Tian, Y. (2014). Unique lead adsorption behavior of activated hydroxyl group in two-dimensional titanium carbide. *Journal of the American Chemical Society*, 136(11), 4113–4116. <https://doi.org/10.1021/ja500506k>
- Pratoto, A., Sutanto, A., Praja, E. H., & Armenda, D. (2010, October). Rancang bangun tungku gasifier untuk pemanfaatan tandan kelapa sawit sebagai sumber energi. In *Seminar Nasional Tahunan Teknik Mesin (SNTTM) ke IX*.
- Pulungan, A. F. (2017). *Pemanfaatan Pektin Dari Kulit Jeruk Manis Sebagai Biosorben Dalam Menurunkan Kadar Tembaga (Cu) Pada Limbah Cair Industri Elektroplating*. 1(1), 10–17. <https://jurnal.uimedan.ac.id/index.php/JURNALFARMASI>
- Rahmasita, M. E., Farid, M., & Ardhyanta, H. (2017). Analisa Morfologi Serat Tandan Kosong Kelapa Sawit Sebagai Bahan Penguat Komposit Absorpsi Suara. *Jurnal Teknik ITS Vol. 6, No. 2*.
- Reynolds, T. D., & Richards, P. A. (1996). *Unit Operations and Processes in Environmental Engineering (2nd ed.)*.
- Salmina. (2016). *Studi Pemanfaatan Limbah Tandan Kosong Kelapa Sawit Oleh Masyarakat Di Jorong Koto Sawah Nagari Ujung Gading Kecamatan Lembah Melintang*. *Jurnal Spasial: Penelitian, Terapan Ilmu Geografi, dan Pendidikan Geografi*, 6(2), 131642.
- Sanjiwani, N. M. S., Paramitha, D. A. I., Wibawa, A. A. C., Ariawan, I. M. D., Megawati, F., Dewi, N. W. T., Mariati, N. P. A. M., & Sudiarsa, I. W. (2020). Pembuatan Hair Tonic Berbahan Dasar Lidah Buaya dan Analisis dengan Fourier Transform Infrared. *Widyadari DOI: 10.5281/Zenodo.3756902* , 21(1), 249–262.

- Sekarwati, N., Murachman, B., & Sunarto. (2015). *Dampak Logam Berat Cu (Tembaga) dan Ag (Perak) pada Limbah Cair Industri Perak Terhadap Kualitas Air Sumur dan Kesehatan Masyarakat serta Upaya Pengendaliannya di Kota Gede Yogyakarta (Doctoral dissertation, UNS (Sebelas Maret University))*.
- Septiano, A. F., & Setyaningsih, N. E., (2021). Analisis Citra Hasil Scanning Electron Microscopy Energy Dispersive X-Ray (SEM EDX) Komposit Resin Timbal dengan Metode Contrast to Noise Ratio (CNR). In *Indonesian Journal of Mathematics and Natural Sciences* (Vol. 44, Issue 2). <http://journal.unnes.ac.id/nju/index.php/JM>
- Setyaningsih, D., Uju, Muna, N., Isroi, Suryawan, N. B., & Nurfauzi, A. A. (2018). Cellulose nanofiber isolation from palm oil Empty Fruit Bunches (EFB) through strong acid hydrolysis. *IOP Conference Series: Earth and Environmental Science*, 141(1). <https://doi.org/10.1088/1755-1315/141/1/012027>
- Sha, X., Huang, H., Sun, S., Huang, H., Huang, Q., He, Z., Liu, M., Zhou, N., Zhang, X., & Wei, Y. (2020). Mussel-inspired preparation of MXene-PDA-Bi₆O₇ composites for efficient adsorptive removal of iodide ions. *Journal of Environmental Chemical Engineering*, 8(5), 104261.
- Shafa, S. T., Basha, B., Alrowaili, Z. A., Imran, M., Sohail, M., Al-Buriahi, M. S., Shahid, M., & Farooq Warsi, M. (2024). *Synthesis and characterization of Cu and Tb substituted NiFe₂O₄@MXene nanocomposite as a new photocatalyst for removal of organic dyes and drugs from industrial wastewater. Results in Physics*, 63(June), 107844. <https://doi.org/10.1016/j.rinp.2024.107844>
- Shahzad, A., Rasool, K., Miran, W., Nawaz, M., Jang, J., Mahmoud, K. A., & Lee, D. S. (2017). Two-Dimensional Ti₃C₂T_x MXene Nanosheets for Efficient Copper Removal from Water. *ACS Sustainable Chemistry and Engineering*, 5(12), 11481–11488. <https://doi.org/10.1021/acssuschemeng.7b02695>
- Shahzad, A., Rasool, K., Miran, W., Nawaz, M., Jang, J., Mahmoud, K. A., & Lee, D. S. (2018). Mercuric ion capturing by recoverable titanium carbide magnetic

- nanocomposite. *Journal of Hazardous Materials*, 344, 811–818.
<https://doi.org/10.1016/j.jhazmat.2017.11.026>
- Shuck, C. E., Sarycheva, A., Anayee, M., Levitt, A., Zhu, Y., Uzun, S., Balitskiy, V., Zahorodna, V., Gogotsi, O., & Gogotsi, Y. (2020). Scalable Synthesis of $Ti_3C_2T_x$ MXene. *Advanced Engineering Materials*, 22(3).
<https://doi.org/10.1002/adem.201901241>
- Sirajuddin, Syahrir, M., & Syahrir, I. (2017). Optimasi Kecepatan Pengadukan Pada Proses Adsorpsi Limbah Cair Laundry untuk Menurunkan Kadar Surfaktan Menggunakan Batu Bara. In Seminar Nasional Sains dan Teknologi. Samarinda: TKIM, Politeknik Negeri Samarinda.
- Siregar, khoirin N. A. (2019). Penyisihan Logam Berat Pb (II) dan Cd (II) dengan Adsorben yang Dibuat dari Serbuk Kayu yang Diaktivasi dengan H_3PO_4 (Doctoral dissertation, Universitas Sumatera Utara).
- Somerville, R. (2007). *Low Cost Adsorption Materials For Removal Of Metals From Contaminated Water*.
- Song, G., Kang, R., Guo, L., Ali, Z., Chen, X., Zhang, Z., Yan, C., Lin, C. Te, Jiang, N., & Yu, J. (2020). Highly flexible few-layer Ti_3C_2 MXene/cellulose nanofiber heat-spreader films with enhanced thermal conductivity. *New Journal of Chemistry*, 44(17), 7186–7193. <https://doi.org/10.1039/d0nj00672f>
- Su, T., Liu, N., Gao, Y., Lei, D., Wang, L., Ren, Z., Zhang, Q., Su, J., & Zhang, Z. (2021). MXene/cellulose nanofiber-foam based high performance degradable piezoresistive sensor with greatly expanded interlayer distances. *Nano Energy*, 87. <https://doi.org/10.1016/j.nanoen.2021.106151>
- Supriadi. (2016). *Analisis Kadar Logam Berat Timbal (Pb), Kadmium (Cd) dan Merkuri (Hg) Pada Air Laut Di Wisata Pantai Akkarena dan Tanjung Bayang Makassar*.
- Suzuki, M., (1990). *Adsorption engineering* (Vol.14). Tokyo: Kodansha.
- Syahputra, B. (2011). *Pemanfaatan algae Chlorella pyrenoidosa untuk menurunkan tembaga (Cu) pada industri pelapisan logam. Jurnal Lingkungan Sultan Agung*, 2(2), 1-10.

- Tan, K. L., & Hameed, B. H. (2017). Insight into the adsorption kinetics models for the removal of contaminants from aqueous solutions. *Journal of the Taiwan Institute of Chemical Engineers*, 74, 25–48.
- Tang, Y., Yang, C., & Que, W. (2018). A novel two-dimensional accordion-like titanium carbide (MXene) for adsorption of Cr(VI) from aqueous solution. *Journal of Advanced Dielectrics*, 8(5). <https://doi.org/10.1142/S2010135X18500352>
- Tasanif, R., Isa, I., & Kunusa, W. R. (2020). Potensi Ampas Tebu Sebagai Adsorben Logam Berat Cd, Cu dan Cr. *Jambura Journal of Chemistry*, 2(1), 35–45.
- Tchobanoglous, G., Stensel, D., Tsuchihashi, R., & Burton, F. (2014). *Wastewater Engineering Treatment and Resource Recovery: Vol. fifth edition* (fifth). Metcalf & Eddy I AECOM.
- Tian, W., VahidMohammadi, A., Reid, M. S., Wang, Z., Ouyang, L., Erlandsson, J., Pettersson, T., Wågberg, L., Beidaghi, M., & Hamedi, M. M. (2019). Multifunctional Nanocomposites with High Strength and Capacitance Using 2D MXene and 1D Nanocellulose. *Advanced Materials*, 31(41). <https://doi.org/10.1002/adma.201902977>
- Utama, S., Kristianto, H., & Andreas, A. (2016). *Prosiding Seminar Nasional Teknik Kimia “Kejuangan” Adsorpsi Ion Logam Kromium (Cr(Vi)) Menggunakan Karbon Aktif dari Bahan Baku Kulit Salak*.
- Vakili, M., Cagnetta, G., Huang, J., Yu, G., & Yuan, J. (2019). Synthesis and regeneration of a MXene-based pollutant adsorbent by mechanochemical methods. *Molecules*, 24(13). <https://doi.org/10.3390/molecules24132478>
- Van Hoten, H. (2020). Analisis Karakterisasi Serbuk Biokeramik Dari Cangkang Telur Ayam Broiler. In *Jurnal ROTOR* (Vol. 13, Issue 1).
- Wang, J., & Guo, X. (2020). Adsorption isotherm models: Classification, physical meaning, application and solving method. *Chemosphere*, 258, 127279.
- Wei, Z., Peigen, Z., Wubian, T., Xia, Q., Yamei, Z., & ZhengMing, S. (2018). Alkali treated $Ti_3C_2T_x$ MXenes and their dye adsorption performance.

Materials Chemistry and Physics, 206, 270–276.
<https://doi.org/10.1016/j.matchemphys.2017.12.034>

Worch, & Eckhard. (2012). *Adsorption Technology in Water Treatment* (Vol.10).
Berlin: de Gruyter

Xiang, J., Wang, X., Ding, M., Tang, X., Zhang, S., Zhang, X., & Xie, Z. (2022).
The role of lateral size of MXene nanosheets in membrane filtration of dyeing
wastewater: Membrane characteristic and performance. *Chemosphere*, 294.
<https://doi.org/10.1016/j.chemosphere.2022.133728>

Yadi, S. P. (2023). *Penyisihan Logam Cu Dari Larutan Limbah Artifisial
Menggunakan Adsorben Nanocomposite Mxene/Eceng Gondok Dengan
Variasi Rasio Nanocomposite 5:1 Dan 40:1 (Doctoral dissertation,
Universitas Andalas)*.

Ying, Y., Liu, Y., Wang, X., Mao, Y., Cao, W., Hu, P., & Peng, X. (2015). Two-
dimensional titanium carbide for efficiently reductive removal of highly toxic
chromium(VI) from water. *ACS Applied Materials and Interfaces*, 7(3), 1795–
1803. <https://doi.org/10.1021/am5074722>

Zhang, P., Xiang, M., Liu, H., Yang, C., & Deng, S. (2019). Novel Two-
Dimensional Magnetic Titanium Carbide for Methylene Blue Removal over a
Wide pH Range: Insight into Removal Performance and Mechanism. *ACS
Applied Materials and Interfaces*, 11(27), 24027–24036.
<https://doi.org/10.1021/acsami.9b04222>