

DAFTAR PUSTAKA

- A'tourrohman, M., & Ulfah, M. (2020). Etnobotany Study on the Utilization of Sirih Types (Famili: Piperaceae) in Kalijambe Village, Kecamatan Bener, Purworejo District. *Biocelebes*, 14(3), 268–278. <https://doi.org/10.22487/bioceb.v14i3.15239>
- Abdulkadir, A. A. A., & Thanoon, I. A.-J. (2012). Comparative Effects of Glibenclamide and Metformin on C-Reactive Protein and Oxidant/Antioxidant Status in Patients with Type II Diabetes Mellitus. *Clinical & Basic Research*, 12(February), 55–61.
- ADA. (2022). Classification and Diagnosis of Diabetes : Standards of Medical Care in Diabetes — 2022. *Diabetes Care*, 45(Suppl. 1), 17–38.
- Ahmad, F., Emrizal, Sirat, H. M., Jamaludin, F., Mustapha, N. M. adah, Ali, R. M., Arbain, D., & Aboul-Enein, H. Y. (2014). Antimicrobial and anti-inflammatory activities of Piper porphyrophyllum (Fam. Piperaceae). *Arabian Journal of Chemistry*, 7(6), 1031–1033. <https://doi.org/10.1016/j.arabjc.2010.12.032>
- Ahmad, F., Idris, M. S. H., & Adib, A. M. (2006). *Synthesis and Characterization Some Flavonoid Derivatives*. Universiti Teknologi Malaysia.
- Alqadeeri, F., Rukayadi, Y., Abbas, F., & Shaari, K. (2019). Antibacterial and antispore activities of isolated compounds from Piper cubeba L. *Molecules*, 24(17), 1–15. <https://doi.org/10.3390/molecules24173095>
- Antarti, A. N., & Lisnasari, R. (2018). Uji Aktivitas Antioksidan Ekstrak Ethanol Daun Family Solanum Menggunakan Metode Reduksi Radikal Bebas DPPH. *JPSCR : Journal of Pharmaceutical Science and Clinical Research*, 3(2), 62. <https://doi.org/10.20961/jpscr.v3i2.15378>
- Astuti, I. P., & Munawaroh, E. (2011). Karakteristik Mofrologi Daun Sirih Merah: Piper crocatum Ruitz & Pav dan Piper porphyrophyllum N.E.Br. Koleksi Kebun Raya Bogor. *Berk. Penel. Hayati Edisi Khusus*, 7A, 83–85.
- Atun, S. (2014). Metode Isolasi dan Identifikasi Struktur Senyawa Organik Bahan Alam. *Jurnal Konservasi Cagar Budaya Borobudur*, 8(2), 53–61.
- Bruneton, J. (1999). Pharmacognosy, Phytochemistry, Medicinal Plants. *Lavoisier Technique & Documentation*, Paris.
- Chukwunonso Obi, B., Chinwuba Okoye, T., Okpashi, V. E., Nonye Igwe, C., & Olisah Alumanah, E. (2016). Comparative study of the antioxidant effects of metformin, glibenclamide, and repaglinide in alloxan-induced diabetic rats. *Journal of Diabetes Research*, 2016, 1–5. <https://doi.org/10.1155/2016/1635361>

- Coates, J. (2000). Interpretation of Infrared Spectra, A Practical Approach. *Encyclopedia of Analytical Chemistry*, 1–23. <https://doi.org/10.1002/9780470027318.a5606>
- Dirir, A. M., Daou, M., Yousef, A. F., & Yousef, L. F. (2022). A review of alpha-glucosidase inhibitors from plants as potential candidates for the treatment of type-2 diabetes. In *Phytochemistry Reviews* (Vol. 21, Issue 4). Springer Netherlands. <https://doi.org/10.1007/s11101-021-09773-1>
- Efdi, M., Arifin, B., & Alfarisyi, M. I. (2022). Isolasi Senyawa Metabolit Sekunder dari Fraksi Aktif Antibakteri pada Tumbuhan Sirih Merah (*Piper porphyrophyllum*). *Jurnal Kimia Unand*, 12(2), 1–7.
- Efdi, M., Pratama, D., Itam, A., & Okselni, T. (2022). *Antioxidant Flavonoid Glycoside from Leaves of Cacao Mistletoe (Scurrula ferruginea*. 22(4), 944–952. <https://doi.org/10.22146/ijc.72133>
- Erdel, I. O. C. A. I., & Rali, A. B. W. T. (1993). *Five New Prenylated p-Hydroxybenzoic Acid Derivatives with Antimicrobial and Molluscicidal Activity from Piper aduncum Leaves*. 1, 546–551.
- Etsassala, N. G. E. R., Badmus, J. A., Marnewick, J. L., Iwuoha, E. I., Nchu, F., & Hussein, A. A. (2020). Alpha-glucosidase and alpha-amylase inhibitory activities, molecular docking, and antioxidant capacities of salvia aurita constituents. *Antioxidants*, 9(11), 1–14. <https://doi.org/10.3390/antiox9111149>
- Fadli. (2019). *Potensi Biofungisida Ekstrak Beberapa Jenis Piperaceae dari Hutan Pendidikan dan Penelitian Biologi Universitas Andalas Terhadap Jamur Patogen Tanaman Karet*. (Tesis Magister, Universitas Andalas).
- Fatin, N., Pujiyanto, S., & Raharjo, B. (2018). *Uji Aktivitas Inhibisi α - Glukosidase Isolat Bakteri Endofit Tanaman Duwet (Syzygium cumini L . Skeels) Sebagai Sumber Alternatif Antidiabetes Abstrak*. 20(2).
- Gumantara, M. P. B., & Oktarlina, R. Z. (2017). Perbandingan Monoterapi dan Kombinasi Terapi Sulfonilurea-Metformin terhadap Pasien Diabetes Melitus Tipe 2. *Majority*, 6(1), 55–59.
- Harborne, J. B. (1987). *Metode Fitokimia*. Terjemahan dari *Phytochemical Methods*. Penerjemah K. Padmawinata dan I. Soediro. Penerbit ITB. Bandung, 354.
- Hasan, S. M. M. M. A., Khan, M. I., Umar, B. U., & Sadeque, M. Z. (2013). Comparative study of the effect of ethanolic extract of swietenia mahagoni seeds with rosiglitazone on experimentally induced diabetes mellitus in rats. *Bangladesh Medical Research Council Bulletin*, 39(1), 6–10. <https://doi.org/10.3329/bmrcb.v39i1.15790>

- Hasanah, N., Yuniart, R., Nasution, H. M., Rahayu, Y. P., Farmasi, P. S., Farmasi, F., Muslim, U., Al, N., & Utara, S. (2023). *No Title*. 6(3), 1416–1424.
- Hilma, R., Gustina, N., Syahri, J., Kimia, P. S., Riau, U. M., Tuanku, J., Ujung, T., & Fax, T. (2020). *Pengukuran Total Fenolik , Flavonoid , Aktivitas Antioksidan dan Antidiabetes Ekstrak Etil Asetat Daun Katemas (Euphorbia heterophylla , L .) Secara In Vitro dan In Silico Melalui Inhibisi Enzim α - Glukosidase*. 16(2), 240–249. <https://doi.org/10.20961/alchemy.16.2.40087.240-249>
- International Diabetes Federation. (2021). *IDF Diabetes Atlas 10th Edition*. International Diabetes Federation.
- Jia, Y., Lao, Y., & Leung, S. W. (2015). Glycaemic control efficacy of oral antidiabetic drugs in treating type 2 diabetes: A protocol for network meta-analysis. *BMJ Open*, 5(3), 1–4. <https://doi.org/10.1136/bmjopen-2014-006139>
- Jiang, M., Luo, M., Tian, K., Li, Y., Sun, J., Lu, Y., Pu, X., Huang, X., Ethnic, S., Commission, A., Ethnic, S., & Commission, A. (2018). *α -Glucosidase Inhibitory and Anti-Inflammatory Coumestans from the Roots of Dolichos trilobus*.
- Kahn, S. E., Cooper, M. E., & Del Prato, S. (2014). Pathophysiology and treatment of type 2 diabetes: Perspectives on the past, present, and future. *The Lancet*, 383(9922), 1068–1083. [https://doi.org/10.1016/S0140-6736\(13\)62154-6](https://doi.org/10.1016/S0140-6736(13)62154-6)
- Kazeem, M. I., Adamson, J. O., & Ogunwande, I. A. (2013). Modes of inhibition of α -amylase and α -glucosidase by aqueous extract of morinda lucida benth leaf. *BioMed Research International*, 2013. <https://doi.org/10.1155/2013/527570>
- Kumar, S., Narwal, S., Kumar, V., & Prakash, O. (2011). α -glucosidase inhibitors from plants: A natural approach to treat diabetes. *Pharmacognosy Reviews*, 5(9), 19–29. <https://doi.org/10.4103/0973-7847.79096>
- Kuncari, E. S. (2020). Ethnopharmacology and chemical screening of piper from ketambe research station , Gunung Leuser National Park , Southeast Aceh Ethnopharmacology and chemical screening of piper from ketambe research station , Gunung Leuser National Park , Southeast Aceh. *IOP Conference Series: Earth and Environmental Science*. <https://doi.org/10.1088/1755-1315/457/1/012044>
- Kuspradini, H., Putri, A. S., Kiswanto, Sa'adah, H., Fajriansyah, Rizqullah, M. A., Larasati, A. G., Zulfa, N. A., Egra, S., Yamauchi, K., & Mitsunaga, T. (2023). The potential of five wild growing aromatic plants from Hemaq Beniung Customary Forest, West Kutai District, Indonesia on antidiabetic activity. *Biodiversitas*, 24(4), 2156–2162.

<https://doi.org/10.13057/biodiv/d240427>

- Lai, Y., Chen, C., Tsai, S., & Lee, S. (2012). Phytochemistry Triterpenes as a -glucosidase inhibitors from *Fagus hayatae*. *Phytochemistry*, *74*, 206–211. <https://doi.org/10.1016/j.phytochem.2011.09.016>
- Lamos, E. M., Stein, S. A., & Davis, S. N. (2012). Combination of glibenclamide-metformin HCl for the treatment of type 2 diabetes mellitus. *Expert Opinion on Pharmacotherapy*, *13*(17), 2545–2554. <https://doi.org/10.1517/14656566.2012.738196>
- Markham, K.R. (1988). *Cara mengidentifikasi flavonoida*. (Padmawinata, K., Penerjemah). Bandung: ITB Press.
- Maryam, S., Suhaenah, A., & Amrullah, N. F. (2020). Uji Aktivitas Penghambatan Enzim α -Glukosidase Ekstrak Etanol Biji Buah Alpukat Sangrai (*Persea americana* Mill .) Secara In Vitro. *As-Syifaa Jurnal Farmasi*, *12*(1), 51–56.
- Nugraha, M. R., & Hasanah, A. N. (2018). Review Artikel: Metode Pengujian Aktivitas Antidiabetes. *Farmaka*, *16*, 28–34.
- Nurchayanti, A. D. R., Dewi, L., & Timotius, K. H. (2011). Aktivitas Antioksidan Dan Antibakteri Ekstrak Polar Dan Non Polar Biji Selasih (*Ocimum sanctum* Linn). *Jurnal Teknologi Dan Industri Pangan*, *22*(1), 1–6.
- Rahmati, R. A., Lestari, T., & Ruswanto. (2020). Penetapan Kadar Total Flavonoid Ekstrak Etanol dan Fraksi Daun Saliara (*Lantana camara* L.) Dengan Metode Spektrofotometri UV-VIS. *Jurnal Repository*, *1*(1), 112–119. <http://karyailmiah.unisba.ac.id>
- Rahmawati, N., Rusnedy, R., & Septian, D. (2021). Aktivitas Sitotoksik Senyawa Terpenoid dari Ekstrak Metanol Daun Akar Kaik-Kaik (*Uncaria cordata* (Lour.) Merr). *Pharmacoscrypt*, *4*(1), 87–97. <https://doi.org/10.36423/pharmacoscrypt.v4i1.609>
- Rajudin, E., Ahmad, F., Sirat, H. M., Arbain, D., & Aboul-Enein, H. Y. (2010). Chemical constituents from tiger's betel, *Piper porphyrophyllum* N.E.Br. (Fam. Piperaceae). *Natural Product Research: Formerly Natural Product Letters*, *24*:4(October 2014), 387–390. <https://doi.org/10.1080/14786410903421826>
- Ricciutelli, M., Di Martino, P., Barboni, L., & Martelli, S. (2006). Evaluation of rapamycin chemical stability in volatile-organic solvents by HPLC. *Journal of Pharmaceutical and Biomedical Analysis*, *41*(3), 1070–1074. <https://doi.org/10.1016/j.jpba.2006.02.009>
- Rositawati, A. L., Taslim, C. M., & Soetrisnanto, D. (2013). Rekrystalisasi Garam Rakyat dari Daerah Demak untuk Mencapai SNI Garam Industri. *Jurnal*

Teknologi Kimia Dan Industri, 2(4), 217–225.

- Salleh, W. M. N. H., Nafiah, M. A., Yen, K. H., Kassim, H., & Tawang, A. (2020). *Chemical Constituents and Acetylcholinesterase Inhibitory Activity of Piper abbreviatum Opiz*. 34(3), 625–632.
- Salleh, W. M. N. H. W., Ahmad, F., Sirat, H. M., & Yen, K. H. (2012). Chemical compositions and antibacterial activity of the leaf and stem oils of *Piper porphyrophyllum* (LINDL.) N.E. Br. *EXCLI Journal*, 11(December 2016), 399–406. <https://doi.org/10.17877/DE290R-4900>
- Santoni, A., Efdi, M., & Bumali, R. (2019). Isolasi Senyawa Triterpenoid dan Uji Antibakteri Ekstrak N-Heksan Daun Kayu Ara (*Ficus aurata* (Miq.) Miq.). *Jurnal Riset Kimia*, 10(1), 1. <https://doi.org/10.25077/jrk.v12i2.268>
- Santoso, U., Putra, A. Y. T., & Supriyadi. (2019). Skrining Fitokimia Ekstrak Etil Asetat Daun Simpor (*Dillenia suffruticosa*). *Jurnal Teknologi Dan Industri Pangan*, 4(1), 36–40. <https://doi.org/10.33061/jitipari.v4i1.3017>
- Sastrohamidjojo, H. (2001). *Spektroskopi Infra Merah*. Yogyakarta: Liberty Yogyakarta.
- Sinulingga, S., Subandrate, & Safyudin. (2020). Uji Fitokimia dan Potensi Antidiabetes Fraksi Etanol Air Daun Benalu Kersen (*Dendrophloe petandra* (L) Miq.). *L*, 76–83.
- Soamole, H. H., Sanger, G., Harikedua, S. D., Dotulong, V., Mewengkang, H. W., & Montolalu, R. I. (2018). Kandungan Fitokimia Ekstrak Etanol Rumput Laut Segar (*Turbinaria* sp., *Gracilaria* sp., dan *Halimeda macroloba*). *Jurnal Media Teknologi Hasil Perikanan*, 6(3), 287–291.
- Şöhretoğlu, D., Renda, G., Arroo, R., Xiao, J., & Sari, S. (2023). Advances in the natural α -glucosidase inhibitors. *EFood*, 4(5). <https://doi.org/10.1002/efd2.112>
- Tsai, I., Lee, F., Wu, C., Chen, J., & Chen, Y. (2005). *New Cytotoxic Cyclobutanoid Amides, a New Furanoid Lignan and Anti-Platelet Aggregation Constituents from Piper arborescens*. <https://doi.org/10.1055/s-2005-864155>
- Usman, Y., & Muin, R. (2023). Uji kualitatif dan perhitungan nilai Rf senyawa flavonoid dari ekstrak daun gulma siam. *Journal of Pharmaceutical Science and Herbal Technology*, 1(1), 12.
- Young, D., Woo, H., Yang, H., & Hyun, S. (2017). Phytochemistry Hydrolyzable tannins from the fruits of *Terminalia chebula* Retz and their α -glucosidase inhibitory activities. *Phytochemistry*, 2–9. <https://doi.org/10.1016/j.phytochem.2017.02.006>

- Yudi, Y. H. C., & Nugroho, H. (2016). *Sitotoksitas Fraksi Piper porphyrophyllum terhadap Sel Kanker T47D As - Am x 100 AK - Am. 02(2)*, 39–43.
- Zhai, S., Georgy, A., Liang, Z., & Zhi, J. (2016). Pharmacokinetic and Pharmacodynamic Drug Interaction Study of Piragliatin, a Glucokinase Activator, and Glyburide, a Sulfonylurea, in Type 2 Diabetic Patients. *Clinical Pharmacology in Drug Development*, 5(6), 552–556. <https://doi.org/10.1002/cpdd.276>

