

DAFTAR PUSTAKA

- Abdelrahman, O., Yagi, S., El Siddig, M., El Hussein, A., Germanier, F., De Vrieze, M., L'Haridon, F., & Weisskopf, L. (2022). Evaluating the Antagonistic Potential of Actinomycete Strains Isolated From Sudan's Soils Against *Phytophthora infestans*. *Frontiers in Microbiology*, 13. <https://doi.org/10.3389/fmicb.2022.827824>.
- Aeny, T. N., Prasetyo, J., Suharjo, R., Dirmawati, S. R., Efri, & Niswati, A. (2018). Short Communication: Isolation and Identification of Actinomycetes Potential as The Antagonist of *Dickeya zea* Pineapple Soft Rot in Lampung, Indonesia. *Biodiversitas*, 19(6), 2052–2058. <https://doi.org/10.13057/biodiv/d190610>.
- Afriani, A., & Heviyanti, M. (2018). Karakteristik Jamur *Fusarium oxysporum* f.sp *cepae* Penyebab Penyakit Busuk Umbi Pada Bawang Merah (*Allium ascalonicum*). *Prosiding Seminar Nasional Pertanian*, 1(7), 70–74.
- Agrios, G. N. (2005). *Plant Pathology Fifth Edition*. California: Elsevier Academic Press.
- Akilandeswari, P., & Pradeep, B. V. (2017). Microbial Pigments: Potential Functions and Prospects. In O.V.Singh (Ed.), *Bio-pigmentation and Biotechnological Implementations*. John Wiley & Sons.
- Aldila, H. F., Fariyanti, A., & Tinaprilla, N. (2017). Daya Saing Bawang Merah di Wilayah Sentra Produksi di Indonesia. *Jurnal Manajemen dan Agribisnis*, 14(1), 43–53. <https://dx.doi.org/10.17358/jma.14.1.43>.
- Ali, A. R., Bahrami, Y., Kakaei, E., Mohammadzadeh, S., Bouk, S., & Jalilian, N. (2022). Isolation and Identification of Endophytic Actinobacteria from *Citrullus colocynthis* (L.) Schrad and Their Antibacterial Properties. *Microbial Cell Factories*, 21(1), 1–17. <https://doi.org/10.1186/s12934-022-01936-9>.
- Anitha, A., & Rabeeth, M. (2009). Control of *Fusarium* Wilt of Tomato by Bioformulation of *Streptomyces griseus* in Green House Condition. *African Journal of Basic & Applied Sciences*, 1(1-2), 9–14.
- Aprilia, I., Maharijaya, A., & Wiyono, S. (2020). Keragaman Genetik dan Ketahanan terhadap Penyakit Layu *Fusarium* (*Fusarium oxysporum* f.sp *cepae*) Bawang Merah (*Allium cepa* L. var. *aggregatum*) Indonesia. *Jurnal Hortikultura Indonesia*, 11(1), 32–40. <https://doi.org/10.29244/jhi.11.1.32-40>.
- Barka, E. A., Vatsa, P., Sanchez, L., Gaveau-Vaillant, N., Jacquard, C., Meier-Kolthoff, J. P., Klenk, H.-P., Clément, C., Ouhdouch, Y., & van Wezel, G. P. (2016). Taxonomy, Physiology, and Natural Products of Actinobacteria. *Microbiology and Molecular Biology Reviews*, 80(4), 1–43. <https://doi.org/10.1128/mubr.00044-16>.

- Badan Pusat Statistik. (2024). *Luas Panen Tanaman Sayuran Menurut Kecamatan dan Jenis Tanaman di Kabupaten Solok*. Kabupaten Solok.
- Beutin, L. (1991). The Different Hemolysins of *Escherichia coli*. *Med Microbiol Immunol*, 180(4), 167–182. <https://doi.org/10.1007/bf00215246>.
- Bhatti, A. A., Haq, S., & Bhat, R. A. (2017). Actinomycetes Benefaction Role in Soil and Plant Health. *Microbial Pathogenesis*, 111, 458–467. <https://doi.org/10.1016/j.micpath.2017.09.036>.
- Bocianowski, J., Tratwal, A., & Nowosad, K. (2020). Genotype by Environment Interaction For Area Under The Disease-Progress Curve (AUDPC) Value In Spring Barley Using Additive Main Effects and Multiplicative Interaction Model. *Australasian Plant Pathology*, 49(5), 525-529.
- Boukhatem, Z. F., Merabet, C., & Tsaki, H. (2022). Plant Growth Promoting Actinobacteria, The Most Promising Candidates as Bioinoculants?. *Frontiers in Agronomy*, 4, 1–19. <https://doi.org/10.3389/fagro.2022.849911>.
- [CABI] Centre for Agriculture and Bioscience International. (2021a). Datasheet (Additional resources) of *Allium ascalonicum*. [Internet]. Tersedia pada: <https://www.cabi.org>. Diakses pada 1 April 2023 pukul 20:00 WIB.
- [CABI] Centre for Agriculture and Bioscience International. (2021b). Datasheet (Additional resources) of *Fusarium oxysporum* f.sp. *cepae* (Basal Rot of Onion). [Internet]. Tersedia pada: <https://www.cabi.org>. Diakses pada 1 April 2023 pukul 19:00 WIB.
- Cao, P., Li, C., Wang, H., Yu, Z., Xu, X., Wang, X., Zhao, J., & Xiang, W. (2020). Community Structures and Antifungal Activity of Root-Associated Endophytic Actinobacteria in Healthy and Diseased Cucumber Plants and *Streptomyces* sp. HAAG3-15 as A Promising Biocontrol Agent. *Microorganisms*, 8(2), 1–18. <https://doi.org/10.3390/microorganisms8020236>.
- Chen, X. H., Vater, J., Piel, J., Franke, P., Scholz, R., Schneider, K., Koumoutsi, A., Hitzeroth, G., Grammel, N., Strittmatter, A. W., Gottschalk, G., Süßmuth, R. D., & Borriss, R. (2006). Structural and Functional Characterization of Three Polyketide Synthase Gene Clusters in *Bacillus amyloliquefaciens* FZB 42. *Journal of Bacteriology*, 188(11), 4024–4036. doi: 10.1128/JB.00052-06. PMID: 16707694; PMCID: PMC1482889.
- Cheng, J., Yang, S. H., Palaniyandi, S. A., Han, J. S., Yoon, T. M., Kim, T. J., & Suh, J. W. (2010). Azalomycin F Complex is An Antifungal Substance Produced by *Streptomyces malaysiensis* MJM1968 Isolated from Agricultural Soil. *Journal of Applied Biological Chemistry*, 53(5), 545–552. <https://doi.org/10.3839/jksabc.2010.084>.
- Chiang, K. S., Liu, H. I., & Bock, C. H. (2017). A Discussion on Disease Severity Index Values. Part I: Warning on Inherent Errors and Suggestions to Maximise Accuracy. *Annals of Applied Biology*, 171(2), 139–154. <https://doi.org/10.1111/aab.12362>.

- Chukwuneme, C. F., Babalola, O. O., Kutu, F. R., & Ojuederie, O. B. (2020). Characterization of Actinomycetes Isolates for Plant Growth Promoting Traits and Their Effects on Drought Tolerance in Maize. *Journal of Plant Interactions*, 15(1), 93–105. <https://doi.org/10.1080/17429145.2020.1752833>.
- Compant, S., Clément, C., & Sessitsch, A. (2010). Plant Growth-Promoting Bacteria in The Rhizo- and Endosphere of Plants: Their Role, Colonization, Mechanisms Involved and Prospects for Utilization. *Soil Biology & Biochemistry*, 42, 669–678. <https://doi.org/10.1016/j.soilbio.2009.11.024>.
- Conn, V., Walker, A., & Franco, C. (2008). Endophytic Actinobacteria Induce Defense Pathways in *Arabidopsis thaliana*. *Mol. Plant-Microbe Interact*, 21, 208–218. doi: 10.1094/MPMI-21-2-0208.
- Coombs, J. T., & Franco, C. M. M. (2003). Isolation and Identification of Actinobacteria from Surface-Sterilized Wheat Roots. *Applied and Environmental Microbiology*, 69(9), 5603–5608. doi: 10.1128/AEM.69.9.5603–5608.2003.
- Cramer, C. S. (2000). Breeding and Genetics of Fusarium Basal Rot Resistance in Onion. *Euphytica*, 115, 159–166. <https://doi.org/10.1023/A:1004071907642>.
- Direktorat Jenderal Hortikultura. (2024). *Buku Angka Tetap Hortikultura Tahun 2023*. Jakarta: Direktorat Jenderal Hortikultura, Kementerian Pertanian.
- El-Tarabily, K. A., & Sivasithamparam, K. (2006). Non-Streptomycete Actinomycetes as Biocontrol Agents of Soil-Borne Fungal Plant Pathogens and As Plant Growth Promoters. *Soil Biology & Biochemistry*, 38(2006), 1505–1520. <https://doi.org/10.1016/j.soilbio.2005.12.017>.
- Fardiyanti, R., Kasrina., & Bustamam, H. (2021). Ragam Jenis *Streptomyces* sp. pada Rizosfer Tanaman Suku Liliacea di Kawasan Desa Sumber Bening. *Konservasi Hayati*, 17(1), 29–34. <https://doi.org/10.33369/hayati.v17i1.1473>.
- Fitriani, M. L., Wiyono, S., & Sinaga, M. S. (2020). Potensi Kolonisasi Mikoriza Arbuskular dan Cendawan Endofit untuk Pengendalian Layu Fusarium pada Bawang Merah. *Jurnal Fitopatologi Indonesia*, 15(6), 228–238. <https://doi.org/10.14692/jfi.15.6.228-238>.
- Ghiasian, M. (2020). Endophytic Microbiomes: Biodiversity, Current Status, and Potential Agricultural Applications. *Adv. Plant Microbiome Sustainable Agricult*, 20, 61–82. doi: 10.1007/978-981-15-3208-5_3.
- Girija, D., Rajeevan, P., Balakrishnan, S., Panchami, P., & Mohan, M. (2018). 16S rRNA gene Taxonomic Profiling of Endophytic Bacteria Associated with Phylaeopsis Roots. *J. Horticult. Sci.* 13, 103–107. doi: 10.24154/JHS.2018.v13i01.012.
- Goudjal, Y., Zamoum, M., Sabaou, N., Mathieu, F., & Zitouni A. (2016) Potential of Endophytic *Streptomyces* spp. for Biocontrol of Fusarium Root Rot Disease and Growth Promotion of Tomato Seedlings. *Biocontrol Sci Tech*, 26, 1691–1705. <https://doi.org/10.1080/09583157.2016.1234584>.

- Hartati, S., Nur'haqi, R. Y., Natawigena, W. D., & Suganda, T. (2022). Potensi Khamir Asal Rhizosfer Bawang Merah untuk Mengendalikan Busuk Pangkal (*Fusarium oxysporum* f.sp. *cepae*) pada Bawang Merah (*Allium cepa* L.). *Cropsaver: Journal of Plant Protection*, 5(1), 23–32. <http://dx.doi.org/10.24198/cropsaver.v5i1.38099>.
- Hayat, S., Ashraf, A., Aslam, B., Asif, R., Muzammil, S., Zahoor, M. A., Waseem, M., Malik, I. R., Khurshid, M., Afzal, M., Saqalein, M., Siddique, M. H., Muzammil, A., & Sabir, S. (2020). *Actinobacteria: Potential Candidate as Plant Growth Promoters*. Intech Open.
- Hazarika, S. N., & Thakur, D. (2020). Actinobacteria. *Beneficial Microbes in Agro-Ecology*, 443–476. doi:10.1016/b978-0-12-823414-3.00021-6.
- Hekmawati, H., Poromarto, S. H., & Widodo, S. (2018). Resistensi Beberapa Varietas Bawang Merah terhadap *Colletotrichum gloeosporioides*. *Jurnal Agrosains*, 20(2), 40–44.
- Heng, J. L. S., Shah, U. K. M., & Hamzah, H. (2011). Isolation, Characterization and Identification of Potential Actinobacteria with Antifungal Activities Towards Chilli Anthracnose. *African Journal of Biotechnology*, 10(32), 5979–5987.
- Hersanti., Febrianti, N., & Djaya, L. (2023). Keefektifan Kitosan Nano dan Silika Nano Menekan Pertumbuhan *Fusarium oxysporum* Penyebab Penyakit Moler pada Bawang Merah. *Jurnal Fitopatologi Indonesia*, 19(6), 265–275. <https://doi.org/10.14692/jfi.19.6.265-275>.
- Holt, J. G. (1994). *Bergey's Manual of Determinative Bacteriology*. Ed Ke-9. Baltimore: Lippincott Williams and Wilkins.
- Ishlah, M. A., Kristanto, B. A., & Kusmiyati, F. (2022). Pengaruh *Trichoderma harzianum* dan Nano Silika terhadap Penyakit Moler dan Produksi Bawang Merah. *Agrotechnology Research Journal*, 6(2), 118–126. <https://doi.org/10.20961/agrotechresj.v6i2.65179>.
- Ismail, M. A., Abdel-Hafez, S. I. I., Hussein, N. A., & Abdel-Hameed, N. A. (2015). *Contributions To the Genus Fusarium in Egypt with Dichotomous Keys for Identification of Species*. Suchy Las: Tomasz M. Karpinski Publisher.
- Jeffrey, L. S. H. (2008). Isolation, Characterization and Identification of Actinomycetes from Agriculture Soils at Semongok, Sarawak. *African Journal of Biotechnology*, 7(20), 3700–3705.
- Kamal, R. K., Gusain, Y. S., & Kumar, V. (2014). Interaction and Symbiosis of AM Fungi, Actinomycetes and Plant Growth Promoting Rhizobacteria with Plants: Strategies for the Improvement of Plants Health and Defense System. *Int.J.Curr.Microbial.Appl.Sci*, 3(7), 564–585. <https://www.researchgate.net/publication/271964626>.
- Khan, S., Srivastava, S., Karnwal, A., & Malik, T. (2023). Streptomyces as A Promising Biological Control Agents for Plant Pathogens. *Frontiers in Microbiology*, 14, 1–22. <https://doi.org/10.3389/fmicb.2023.1285543>.

- Kumar, B. L., & Gopal, D. V. R. S. (2015). Effective Role of Indigenous Microorganisms for Sustainable Environment. *3 Biotech*, 5, 867–876. doi: 10.1007/s13205-015-0293-6.
- Kusuma, A. V. C. (2012). Pengaruh Lama Penyimpanan Umbi Bibit dan Dosis Perimbangan Pupuk terhadap Pertumbuhan serta Hasil Umbi Bawang Merah (*Allium ascalonicum*). [Skripsi]. Surakarta. Fakultas Pertanian Universitas Sebelas Maret.
- Leoni, C. (2013). Crop Rotation Design in View of Soilborne Pathogen Dynamics A Methodological Approach Illustrated with *Sclerotium rolfsii* and *Fusarium oxysporum* f.sp. *cepae*. [Thesis]. Netherlands: Wageningen University.
- Leslie, J. F., & Summerell, B. A. (2006). *The Fusarium Laboratory Manual*. Blackwell Publishing Asia.
- Li, Q., Chen, X., Jiang, Y., & Jiang, C. (2016). Morphological Identification of Actinobacteria. *InTech*. <http://dx.doi.org/10.5772/61461>.
- Lin, L., & Xu, X. (2013). Indole-3-Acetic Acid Production by Endophytic *Streptomyces* sp. En-1 Isolated from Medicinal Plants. *Current Microbiology*, 67, 209–217. doi: 10.1007/s00284-013-0348-z.
- Ling, L., Han, X., Li, X., Zhang, X., Wang, H., Zhang, L., Cao, P., Wu, Y., Wang, X., Zhao, J., & Xiang, W. (2020). A *Streptomyces* sp. NEAU-HV9: Isolation, Identification, and Potential as A Biocontrol Agent Against *Ralstonia solanacearum* of Tomato Plants. *Microorganisms*, 8(3), 1–14. <https://doi.org/10.3390/microorganisms8030351>.
- Liotti, R. G., da Silva Figueiredo, M. I., da Silva, G. F., de Mendonça, E. A. F., & Soares, M. A. (2018). Diversity of Cultivable Bacterial Endophytes in *Paullinia cupana* and Their Potential for Plant Growth Promotion and Phytopathogen Control. *Microbiological Research*, 207, 8–18. doi: 10.1016/j.micres.2017.10.011.
- Malik, A. N. A., Kumar, I. S., & Nadarajah, K. (2020). Elicitor and Receptor Molecules: Orchestrators of Plant Defense and Immunity. *International Journal of Molecular Sciences*, 21(3), 1–34.
- Martínez-Hidalgo, P., García, J. M., & Pozo, M. J. (2015). Induced Systemic Resistance Against *Botrytis cinerea* by *Micromonospora* Strains Isolated from Root Nodules. *Front. Microbio*, 6, 922. doi: 10.3389/fmicb.2015.00922.
- Meij, A., Willemse, J., Schneijderberg, MA., Geurts, R., Raaijmakers, JM., & van Wezel, GP. (2018). Inter- and Intracellular Colonization of Arabidopsis Roots by Endophytic Actinobacteria and The Impact of Plant Hormones on Their Antimicrobial Activity. *Antonie Van Leeuwenhoek*, 111(5), 679–690. <https://doi.org/10.1007/s10482-018-1014-z>.
- Miftahurrohma., & Wahyuni, W. S. (2022). Pengendalian Penyakit Layu (*Fusarium oxysporum* f.sp. *cepae*) pada Tanaman Bawang Merah dengan Air Rebusan Serai Dapur (*Cymbopogon citratus*). *Berkala Ilmiah Pertanian*, 5(2), 65–69.

- Mishra, R. K., Jaiswal, R. K., Kumar, D., Saabale, P. R., & Singh, A. (2014). Management of Major Diseases and Insect Pests of Onion and Garlic: A Comprehensive Review. *Journal of Plant Breeding and Crop Science*, 6(11), 160–170. <https://doi.org/10.5897/jpbcs2014.0467>.
- Mohamed, A., & Haggag, W. M. (2010). New Safe Methods for Controlling Anthracnose Disease of Mango (*Mangifera indica* L.) Fruits Caused by *Colletotrichum gloeosporioides* (Penz.). *Journal of American Science*, 8(8), 1545–1003.
- Muthukumar, G., Udhayakumar, R., Muthukumar, A., & Muthukumaran, N. (2022). Survey on Disease Incidence of Basal Rot of Onion Incited by *Fusarium oxysporum* f.sp . *cepae* in Major Onion Growing Tracts of Tamil Nadu. *The Pharma Innovation Journal*, 11(8), 1445–1454.
- Novitasari, W. D., & Munif, A. (2020). Potensi Beberapa Isolat Bakteri Endofit untuk Biokontrol *Fusarium oxysporum* f.sp *cepae* pada Tanaman Bawang Merah. *Jurnal Fitopatologi Indonesia*, 16(5), 227–234. <https://doi.org/10.14692/jfi.16.5>.
- Nurhidayah; Sennang, N. R., & Dachlan, A. (2016). Pertumbuhan dan Produksi Bawang Merah (*Allium ascalonicum* L.) pada Berbagai Perlakuan Berat Umbi dan Pemetongan Umbi. *Jurnal Agrotan*, 2(1), 84–97.
- Palaniyandi, S. A., Yang, S. H., Cheng, J. H., Meng, L., & Suh, J. W. (2011). Biological Control of Anthracnose (*Colletotrichum gloeosporioides*) in Yam by *Streptomyces* sp. MJM5763. *Journal of Applied Microbiology*, 111(2), 443–455. doi: 10.1111/j.1365-2672.2011.05048.x.
- Palaniyandi, S. A., Yang, S. H., Zhang, L., & Suh, J. W. (2013). Effects of Actinobacteria on Plant Disease Suppression and Growth Promotion. *Applied Microbiology And Biotechnology*, 97, 9621–9636. doi: 10.1007/s00253-013-5206-1.
- Passari, A. K., Upadhyaya, K., Singh, G., Abdel Azeem, A. M., Thankappan, S., Uthandi, S., Hashem, A., Abdallah, E. F., Malik, J. A., Alqarawi, A. S., Gupta, V. K., Ranjan, S., & Singh, B. P. (2019). Enhancement of Disease Resistance, Growth Potential, and Photosynthesis in Tomato (*Solanum lycopersicum*) by Inoculation with an Endophytic Actinobacterium, *Streptomyces thermocarboxydus* Strain BPSAC147. *PLoS ONE*, 14(7), 1–20. <https://doi.org/10.1371/journal.pone.0219014>.
- Prabowo, Y. H., Widiyanti, F., & Istifadah, N. (2020). Penekanan Penyakit Busuk Pangkal (*Fusarium oxysporum* f.sp. *cepae*) pada Bawang Merah oleh Beberapa Jenis Bahan Organik. *Agrikultura*, 31(2), 145. <https://doi.org/10.24198/agrikultura.v31i2.28876>.
- Purwasi, S., Nurjanah, U., & Marlin. (2022). Pertumbuhan dan Hasil Tiga Varietas Tanaman Bawang Merah (*Allium cepa* L. var. *aggregatum*) Akibat Pemberian Pupuk Organik Cair Tusuk Konde (*Wedelia trilobata* L.). *Pucuk: Jurnal Ilmu Tanaman*, 2(1), 13–22.

- Rahmiyati, M., Hartanto, S., Sulastiningsih, N. W. H. (2021). Pengaruh Aplikasi Actinomycetes terhadap Serangan *Fusarium oxysporum* Schlecht. f.sp. *cepae* (Hanz.) Synd. et Hans. Penyebab Penyakit Layu pada Bawang Merah (*Allium ascalonicum* L. var. Mentas). *Bioscientist: Jurnal Ilmiah Biologi*, 9(1), 248–260. <https://doi.org/10.33394/bjib.v9i1.3594>.
- Rori, C. A., Kandou, F. E. F., & Tangapo, A. M. (2020). Isolasi dan Uji Antibakteri dari Bakteri Endofit Tumbuhan Mangrove *Avicennia marina*. *Koli Journal*, 1(1), 1–7.
- Safitri, Y. A., Hasanah, U., Salamiah., Samharinto., & Pramudi, M. I. Distribution of Major Disease of Shallot in South Kalimantan, Indonesia. *Asian Journal of Agriculture*, 3(2), 33–40. <https://doi.org/10.13057/asianjagric/g030201>.
- Sahoo, B. B., Chinara, N., & Senapati, N. (2020). *Alternaria porri*. *Indian Journal of Plant Protection*, 48(1&2), 88–94.
- Schaad, N. W., Jones, J. B., & Chun, W. (2001). *Laboratory Guide for Identification of Plant Pathogenic Bacteria*. St Paul. The American Phytopatology Society.
- Seipke, R. F., Kaltenpoth, M., & Hutchings, M. I. (2012). Streptomyces as Symbionts: An Emerging and Widespread Theme?. *FEMS Microbiology Reviews*, 36(4), 862–876. <https://doi.org/10.1111/j.1574-6976.2011.00313.x>.
- Sellstedt, A., & Richau, K. H. (2013). Aspects of Nitrogen-Fixing Actinobacteria, In Particular Free-Living and Symbiotic Frankia. *FEMS Microbiology Letters*. 342(2), 179–186. <https://doi.org/10.1111/1574-6968.12116>.
- Semangun, H. (1994). *Penyakit-penyakit Tanaman Hortikultura di Indonesia*. Cetakan ketiga. Yogyakarta: Gadjah Mada University Press.
- Setiawan, A. Y. D., Putri, R. I., Indayani, F. D., Widiasih, N. M. S., Anastasia, N., Setyaningsih, D., & Riswanto, F. D. O. (2021). Kandungan Kimia dan Potensi Bawang Merah (*Allium cepa* L.) Sebagai Inhibitor SARS-CoV-2. *Indonesian Journal of Chemometrics and Pharmaceutical Analysis*, 143–155.
- Sharma, M., Dangi, P., & Choudhary, M. (2014). Actinomycetes: Source, Identification, and Their Applications. *International Journal of Current Microbiology and Applied Sciences*, 3(2), 801–832.
- Sholeh, M. I., & Nurcahyanti, S. D. (2023). Perkembangan Penyakit Moler (*Fusarium oxysporum* f.sp. *cepae*) pada Sentra Produksi Bawang Merah di Kabupaten Probolinggo. *Berkala Ilmiah Pertanian*, 6(2), 56–62. <https://doi.org/10.19184/bip.v6i2.35392>.
- Simko, I., & Piepho, H.P. (2012). The Area Under the Disease Progress Stairs: Calculation, Advantage, and Application. *Analytical and Theoretical Plant Pathology*, 102(4), 381–389.
- Singh, T., Wahla, V., Dubey, R. C., & Maheshwari, D. K. (2022). Destructive Mycolytic Suppression of *Fusarium oxysporum* Causing Wilt in Chickpea by Fungicide Tolerant Actinobacteria. *Environmental Sustainability*, 5, 243–253. <https://doi.org/10.1007/s42398-022-00229-6>.

- Sintayehu, A., Sakhujia, P. K., Fininsa, C., & Ahmed, S. (2011). Management of Fusarium Basal Rot (*Fusarium oxysporum* f. sp. *cepae*) on Shallot Through Fungicidal Bulb Treatment. *Crop Protection*, 30(5), 560–565. <https://doi.org/10.1016/j.cropro.2010.12.027>.
- Solanki, M. K., Malviya, M. K., & Wang, Z. (2016). Actinomycetes Bio-inoculants: A Modern Prospectus for Plant Disease Management. *Plant Growth Promoting Actinobacteria*, 16, 63–81. doi:10.1007/978-981-10-0707-1_5.
- Stice, S.P., Shin, G.Y., De Armas S., Koirala, S., Galvan, G.A., Siri, M.I., Severns, P.M., Coutinho, T., Dutta, B., & Kvitko, B.H. (2021). The Distribution of Onion Virulence Gene Clusters Among *Pantoea* spp. *Frontiers In Plant Science*. 12, 643787.
- Subramaniam, G., Arumugam, S., & Rajendran, V. (2016). Plant growth Promoting Actinobacteria: A New Avenue for Enhancing the Productivity and Soil Fertility of Grain Legumes. Singapore: Springer Nature.
- Sunaryanto, R., Marwoto, B., Matsuo, Y. (2010). Isolasi Actinomycetes Laut Penghasil Metabolit Sekunder yang Aktif terhadap Sel Kanker A549. *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*, 5(2), 111–116. <http://dx.doi.org/10.15578/jpbkp.v5i2.414>.
- Suryaminarsih, P., & Mujoko, T. (2020). Competition of Biological Agents of *Streptomyces* sp, *Gliocladium* sp, and *Trichoderma harzianum* to *Fusarium oxysporum* in Tomato Rhizosphere. *Jurnal Cropsaver*, 3(1): 17–21. <http://dx.doi.org/10.24198/cropsaver.v3i1.24173>.
- Syawal, Y. (2019). Budidaya Tanaman Bawang Merah (*Allium cepa* L.) dalam Polybag dengan Memanfaatkan Kompos Tandan Kosong Kelapa Sawit (TKKS) pada Tanaman Bawang Merah. *Jurnal Pengabdian Sriwijaya*, 7(1). <https://doi.org/10.37061/jps.v7i1.7530>.
- Triwidodo, H., & Tanjung, M. H. (2020). Hama Penyakit Utama Tanaman Bawang Merah (*Allium Ascalonicum*) dan Tindakan Pengendalian di Brebes, Jawa Tengah. *Agrovigor: Jurnal Agroekoteknologi*, 13(2), 149–154. <https://doi.org/10.21107/agrovigor.v13i2.7131>.
- Vurukonda, S. S. K. P., Giovanardi, D., & Stefani, E. (2018). Plant Growth Promoting and Biocontrol Activity of *Streptomyces* spp. as Endophytes. *International Journal of Molecular Sciences*, 19(4), 952. <https://doi.org/10.3390/ijms19040952>.
- Wang, W., Niu, J., Zhou, X., & Wang, Y. (2011). Long-Term Change in Land Management from Subtropical Wetland to Paddy Field Shifts Soil Microbial Community Structure As Determined by PLFA and T-RFLP. *Polish Journal of Ecology*, 59(1), 37–44.
- Wei, L., Ouyang, S., Wang, Y., Shen, X., & Zhang, L. (2014). *Solirubrobacter phytolaccae* sp. Nov., An Endophytic Bacterium Isolated from Roots of *Phytolacca acinosa* Roxb. *Int. J. Systemat. Evol. Microbiol*, 64, 858–62. doi: 10.1099/ijms.0.057554-0.

- Widono, S., Poromarto, S. H., Supyani, Noviantoro, W., & Hadiwiyono. (2023). Relationship of Weather Factors on The Progress of Shallot Moler Disease in Brebes, Central Java in The Rainy and Dry Seasons: Intensity Increases in Humid and Warm Air. *IOP Conference Series: Earth and Environmental Science*, 1200(1), 012062. <https://doi.org/10.1088/1755-1315/1200/1/012062>.
- Wijayanti, E., Nawangsih, A. A., & Tondok, E. T. (2021). Penapisan Aktinomiset Rizosfer Tanaman Liliaceae sebagai Agens Pengendali Hayati *Fusarium oxysporum* f.sp. *cepae*. *Jurnal Fitopatologi Indonesia*, 17(6), 225–232. <https://doi.org/10.14692/jfi.17.6.225-232>.
- Wiyatiningsih, S., Suryaminarsih, P., & Hasyidan, G. (2021). Pemanfaatan Fobio dan *Streptomyces* sp. dalam Meningkatkan Pertumbuhan Daun Bawang Merah. *Sains dan Teknologi Pertanian Modern*, 39–45.
- Yadav, A. N., Verma, P., Kour, D., Rana, K. L., Kumar, V., & Singh, B. (2017). Plant Microbiomes and Its Beneficial Multifunctional Plant Growth Promoting Attributes. *Int. J. Environ. Sci. Nat. Resour*, 3, 1–8. doi: 10.19080/IJESNR.2017.03.555601.
- Yadav, A. N., Verma, P., Kumar, S., Kumar, V., Kumar, M., Sugitha, T. C. K., Singh, B. P., Saxena, A. K., & Dhaliwal, H. S. (2018). *Actinobacteria from Rhizosphere: Molecular Diversity, Distributions, and Potential Biotechnological Applications. New and Future Developments in Microbial Biotechnology and Bioengineering*. India.
- Yanti, Y. (2020). *Hama dan Penyakit Bawang Merah*. Padang: Penerbit Lembaga Penelitian Universitas Andalas.
- Yanti, Y., Hamid, H., & Nurbailis. (2022a). Potensi *Trichoderma harzianum* sebagai Pengendali Hayati Busuk Pangkal Batang dan Meningkatkan Pertumbuhan serta Produksi Bawang Merah. *Prosiding Seminar Nasional Dies Natalis ke-57 Universitas Atma Jaya Yogyakarta Tahun 2022*, 104–112.
- Yanti, Y., Hamid, H., & Nurbailis. (2023a). Distribusi Penyakit Hawar Daun Bakteri Pada Tanaman Bawang Merah di Sumatera, Seminar Nasional Pariwisata dan Kewirausahaan (SNPK) 2, 759–764.
- Yanti, Y., Hamid, H., Nurbailis., & Khairul, U. (2023b). Distribusi Penyakit Tanaman Bawang Merah yang Disebabkan oleh Jamur di Sumatera Barat. *Prosiding Seminar Nasional Fakultas Pertanian UNS dalam Rangka Dies Natalis ke-47 UNS Tahun 2023*, 7(1), 1–7.
- Yanti, Y., Hamid, H., Nurbailis., & Suriani, N. L. (2022b). Biological Activity of Indigenous Selected Plant Growth Promoting Rhizobacteria Isolates and their Ability to Improve the Growth Traits of Shallot (*Allium ascalonicum* L.). *Philippine Journal of Science*, 151(6), 2327–2340. <https://doi.org/10.56899/151.6B.03>.
- Yanti, Y., Hamid, H., Nurbailis., & Tanjung, M. P. (2022c). Potensi Plant Growth Promoting Bacteria (PGPB) untuk Meningkatkan Ketahanan Bawang Merah terhadap *Xanthomonas axonopodis* pv. *allii*. *National Multidisciplinary Sciences*, 1(2), 204–210. <https://doi.org/10.32528/nms.v1i2.57>.

- Yanti, Y., Hamid, H., Nurbailis., Yaherwandi., Liswarni, Y., Wibowo, I., & Selviana, S. (2024). Exploration of Actinobacteria Indigenus as Biological Control Agent of Bacterial Leaf Blight (*Xanthomonas axonopodis* pv. *allii*) and Increasing Production of Shallot. *Pakistan Journal of Phytopathology*, 36(01), 211–224. <http://dx.doi.org/10.33866/phytopathol.036.01.1096>.
- Yanti, Y., Hamid, H., Reflin., Yaherwandi., Nurbailis., Suriani, N. L., Reddy, M. S., & Syahputri, M. (2023b). Screening of Indigenous Actinobacteria as Biological Control Agents of *Colletotrichum capsici* and Increasing Chili Production. *Egyptian Journal of Biological Pest Control*, 33(34), 1–9. <https://doi.org/10.1186/s41938-023-00660-9>.
- Yu, Y., Gui, Y., Li, Z., Jiang, C., Guo, J., & Niu, D. (2022). Induced Systemic Resistance for Improving Plant Immunity by Beneficial Microbes. *Plants*, 11(3),386. <https://doi.org/10.3390/plants11030386>.
- Zhang, L., Zhang, H., Huang, Y., Peng, J., Xie, J., & Wang, W. (2021). Isolation and Evaluation of Rhizosphere Actinomycetes With Potential Application for Biocontrolling Fusarium Wilt of Banana Caused by *Fusarium oxysporum* f.sp. *cubense* Tropical Race 4. *Frontiers in Microbiology*, 12(763038), 1–16. <https://doi.org/10.3389/fmicb.2021.763038>.
- Zhao, S., Du, C.-M., & Tian, C.-Y. (2012). Suppression of *Fusarium oxysporum* and Induced Resistance of Plants Involved in the Biocontrol of Cucumber Fusarium Wilt by *Streptomyces bikiniensis* HD-087. *World J. Microbiol. Biotechnol.* 28, 2919–2927. doi: 10.1007/s11274-012-1102-6.

