

DAFTAR PUSTAKA

- Abdallah, R.A.B., Jabnoun-Khiareddine, H., Nefzi, A & Daami-Remadi, M. (2016c). Endophytic Bacteria from *Datura metel* for Plant Growth Promotion and Bioprotection Against Fusarium wilt in Tomato. *Biocontrol Science Technology*, 26(8),1139–1165.
- Abdallah, R.A.B, Mejdoub-Trabelsi, B., Jabnoun-Khiareddine, H., & Daami-Remadi, M. (2017). Use of Endophytic Bacteria Naturally Associated with *Cestrum nocturnum* for Fusarium wilt Biocontrol and Enhancement of Tomato Growth. *Tunisian Journal Plant Protection* 12,15–40.
- Abdallah, R.A.B., Nefzi, A., Jabnoun-Khiareddine, H., Messaoud, C., Stedel, C., Papadopoulou, K.K., Mokni-Tlili, S., & Daami-Remadi, M. (2016b). A Putative Endophytic *Bacillus cereus* str. S42 from *Nicotiana glauca* for Biocontrol of Fusarium wilt Disease in Tomato and gas Chromatography-Mass Spectrometry Analysis of its Chloroform Extract. *Archives Phytopathology and Plant Protection*, 49 (13–14), 343–361.
- Abdallah R.A.B., Trabelsi B.M., Nefzi A., Khiareddine H.J., & Remadi M.D. (2016a). Isolation of Endophytic Bacteria from *Withania somnifera* and Assessment of their Ability to Suppress Fusarium Wilt Disease in Tomato and to Promote Plant Growth. *Journal Plant Pathology Microbiology*, 7(5), 2-11.
- Adeleke, B. S., Babalola, O. O., & Glick, B. R. (2021). Plant Growth-Promoting Root-Colonizing Bacterial Endophytes. *Rhizosphere*. 20, 100433.
- Afzal, I., Shinwari, Z. K., Sikandar, S., & Shahzad, S. (2019). Plant Beneficial Endophytic Bacteria: Mechanisms, Diversity, Host Range And Genetic Determinants. *Microbiological research*, 221, 36-49.
- Aldila, H.F., Fariyanti, A., & Tinaprilla, N. (2017). Daya Saing Bawang Merah di Wilayah Sentra Produksi di Indonesia. *Jurnal Manajemen dan Agribisis*, 14(1), 43-53.
- Ali, M., Ali, Q., Sohial, M.A., Ashraf., M.F., Saleem, M.H., Hussain, A., & Zhou, L. (2021). Diversity and Taxonomic Distribution of Endophytic Bacterial Community in The Rice Plant and its Prospective. *International Journal of Molecular Science*, 22(18), 1-28.
- Alippi, A. M., & López, A. C. (2010). First Report of Leaf Spot Disease of Maize Caused by *Pantoea ananatis* in Argentina. *Plant Disease*, 94(4), 487-487.
- Andriani, S. (2020). Pertumbuhan dan Hasil Tanaman Bawang Merah (*Allium ascalonicum* L.) pada Umur Simpan dan Suhu Penyimpanan yang Berbeda. Universitas Islam Negeri Sultan Syarif Kasim Riau.
- Asrul, A. (2020). Virulensi Beberapa Isolat *Pantoea ananatis* Penyebab Penyakit Hawar Daun Bakteri (*bacterial leaf blight*) pada Varietas Bawang Merah. *Agromix*, 11(2), 136–150.

- Asrul, Hadisutrisno, B., Arwiyanto, T., & Widada, J. (2014). Peranan Faktor Lingkungan Terhadap Penyakit Hawar Daun Bakteri (*Pantoea Ananatis*) Pada Tanaman Bawang Merah. *Seminar Nasional Perhimpunan Fitopatologi Indonesia (PFI) Komda Yogyakarta, Solo dan Semarang*, 15-25.
- Badan Karantina Pertanian. (2022). Buku Saku OPTK Utama Target Pemantauan Ta.2022 Skp Entikong. <https://www.scribd.com/document/631524451/>.
- Bacon, C.W. & Hinton, D.M. (2007) Bacterial Endophytes: The Endophytic Niche, Its Occupants, and Its Utility. *Plant-Associated Bacteria*, 155-194.
- Balosi, F., Lakani, I., & Panggeso, J. (2014). Eksplorasi Bakteri Endofit sebagai Agens Pengendalian Hayati terhadap Penyakit Darah pada Tanaman Pisang secara In-Vitro. *e-Jurnal Agrotekbis* 2(6), 579-586.
- Beutin, L. (1991). The Different Hemolysins of *Escherichia Coli*. *Med Microbiol Immunol*, 180(4), 167-182.
- Bocianowski, J., Tratwal, A., & Nowosad, K. (2020). Genotype By Environment Interaction For Area Under The Disease-Progress Curve (AUDPC) Value In Spring Barley Using Additive Main Effects and Multiplicative Interaction Model. *Australasian Plant Pathology*, 49(5), 525-529.
- Bora, P., Saikia, K., Hazarkia, H., & Ragesh, G. (2019). Exploring Potential Of Bacterial Endophytes In Disease Management of Horticultural crops. *Current Horticulture*, 7(2), 32-37.
- [BPS] Badan Pusat Statistik. (2024). Luas Panen Tanaman Sayuran Menurut Kecamatan dan Jenis Tanaman di Kabupaten Solok.
- [CABI] Centre for Agriculture and Bioscience International. (2021). Datasheet (Additional resources) of *Allium ascalonicum*. [Internet]. Tersedia pada: <https://www.cabi.org/>.
- Cappuccino, J.C. & Sherman, N. (1992). *In microbiology: A Laboratory Manual 3rd edition*. New York: Benjamin/Cumming Pub.co.
- Carr, E. A., Zaid, A. M., Bonasera, J. M., Lorbeer, J. W., & Beer, S. V. (2013). Infection of Onion Leaves By *Pantoea Ananatis* Leads to Bulb Infection. *Plant Disease*, 97(12), 1524–1528.
- Cedeno, M.L.R., Mosqueda, O.M.C., Lara, P. D., Cota, F. I., Villalobos, S., & Santoyo, G. (2021). *Plant Growth-Promoting Bacterial Endophytes as Biocontrol Agents of Pre- and Post-Harvest Diseases: Fundamentals, Methods of Application and Future Perspectives*. *Microbiological Research*, 242, 126612.
- Compan S, Mitter B, Colli-Mull J G, Gangl H, & Sessitsch A. (2011). Endophytes of Grapevine Flowers, Berries, and Seeds: Identification of Cultivable Bacteria, Comparison with Other Plant Parts, and Visualization of Niches of Colonization. *Microbial Ecology* 62(1), 188-197.
- Coutinho, T. A., & Venter, S. N. (2009). *Pantoea ananatis*: An Unconventional Plant Pathogen. *Molecular Plant Pathology*, 10(3), 325–335.

- Dalimunthe, R. A. I., Susanna, S., & Hakim, L. (2023). Eksplorasi dan Karakterisasi Bakteri Endofit Asal Tanaman Padi Sawah di Kabupaten Aceh Besar. *Jurnal Ilmiah Mahasiswa Pertanian*, 8(3), 550-564.
- Direktorat Jenderal Hortikultura. (2024). *Buku Angka Tetap Hortikultura Tahun 2023*. Jakarta: Direktorat Jenderal Hortikultura, Kementerian Pertanian.
- Dutta, B., Anderson, F., Smith, S., & Gitaitis, R. D. (2017). Epiphytic Survival of *Pantoea ananatis* on *Richardia scabra* L. in Georgia. *Plant Disease*, 101(4), 613–618.
- Dutta, B., Barman, A.K., Srinivasan, R., Avci, U., Ullman, D.E., Langston, D.B., & Gitaitis, R.D. (2014). Transmission of *Pantoea ananatis* and *P. agglomerans*, Causal Agents of Center Rot of Onion (*Allium cepa*), by Onion Thrips (*Thrips tabaci*) Through Feces. *Phytopathology*, 104(8), 812–819.
- Dutta, B., Gitaitis, R., Barman, A., Avci, U., Marasigan, K., & Srinivasan, R. (2016). Interactions Between *Frankliniella fusca* and *Pantoea ananatis* in the Center Rot Epidemic of Onion (*Allium cepa*). *Phytopathology* 106(9), 956–962.
- Ek-Ramos, M.J., Gomez-Flores, R., Orosco-Flores, A. A., Rodrigues-P,C., C. Gonzalez-Ochoa, & Tamez-Guerra, P. (2019). Bioactive Product Fromplant - Endophytic Gram-Positive Bacteria. *In Frontiers in microbiology* 10, 463.
- Elsayed, T.R., Jacquiod, S. Nour, E.H., Serensen, S.J., & Smalla,K. (2020). Biocontrol of Bacterial Wilt Disease Through Complex Interaction Between Tomato Plant, Antagonists, the Indigenous Rhizosphere Microbiota, and *Ralstonia solanacearum*. *Frontiers in Microbiology*, 10,2835.
- Fadiji, A. E., & Babalola, O. O. (2020). Exploring the Potentialities of Beneficial Endophytes for Improved Plant Growth. *Saudi Journal of Biological Sciences*, 27(12), 3622-3633.
- Fauzi, I., Hasanah, Y., & Simanungkalit, T. (2016). Respons Pertumbuhan Bawang Merah (*Allium ascalonicum* L.) Terhadap Aplikasi Mulsa dan Perbedaan Jarak Tanam. *Jurnal Agroekoteknologi*, 4(3), 2173–2180.
- Foeh, S. C., Temaja, I. G. R., & Khalimi, K. (2019). Potensi Bakteri Endofit Dalam Menekan Pertumbuhan *Phytophthora Palmivora* (Butler) Secara In Vitro. *Jurnal Agroteknologi Tropika*, 8(4), 388–398.
- Fouda, A., Eid, A.M., Elsaied, A., El-Belely, E.F., Barghoth, M.G., Azab, E., Gobouri, A.A., & El-Din Hassan, S. (2021). *Plant growth-promoting endophytic bacterial Community Inhabiting the Leaves of pulicaria incisa* (LAM.) DC Inherent to Arid Regions. *Plants*, 10(1), 1–22.
- Gusmaini, G., Aziz, S. A., Munif, A., Sopandie, D., & Bermawie, N. (2013). Potency of Endophytic Bacteria to Increase the Growth, Biomass, and Andrographolide Yields of the Bitter King. *Industrial Crops Research Journal*, 19(2), 167–177.

- Hallmann, J., A. Quadt-Hallmann, W.F. Mahaffee & J.W. Kloepper. 1997. Bacterial Endophytes in Agricultural Crops. *Can. Journal Microbiology*, 43(10),895– 914.
- Harboim, P.R., van Overbeek, L.S., Berg, G., Pirttil a, A.M., Compant, S., Campisano, A., Doring, M., & Sessitsch, A. (2015). The Hidden World Within Plants: Ecological Evolutionary Considerations for defining Functioning of Microbial Endophytes. *Microbiology and Molecular Biology Reviews* 79(3), 293–320.
- Harni, R., & Ibrahim, M. S. D. (2011). Potensi Bakteri Endofit Meninduksi Tanaman Lada Terhadap Infeksi *Meloidogyne incognita*. *Jurnal Penelitian Tanaman Industri*, 17(3), 118-123.
- Hartoni, D., Sondari, N., & Masnenah, E. (2021). Respon Pertumbuhan dan Hasil Tanaman Bawang Merah (*Allium ascalonicum* L.) Varietas Bima Brebes pada Pemberian Pupuk Organik Konsentrat. *Paspalum: Jurnal Ilmiah Pertanian*, 9(2), 120-126.
- Hay, F., Stricker, S., Gossen, B. D., McDonald, M. R., Heck, D., Hoepting, C., & Pethybridge, S. (2021). Stemphylium Leaf Blight: A Re-Emerging Threat to Onion Production in Eastern North America. *Plant Disease*, 105(12), 3780-3794.
- Hazra, F., Gusmiani & Wijayanti, D. (2019). Aplikasi Bakteri Endofit dan Mikoriza terhadap Kandungan N, P, dan K pada Pembibitan Tanaman Lada. *Jurnal Ilmu Tanah Lingkungan*, 21 (1),42-50.
- Hekmawati, H., Poromarto, S. H., & Widodo, S. (2018). Resistensi Beberapa Varietas Bawang Merah Terhadap *Colletotrichum gloeosporioides*. *Jurnal Agrosains*, 20(2), 40-44.
- Klement Z., Rudolph K., & Sand DC., 1990. Methods in Phytopathology. Academia Kiado: Budapest. Hungary.
- Kramar A., & Kostic MM. 2022. Bacterial Secondary Metabolites as Biopigments for Textile Dyeing. *Textiles* 2(2),252–264.
- Malik, A. N. A., Kumar, I. S., & Nadarajah, K. (2020). Elicitor and receptor Molecules: Orchestrators of Plant Defense and Immunity. *International Journal of Molecular Sciences*, 21(3), 1-34.
- Maure, G. H. (2023). Analisis Trend Harga Bawang Merah di Kabupaten Alor. *Jurnal Agrimasion*, 24(3), 758-765.
- McDonald, M. R., de los Angeles Jaime, M., & Hovius, M. H. (2004). Management of Diseases of Onions and Garlic. *Diseases of Fruits and Vegetables: Volume II*, 149-200.
- Muhammad, S. S., Avianto, Y., Anindita, N. S., & Nugraheni, I. A. (2023). Potensi Bakteri Endofit dari Tanaman Cabai dan Batang Ketimun sebagai agen biokontrol terhadap Jamur *Fusarium* sp. *Prosiding Seminar Nasional Penelitian dan Pengabdian Kepada Masyarakat LPPM Universitas' Aisyiyah Yogyakarta*, 1,338-345.

- Murtado, A., Mubarik, N. R., & Tjahjoleksono, A. (2020). Isolation and Characterization Endophytic Bacteria as Biological Control of Fungus *Colletotrichum* sp. on Onion Plants (*Allium cepa* L.). *IOP Conference Series: Earth and Environmental Science*, 457(1), 1-9.
- Murthi, R.S., Linawita & Oemry, S. (2015). Potensi Bakteri Endofit dalam Meningkatkan Pertumbuhan Tanaman Tembakau yang Terinfeksi Nematoda Puru Akar (*Meloidogyne* spp.) *Jurnal Agroekoteknologi*, 4 (1), 1881-1889.
- Nair S, Chandramohan D, & Bharathi PL. (1992). Differential Sensitivity of Pigmented and non-Pigmented Marine Bacteria to Metals and Antibiotics. *Water Research* 26(4), 431–434.
- Nurhidayah, Sennang, N.R., & Dachlan, A. (2016). Pertumbuhan dan Produksi Bawang Merah (*Allium ascalonicum* L.) pada Berbagai Perlakuan Berat Umbi dan Pemotongan Umbi. *J. Agrotan*, 2(1), 84-97.
- Nurjanah, N., Joko, T., & Subandiyah, S. (2017). Characterization of *Pantoea ananatis* Isolated from Garlic and Shallot. *Jurnal Perlindungan Tanaman Indonesia*, 21(2), 120-126.
- Okamoto,T., Shinjo, R., Nishihara, A., Uesaka, K., Tanaka, A.,Sugiura,D., & Kondo, M. (2021). Genotypic Variation of Endophytic Nitrogen-Fixing Activity and Bacterial Flora in Rice Stem Based on sugar Content. *Frontiers in Plant Science*, 12, 719259.
- Palmasari, B., Hawayanti, E., Amir, N., & Prasetyo, R. D. (2020). Pelatihan Dan Penyuluhan Budidaya Tanaman Bawang Merah Di Polybag. *Jurnal Ilmiah Pengabdian Kepada Masyarakat*, 2(2), 67–70.
- Patti, P.S., Kaya, E., & Silahooy, CH. (2013). Analisis Status Nitrogen Tanah dalam Kaitannya dengan Serapan N oleh Tanaman Padi Sawah di Desa Waimital, Kecamatan Kairatu, Kabupaten Seran Bagian Barat. *Agrologia*, 2 (1),51-58.
- Prabowo, Y.H., Widiantini, F & Istifadah, N. (2020). Penekanan Penyakit Busuk Pangkal (*Fusarium oxysporum* f.sp. *cepae*) pada Bawang Merah oleh Beberapa Jenis Bahan Organik. *Jurnal Agrikultura*, 31(2), 145-156.
- Pratama, S. R., & Hardani, D. N. K. (2021). Rancang Bangun Sistem Monitoring Kelembaban dan Suhu Tanah untuk Tanaman Bawang Merah di Kabupaten Brebes. *Jurnal Riset Rekayasa Elektro*, 3(2), 91-100.
- Purnawati, A., Harjani, W., & Nirwanto, H. (2019). Selection and Formulation of Endophytic Bacteria as Plant Resistance Elicitor against Wilt Disease of Tomato. *Agrotechnology Research Journal*, 3(2), 103–106.
- Radja, R., Simamora, A . V., & Hahuly, M. V. (2024). Karakterisasi Penyakit pada Daun dan Umbi Bawang Merah (*Allium cepa* var. *aggregatum*). In *Prosiding Seminar Nasional Pertanian* 2,(1),177-189.
- Sahoo, B. B., Chinara, N., & Senapati, N. (2020). *Alternaria porri*. *Indian Journal of Plant Protection*, 48(1&2), 88-94.

- Saidah, Muchtar, & Syafruddin, R. P. (2019). Pengaruh Jarak Tanam Terhadap Pertumbuhan dan Hasil Bawang Merah Asal Biji di Kabupaten Sigi, Sulawesi Tengah. *Prosiding Seminar Nasional Masyarakat Biodiversity Indonesia*, 5(2), 209–212.
- Santoyo, G., Hagelsieb, M.G., Mosqueda, M., & Glick, B. R. (2016). Plant Growth-Promoting Bacterial Endophytes. *Microbiological Research*, 183, 92–99.
- Sari, W., & Inayah, S. A. (2020). Inventarisasi Penyakit pada Dua Varietas Lokal Bawang Merah (*Allium ascalonicum* L.) Bima Brebes dan Trisula. *Jurnal Pro-STek*, 2(2), 64-71.
- Satyani, T., Arfan & Sayani. (2019). Evaluasi Penggunaan Pestisida pada Petani Bawang Merah di Desa Wombo Mpanau Kecamatan Tanantovea Kabupaten Donggala. *Jurnal Agrotech* 9(1), 26-32.
- Schaad, N. W., Jones, J. B., & Chun, W. 2001. *Laboratory Guide for the Identification of Plant Pathogenic Bacteria*. American Phytopathological Society.
- Schwartz, H. F., Otto, K. L., & Gent, D. H. (2003). Relation of temperature and rainfall to development of *Xanthomonas* and *Pantoea* leaf blights of onion in Colorado. *Plant Disease*, 87(1), 11–14.
- Shi Y, Hongmei Y, & Lou K. (2014). Illumina-based Analysis of Endophytic Bacterial Diversity and Space-Time Dynamics in Sugar Beet on the North Slope of Tianshan Mountain. *Appllied Microbiology and Biotechnology* 98(14): 6375–6385.
- Sihombing, I.R., Pinem, I.M., & Safni, I. (2019). Pengujian Bakteri Endofit Asal Cabai dalam Menekan Pertumbuhan *Fusarium oxysporum* f.sp. *capsici* Penyebab Penyakit Layu Fusarium pada Cabai. *Jurnal Agroekoteknologi*, 7(2), 42, 339-346.
- Simko, I., & Piepho, H.P. (2012). The Area Under the Disease Progress Stairs: Calculation, Advantage, and Application. *Analytical and Theoretical Plant Pathology*, 102(4), 381-389.
- Sofiani, Z., Santoso, E., & Surachman, S. (2022). Respon Pertumbuhan Dan Hasil Tanaman Bawang Merah Terhadap Pemberian Pupuk Kotoran Sapi Dan Kalium Pada Tanah Gambut. *Jurnal Sains Pertanian Equator*, 11(4), 158-165.
- Solahudin, M., Sucayyo, L., Amarilis, S., & Purnamasasi, L. A. (2022). Techno-economy Analysis of Shallot Seedling Production form TSS (True Shallot Seed) with LCAC (Low Cost Aeroponic Chamber) Technology. In *IOP Conference Series: Earth and Environmental Science*, 1038(1), p. 012012. IOP Publishing.
- Stice, S.P., Shin, G.Y., De Armas S., Koirala, S., Galvan, G.A., Siri, M.I., Severns, P.M., Coutinho, T., Dutta, B., & Kvítka, B.H. (2021). The Distribution of Onion Virulence Gene Clusters Among *Pantoea* spp. *Frontiers In Plant Science*. 12, 643787.

- Stice, S.P. (2021). Peeling Back the Layers of Onion Virulence in *Pantoea ananatis*. (Doctoral dissertation, University of Georgia).
- Sudewi, S., Ratnawati, R., Bangkele, L. I., Idris, I., Jaya, K., & Saleh, A. R. (2022). Aktivitas Bakteri Endofit Asal Padi Lokal Kamba Dalam Menghambat Pertumbuhan Koloni *Alternaria Porri* Secara in Vitro. *Agrovital : Jurnal Ilmu Pertanian*, 7(1), 12-17.
- Susilo, D. E. H. (2016). Menghitung Waktu Panen Tanaman Bawang Merah Berbasis Heat Unit pada Pemberian Pupuk Organik di Tanah Gambut. *Anterior Jurnal*, 16(1), 47–56.
- Syawal, Y., Marlina & Kunianingsih, A., (2019). Budidaya Tanaman Bawang Merah (*Allium cepa* L.) dalam *Polybag* dengan Memanfaatkan Kompos Tandan Kosong Kelapa Sawit (TKKS) pada Tanaman Bawang Merah. *Jurnal Pengabdian Sriwijaya*. Palembang.
- Triwidodo, H., & Tanjung, M. H. (2020). Hama Penyakit Utama Tanaman Bawang Merah (*Allium Ascalonicum*) dan Tindakan Pengendalian di Brebes, Jawa Tengah. *Agrovigor: Jurnal Agroekoteknologi*, 13(2), 149-154.
- Vahling-Armstrong, C., Dung, J. K. S., Humann, J. L., & Schroeder, B. K. (2016). Effects of Postharvest Onion Curing Parameters On Bulb Rot Caused By *Pantoea agglomerans*, *Pantoea ananatis* and *Pantoea allii* in storage. *Plant Pathology*, 65(4), 536–544.
- Wandita, R. H., Pujiyanto, S., Suprihadi, A., & Hastuti, R. D. (2018). Isolasi dan Karakterisasi Bakteri Endofit Pelarut Fosfat dan Penghasil Hidrogen Cyanide (HCN) dari Tanaman Bawang Merah (*Allium cepa* L.). *Bioma : Berkala Ilmiah Biologi*, 20(1), 9-16.
- Weilharter, A., Mitter, B., Shin, M. V., Chain, P. S. G., Nowak, J. & Sessitsch, A. (2011). Complete Genome Sequence of the Plant Growth-Promoting Endophyte *Burkholderia phytofirmans* strain PsJN. *Journal of Bacteriology*, 193(13), 3383- 3384.
- Widowati, T., Simarmata, R., & Nurjanah, L. (2024). Aktivitas Pemacu Pertumbuhan Tanaman dari Bakteri Endofit Bawang Merah (*Allium cepa* L.). *Jurnal Imu Lingkungan*, 22(4), 887-893.
- Wu, W., Chen, W., Liu, S., Wu, J., Zhu, Y., Qin, L., & Zhu, B. (2021). Beneficial Relationships Between Endophytic Bacteria and Medicinal Plants. *Frontiers in Plant Science*, 12(4), 1–13.
- Yanti, Y., Astuti, F. F., Habazar, T., & Nasution, C. R. (2017). Screening of rhizobacteria from rhizosphere of healthy chili to control bacterial wilt disease and to promote growth and yield of chili. *Biodiversitas*, 18(1), 1–9.
- Yanti, Y., & Hamid, H. (2021). Potensi Asam Salisilat *Bacillus* sp. Untuk Menekan Perkembangan Penyakit Hawar Daun Bakteri Tanaman Bawang Merah. *Prosiding Seminar Nasional Sains Dan Teknologi Terapan*, 4(1), 513–523.
- Yanti, Y., Hamid, H., & Khairul, U. (2023b). Sebaran Penyakit Hawar Daun Bakteri Oleh *Pantoea Ananatis* pada Tanaman Bawang Merah di Sumatera Barat. 2, 903–907.

- Yanti, Y., Hamid, H., Yaherwandi., & Nurbailis. (2022a). Konsorsium *Bacillus* spp. Untuk Pengendalian Penyakit Rebah Kecambah dan Busuk Batang (*Sclerotium rolfsii*) pada Tanaman Cabai. *Jurnal Agro* 9(2), 208-218.
- Yanti, Y., Hamid, H., & Nurbailis. (2023a). Distribusi Penyakit Hawar Daun Bakteri Pada Tanaman Bawang Merah di Sumatera. *Seminar Nasional Pariwisata dan Kewirausahaan (SNPK)* 2, 759-764.
- Yanti, Y., Hamid, H., Nurbailis, & Suriani, N. L. (2022c). Biological Activity of Indigenous Selected Plant Growth Promoting Rhizobacteria Isolates and their Ability to Improve the Growth Traits of Shallot (*Allium ascalonicum* L.). *Philippine Journal of Science*, 151(6), 2327–2340.
- Yanti, Y., Hamid, H., Nurbailis., & Tanjung, M. P. (2022b). Potensi *Plant Growth Promoting Bacteria* (PGPB) untuk Meningkatkan Ketahanan Bawang Merah Terhadap *Xanthomonas axonopodis* pv. *allii*. *National Multidisciplinary Sciences*, 1(2), 204–210.
- Yanti, Y., Hamid, H., Nurbailis., Yaherwandi., Liswarni, Y., Wibowo, I., & Selviana, S. (2024). Exploration of Actinobacteria Indigenus as Biological Control Agent of Bacterial Leaf Blight (*Xanthomonas axonopodis* pv. *allii*) and Increasing Production of Shallot. *Pakistan Journal of Phytopathology*, 36(01), 211–224.
- Zaid, A. M., Bonasera, J. M., & Beer, S. V. (2012). OEM- A new medium for rapid isolation of onion-pathogenic and onion- associated bacteria. *Journal of Microbiology Methods*, 91(3), 520-526.
- Zhang, X., Tong, J., Dong, M., Akhtar, K., & He, B. (2022). Isolation, identification and characterization of nitrogen fixing endophytic bacteria and their effects on cassava production. *PeerJ*. 10, e12677, 1-21.