

## REFERENCES

- Adler, F. R., Green, A. M., & Şekercioğlu, Ç. H. 2020. Citizen science in ecology: a place for humans in nature. *Annals of the New York Academy of Sciences*, 1469(1), 52–64. <https://doi.org/10.1111/nyas.14340>
- Antomi, Y. (2016). Model Prediksi Perubahan Penggunaan Lahan di Kota Padang. *Jurnal Geografi*, 69–84.
- Aizpurua, O., Paquet, J. Y., Brotons, L., & Titeux, N. 2015. Optimising long-term monitoring projects for species distribution modelling: How atlas data may help. *Ecography*, 38(1), 29–40. <https://doi.org/10.1111/ecog.00749>
- Araújo, M. B., & Guisan, A. 2006. Five (or so) challenges for species distribution modelling. *Journal of Biogeography*, 33(10), 1677–1688. <https://doi.org/10.1111/j.1365-2699.2006.01584.x>
- Beck, J., Böller, M., Erhardt, A., & Schwanghart, W. 2014. Spatial bias in the GBIF database and its effect on modeling species' geographic distributions. *Ecological Informatics*, 19, 10–15. <https://doi.org/10.1016/j.ecoinf.2013.11.002>
- Bryson-Morrison, N., Matsuzawa, T., & Humle, T. 2016. Chimpanzees in an anthropogenic landscape: Examining food resources across habitat types at Bossou, Guinea, West Africa. *American Journal of Primatology*, 78(12), 1237–1249. <https://doi.org/10.1002/ajp.22578>
- Burgos-Rodriguez, A. G. 2011. Zoonotic Diseases of Primates. *Veterinary Clinics of North America - Exotic Animal Practice*, 14(3), 557–575. <https://doi.org/10.1016/j.cvex.2011.05.006>
- BPIW. 2017. Profil Kota Padang. Retrieved from <http://perkotaan.bpiw.pu.go.id/v2/kota-besar/81>
- Chiyo, P. I., Moss, C. J., Archie, E. A., Hollister-Smith, J. A., & Alberts, S. C. 2011. Using molecular and observational techniques to estimate the number and raiding patterns of crop-raiding elephants. *Journal of Applied Ecology*, 48(3), 788–796. <https://doi.org/10.1111/j.1365-2664.2011.01967.x>
- Davidson, G., Chua, T. H., Cook, A., Speldewinde, P., & Weinstein, P. (2019). The Role of Ecological Linkage Mechanisms in Plasmodium knowlesi Transmission and Spread. *EcoHealth*, 16(4), 594–610. <https://doi.org/10.1007/s10393-019-01395-6>
- de Almeida-Rocha, J. M., Peres, C. A., Monsalvo, J. A. B., & Oliveira, L. D. C. 2020. Habitat determinants of golden-headed lion tamarin (*Leontopithecus chrysomelas*) occupancy of cacao agroforests: Gloomy conservation prospects for management intensification. *American Journal of Primatology*, 82(9), 1–

15. <https://doi.org/10.1002/ajp.23179>
- Elith, J., & Leathwick, J. 2007. Predicting species distributions from museum and herbarium records using multiresponse models fitted with multivariate adaptive regression splines. *Diversity and Distributions*, 13(3), 265–275. <https://doi.org/10.1111/j.1472-4642.2007.00340.x>
- Elith, J., Phillips, S. J., Hastie, T., Dudík, M., Chee, Y. E., & Yates, C. J. 2011. A statistical explanation of MaxEnt for ecologists. *Diversity and Distributions*, 17(1), 43–57. <https://doi.org/10.1111/j.1472-4642.2010.00725.x>
- Erickson, K. D., & Smith, A. B. 2021. Accounting for imperfect detection in data from museums and herbaria when modeling species distributions: combining and contrasting data-level versus model-level bias correction. *Ecography*, 44(9), 1341–1352. <https://doi.org/10.1111/ecog.05679>
- Feldman, M. J., Imbeau, L., Marchand, P., MazerolleI, M. J., Darveau, M., & Fenton1, N. J. 2021. Trends and gaps in the use of citizen science derived data as input for species distribution models: A quantitative review. *PLoS ONE*, 16(3 March), 1–21. <https://doi.org/10.1371/journal.pone.0234587>
- Fitria, W., Nur Bambang, A., & Wasiq Hidayat, J. (2020). Human and long-Tailed macaque conflict in Central Java, Indonesia. *E3S Web of Conferences*, 202, 1–11. <https://doi.org/10.1051/e3sconf/202020206011>
- Fooden, J. 1994. Malaria in macaques. *International Journal of Primatology*, 15(4), 573–596. <https://doi.org/10.1007/BF02735972>
- Fuentes, A., & Hockings, K. J. 2010. The ethnoprimateological approach in primatology. *American Journal of Primatology*, 72(10), 841–847. <https://doi.org/10.1002/ajp.20844>
- Fungfuang, W., Udom, C., Tongthainan, D., Kadir, K. A., & Singh, B. 2020. Malaria parasites in macaques in Thailand: Stump-tailed macaques (*Macaca arctoides*) are new natural hosts for *Plasmodium knowlesi*, *Plasmodium inui*, *Plasmodium coatneyi* and *Plasmodium fieldi*. *Malaria Journal*, 19(1), 1–7. <https://doi.org/10.1186/s12936-020-03424-0>
- Gamalo, L. E., Dimalibot, J., Kadir, K. A., Singh, B., & Paller, V. G. 2019. *Plasmodium knowlesi* and other malaria parasites in long-tailed macaques from the Philippines. *Malaria Journal*, 18(1), 1–7. <https://doi.org/10.1186/s12936-019-2780-4>
- Guisan, A., & Zimmermann, N. E. 2000. Predictive habitat distribution models in ecology. *Ecological Modelling*, 135(2–3), 147–186. [https://doi.org/10.1016/S0304-3800\(00\)00354-9](https://doi.org/10.1016/S0304-3800(00)00354-9)
- Gumert MD, Fuentes A, Jones-Engel L. 2011. Monkeys in the edge: Ecology and management of long-tailed macaques and their interface with humans. Cambridge University Press, Cambridge.

- Haragus, P., Haragus, P., Rizaldi, R., & Novarino, W. 2020. Using Camera Trap Database to Assess Altitudinal Range of *M. fascicularis* and *M. nemestrina* in West Sumatra, Indonesia. *International Journal of Progressive Sciences and Technologies*, 23(2), 734–738. <http://ijpsat.es/index.php/ijpsat/article/view/2401>
- Harte, J., & Newman, E. A. 2014. Maximum information entropy: A foundation for ecological theory. *Trends in Ecology and Evolution*, 29(7), 384–389. <https://doi.org/10.1016/j.tree.2014.04.009>
- Hermon, D. 2019. Land Stability Model for Sustainable Spatial Planning in Padang City-Indonesia based on Landslide Disaster. *Journal of Geography and Earth Sciences*, 7(1). <https://doi.org/10.15640/jges.v7n1a2>
- Hetman, M., Kubicka, A. M., Sparks, T. H., & Tryjanowski, P. (2019). Road kills of non-human primates: a global view using a different type of data. *Mammal Review*, 49(3), 276–283. <https://doi.org/10.1111/mam.12158>
- Hill, C. M. 2000. Conflict of interest between people and baboons: crop raiding in Uganda. *International Journal of Primatology*. Vol. 21. No 2. pp. 299-315. 21(2), 299–315.
- Huang, J., & Frimpong, E. A. 2015. Using historical atlas data to develop high-resolution distribution models of freshwater fishes. *PLoS ONE*, 10(6), 1–19. <https://doi.org/10.1371/journal.pone.0129995>
- Hutchinson, R. A., He, L., & Emerson, S. C. 2017. Species distribution modeling of citizen science data as a classification problem with class-conditional noise. *31st AAAI Conference on Artificial Intelligence, AAAI 2017*, 4516–4523.
- Ilham, K., Rizaldi, Nurdin, J., & Tsuji, Y. 2017. Status of urban populations of the long-tailed macaque (*Macaca fascicularis*) in West Sumatra, Indonesia. *Primates*, 58(2), 295–305. <https://doi.org/10.1007/s10329-016-0588-1>
- Kangoyé, N. M., Oueda, A., Silga, R. P., Quedraogo, I., Guenda, W., & Kabre, B. G. 2021. Modeling Bat Species Richness and Spatial Distribution in Burkina Faso. *Open Journal of Ecology*, 11(11), 790–806. <https://doi.org/10.4236/oje.2021.1111048>
- Kemenag Sumbar. 2014. Tentang Kota Padang. Retrieved from <https://sumbar.kemenag.go.id/v2/post/23694/tentang-kota-padang.html>
- Kowalewski, M. M., Salzer, J. S., Deutsch, J. C., Raño, M., Kuhlenschmidt, M. S., & Gillespie, T. R. 2011. Black and gold howler monkeys (*Alouatta caraya*) as sentinels of ecosystem health: Patterns of zoonotic protozoa infection relative to degree of human-primate contact. *American Journal of Primatology*, 73(1), 75–83. <https://doi.org/10.1002/ajp.20803>
- Lempang, M. E. P., Dewayanti, F. K., Syahrani, L., Permana, D. H., Malaka, R., Asih, P. B. S., & Syafruddin, D. (2022). Primate malaria: An emerging challenge of zoonotic malaria in Indonesia. *One Health*, 14(April), 100389.

<https://doi.org/10.1016/j.onehlt.2022.100389>

- Lane-degraaf, K., Lute, M. L., All, W. F., & Rompis, A. (2010). Indonesian Primates. *Indonesian Primates*, December. <https://doi.org/10.1007/978-1-4419-1560-3>
- Lee, P. C. 2010. Sharing Space: Can ethnoprimate contribute to the survival of nonhuman primates in human-dominated globalized landscapes? *American Journal of Primatology*, 72(10), 925–931. <https://doi.org/10.1002/ajp.20789>
- Lobo, J. M., Jiménez-Valverde, A., & Hortal, J. 2010. The uncertain nature of absences and their importance in species distribution modelling. *Ecography*, 33(1), 103–114. <https://doi.org/10.1111/j.1600-0587.2009.06039.x>
- Mardiah, A. 2016. Agresi Provokasi dan Non-Provokasi Pada Monyet Ekor Panjang (*Macaca fascicularis* Raffles 1821) Terhadap Pengunjung di Kawasan Gunung Meru. [diploma thesis]. Andalas University.
- Maréchal, L., Semple, S., Majolo, B., & MacLarnon, A. (2016). Assessing the effects of tourist provisioning on the health of wild Barbary macaques in Morocco. *PLoS ONE*, 11(5), 1–19. <https://doi.org/10.1371/journal.pone.0155920>
- Matutini, F., Baudry, J., Pain, G., Sineau, M., & Pithon, J. (2021). How citizen science could improve species distribution models and their independent assessment. *Ecology and Evolution*, 11(7), 3028–3039. <https://doi.org/10.1002/ece3.7210>
- McShea, W. 2014. What are the roles of species distribution models in conservation planning? *Environmental Conservation*, 41(2), 93–96. doi:10.1017/S0376892913000581
- Merow, C., Smith, M. J., & Silander, J. A. (2013). A practical guide to MaxEnt for modeling species' distributions: What it does, and why inputs and settings matter. *Ecography*, 36(10), 1058–1069. <https://doi.org/10.1111/j.1600-0587.2013.07872.x>
- Moradi, S., Sheykhi Ilanloo, S., Kafash, A., & Yousefi, M. 201). Identifying high-priority conservation areas for avian biodiversity using species distribution modeling. *Ecological Indicators*, 97(October 2018), 159–164. <https://doi.org/10.1016/j.ecolind.2018.10.003>
- Moyes, C. L., Shearer, F. M., Huang, Z., Wiebe, A., Gibson, H. S., Nijman, V., Mohd-Azlan, J., Brodie, J. F., Malaivijitnond, S., Linkie, M., Samejima, H., O'Brien, T. G., Trainor, C. R., Hamada, Y., Giordano, A. J., Kinnaird, M. F., Elyazar, I. R. F., Sinka, M. E., Vythilingam, I., ... Hay, S. I. 2016. Predicting the geographical distributions of the macaque hosts and mosquito vectors of *Plasmodium knowlesi* malaria in forested and non-forested areas. *Parasites and Vectors*, 9(1), 1–13. <https://doi.org/10.1186/s13071-016-1527-0>
- Niamir, A., Skidmore, A. K., Toxopeus, A. G., & Real, R. 2016. Use of taxonomy

- to delineate spatial extent of atlas data for species distribution models. *Global Ecology and Biogeography*, 25(2), 227–237. <https://doi.org/10.1111/geb.12405>
- Peterson, A., Papeş, M., & Eaton, M. 2007. Transferability and model evaluation in ecological niche modeling: a comparison of GARP and Maxent. *Ecography*, 30(4), 550–560. <https://doi.org/10.1111/j.2007.0906-7590.05102.x>
- Phillips, S. J., Dudík, M., & Schapire, R. E. 2004. A maximum entropy approach to species distribution modeling. *Proceedings, Twenty-First International Conference on Machine Learning, ICML 2004*, 655–662. <https://doi.org/10.1145/1015330.1015412>
- Raes, N., & Ter Steege, H. 2007. A null-model for significance testing of presence-only species distribution models. *Ecography*, 30(5), 727–736. <https://doi.org/10.1111/j.2007.0906-7590.05041.x>
- Regos, A., Imbeau, L., Desrochers, M., Leduc, A., Robert, M., Jobin, B., Brotons, L., & Drapeau, P. 2018. Hindcasting the impacts of land-use changes on bird communities with species distribution models of Bird Atlas data. *Ecological Applications*, 28(7), 1867–1883. <https://doi.org/10.1002/eap.1784>
- Salakh, A. G., Gholi Kami, H., & Rajabizadeh, M. 2020. Modeling the species distribution of Caucasian pit viper (*Gloydius halys caucasicus*) (Viperidae: Crotalinae) under the influence of climate change. *Caspian J. Environ. Sci.*, 18(3), 217–226. <https://doi.org/10.22124/cjes.2020.4134>
- Salendra, C. 2017. Pemanfaatan Habitat Oleh Monyet Ekor Panjang (*Macaca fascicularis* Raffles, 1821) Pada Lanskap Perkebunan Kelawa Sawit di Kawasan PT. Tidar Kerinci Agung (TKA), Solok Selatan. [diploma thesis]. Andalas University.
- Sarania, B., Devi, A., Kumar, A., Sarma, K., & Gupta, A. K. 2017. Predictive distribution modeling and population status of the endangered *Macaca munzala* in Arunachal Pradesh, India. *American Journal of Primatology*, 79(2), 1–10. <https://doi.org/10.1002/ajp.22592>
- Sarma, K., Kumar, A., Krishna, M., Medhi, M., & Tripathi, O. P. 2015. Predicting Suitable Habitats for the Vulnerable Eastern Hoolock Gibbon, *Hoolock leuconedys*, in India Using the MaxEnt Model. *Folia Primatologica*, 86(4), 387–397. <https://doi.org/10.1159/000381952>
- Schank, C. J., Cove, M. V., Kelly, M. J., Nielsen, C. K., O’Farrill, G., Meyer, N., Jordan, C. A., González-Maya, J. F., Lizcano, D. J., Moreno, R., Dobbins, M., Montalvo, V., Díaz, J. C. C., Pozo Montuy, G., Antonio De La Torre, J., Brenes-Mora, E., Wood, M. A., Gilbert, J., Jetz, W., & Miller, J. A. 2019. A Sensitivity Analysis of the Application of Integrated Species Distribution Models to Mobile Species: A Case Study with the Endangered Baird’s Tapir. *Environmental Conservation*, 46(3), 184–192. <https://doi.org/10.1017/S0376892919000055>

- Scheun, J., Greeff, D., & Nowack, J. 2019. Urbanisation as an important driver of nocturnal primate sociality. *Primates*, 60(4), 375–381. <https://doi.org/10.1007/s10329-019-00725-0>
- Schurer, J. M., Ramirez, V., Kyes, P., Tanee, T., Patarapadungkit, N., Thamsenanupap, P., Trufan, S., Grant, E. T., Garland-Lewis, G., Kelley, S., Nueaitong, H., Kyes, R. C., & Rabinowitz, P. (2019). Long-Tailed Macaques (*Macaca fascicularis*) in Urban Landscapes: Gastrointestinal parasitism and barriers for healthy coexistence in northeast Thailand. *American Journal of Tropical Medicine and Hygiene*, 100(2), 357–364. <https://doi.org/10.4269/ajtmh.18-0241>
- Sodik, M., Pudyatmoko, S., Yuwono, P. S. H., Tafrichan, M., & Imron, M. A. 2020. Better providers of habitat for javan slow loris (*Nycticebus javanicus e. geoffroy* 1812): A species distribution modeling approach in Central Java, Indonesia. *Biodiversitas*, 21(5), 1890–1900. <https://doi.org/10.13057/biodiv/d210515>
- Srivastava, V. 2019. Species distribution models (SDM): applications, benefits and challenges in invasive species management. *CAB Reviews: Perspectives in Agriculture, Veterinary Science, Nutrition and Natural Resources*.
- Stark, D. J., Fornace, K. M., Brock, P. M., Abidin, T. R., Gilhooly, L., Jalius, C., Goossens, B., Drakeley, C. J., & Salgado-Lynn, M. (2019). Long-Tailed Macaque Response to Deforestation in a Plasmodium knowlesi-Endemic Area. *EcoHealth*, 16(4), 638–646. <https://doi.org/10.1007/s10393-019-01403-9>
- Thatcher, H. R., Downs, C. T., & Koyama, N. F. (2019). Anthropogenic influences on the time budgets of urban vervet monkeys. *Landscape and Urban Planning*, 181(February 2018), 38–44. <https://doi.org/10.1016/j.landurbplan.2018.09.014>
- Tran, D. Van, & Vu, T. T. 2020. Combining species distribution modeling and distance sampling to assess wildlife population size: A case study with the northern yellow-cheeked gibbon (*Nomascus annamensis*). *American Journal of Primatology*, 82(9), 1–12. <https://doi.org/10.1002/ajp.23169>
- Utami, R., Rizaldi, and Novarino, W. 2016. *Penjarahan tanaman oleh hewan Primata di Bungus dan Teluk Kabung, Padang, Sumatera Barat.* 2, 49–54. <https://doi.org/10.13057/psnmbi/m020110>
- Velazco, S. J. E., Ribeiro, B. R., Laureto, L. M. O., & De Marco Júnior, P. 2020. Overprediction of species distribution models in conservation planning: A still neglected issue with strong effects. *Biological Conservation*, 252. <https://doi.org/10.1016/j.biocon.2020.108822>
- Widyastuti, S., Perwitasari-Farajallah, D., Prasetyo, L. B., Iskandar, E., & Setiawan, A. 2020. Maxent modelling of habitat suitability for the endangered javan gibbon (*Hylobates moloch*) in less-protected Dieng Mountains, Central

Java. *IOP Conference Series: Earth and Environmental Science*, 457(1).  
<https://doi.org/10.1088/1755-1315/457/1/012014>

Wilcox, J. J. S., Kerschner, A., & Hollocher, H. 2019. Indel-informed Bayesian analysis suggests cryptic population structure between Plasmodium knowlesi of humans and long-tailed macaques (*Macaca fascicularis*) in Malaysian Borneo. *Infection, Genetics and Evolution*, 75(August), 103994. <https://doi.org/10.1016/j.meegid.2019.103994>

Yackulic, C. B., Chandler, R., Zipkin, E. F., Royle, J. A., Nichols, J. D., Campbell Grant, E. H., & Veran, S. 2013. Presence-only modelling using MAXENT: When can we trust the inferences? *Methods in Ecology and Evolution*, 4(3), 236–243. <https://doi.org/10.1111/2041-210x.12004>

Yu, J., W. Wong and R. A. Hutchinson. 2010. Modeling Experts and Novices in Citizen Science Data for Species Distribution Modeling. *IEEE International Conference on Data Mining* pp. 1157-1162, doi: 10.1109/ICDM.2010.103.

Lobo, J. M., Jiménez-valverde, A., & Real, R. (2008). AUC: A misleading measure of the performance of predictive distribution models. *Global Ecology and Biogeography*, 17(2), 145–151. <https://doi.org/10.1111/j.1466-8238.2007.00358.x>

