

DAFTAR PUSTAKA

1. Lilly LS. Pathophysiology of Heart Disease A Collaborative Project of Medical Students and Faculty (Leonard S . Lilly). 2011;5:371.
2. Waheed SM, Pujitha ;, David K;, Hotwagner T. Deep Vein Thrombosis Continuing Education Activity. 2023.
3. Pratama D, Simatupang SMH. Graduated Compression Stockings for Deep Vein Thrombosis prevention in Surgical Patients: A Systematic Review. The New Ropanasuri Journal of Surgery. 2022;7:20–4.
4. Lee LH, Gallus A, Jindal R, Wang C, Wu CC. Incidence of Venous Thromboembolism in Asian Populations: A Systematic Review. Vol. 117, Thrombosis and Haemostasis. Georg Thieme Verlag; 2017. p. 2243–60.
5. Sujana KY, Semadi IN, Mahadewa TGB. The correlation of neutrophil-lymphocyte ratio (Nlr) and platelet-lymphocyte ratio compared to d-dimer as a diagnostic test in deep vein thrombosis (dvt). Bali Medical Journal. 2020;9:546–52.
6. Gao X, Zeng L, Wang H, Zeng S, Tian J, Chen L, et al. Prevalence of Venous Thromboembolism in Intensive Care Units: A Meta-Analysis. Vol. 11, Journal of Clinical Medicine. MDPI; 2022.
7. Neeman E, Liu V, Mishra P, Thai KK, Xu J, Clancy HA, et al. Trends and Risk Factors for Venous Thromboembolism Among Hospitalized Medical Patients. JAMA Netw Open. 2022;5:e2240373.
8. Stubbs MJ, Mouyis M, Thomas M. Deep vein thrombosis. BMJ (Online). 2018;360.
9. Linkins LA, Takach Lapner S. Review of D-dimer testing: Good, Bad, and Ugly. Vol. 39, International Journal of Laboratory Hematology. Blackwell Publishing Ltd; 2017. p. 98–103.
10. Khan F, Tritschler T, Kahn SR, Rodger MA. Venous thromboembolism. Vol. 398, The Lancet. Elsevier B.V.; 2021. p. 64–77.
11. V S, Mohanty S, Das D, Ghosh A, Maiti R, Nanda P. Hematological Parameters as an Early Marker of Deep Vein Thrombosis in Diabetes Mellitus: An Observational Study. Cureus. 2023;
12. Qian B, Zheng Y, Jia H, Zheng X, Gao R, Li W. Neutrophil-lymphocyte ratio as a predictive marker for postoperative infectious complications: A systematic review and meta-analysis. Vol. 9, Heliyon. Elsevier Ltd; 2023.

- 
13. Hu J, Cai Z, Zhou Y. The Association of Neutrophil–Lymphocyte Ratio with Venous Thromboembolism: A Systematic Review and Meta-Analysis. *Clinical and Applied Thrombosis/Hemostasis*. 2022;28.
 14. Hu C, Zhao B, Ye Q, Zou J, Li X, Wu H. The Diagnostic Value of the Neutrophil-to-Lymphocyte Ratio and Platelet-to-Lymphocyte Ratio for Deep Venous Thrombosis: A Systematic Review and Meta-Analysis. *Clinical and Applied Thrombosis/Hemostasis*. 2023;29.
 15. Wendelboe AM, Raskob GE. Global Burden of Thrombosis: Epidemiologic Aspects. *Circ Res*. 2016;118:1340–7.
 16. Patel H, Sun H, Hussain AN, Vakde T. Advances in the diagnosis of venous thromboembolism: A literature review. Vol. 10, *Diagnostics*. MDPI; 2020.
 17. Di Nisio M, van Es N, Büller HR. Deep vein thrombosis and pulmonary embolism. Vol. 388, *The Lancet*. Lancet Publishing Group; 2016. p. 3060–73.
 18. Wang KL, Yap ES, Goto S, Zhang S, Siu CW, Chiang CE. The diagnosis and treatment of venous thromboembolism in asian patients. Vol. 16, *Thrombosis Journal*. BioMed Central Ltd.; 2018.
 19. Angchaisuksiri P, Goto S, Farjat AE, Fryk H, Bang SM, Chiang CE, et al. Venous thromboembolism in Asia and worldwide: Emerging insights from GARFIELD-VTE. *Thromb Res*. 2021;201:63–72.
 20. Konstantinides S V., Meyer G, Bueno H, Galié N, Gibbs JSR, Ageno W, et al. 2019 ESC Guidelines for the diagnosis and management of acute pulmonary embolism developed in collaboration with the European respiratory society (ERS). Vol. 41, *European Heart Journal*. Oxford University Press; 2020. p. 543–603.
 21. McLendon K, Goyal A, Attia M. Deep Venous Thrombosis Risk Factors. 2023.
 22. Myers DD. Pathophysiology of venous thrombosis. *Phlebology*. 2015;30:7–13.
 23. Wenger N, Sebastian T, Engelberger RP, Kucher N, Spirk D. Pulmonary embolism and deep vein thrombosis: Similar but different. Vol. 206, *Thrombosis Research*. Elsevier Ltd; 2021. p. 88–98.
 24. Sherwood L. *Sherwood_s_Introduction_to_Human_Physiology_8th_Ed.* 2013.
 25. Budnik I, Brill A. Immune Factors in Deep Vein Thrombosis Initiation. Vol. 39, *Trends in Immunology*. Elsevier Ltd; 2018. p. 610–23.

26. Ro A, Kageyama N, Mukai T. Pathophysiology of Venous Thromboembolism with Respect to the Anatomical Features of the Deep Veins of Lower Limbs: A Review. *Ann Vasc Dis.* 2017;10:99–106.
27. Wang KL, Yap ES, Goto S, Zhang S, Siu CW, Chiang CE. The diagnosis and treatment of venous thromboembolism in asian patients. Vol. 16, *Thrombosis Journal*. BioMed Central Ltd.; 2018.
28. Thaler J, Pabinger I, Ay C. Anticoagulant Treatment of Deep Vein Thrombosis and Pulmonary Embolism: The Present State of the Art. Vol. 2, *Frontiers in Cardiovascular Medicine*. Frontiers Media S.A.; 2015.
29. Mazzolai L, Aboyans V, Ageno W, Agnelli G, Alatri A, Bauersachs R, et al. Diagnosis and management of acute deep vein thrombosis: A joint consensus document from the European Society of Cardiology working groups of aorta and peripheral vascular diseases and pulmonary circulation and right ventricular function. Vol. 39, *European Heart Journal*. Oxford University Press; 2018. p. 4208–18.
30. Watson L, Broderick C, Armon MP. Thrombolysis for acute deep vein thrombosis. Vol. 2016, *Cochrane Database of Systematic Reviews*. John Wiley and Sons Ltd; 2016.
31. Center for Disease Control and Prevention. Venous Thromboembolism (Blood Clots) Venous Thromboembolism (Blood Clots) Home Data and Statistics on Venous Thromboembolism [Internet]. 2023. Available from: <https://www.cdc.gov/ncbddd/dvt/data.html>
32. Galanaud JP, Monreal M, Kahn SR. Epidemiology of the post-thrombotic syndrome. *Thromb Res.* 2018;164:100–9.
33. Busuttil A, Lim CS, Davies AH. Post thrombotic syndrome. *Adv Exp Med Biol.* 2017;906.
34. Howard L. Acute pulmonary embolism. Vol. 19, *Clinical Medicine*. 2019.
35. Tamang T, Baral S, Paing MP. Classification of White Blood Cells: A Comprehensive Study Using Transfer Learning Based on Convolutional Neural Networks. *Diagnostics.* 2022;12.
36. Prinyakupt J, Pluempiwiriyawej C. Segmentation of white blood cells and comparison of cell morphology by linear and naïve Bayes classifiers. *Biomed Eng Online.* 2015;14.
37. Mescher AL. Histologi Dasar JUNQUEIRA. 2021;271–88.
38. Eroschenko VP. Atlas Histologi Diflore dengan Korelasi Fungsional- Edisi 11. 2008.

39. Huang Z, Fu Z, Huang W, Huang K. Prognostic value of neutrophil-to-lymphocyte ratio in sepsis: A meta-analysis. Vol. 38, American Journal of Emergency Medicine. W.B. Saunders; 2020. p. 641–7.
40. Rinaldi I, Hamonangan R, Azizi MS, Cahyanur R, Wirawan F, Fatya AI, et al. Diagnostic value of neutrophil lymphocyte ratio and D-Dimer as biological markers of deep vein thrombosis in patients presenting with unilateral limb edema. J Blood Med. 2021;12:313–25.
41. Zahorec R. Neutrophil-to-lymphocyte ratio, past, present and future perspectives. Bratislava Medical Journal. 2021;122:474–88.
42. Zahorec R, Bratsisl L, Listy 2021. An official website of the United States government NCBI Literature Resources MeSH PMC Bookshelf Disclaimer Advanced User Guide Neutrophil-to-lymphocyte ratio, past, present and future perspectives.
43. Bhat T, Teli S, Rijal J, Bhat H, Raza M, Khoueiry G, et al. Neutrophil to lymphocyte ratio and cardiovascular diseases: A review. Vol. 11, Expert Review of Cardiovascular Therapy. 2013. p. 55–9.
44. Yang AP, Liu J ping, Tao W qiang, Li H ming. The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients. Int Immunopharmacol. 2020;84.
45. Yao C, Zhang Z, Yao Y, Xu X, Jiang Q, Shi D. Predictive value of neutrophil to lymphocyte ratio and platelet to lymphocyte ratio for acute deep vein thrombosis after total joint arthroplasty: A retrospective study. J Orthop Surg Res. 2018;13.
46. Peng L, Bao Q, Hong X, Li W, Zheng Y, Zou Z, et al. High level of neutrophil to lymphocyte ratio increases the risk of deep venous thrombosis in intensive care unit patients after oral cancer surgery: a retrospective study. Ann Transl Med. 2022;10:763–763.
47. Gao Z, Zhao K, Jin L, Lian X, Zhang Z, Ma L, et al. Combination of neutrophil to lymphocyte ratio, platelet to lymphocyte ratio with plasma D-dimer level to improve the diagnosis of deep venous thrombosis (DVT) following ankle fracture. Vol. 18, Journal of Orthopaedic Surgery and Research. BioMed Central Ltd; 2023.
48. Verian E, Arnold Sihite T, Prasetya D, Padjadjaran U, Sakit Dokter Hasan Sadikin Bandung R, Hemato Onkologi D. Karakteristik Pasien Trombosis Vena Dalam: Tinjauan Sistematik. 2021.
49. Zhang L, Liu X, Pang P, Luo Z, Cai W, Li W, et al. Incidence and Risk Factors of Admission Deep Vein Thrombosis in Patients With Traumatic Fracture: A Multicenter Retrospective Study *. Clinical and Applied Thrombosis/Hemostasis. 2023;29.

50. Akrivou D, Perlepe G, Kirgou P, Gourgoulianis KI, Malli F. Pathophysiological Aspects of Aging in Venous Thromboembolism: An Update. Vol. 58, Medicina (Lithuania). MDPI; 2022.
51. El-Menyar A, Asim M, Al-Thani H. Obesity Paradox in Patients With Deep Venous Thrombosis. Clinical and Applied Thrombosis/Hemostasis. 2018;24:986–92.
52. Abdelmalik BHA, Leslom MMA, Gameraddin M, Alshammari QT, Hussien R, Alyami MH, et al. Assessment of Lower Limb Deep Vein Thrombosis: Characterization and Associated Risk Factors Using Triplex Doppler Imaging. Vasc Health Risk Manag. 2023;19:279–87.
53. Marshall PS, Cain H. Upper extremity deep vein thrombosis. Vol. 31, Clinics in Chest Medicine. 2010. p. 783–97.
54. Olaf M, Cooney R. Deep Venous Thrombosis. Vol. 35, Emergency Medicine Clinics of North America. W.B. Saunders; 2017. p. 743–70.
55. Glise Sandblad K, Hansson PO, Philipson J, Mahmoud A, Karlsson P, Rosengren A, et al. Prevalence of Cancer in Patients with Venous Thromboembolism: A Retrospective Nationwide Case-Control Study in Sweden. Clinical and Applied Thrombosis/Hemostasis. 2023;29.
56. Mlačo A, Mlačo N, Bejtović D, Spužić M, Džubur A, Begić E. Provoked venous thromboembolism during ten-year follow up at the clinical centre university of sarajevo. Med Glas. 2020;17:54–8.
57. Razak NBA, Jones G, Bhandari M, Berndt MC, Metharom P. Cancer-associated thrombosis: An overview of mechanisms, risk factors, and treatment. Vol. 10, Cancers. MDPI AG; 2018.
58. Xu F, Xi L, Tao Y, Liu J, Wang D, Zhang Z, et al. Risk factors for venous thromboembolism in patients with pneumonia in the pre-COVID-19 era: a meta-analysis and systematic review. J Thorac Dis. 2023;15:6697–707.
59. Ma X, Xu Y, Qian J, Dai B. Analysis of influencing factors of community-acquired pneumonia with deep venous thrombosis in elderly communities. Ann Palliat Med. 2022;11:1997–2006.
60. Cho JH, Kim JB, Lee DG. Correlation between D-Dimer Level and Deep Venous Thrombosis in Patients with Acute Spinal Cord Injuries. Am J Phys Med Rehabil. 2020;99:613–6.
61. Kearon C, De Wit K, Parpia S, Schulman S, Spencer FA, Sharma S, et al. Diagnosis of deep vein thrombosis with D-dimer adjusted to clinical probability: Prospective diagnostic management study. The BMJ. 2022;376.

62. Carobbio A, Vannucchi AM, De Stefano V, Masciulli A, Guglielmelli P, Loscocco GG, et al. Neutrophil-to-lymphocyte ratio is a novel predictor of venous thrombosis in polycythemia vera. *Blood Cancer J.* 2022;12.
63. Rinaldi I, Hamonangan R, Azizi MS, Cahyanur R, Wirawan F, Fatya AI, et al. Diagnostic value of neutrophil lymphocyte ratio and D-Dimer as biological markers of deep vein thrombosis in patients presenting with unilateral limb edema. *J Blood Med.* 2021;12:313–25.
64. Farah R, Nseir W, Kagansky D, Khamisy-farah R. The role of neutrophil-lymphocyte ratio, and mean platelet volume in detecting patients with acute venous thromboembolism. *J Clin Lab Anal.* 2020;34.
65. Kuplay H, Erdoğan SB, Bastopcu M, Arslanhan G, Baykan DB, Orhan G. The neutrophil-lymphocyte ratio and the platelet-lymphocyte ratio correlate with thrombus burden in deep venous thrombosis. In: *Journal of Vascular Surgery: Venous and Lymphatic Disorders*. Elsevier Inc.; 2020. p. 360–4.
66. Alexandru L, Haragus H, Deleanu B, Timar B, Poenaru D V., Vlad DC. Haematology panel biomarkers for humeral, femoral, and tibial diaphyseal fractures. *Int Orthop.* 2019;43:1567–72.
67. Kuikel S, Pathak N, Poudel S, Thapa S, Bhattacharai SL, Chaudhary G, et al. Neutrophil-lymphocyte ratio as a predictor of adverse outcome in patients with community-acquired pneumonia: A systematic review. Vol. 5, *Health Science Reports*. John Wiley and Sons Inc; 2022.
68. Sudoł D, Widz D, Mitura P, Plaza P, Godzisz M, Kuliniec I, et al. Neutrophil-to-lymphocyte ratio as a predictor of overall survival and cancer advancement in patients undergoing radical cystectomy for bladder cancer. *Cent European J Urol.* 2022;75:41–6.
69. Peng L, Bao Q, Hong X, Li W, Zheng Y, Zou Z, et al. High level of neutrophil to lymphocyte ratio increases the risk of deep venous thrombosis in intensive care unit patients after oral cancer surgery: a retrospective study. *Ann Transl Med.* 2022;10:763–763.