

DAFTAR PUSTAKA

- [1] Albulescu, R., Popa, A. C., Enciu, A. M., Albulescu, L., Dudau, M., Popescu, I. D., Mihai, S., Codrici, E., Pop, S., Lupu, A. R., Stan, G. E., Manda, G., & Tanase, C. (2019). Comprehensive in vitro testing of calcium phosphate-based bioceramics with orthopedic and dentistry applications. *Materials*, 12(22), 1–43. <https://doi.org/10.3390/ma12223704>
- [2] Ardhy, S., Gunawarman, Affi, J., & Yetri, Y. (2021). Crack Analysis on Ti-6Al-4V ELI Coated with Commercial Hydroxyapatite for Implant Material: Literature Review. *IOP Conference Series: Materials Science and Engineering*, 1041(1), 012057. <https://doi.org/10.1088/1757-899x/1041/1/012057>
- [3] Ardhy, S., Gunawarman, Affi, J., & Yetri, Y. (2022). Adhesion Bonding of Hydroxyapatite With Addition of Zirconium Oxide on Ti-6Al-4V Eli for Orthopaedic Implant. *Ceramics - Silikaty*, 66(3), 289–295. <https://doi.org/10.13168/cs.2022.0025>
- [4] Ardhy, S., Gunawarman, Affi, J., & Yetri, Y. (2023a). Improvement in Bioactivity Properties of Hydroxyapatite Coated Ti-6Al-4V ELI with Addition of Zirconium Oxide for Orthopaedic Implant. *Journal of Biomimetics, Biomaterials and Biomedical Engineering*, 59, 81–89. <https://doi.org/10.4028/p-05a039>
- [5] Ardhy, S., Gunawarman, Affi, J., & Yetri, Y. (2023b). Zirconium oxide contribution for cracking reduction of the hydroxyapatite-based coating layer on Ti-6AL-4V ELI surface through dip-coating method. *AIP Conference Proceedings*, 2592(February 2015). <https://doi.org/10.1063/5.0117750>
- [6] Ardhy, S., Islahuddin, & Putra, M. E. (2024). Corrosion behavior of the implant material Ti-6Al-4V ELI immersed in Kokubo's SBF solution for orthodontic application. *AIP Conference Proceedings*, 2891(1). <https://doi.org/10.1063/5.0201167>
- [7] Asri, R. I. M., Harun, W. S. W., Hassan, M. A., Ghani, S. A. C., & Buyong, Z. (2016). A review of hydroxyapatite-based coating techniques: Sol-gel and electrochemical depositions on biocompatible metals. *Journal of the Mechanical Behavior of Biomedical Materials*, 57, 95–108. <https://doi.org/10.1016/j.jmbbm.2015.11.031>
- [8] Ayu, H. M., Izman, S., Daud, R., Krishnamurthy, G., Shah, A., Tomadi, S. H., & Salwani, M. S. (2017). Surface Modification on CoCrMo Alloy to Improve the

- Adhesion Strength of Hydroxyapatite Coating. *Procedia Engineering*, 184, 399–408. <https://doi.org/10.1016/j.proeng.2017.04.110>
- [9] Bai, Y., Park, I. S., Lee, S. J., Bae, T. S., Duncan, W., Swain, M., & Lee, M. H. (2011). One-step approach for hydroxyapatite-incorporated TiO₂ coating on titanium via a combined technique of micro-arc oxidation and electrophoretic deposition. *Applied Surface Science*, 257(15), 7010–7018. <https://doi.org/10.1016/j.apsusc.2011.03.058>
- [10] Bao, Q., Zhao, L., Jing, H., & Xu, Q. (2017). *Microstructure of Hydroxyapatite / Collagen Coating on AZ31 Magnesium Alloy by a Solution Treatment*. 30(3), 38–44. <https://doi.org/10.4028/www.scientific.net/JBBBE.30.38>
- [11] Brzezinska-Miecznik, J., Haberko, K., Bucko, M. M., Grabowski, G., & Sitarz, M. (2016). Hydroxyapatite of natural origin-zirconia composites, preparation and reactions within the system. *Processing and Application of Ceramics*, 10(4), 219–225. <https://doi.org/10.2298/PAC1604219B>
- [12] Bulut, B., Erkmen, Z. E., & Kayali, E. S. (2016). Biocompatibility of hydroxyapatite-alumina and hydroxyapatite-zirconia composites including commercial inert glass (CIG) as a ternary component. *Journal of Ceramic Science and Technology*, 7(3), 263–275. <https://doi.org/10.4416/JCST2016-00011>
- [13] Domínguez-Trujillo, C., Ternero, F., Rodríguez-Ortiz, J. A., Heise, S., Boccaccini, A. R., Lebrato, J., & Torres, Y. (2018). Bioactive coatings on porous titanium for biomedical applications. *Surface and Coatings Technology*, 349(May), 584–592. <https://doi.org/10.1016/j.surfcoat.2018.06.037>
- [14] Drevet, R., Ben Jaber, N., Fauré, J., Tara, A., Ben Cheikh Larbi, A., & Benhayoune, H. (2016). Electrophoretic deposition (EPD) of nano-hydroxyapatite coatings with improved mechanical properties on prosthetic Ti6Al4V substrates. *Surface and Coatings Technology*, 301, 94–99. <https://doi.org/10.1016/j.surfcoat.2015.12.058>
- [15] Gnanavel, S., Ponnusamy, S., Mohan, L., & Muthamizhchelvan, C. (2018). In Vitro Corrosion Behaviour of Ti–6Al–4V and 316L Stainless Steel Alloys for Biomedical Implant Applications. *Journal of Bio- and Triboro-Corrosion*, 4(1), 4–11. <https://doi.org/10.1007/s40735-017-0118-8>
- [16] Guillem-Martí, J., Cinca, N., Punset, M., Cano, I. G., Gil, F. J., Guilemany, J. M., & Dosta, S. (2019). Porous titanium-hydroxyapatite composite coating obtained

- on titanium by cold gas spray with high bond strength for biomedical applications. *Colloids and Surfaces B: Biointerfaces*, 180(January), 245–253. <https://doi.org/10.1016/j.colsurfb.2019.04.048>

[17] Gunawarman, Affi, J., Amin, Z., Nuswantoro, N. F., Juliadmi, D., Manjas, M., Suharti, N., & Tjong, D. H. (2019). Pelapisan Hidroksiapatit Pada Paduan Titanium Dengan Electrophoretic Deposition (Epd) Untuk Implan Ortopedi. *Prosiding SEMINAR NASIONAL TAHUNAN TEKNIK MESIN XVIII*, 9, 9–10.

[18] Gunawarman, Affi, J., Sutanto, A., Putri, D. M., Juliadmi, D., Nuswantoro, N. F., Fajri, H., Tjong, D. H., & Manjas, M. (2021). Adhesion Strength of Hydroxyapatite Coating on Titanium Alloy (Ti-6Al-4V ELI) for Biomedical Application. *IOP Conference Series: Materials Science and Engineering*, 1062(1). <https://doi.org/10.1088/1757-899X/1062/1/012031>

[19] Gunawarman, Affi, J., Sutanto, A., Putri, D. M., Juliadmi, D., Nuswantoro, N. F., Fajri, H., Tjong, D. H., & Manjas, M. (2020). Adhesion Strength of Hydroxyapatite Coating on Titanium Materials (Ti-6Al-4V ELI) for Biomedical Application. *Mesin*, 11(2), 1–7. <https://doi.org/10.25105/ms.v11i2.7448>

[20] Harun, W. S. W., Asri, R. I. M., Sulong, A. B., Ghani, S. A. C., & Ghazalli, Z. (2018). Hydroxyapatite-Based Coating on Biomedical Implant. In *Hydroxyapatite - Advances in Composite Nanomaterials, Biomedical Applications and Its Technological Facets*. <https://doi.org/10.5772/intechopen.71063>

[21] Hidayah, P. husni. (2016). Pelapisan hidroksiapatit pada stainless steel 316 L menggunakan metoe dip coating dengan variasi rasio binder pati sagu dan waktu pengadukan. *Pelapisan Hidroksiapatit Pada Stainless Steel 316 L Menggunakan Metoe Dip Coating Dengan Variasi Rasio Binder Pati Sagu Dan Waktu Pengadukan*, 50(February), 3–10. file:///F:/ali/payanname/Article و مريغتم دنچ/PDF/پاپیت پاتی ساغو و زمان پگشاندن.pdf

[22] Islam, M. T., Felfel, R. M., Abou Neel, E. A., Grant, D. M., Ahmed, I., & Hossain, K. M. Z. (2017). Bioactive calcium phosphate-based glasses and ceramics and their biomedical applications: A review. *Journal of Tissue Engineering*, 8. <https://doi.org/10.1177/2041731417719170>

[23] Jafari, S., Taheri, M. M., & Idris, J. (2012). Bioactive coating on stainless steel 316 L through sol-gel method. *Advanced Materials Research*, 383–390, 3944–3948.

<https://doi.org/10.4028/www.scientific.net/AMR.383-390.3944>

- [24] Juliadmi, D., Fauzi, V. R., Gunawarman, Nur, H., & Idris, M. H. (2017). Hydroxyapatite coating on titanium alloy Ti-6Al-4V with electrophoretic deposition (EPD) for dental root application. *International Journal on Advanced Science, Engineering and Information Technology*, 7(6), 2152–2158. <https://doi.org/10.18517/ijaseit.7.6.3497>
- [25] Juliadmi, D., Harlendri, Hon Tjong, D., Manjas, M., & Gunawarman. (2019). The Effect of Sintering Temperature on Bilayers Hydroxyapatite Coating of Titanium (Ti-6Al-4V) ELI by Electrophoretic Deposition for Improving Osseointegration. *IOP Conference Series: Materials Science and Engineering*, 547(1). <https://doi.org/10.1088/1757-899X/547/1/012005>
- [26] Limbong, S. F., Harsojuwono, B. A., & Hartati, A. (2022). Pengaruh Pengaruh Konsentrasi Polivinil Alkohol dan Lama Pengadukan Pada Proses Pemanasan terhadap Karakteristik Komposit Biotermoplastik Maizena dan Glukomanan. *Jurnal Ilmiah Teknologi Pertanian Agrotechno*, 7(1), 37. <https://doi.org/10.24843/jitpa.2022.v07.i01.p05>
- [27] Mavis, B., & Taş, A. C. (2000). Dip coating of calcium hydroxyapatite on Ti-6Al-4V substrates. *Journal of the American Ceramic Society*, 83(4), 989–991. <https://doi.org/10.1111/j.1151-2916.2000.tb01314.x>
- [28] Melero, H. C., Sakai, R. T., Vignatti, C. A., Benedetti, A. V., Guilemany, J. M., Suegama, P. H., & Barcelona, U. De. (2018). *Corrosion Resistance Evaluation of HVOF Produced Hydroxyapatite and TiO₂ - hydroxyapatite Coatings in Hanks' Solution*. 21(2).
- [29] Merbawani, L. A. Y., Rivai, M., & Pirngadi, H. (2021). Sistem Monitoring Profil Kedalaman Tingkat Kelembapan Tanah Berbasis IoT dan LoRa. *Jurnal Teknik ITS*, 10(2). <https://doi.org/10.12962/j23373539.v10i2.68613>
- [30] Mesin, P. T., & Andalas, U. D. (2024). 4664-15131-1-Pb. 7(1), 88–94.
- [31] P, A. R. (2012). *Universitas Indonesia Preparasi Hidroksiapatit Dari Tulang Sapi Dengan Metode Kombinasi Ultrasonik Dan Spray Drying* Tesis Aida Rachmania P. 0906651315 Fakultas Teknik Program Studi Teknik Kimia Depok Juli 2012.
- [32] Peron, M., Torgersen, J., & Berto, F. (2019). Effect of Zirconia ALD coating on stress corrosion cracking of AZ31 alloy in simulated body fluid. *Procedia Structural Integrity*, 18, 538–548. <https://doi.org/10.1016/j.prostr.2019.08.198>
- [33] Saleh, M. M., Saleh, M. M., Touny, A. H., & Al-Omair, M. A. (2016).

- Biodegradable/biocompatible coated metal implants for orthopedic applications. *Bio-Medical Materials and Engineering*, 27(1), 87–99. <https://doi.org/10.3233/BME-161568>
- [34] Soon, G., Pinguan-Murphy, B., Lai, K. W., & Akbar, S. A. (2016). Review of zirconia-based bioceramic: Surface modification and cellular response. *Ceramics International*, 42(11), 12543–12555. <https://doi.org/10.1016/j.ceramint.2016.05.077>
- [35] Sulistyo, S. (2019). Dampak Proses Sintering Material Keramik pada Sifat Mekanik dan Dimensi Suatu Produk. *Rotasi*, 20(4), 244. <https://doi.org/10.14710/rotasi.20.4.244-248>
- [36] Suryadi. (2011). Sintesis dan Karakterisasi Biomaterial Hidroksiapatit dengan Proses Pengendapan Kimia Basah. *Journal of Chemical Information and Modeling*, 53(9), 1–88.
- [37] Tan, R., Li, F., Zhang, Y., Yuan, Z., Feng, X., Zhang, W., Liang, T., Cao, J., De Hoop, C. F., Peng, X., Huang, X., Pd, P. D. H., Pd, P. D. H., Image, P., Limpong, S. F., Harsojuwono, B. A., Hartati, A., Thangprasert, A., Tansakul, C., ... Meesane, J. (2019). High-Performance Biocomposite Polyvinyl Alcohol (PVA) Films Modified with Cellulose Nanocrystals (CNCs), Tannic Acid (TA), and Chitosan (CS) for Food Packaging. *Journal of Nanomaterials*, 2021(C), 108113. <https://doi.org/10.24843/jitpa.2022.v07.i01.p05>
- [38] Tetelepta, R., & Machmud, E. (2015). *Pengaruh penambahan bahan bioaktif pada implan gigi berdasarkan pemeriksaan histologi (Effect of addition of bioactive materials on dental implant based on the histology examination)*. 4(4), 135–142.
- [39] Xia, W., Fu, L., & Engqvist, H. (2017). Critical cracking thickness of calcium phosphates biomimetic coating: Verification via a Singh-Tirumkudulu model. *Ceramics International*, 43(17), 15729–15734. <https://doi.org/10.1016/j.ceramint.2017.08.134>