

DAFTAR PUSTAKA

- Abedr-Rahman H, Salameh HO, Salameh RJ, Alabdallat LI, Al-Abdalat IM, 2017. Role of forensic medicine in evaluating non-fatal physical violence against women by their husbands in Jordan. *Journal of Forensic and Legal Medicine*, 49: 33-36
- Afandi D, Indrayana MT, Nugraha I, Danisha D, 2017. Prevalence and pattern of domestic violence at the center for forensic medical services in pekanbaru, Indonesia. *Med J Indones*, 26:97–101.
- Afandi D, Indrayana MT, Putri VA, Octaviana R, 2018. Violence against women at bhayangkara hospital pekanbaru, Indonesia: A 5 years retrospective study. *J Indian Acad Forensic Med*, 40(2):165–171.
- Aflanie I, Nirmalasari N, Arizal MH, 2017. Traumatologi. Dalam: Ilmu kedokteran forensik dan medikolegal. Edisi I. Jakarta: Rajawali Press. 308 p.
- Akrom, Hidayati T, 2021. Trauma dan Reaksi Inflamasi. Dalam: Imunofarmakologi Radang. Jakarta. p.12-14
- Al-Saheh MA, Al-Jameel WH, 2022. Histopathological changes as tools to discriminate antemortem and post-mortem wounds in rats: prospective applications in forensic medicine, *Iraqi Journal of Veterinary Sciences*, 37(1), pp. 197–204. doi:10.33899/ijvs.2022.134266.2354.
- Barington K, Jensen HE, 2015. Experimental animal models of bruises in forensic medicine - a review. *SJLAS*, 41(14):1-8.
- Barros MHM, Hauck F, Dreyer JH, Kempkes B, Niedobitek G, 2013. Macrophage Polarisation: an Immunohistochemical Approach for Identifying M1 and M2 Macrophages. *PLoS ONE* 8(11): e80908. doi:10.1371/journal.pone.0080908.
- Betz P, 1994. Histological and enzyme histochemical parameters for the age estimation of human skin wounds. *Int J Leg Med*, 107:60–68.
- Birincioğlu İ, Akbaba M, Alver A, et al, 2016. Determination of skin wound age by using cytokines as potential markers. *J Forensic Leg Med*, 44:14–19.
- Brøchner AC, Toft P, 2009. Pathophysiology of the systemic inflammatory response after major accidental trauma. *Scandinavian J of Trauma, Resuscitation and Emergency Medicine*. 17:43. doi: 10.1186/1757-7241-17-43.6uj n
- Byard RW, Langlois NEI, 2015. Bruises: Is it a case of "The more we know, the less we understand?". *Forensic Sci Med Pathol*, 11(4):479–481.
- Byun CS, Park IH, Oh JH, Bae KS, Lee KH, 2015. Epidemiology of trauma patients and analysis of 268 mortality cases: Trends of a single center in Korea. *Yonsei Med J*, 56(1):220–226.
- Cangara MH, Sari IW, Nelwan BJ, Kaelan C, Arsyadi G, 2022. The relationship of

- tumor necrosis factor alpha levels and neutrophils with skin wound age caused by sharp trauma. *Bali Medical Journal*, 11(1): 551-555.
- Cartmell T, Luheshi GN, Hopkins SJ, Rothwell NJ, Poole S, 2001. Role of endogenous interleukin-1 receptor antagonist in regulating fever induced by localised inflammation in the rat. *The Journal of physiology*, 531(1): 171-180.
- Casse JM, Martrille L, Vignaud JM, Gauchotte G, 2015. Skin wounds vitality markers in forensic pathology: An updated review. *Med Sci Law*, 56(2):128–137.
- Cecchi R, 2010. Estimating wound age: Looking into the future. *Int J Legal Med*, 124(6):523–536.
- Charan J, Kantharia ND, 2013. How to calculate sample size in animal studies? *J Pharmacol and Pharmacother*. 4(4):303.
- Chatzipanteli K, Vitarbo E, Alonso OF, Bramlett HM, Dietrich WD, 2012. Temporal profile of cerebrospinal fluid, plasma, and brain interleukin-6 after normothermic fluid-percussion brain injury: effect of secondary hypoxia. *Therapeutic hypothermia and temperature management*, 2(4):167-175.
- Connor TJ, Brewer C, Kelly JP, 2004. Acute stress suppresses pro-inflammatory cytokines TNF- α and IL-1 β independent of a catecholamine-driven increase in IL-10 production. *Journal of Neuroimmunology* 159 (2005) 119–128.
- Cruz FF, Patricia RMR, Paolo P, 2017. *Anti-inflammatory properties of anesthetic agents*. *Critical Care*. 21(67):1-7. doi: 10.1186/s13054-017-1645-x.
- Dantas MGB, Damasceno CMD, Barros VRP, et al, 2017. Creation of a contusion injury method for skeletal muscle in rats with differing impacts. *Acta Cir Bras*, 32(5):369–375.
- Darwin E, 2006. Imunologi dan infeksi. Edisi I. Padang: Andalas University Press. 217 hal.
- Delfina D, 2021. Profil korban penganiayaan tanpa manifestasi jejas pada permukaan tubuh yang diperiksa di rumah sakit bhayangkara pekanbaru periode 2015 - 2020 [Skripsi]. Pekanbaru. Fakultas Kedokteran. Universitas Riau. 52 hal.
- Desmoulin GT, Anderson GS, 2011. Method to investigate contusion mechanics in living humans. *Journal of Forensic Biomechanics*, 2:1–10.
- Dettmeyer RB, 2018. Vitality, injury age, determination of skin wound age, and fracture age. *Forensic Histopathology*, 241-263.
- DiMaio VJ, DiMaio D, 2001. *Forensic pathology: practical aspects of criminal and forensic investigations*. Second edition. Boca Raton: CRC Press. p. 91–116. Available on: <https://www.crcpress.com/Forensic-Pathology-Second-Edition/DiMaio-MD/9780849300721>.

- Ding Y, Yi J, Wang J, Sun Z, 2023. Interleukin-1 receptor antagonist: a promising cytokine against human squamous cell carcinomas. *Heliyon*.
- Dulabutr D, 2018. The correlation between the color changes of contusions and the time period after injuries in thai population. *Thammasat Medical Journal*, 18(4):561-570.
- El-Zahed ES, Othman AMA, Ahmed SM, El-Din EAA, 2020. Role of interleukin 6 and tumor necrosis factor alpha in determination of skin wound age in human cadavers: Histopathological and immunohistochemical study, *Zagazig Journal of Forensic Medicine*, 18(1), pp. 92–107. doi:10.21608/zjfm.2019.14822.1035.
- Firdausi RA, Yudhistira A, Herkutanto, 2018. Reliabilitas pendapat ahli pada fotografi forensik dalam memperkirakan usia memar. *Majalah Kesehatan*, 5(2):104–110.
- Feest U, 2022. Data quality, experimental artifacts, and the reactivity of the psychological subject matter. *European Journal for Philosophy of Science*, 12(13): 1-25.
- Fronczek J, Lulf R, Korkmaz HI, et al, 2015. Analysis of inflammatory cells and mediators in skin wound biopsies to determine wound age in living subjects in forensic medicine. *Forensic Sci Int*, 247:7–13.
- Gillette RL, Swaim SF, Sartin EA, Bradley DM, Coolman SL, 2001. Effects of a bioactive glass on healing of closed skin wounds in dogs. *Am J Vet Res*, 62:1149–1153.
- Grellner W, 2002. Time-dependent immunohistochemical detection of proinflammatory cytokines (IL-1 β , IL-6, TNF- α) in human skin wounds. *Forensic Science International*, 130(2–3):90–96.
- Grellner W, Georg T, Wilske J, 2000. Quantitative analysis of proinflammatory cytokines (IL-1 β , IL-6, TNF- α) in human skin wounds. *Forensic Sci Int*, 113(1–3):251–264.
- Grellner W, Vieler S, Madea B, 2005. Transforming growth factors (TGF- α and TGF- β 1) in the determination of vitality and wound age: Immunohistochemical study on human skin wounds. *Forensic Sci Int*, 153(2–3):174–180.
- Gui WS, Wei X, Mai CL, et al, 2016. Interleukin-1 β overproduction is a common cause for neuropathic pain, memory deficit, and depression following peripheral nerve injury in rodents. *Molecular Pain*. 12: 1-15. doi: 10.1177/1744806916646784.
- Harahap MS, Wargahadibrata AH, Bisri T, Rehatta NM, 2015. Peran deksametomidin sebagai protektor otak yang dinilai dengan kadar IL-6 dan cox-2 pada tikus model cedera otak traumatis. *JAI (Jurnal Anestesiologi Indonesia)*, 7(3):133-145.

- Hawkey TF, Preston M, Maani CV, 2023. Isoflurane. Treasure Island (FL): StatPearls Publishing.
- Hayashi T, Ishida Y, Kimura A, Takayasu T, Eisenmenger W, Kondo T, 2004. Forensic application of VEGF expression to skin wound age determination. *Int J Legal Med*, 118(6):320–325.
- Hughes VK, Ellis PS, Langlois NEI, 2006. Alternative light source (polilight®) illumination with digital image analysis does not assist in determining the age of bruises. *Forensic Sci Int*, 158(2–3):104–107.
- Human R, Geyser M, 2020. Major interpersonal violence cases seen in a pretoria academic hospital over a one-year period, with emphasis on community assault cases, *African Journal of Emergency Medicine*, 10(2), pp. 81–83. doi: 10.1016/j.afjem.2020.01.006.
- Iyer SS, Genhong C, 2012. Role of Interleukin 10 Transcriptional Regulation in Inflammation and Autoimmune Disease, 32(1):23-63. doi: 10.1615/critrevimmunol.v32.i1.30.
- Jafarzadeh A, Hadavi M, Hassanshahi G, et al, 2020. General anesthetics on immune system cytokines: a narrative review article. *J Anesth Pain Med*, 10(4):e103033.
- Jain S, Gautam V, Naseem S, 2011. Acute-phase proteins: as diagnostic tool. *Journal of pharmacy and bioallied sciences*, 3(1): 118-127
- Kalangi SJ, 2013. Histofisiologi kulit. *Jurnal Biomedik (JBM)* Vol. 5:12-20.
- Khalaf AA, Hassanen EI, Zaki AR, Tohamy AF, Ibrahim MA, 2019. Histopathological, immunohistochemical, and molecular studies for determination of wound age and vitality in rats, *International Wound Journal*, 16(6), pp. 1416–1425. doi:10.1111/iwj.13206.
- Klatt, E.C. and Kumar, V. (2014) *Robbins and Cotran REVIEW of PATHOLOGY*. 4th Editio. Elsevier Saunders.
- Kondo T, Ohshima T, Mori R, Guan DW, Ohshima K, Eisenmenger W, 2002. Immunohistochemical detection of chemokines in human skin wounds and its application to wound age determination. *Int J Legal Med*, 116(2):87–91.
- Kondo T, Ishida Y, 2010. Molecular pathology of wound healing. *Forensic Sci Int*, 203(1–3):93–98.
- Kostadinova-Petrova I, Mitevska E, Janeska B, 2017. Histological characteristics of bruises with different age. *Open Access Maced J Med Sci*, 5(7):813–817.
- Langlois NEI, 2007. The science behind the quest to determine the age of bruises- a review of the english language literature. *Forensic Sci Med Pathol*, 3:(4)241–251.
- Lenz A, Franklin GA, Cheadle WG, 2007. Systemic inflammation after trauma. *Int.*

- J. Care Injured*, 38(12):1336–1345.
- Liu C, Tang J, 2014. Expression levels of tumor necrosis factor- α and the corresponding receptors are correlated with trauma severity. *Oncology Letters*, 8:2747-51. doi:10.3892/ol.2014.2575.
- Lord JM, Midwinter MJ, Chen YF, et al, 2014. The systemic immune response to trauma: An overview of pathophysiology and treatment. *The Lancet*, 384(9952):1455–1465.
- Madea B, Grellner W, Kondo T, 2014. Vital reactions and wound age estimation. *Handbook Of Forensic Medicine*, 237-252. doi:10.1002/9781118570654.ch18.
- Mesli VEL, Garff, Marchand E, et al, 2019. Determination of the age of bruises using a bilirubinometer. *Forensic Sci Int*, 302:1-6.
- Nigam M, Saxena D, Mishra PK, Tomar JS, 2018. Assessment of the age of bruise by their healing. *Indian Journal of Forensic and Community Medicine*, 5(2):119-122.
- Oehmichen M, 2004. Vitality and time course of wounds. *Forensic Sci Int*, 144(2–3):221–231.
- Parai JL, Milroy CM, 2015. Histological aging of bruising: a historical and ongoing challenge. *Academic Forensic Pathology*, 5(2):266–272.
- Pedersen, BK, 2013. Muscle as a Secretory Organ. *Comprehensive Physiology*, 3(3):1337–62. doi: 10.1002/cphy.c120033.
- Peyron PA, Colomb S, Becas D, et al, 2021. Cytokines as new biomarkers of skin wound vitality, *International Journal of Legal Medicine*, 135(6), pp. 2537–2545. doi:10.1007/s00414-021-02659-z.
- Prasad R, Santosh KK, 2017. Crosstalk Among UV-Induced Inflammatory Mediators, DNA Damage and Epigenetic Regulators Facilitates Suppression of the Immune System. *Photochem Photobiol*. 93(4):930-936. doi: 10.1111/php.12687.
- Christopher P, Eberhard F, 2016. Chronic psychosocial stressors in adulthood: Studies in mice, rats and tree shrews. *Neurobiology of Stress* 6 (2017) 94–103.
- Ritsu M, Kawakami K, Kanno E, et al, 2016. Critical role of tumor necrosis factor- α in the early process of wound healing in skin. *Journal of Dermatology and Dermatologic Surgery*. doi: 10.1016/j.jdds.2016.09.001.
- Riches P, 2013. The Biomechanics of Bruising. MSc Biomedical Engineering. p.14
- Sadikin M, 2002. *Biokimia Darah*. Edisi I. Jakarta: Penerbit Widya Medika. 127 hal.

- Sampurna B, Samsu Z, Siswaja TD, 2005. Cedera dan kematian akibat kekerasan. dalam: peranan ilmu forensik dalam penegakan hukum: sebuah pengantar. Edisi ketiga. Jakarta: CV Pustaka Dwipar. hal. 73–93.
- Saukko P, Knight B, 2016. The pathology of wound. in: knight's forensic pathology. 4 ed. Boca Raton: CRC Press. 680 p.
- Soehnlein O, Lindbom L, Weber C, 2009. Mechanism underlying neutrophil-mediated monocyte recruitment. *Blood*. 114:4613-23. doi: 10.1182/Blood-2009-06-221630.
- Stam B, Gemert MJC, Leeuwen TG, Teeuw AH, Wal AC, Aalders MCG, 2011. Can color inhomogeneity of bruises be used to establish their age?. *J. Biophotonics*, 4(10):759–767.
- Sudiana IK, 2019. Hantaran sinyal pada proses inflamasi. Edisi Kedua. Surabaya: Airlangga University Press.
- Teixeira G, Faria R, 2021. Inflammatory Mediators Leading to Edema Formation through Plasma Membrane Receptors [Internet]. Infections and Sepsis Development. IntechOpen. Available from: <http://dx.doi.org/10.5772/intechopen.99230>
- Vanezis P, 2001. Interpreting bruises at necropsy. *J Clin Pathol*, 54(5):348–355.
- Vij K, 2011. Injuries by blunt force. In: Textbook of forensic medicine and toxicology principles and practice. 5th ed. Reed Elsevier India Private Limited. 550 p.
- Volarevic V, Al-Qahtani A, Arsenijevic N, Pajovic S, Lukic ML, 2010. Interleukin-1 receptor antagonist (IL-1Ra) and IL-1Ra producing mesenchymal stem cells as modulators of diabetogenesis. *Autoimmunity*, 43(4): 255-263.
- Widyastuti R, et al, 2022. Pemanfaatan mencit sebagai hewan coba laboratorium. Jakarta, Indonesia: Erlangga.
- Wiglesworth A, Austin R, Corona M, et al, 2009. Bruising as a marker of physical elder abuse. *J Am Geriatr Soc*, 57(7):1191-1196.
- Winarto, Budiono U, 2009. Perbandingan sekresi IL-10 di jaringan sekitar luka insisi dengan dan tanpa infiltrasi levobupivakain: Studi imunohistokimia pada tikus wistar. *Jurnal Anestesiologi Indonesia*. Vol 1(1):32-41.
- World Health Organization, 2013. Global and regional estimates of violence against women: prevalence and health effects of intimate partner violence and non-partner sexual violence. Geneva: WHO. Available on: <https://apps.who.int/iris/handle/10665/85239> [diakses 31 Maret 2022]
- World Health Organization, 2021. Injuries and violence. Available on: who.int/news-room/fact-sheets/detail/injuries-and-violence [diakses 4 Juli 2022]

- Wuri R, Rosdianto AM, Goenawan H, 2021. Kajian Pustaka : Pemanfaatan tikus sebagai hewan model trauma tumpul (Kontusio). *Indonesia Medicus Veterinus*, 10(2):338–354.
- Wu X, Lua Y, Dong Y, *et al*, 2012. The inhalation anesthetic isoflurane increases levels of proinflammatory TNF- α , IL-6, and IL-1 β . *J Neurobiology of Aging*, 33: 1364-1378.
- Lee YM, Song BC, Yeum KJ, 2015. Impact of Volatile Anesthetics on Oxidative Stress and Inflammation. *Biomed Res Int*. 242709. doi: 10.1155/2015/242709.
- Zaki MK, Gawad SMA, Tolba NH, Rahman AEA, 2011. Correlation between timing of trauma in living individuals and plasma level of soluble intercellular adhesion molecule type-1 (sICAM-1). *Egyptian Journal of Forensic Sciences*. 1(2):87–92.
- Zhang Q, Wang H, Xue J, Wu Di, 2020. Association between IL-6 variations and congenital heart disease incidence among chinese han people. *Medical Science Monitor*.
- Zhao S, Fan Z, Hu J, *et al*, 2020. The differential efects of isoflurane and sevoflurane on neonatal mice. *J Nature Research*, 10:19345.