

DAFTAR PUSTAKA

- Abdullah, N., & Abubakar, S. (2019). Perbandingan Kelarutan Kalsium dan Magnesium Email Gigi Terhadap Minuman Berkarbonasi dan Isotonik. *Media Kesehatan Gigi : Politeknik Kesehatan Makassar*, 18(1), 68–73.
<https://doi.org/10.32382/mkg.v18i1.933>
- Alabdullah, A., Alabdullah, M., Alkuhl, M., Alnashmi, F., Farooq, I., Siddiqui, I., and Alhooshani, K. (2019). Effect of exposure time of an acidic beverage on the microhardness, mineral weight, and rate of calcium and phosphate ion release of human enamel. *J Int Oral Health*, 11(6), 363–368.
https://doi.org/10.4103/jioh.jioh_147_19
- Amran, P. (2018). Analisa Perbedaan Kadar Kalsium (Ca) Terhadap Karyawan Teknis Produktif dengan Karyawan Administratif pada Persero Terbatas Semen Tonasa. *Jurnal Media Analisis Kesehatan*, 9(1), 1–6.
<https://doi.org/10.32382/mak.v1i1.121>
- Ashurst, P., and Hargitt, R. (2009). Soft Drink and Fruit Juice Problems Solved. In *Soft Drink and Fruit Juice Problems Solved*. <https://doi.org/10.1533/9781845697068>
- Ashurst, P. R., Hargitt, R., and Palmer, F. (2017). Ingredients in Soft Drinks. In *Soft Drink and Fruit Juice Problems Solved* (pp. 29–66).
<https://doi.org/10.1016/b978-0-08-100918-5.00003-5>
- Bahar, A. (2011). *Paradigma Baru Pencegahan Karies Gigi* (1st ed., pp. 59–65).
- Bartlett, D. W., Fares, J., Shirodaria, S., Chiu, K., Ahmad, N., & Sherriff, M. (2011). The association of tooth wear, diet and dietary habits in adults aged 18-30 years old. *J Dent*, 39(12), 811–816. <https://doi.org/10.1016/j.jdent.2011.08.014>
- Basha, S., Enan, E. T., Mohamed, R. N., Ashour, A. A., Alzahrani, F. S., & Almutairi, N. E. (2020). Association between soft drink consumption, gastric reflux, dental erosion, and obesity among special care children. *Spec Care Dentist*, 40(1), 97–105.
<https://doi.org/10.1111/scd.12443>
- Benjakul, P., & Chuenarrom, C. (2011). Association of dental enamel loss with the pH and titratable acidity of beverages. *J Dent Sci*, 6(3), 129–133.
<https://doi.org/10.1016/j.jds.2011.05.001>

- Brezinski, M. E. (2006). Optical Coherence Tomography. In *Optical Coherence Tomography*. <https://doi.org/10.1016/B978-0-12-133570-0.X5000-8>
- Britannica. (2016). *Soft drink : beverage*. Encyclopedia. Available from: <https://www.britannica.com/topic/soft-drink>. Accessed: 12 Apr 2020 (15.22)
- Carvalho, T. S., Colon, P., Ganss, C., Huysmans, M. C., Lussi, A., Schlueter, N., Schmalz, G., Shellis, R. P., Tveit, A. B., and Wiegand, A. (2015). Consensus report of the European Federation of Conservative Dentistry: erosive tooth wear—diagnosis and management. *Clin Oral Investig*, 19(7), 1557–1561. <https://doi.org/10.1007/s00784-015-1511-7>
- Chi, D. L., and Scott, J. A. M. (2019). Added Sugar and Dental Caries in Children: A Scientific Update and Future Steps. *Dent Clin North Am*, 63(1), 17–33. <https://doi.org/10.1016/j.cden.2018.08.003>
- Chowdhury, C. R., Shahnawaz, K., Kumari P, D., Chowdhury, A., Gootveld, M., and Lynch, E. (2019). Highly acidic pH values of carbonated sweet drinks, fruit juices, mineral waters and unregulated fluoride levels in oral care products and drinks in India: a public health concern. *Perspect Public Health*, 139(4), 186–194. <https://doi.org/10.1177/1757913918787218>
- Colon, P., and Lussi, A. (2014). Minimal intervention dentistry: Part 5. Ultra-conservative approach to the treatment of erosive and abrasive lesions. *Br Dent J*, 216(8), 463–468. <https://doi.org/10.1038/sj.bdj.2014.328>
- Coupal, I., and Sołtysiak, A. (2017). Dental erosion in archaeological human remains: A critical review of literature and proposal of a differential diagnosis protocol. *Archives of Oral Biology*, 84, 50–57. <https://doi.org/10.1016/j.archoralbio.2017.09.011>
- Cummins, D. (2013). The development and validation of a new technology, based upon 1.5% arginine, an insoluble calcium compound and fluoride, for everyday use in the prevention and treatment of dental caries. *J Dent*, 41, 1–11. <https://doi.org/10.1016/j.jdent.2010.04.002>
- Dhanker, K., Ingle, N. A., and Kaur, N. (2013). Effect of Commercial and Domestic Beverages on Calcium Release from Enamel Surfaces. *J Adv Oral Research*, 4(2), 1–5. <https://doi.org/10.1177/2229411220130202>

- Erdman, J. W., MacDonald, I. A., and Zeisel, S. H. (2012). Present Knowledge in Nutrition: Tenth Edition. In *Present Knowledge in Nutrition: Tenth Edition*. <https://doi.org/10.1002/9781119946045>
- González-Aragón Pineda, Á. E., Borges-Yáñez, S. A., Irigoyen-Camacho, M. E., and Lussi, A. (2019). Relationship between erosive tooth wear and beverage consumption among a group of schoolchildren in Mexico City. *Clin Oral Investig*, 23(2), 715–723. <https://doi.org/10.1007/s00784-018-2489-8>
- Hara, A. T., Carvalho, J. C., and Zero, D. T. (2015). Causes of dental erosion: Extrinsic factors. In *Dental Erosion and Its Clinical Management* (pp. 69–96). https://doi.org/10.1007/978-3-319-13993-7_4
- Hara, A. T., and Zero, D. T. (2010). The caries environment: Saliva, pellicle, diet, and hard tissue ultrastructure. *Dent Clin North Am*, 54(3), 455–467. <https://doi.org/10.1016/j.cden.2010.03.008>
- Hasselkvist, A., Johansson, A., and Johansson, A. K. (2014). Association between soft drink consumption, oral health and some lifestyle factors in Swedish adolescents. *Acta Odontol Scand*, 72(8), 1039–1046. <https://doi.org/10.3109/00016357.2014.946964>
- Hill, R. G., Gillam, D. G., and Chen, X. (2015). The ability of a nano hydroxyapatite toothpaste and oral rinse containing fluoride to protect enamel during an acid challenge using 19F solid state NMR spectroscopy. *Materials Letters*, 156, 69–71. <https://doi.org/10.1016/j.matlet.2015.04.140>
- Kanzow, P., Wegehaupt, F. J., Attin, T., and Wiegand, A. (2016). Etiology and pathogenesis of dental erosion. *Quintessence Int*, 47(4), 275–278. <https://doi.org/10.3290/j.qi.a35625>
- Klimuszko, E., Orywal, K., Sierpinska, T., Sidun, J., and Golebiewska, M. (2018). Evaluation of calcium and magnesium contents in tooth enamel without any pathological changes: in vitro preliminary study. *Odontology*, 106(4), 369–376. <https://doi.org/10.1007/s10266-018-0353-6>
- Kregiel, D. (2015). Health safety of soft drinks: Contents, containers, and microorganisms. *BioMed Res Int*, 2015, 1–15. <https://doi.org/10.1155/2015/128697>

- Kwang, S., and Abbott, P. (2014). The presence and distribution of bacteria in dentinal tubules of root filled teeth. *Int Endod J*, 47(6), 600–610. <https://doi.org/10.1111/iej.12195>
- Lacruz, R. S., Habelitz, S., Wright, J. T., and Paine, M. L. (2017). Dental enamel formation and implications for oral health and disease. *Physiol Rev*, 97(3), 939–993. <https://doi.org/10.1152/physrev.00030.2016>
- Lussi, A., Von Salis-Marincek, M., Ganss, C., Hellwig, E., Cheaib, Z., and Jaeggi, T. (2012). Clinical study monitoring the pH on tooth surfaces in patients with and without erosion. *Caries Res*, 46(6), 507–512. <https://doi.org/10.1159/000339783>
- Lynch, C. D., O’Sullivan, V. R., Dockery, P., McGillycuddy, C. T., Rees, J. S., and Sloan, A. J. (2011). Hunter-Schreger Band patterns and their implications for clinical dentistry. *J Oral Rehabil*, 38(5), 395–365. <https://doi.org/10.1111/j.1365-2842.2010.02162.x>
- Magista, M., Nuryanti, A., dan Wahyudi, I. A. (2014). Pengaruh Lama Perendaman dan Jenis Minuman Beralkohol Bir dan Tuak terhadap Kekerasan Email Gigi Manusia (In Vitro). *Maj Ked Gi*, 21(1), 47–55. <https://doi.org/10.22146/majkedgiind.8539>
- Mahdi Shahmoradi, L. E., Bertassoni, H. M., Elfallah, M., and Swain, M. (2014). Fundamental structure and properties of enamel, dentin and cementum BT — Advances in calcium phosphate biomaterials. Ed. Ben-Nissan B. (Berlin, Heidelberg: Springer Berlin Heidelberg, 4–6.
- Manaf, Z. A., Lee, M. T., Ali, N. H. M., Samynathan, S., Jie, Y. P., Ismail, N. H., Yong, B. H. Y., Yeo, W. S., and Yahya, N. A. (2012). Relationship between food habits and tooth erosion occurrence in Malaysian university students. *Malays J Med Sci*, 19(2), 56–66.
- Mann, C., Ranjitkar, S., Lekkas, D., Hall, C., Kaidonis, J. A., Townsend, G. C., and Brook, A. H. (2014). Three-dimensional profilometric assessment of early enamel erosion simulating gastric regurgitation. *J Dent*, 42(11), 1411–1421. <https://doi.org/10.1016/j.jdent.2014.06.011>
- Marcus, J. B. (2013). Fluid Basics: Healthfully Meeting Fluid Needs. In *Culinary Nutrition*. <https://doi.org/10.1016/b978-0-12-391882-6.00008-x>
- Mark, A. M. (2018). What is dental erosion? *J Am Dent Assoc*, 149(6), 564.

<https://doi.org/10.1016/j.adaj.2018.04.011>

Marshall, T. A. (2018). Dietary assessment and counseling for dental erosion. *J Am Dent Assoc*, 149(2), 148–152. <https://doi.org/10.1016/j.adaj.2017.11.006>

Mejia, L. M. (2017). Oral Manifestations of Gastrointestinal Disorders. *Atlas Oral Maxillofac Surg Clin North Am*, 25(2), 94–104. <https://doi.org/10.1016/j.cxom.2017.04.002>

Milosevic, A. (2017). Acid Erosion: An Increasingly Relevant Dental Problem. Risk Factors, Management and Restoration. *Prim Dent J*, 6(1), 37–45. <https://doi.org/10.1177/205016841700600105>

Miranti, D. A., Sukartini, E., and Andang, M. A. (2015). The effects of soft drinks on the released of calcium from the enamel surface. *Padjadjaran J Dent*, 27(2), 124–128. <https://doi.org/10.24198/pjd.vol27no2.26471>

Nanci, A. (2018). Ten Cate's Oral Histology - E-Book: Development, Structure and Function. In *Structure of the Oral Tissues*.

Nasution, A. I. (2016). *Jaringan Keras Gigi - Aspek Mikrostruktur dan Aplikasi Riset* (1st ed.). Syiah Kuala University Press.

Neel, E. A. A., Aljabo, A., Strange, A., Ibrahim, S., Coathup, M., Young, A. M., Bozec, L., and Mudera, V. (2016). Demineralization–remineralization dynamics in teeth and bone. *Int J Nanomedicine*, 19(11), 4743–4763. <https://doi.org/10.2147/IJN.S107624>

Okunseri, C., Okunseri, E., Gonzalez, C., Visotcky, A., and Szabo, A. (2011). Erosive tooth wear and consumption of beverages among children in the United States. *Caries Res*, 45(2), 130–135. <https://doi.org/10.1159/000324109>

Omid Khoda, M., Heravi, F., Shafae, H., and Mollahassani, H. (2012). The effect of different soft drinks on the shear bond strength of orthodontic brackets. *J Dent (Tehran)*, 9(2), 145–149.

Panigoro, S., Pangemanan, D. H. C., and . J. (2015). Kadar Kalsium Gigi yang Terlarut pada Perendaman Minuman Isotonik. *E-GIGI*, 3(2), 356–360. <https://doi.org/10.35790/eg.3.2.2015.9604>

Paramitha, S. T. (2018). Optimalisasi Pemanfaatan Mineral Fosfor dalam Membentuk

Kesehatan Fisik Anak Usia Dini Melalui Reduksi Keluarga. *Gladi Jurnal Ilmu Keolahragaan*, 9(1), 25. <https://doi.org/10.21009/gjik.091.02>

Paryag, A., and Rafeek, R. (2014). Dental erosion and medical conditions an overview of aetiology, diagnosis and management. *West Indian Med J*, 63(5), 499–502. <https://doi.org/10.7727/wimj.2013.140>

Pravina, P., Sayaji, D., and Avinash, M. (2013). Calcium and its role in human body. *Int J Res Pharm Biomed*, 4(2), 661.

Qamar, Z., Rahim, Z. B. H. A., Chew, H. P., and Fatima, T. (2017). Influence of trace elements on dental enamel properties: A review. *J Pak Med Assoc*, 67(1), 116.

R, A. (2015). Effect pH on Demineralization Dental Erosion. *International Journal of Chemical Engineering and Applications*, 6(2), 138. <https://doi.org/10.7763/ijcea.2015.v6.468>

Rachmawati, D., Iriyanti, A. N., and Alzelia, Z. (2020). Pengaruh Perendaman Ekstrak Kulit Semangka (*Citrullus lanatus*) Terhadap Kadar Kalsiu dan Fosfor Gigi Desidui. *E-Prodenta Journal of Dentistry*, 4(1), 282.

Ranadheera, C. S., Prasanna, P. H. P., Pimentel, T. C., Azeredo, D. R. P., Rocha, R. S., Cruz, A. G., Vidanarachchi, J. K., Naumovski, N., McConchie, R., and Ajlouni, S. (2019). Microbial safety of nonalcoholic beverages. In *Safety Issues in Beverage Production: Volume 18: The Science of Beverages* (pp. 198–199). <https://doi.org/10.1016/B978-0-12-816679-6.00006-1>

Rao, L. J. M., and Ramalakshmi, K. (2012). Recent trends in soft beverages. *J Food Sci Technol*, 49(2), 252–253. <https://doi.org/10.1111/j.1365-2621.2011.02858.x>

Rathee, M., Singla, S., and Tamrakar, A. K. (2012). Calcium and Oral Health: A Review. *Int J Sci Res*, 2(9), 335–336. <https://doi.org/10.15373/22778179/sep2013/116>

Reddy, A., Norris, D. F., Momeni, S. S., Waldo, B., and Ruby, J. D. (2016). The pH of beverages in the United States. *J Am Dent Assoc*, 147(4), 255–263. <https://doi.org/10.1016/j.adaj.2015.10.019>

Ruslan. (2014). Pengaruh Minuman Bersoda Terhadap Demineralisasi Email Gigi Dengan Penambahan Natrium Fluorida Ruslan. *Ind J Chem Res*, 1, 61–65.

- Saads Carvalho, T., and Lussi, A. (2019). Chapter 9: Acidic beverages and foods associated with dental erosion and erosive tooth wear. In *Monogr Oral Sci* (pp. 91–98). <https://doi.org/10.1159/000455376>
- Sayed, A. (2018). The Beverages. *Agricultural Research & Technology*, 14(5), 160–168. <https://doi.org/10.19080/artoaj.2018.14.555933>
- Senthil Kumar, P., Grace Pavithra, K., and Naushad, M. (2019). Characterization techniques for nanomaterials. In *Nanomaterials for Solar Cell Applications*. <https://doi.org/10.1016/B978-0-12-813337-8.00004-7>
- Shahbaz, U., Quadir, F., and Hosein, T. (2016). Determination of prevalence of dental erosion in 12 - 14 years school children and its relationship with dietary habits. *J Coll Physicians Surg Pak*, 26(7), 553–556. <https://doi.org/2368>
- Shellis, R. P., Ganss, C., Ren, Y., Zero, D. T., and Lussi, A. (2011). Methodology and models in erosion research: Discussion and conclusions. *Caries Res*, 45, 69–77. <https://doi.org/10.1159/000325971>
- Statista. (2019). *Soft drink per capita consumption in the ten most populated countries worldwide 2019 & Average Volume per Capita in Indonesia*. <https://www.statista.com/statistics/505794/cds-per-capita-consumption-in-worlds-top-ten-population-countries/>
- Steen, D. P., and Ashurst, P. R. (2007). Carbonated Soft Drinks: Formulation and Manufacture. In *Carbonated Soft Drinks: Formulation and Manufacture*. <https://doi.org/10.1002/9780470996034>
- Tahmassebi, J. F., and BaniHani, A. (2020). Impact of soft drinks to health and economy: a critical review. *Eur Arch Paediatr Dent*, 21(1), 109–117. <https://doi.org/10.1007/s40368-019-00458-0>
- Torres-Gallegos, I., Zavala-Alonso, V., Patiño-Marín, N., Martínez-Castañón, G. A., Anusavice, K., and Loyola-Rodríguez, J. P. (2012). Enamel roughness and depth profile after phosphoric acid etching of healthy and fluorotic enamel. *Aus Dent J*, 57(2), 151–156. <https://doi.org/10.1111/j.1834-7819.2012.01677.x>
- UKEssays. (2021). *Industry Analysis: Soft Drinks*. www.Ukessays.Com.

Waladiyah Any, F. S. (2019). Porositas Email Gigi Sebelum dan Sesudah Aplikasi Pasta Cangkang Telur Ayam Negeri. *Padjajaran J Dent*, 31(3), 222.

World Health Organization Europe, E. H. I. G. (2014). *Soft drink consumption (11, 13, 15 years)*.

https://gateway.euro.who.int/en/indicators/cah_24-soft-drink-consumption-11-13-15-years/

Zheng, J., Huang, H., Shi, M. Y., Zheng, L., Qian, L. M., and Zhou, Z. R. (2011). In vitro study on the wear behaviour of human tooth enamel in citric acid solution. *Wear*, 271(9–10), 2313–2321. <https://doi.org/10.1016/j.wear.2010.11.027>

