

DAFTAR PUSTAKA

- Adivitiya *et al.* (2021) ‘Mucociliary respiratory epithelium integrity in molecular defense and susceptibility to pulmonary viral infections’, *Biology*, 10(2), pp. 1–37. Available at: <https://doi.org/10.3390/biology10020095>.
- Ahn, J.H. *et al.* (2021) ‘Nasal ciliated cells are primary targets for SARS-CoV-2 replication in the early stage of COVID-19’, *Journal of Clinical Investigation*, 131(13). Available at: <https://doi.org/10.1172/JCI148517>.
- Akamatsu, M.A. *et al.* (2021) ‘Off balance: Interferons in COVID-19 lung infections’, *EBioMedicine*, 73, p. 103642. Available at: <https://doi.org/10.1016/j.ebiom.2021.103642>.
- Al-aaraji, H.M.H. *et al.* (2023) ‘The relationship of IL-4 , IL-10 , and IFN- γ levels with infection by COVID-19 in Karbala city , Iraq .’, *Journal Of Survey in Fisheries Sciences*, 10(1S), pp. 4196–4203.
- Al-swiahb, J.N. and Motiwala, M.A. (2021) ‘Upper respiratory tract and otolaryngological manifestations of coronavirus disease 2019 (COVID-19): A systemic review’, *SAGE Open Medicine*, 20, p. 9. Available at: <https://doi.org/10.1177/20503121211016965>.
- Aleebrahim-Dehkordi, E. *et al.* (2022) ‘T helper type (Th1/Th2) responses to SARS-CoV-2 and influenza A (H1N1) virus: From cytokines produced to immune responses’, *Transplant Immunology*, 70(June 2021). Available at: <https://doi.org/10.1016/j.trim.2021.101495>.
- Ali, M.S. *et al.* (2005) ‘Mucin gene expression in nasal polyps’, *Acta Oto-Laryngologica*, 125, pp. 618–624. Available at: <https://doi.org/10.1080/00016480510027538>.
- Allan, G.M. and Bruce, A. (2014) ‘Prevention and treatment of the common cold in adults’, *Journal Canadian Medical Association*, 186(3), pp. 1–9.
- Alspach, E., Lussier, D.M. and Schreiber, R.D. (2019) ‘Interferon γ and its important roles in promoting and inhibiting spontaneous and therapeutic cancer immunity’, *Cold Spring Harbor Perspectives in Biology*, 11(3). Available at: <https://doi.org/10.1101/cshperspect.a028480>.
- Ana Carolina, G. *et al.* (2020) ‘IFN- γ is an independent risk factor associated with mortality in patients with moderate and severe COVID-19 infection’, *Virus Research*, 289(January), p. 198171. Available at: <https://doi.org/https://doi.org/10.1016/j.virusres.2020.198171> Received.
- Arnaldez, F.I. *et al.* (2020) ‘The Society for Immunotherapy of Cancer perspective on regulation of interleukin-6 signaling in COVID-19-related systemic inflammatory response’, *Journal for ImmunoTherapy of Cancer*, 8(1), pp. 1–12. Available at: <https://doi.org/10.1136/jitc-2020-000930>.

Barat, D.K.S. (2021) *View Peta Covid19 sumbar.*

Bhardwaj, A. et al. (2021) ‘COVID-19: Immunology, Immunopathogenesis and Potential Therapies’, *International Reviews of Immunology*, 27 Februar, pp. 1–36. Available at: <https://doi.org/10.1080/08830185.2021.1883600>.

Bhatt, T. et al. (2021) ‘A Review of Coronavirus Disease-2019 (COVID-19)’, *Indian Journal Pediatric*, 924(April), pp. 25–42. Available at: https://doi.org/10.1007/978-3-030-60188-1_2.

Bose, M., Mitra, B. and Mukherjee, P. (2021) ‘Mucin signature as a potential tool to predict susceptibility to COVID-19’, *Physiological Reports*, 9(1), p. 14701. Available at: <https://doi.org/10.14814/phy2.14701>.

Bot, A. et al. (2000) ‘Local IL-4 expression in the lung reduces pulmonary influenza-virus- specific secondary cytotoxic T cell responses’, *Virology*, 269(1), pp. 66–77. Available at: <https://doi.org/10.1006/viro.2000.0187>.

Busse, P.J. et al. (2005) ‘Chronic exposure to TNF- α increases airway mucus gene expression in vivo’, *Journal of Allergy and Clinical Immunology*, 116(6), pp. 1256–1263. Available at: <https://doi.org/10.1016/j.jaci.2005.08.059>.

Butowt, R. and von Bartheld, C.S. (2020) ‘Anosmia in COVID-19: Underlying mechanisms and assessment of an olfactory route to brain infection’, *Sage Journals*, 27(6), pp. 582–597. Available at: <https://doi.org/10.1177/1073858420956905>.

Las Casas Lima, M.H. de, Cavalcante, A.L.B. and Leão, S.C. (2022) ‘Pathophysiological relationship between COVID-19 and olfactory dysfunction: A systematic review’, *Brazilian Journal of Otorhinolaryngology*, 88(5), pp. 794–801. Available at: <https://doi.org/10.1016/j.bjorl.2021.04.001>.

Çatl, T., Atilla, H. and Miller, E.K. (2019) ‘Acute Viral Rhinitis’, in *All Around the Nose: Basic Science, Diseases and Surgical Management*, pp. 199–202. Available at: https://doi.org/https://doi.org/10.1007/978-3-030-21217-9_23.

Cevik, M. et al. (2020) ‘Virology, transmission, and pathogenesis of SARS-CoV-2’, *The BMJ*, 371, pp. 1–6. Available at: <https://doi.org/10.1136/bmj.m3862>.

Chatterjee, M., van Putten, J.P.M. and Strijbis, K. (2020) ‘Defensive properties of mucin glycoproteins during respiratory infections—relevance for sars-cov-2’, *mBio*, 11(6), pp. 1–12. Available at: <https://doi.org/10.1128/mBio.02374-20>.

Chen, C. et al. (2022) ‘Global Prevalence of Post-Coronavirus Disease 2019 (COVID-19) Condition or Long COVID: A Meta-Analysis and Systematic Review’, *The Journal of infectious diseases*, 226(9), pp. 1593–1607. Available at: <https://doi.org/10.1093/infdis/jiac136>.

Chen, S. and Shufen, W. (2023) ‘The immune mechanism of the nasal epithelium in COVID-19-related olfactory dysfunction’, *Frontiers in Immunology*, 14(July), pp. 1–12. Available at: <https://doi.org/10.3389/fimmu.2023.1045009>.

Cheung, C.Y. *et al.* (2005) ‘Cytokine Responses in Severe Acute Respiratory Syndrome Coronavirus-Infected Macrophages In Vitro: Possible Relevance to Pathogenesis’, *Journal of Virology*, 79(12), pp. 7819–7826. Available at: <https://doi.org/10.1128/jvi.79.12.7819-7826.2005>.

Chien-Ting Wu, Peter V. Lidsky, Yinghong Xiao, ..., Carlos Milla, Raul Andino, P.K.J. and Correspondence (2023) ‘SARS-CoV-2 replication in airway epithelia requires motile cilia and microvillar reprogramming’, *cell*, 186(January), pp. 112-13-.

Choreño-Parra, J.A. *et al.* (2021) ‘Clinical and Immunological Factors That Distinguish COVID-19 From Pandemic Influenza A(H1N1)’, *Frontiers in Immunology*, 12(April), pp. 1–19. Available at: <https://doi.org/10.3389/fimmu.2021.593595>.

Chua, R.L. *et al.* (2020) ‘COVID-19 severity correlates with airway epithelium–immune cell interactions identified by single-cell analysis’, *Nature Biotechnology*, 38(8), pp. 970–979. Available at: <https://doi.org/10.1038/s41587-020-0602-4>.

Cohn, L. *et al.* (1997) ‘Induction of airway mucus production by T helper 2 (Th2) cells: A critical role for interleukin 4 in cell recruitment but not mucus production’, *Journal of Experimental Medicine*, 186(10), pp. 1737–1747. Available at: <https://doi.org/10.1084/jem.186.10.1737>.

Cordeiro, P.A.S. *et al.* (2022) ‘The role of IFN- γ production during retroviral infections: an important cytokine involved in chronic inflammation and pathogenesis’, *Revista do Instituto de Medicina Tropical de São Paulo*, 64(May), pp. 1–9. Available at: <https://doi.org/10.1590/S1678-9946202264064>.

Czubak, J. *et al.* (2021) ‘Comparison of the clinical differences between COVID-19, SARS, influenza, and the common cold: A systematic literature review’, *Advances in Clinical and Experimental Medicine*, 30(1), pp. 109–114. Available at: <https://doi.org/10.17219/ACEM/129573>.

Dabbagh, K. *et al.* (1999) ‘IL-4 induces mucin gene expression and goblet cell metaplasia in vitro and in vivo.’, *Journal of immunology (Baltimore, Md. : 1950)*, 162(10), pp. 6233–7.

Egholm, C. *et al.* (2019) ‘The regulatory effects of interleukin-4 receptor signaling on neutrophils in type 2 immune responses’, *Frontiers in Immunology*, 10(OCT), pp. 1–14. Available at: <https://doi.org/10.3389/fimmu.2019.02507>.

El-anwar, M.W. *et al.* (2021) ‘Analysis of Ear , Nose and Throat Manifestations in COVID-19 Patients’, *Int Arch Otorhinolaryngol*, 25(3), pp. e343–e348. Available at: <https://doi.org/10.1055/s-0041-1730456>.

Fara, A. *et al.* (2020) ‘Cytokine storm and COVID-19: a chronicle of pro-inflammatory cytokines: Cytokine storm: The elements of rage!’, *Open Biology*, 10(9). Available at: <https://doi.org/10.1098/rsob.200160>.

- Fathima, T., Brundha, M.P. and Ezhilarasan, D. (2020) ‘Role of Interferon Gamma in COVID-19 Prevention - A Review’, *International Journal of Current Research and Review*, 12(21), pp. 10–15.
- Fokkens, W.J. et al. (2020) ‘European Position Paper on Rhinosinusitis and Nasal Polyps 2020. Rhinology.’, 58(Februari), pp. 53–59.
- Garay, R. (2004) ‘Mechanisms of vasomotor rhinitis’, *Allergy: European Journal of Allergy and Clinical Immunology, Supplement*, 59(76), pp. 4–10. Available at: <https://doi.org/10.1111/j.0108-1675.2004.00388.x>.
- Van Gerven, L., Steelant, B. and Hellings, P.W. (2018) ‘Nasal hyperreactivity in rhinitis: A diagnostic and therapeutic challenge’, *Allergy: European Journal of Allergy and Clinical Immunology*, 73(9), pp. 1784–1791. Available at: <https://doi.org/10.1111/all.13453>.
- Gohy, S. et al. (2020) *Key role of the epithelium in chronic upper airways diseases, Clinical and Experimental Allergy*. Available at: <https://doi.org/10.1111/cea.13539>.
- Gray, T., Koo, J.S. and Nettlesheim, P. (2001) ‘Regulation of mucous differentiation and mucin gene expression in the tracheobronchial epithelium’, *Toxicology*, 160(1–3), pp. 35–46. Available at: [https://doi.org/10.1016/S0300-483X\(00\)00455-8](https://doi.org/10.1016/S0300-483X(00)00455-8).
- Guo, Q.D. and Chun, Q.Z. (2007) ‘The expression of MUC5AC and MUC5B mucin genes in the mucosa of chronic rhinosinusitis and nasal polyposis’, *American Journal of Rhinology*, 21(3), pp. 359–366. Available at: <https://doi.org/10.2500/ajr.2007.21.3037>.
- Hadjadja, J. et al. (2020) ‘Impaired type I interferon activity and inflammatory response in severe COVID-19 patients’, *science*, 369(80), pp. 718–724.
- Han, H. et al. (2020) ‘Profiling serum cytokines in COVID-19 patients reveals IL-6 and IL-10 are disease severity predictors’, *Emerging Microbes and Infections*, 9(1), pp. 1123–1130. Available at: <https://doi.org/10.1080/22221751.2020.1770129>.
- Heikkinen, T. and Järvinen, A. (2003) ‘The Common Cold’, *Lancer*, 361(January), pp. 51–59.
- Heller, N.M. et al. (2004) ‘Interferon- γ inhibits STAT6 signal transduction and gene expression in human airway epithelial cells’, *American Journal of Respiratory Cell and Molecular Biology*, 31(5), pp. 573–582. Available at: <https://doi.org/10.1165/rcmb.2004-0195OC>.
- Hewson, C.A. et al. (2010) ‘Rhinovirus induces MUC5AC in a human infection model and in vitro via NF- κ B and EGFR pathways’, *European Respiratory Journal*, 36(6), pp. 1425–1435. Available at: <https://doi.org/10.1183/09031936.00026910>.
- Hoffmans, R. et al. (2018) ‘Acute and chronic rhinosinusitis and allergic rhinitis in relation to comorbidity, ethnicity and environment’, *PLoS ONE*, 13(2), pp. 1–14. Available at: <https://doi.org/10.1371/journal.pone.0192330>.

- Irfandy, D., Budiman, B.J. and Huryati, E. (2019) ‘Relationship between deviations of nasal septum and mucociliary transport time using saccharin test’, *Otorinolaringologia*, (March), pp. 30–35. Available at: <https://doi.org/10.23736/S0392-6621.18.02180-X>.
- Islam, M.M. et al. (2023) ‘Reduced IFN- γ levels along with changes in hematologic and immunologic parameters are key to COVID-19 severity in Bangladeshi patients’, *Experimental Hematology*, 118, pp. 53-64.e1. Available at: <https://doi.org/10.1016/j.exphem.2022.11.006>.
- Ivashkiv, L.B. (2018) ‘IFN γ : signalling, epigenetics and roles in immunity, metabolism, disease and cancer immunotherapy’, *Nature Reviews Immunology*, 18(9), pp. 545–558. Available at: <https://doi.org/10.1038/s41577-018-0029-z>.
- Iwashita, J. et al. (2013) ‘Regulation of MUC5AC mucin production by the cell attachment dependent pathway involving integrin B1 in NCI-H292 human lung epithelial cells’, *Advances in Biological Chemistry*, 3, pp. 1–10. Available at: <https://doi.org/10.4236/abc.2013.31001>.
- Jelodar, R.S. et al. (2020) ‘Role of IL-4 in cytokine storm syndrome due to covid-19 infection’, *Journal of Cellular and Molecular Anesthesia*, 5(4), pp. 278–279. Available at: <https://doi.org/10.22037/jcma.v5i4.32344>.
- Jiao, J. et al. (2015) ‘Role of IFN- γ , IL-13, and IL-17 on mucociliary differentiation of nasal epithelial cells in chronic rhinosinusitis with nasal polyps Experimental Allergy’, pp. 449–460. Available at: <https://doi.org/10.1111/cea.12644>.
- Jin, Y. et al. (2020) ‘Virology, epidemiology, pathogenesis, and control of covid-19’, *Viruses*, 12(4), pp. 1–17. Available at: <https://doi.org/10.3390/v12040372>.
- Khan, M.A. et al. (2021) ‘Cytokine storm and mucus hypersecretion in COVID-19: Review of mechanisms’, *Journal of Inflammation Research*, 14, pp. 175–189. Available at: <https://doi.org/10.2147/JIR.S271292>.
- Khongsiri, W. et al. (2024) ‘Associations between clinical data, vaccination status, antibody responses, and post-COVID-19 symptoms in Thais infected with SARS-CoV-2 Delta and Omicron variants: a 1-year follow-up study’, *BMC infectious diseases*, 24(1), p. 1116. Available at: <https://doi.org/10.1186/s12879-024-09999-2>.
- Kim, D.H., Chu, H.S., et al. (2004) ‘Up-regulation of MUC5AC and MUC5B Mucin Genes in Chronic Rhinosinusitis’, *Archives of Otolaryngology–Head & Neck Surgery*, 130(6), pp. 747–752. Available at: <https://doi.org/10.1001/ARCHOTOL.130.6.747>.
- Kim, D.H., Ho-suk, C., et al. (2004) ‘Up-regulation of MUC5AC and MUC5B Mucin Genes in Chronic Rhinosinusitis’, *American Medical Association*, 130(June), pp. 747–752.
- Kim, K.C. (2012) ‘Role of epithelial mucins during airway infection’, *Pulmonary Pharmacology Ther*, 25(6), pp. 415–419. Available at:

<https://doi.org/10.1016/j.pupt.2011.12.003>.Role.

Klemens, C. et al. (2007) 'Mediators and cytokines in allergic and viral-triggered rhinitis', *Allergy and Asthma Proceedings*, 28(4), pp. 434–441. Available at: <https://doi.org/10.2500/aap.2007.28.3017>.

Klopfenstein, T. et al. (2020) 'Features of anosmia in COVID-19', *Medecine et Maladies Infectieuses*, 50(5), pp. 436–439. Available at: <https://doi.org/10.1016/j.medmal.2020.04.006>.

Kumar, S.S. et al. (2021) 'Mucus targeting as a plausible approach to improve lung function in COVID-19 patients', *Medical Hypotheses*, 156(September), p. 110680. Available at: <https://doi.org/10.1016/j.mehy.2021.110680>.

Kursat, A. et al. (2020) 'Immune response to SARS-CoV-2 and mechanisms of immunopathological changes in COVID-19', *European Journal of Allergy and Clinical Immunology*, 75(April), pp. 1564–1581. Available at: <https://doi.org/10.1111/all.14364>.

Lechien, J.R. et al. (2020) 'Olfactory and gustatory dysfunctions as a clinical presentation of mild-to-moderate forms of the coronavirus disease (COVID-19): a multicenter European study', *European Archives of Oto-Rhino-Laryngology*, 277(8), pp. 2251–2261. Available at: <https://doi.org/10.1007/s00405-020-05965-1>.

Lee, S. et al. (2022) 'SARS-CoV-2 Induces Expression of Cytokine and MUC5AC/5B in Human Nasal Epithelial Cell through ACE 2 Receptor', *BioMed Research International*, 2022, p. 9. Available at: <https://doi.org/10.1155/2022/2743046>.

Li, X. et al. (2020) 'Molecular immune pathogenesis and diagnosis of COVID-19', *Journal of Pharmaceutical Analysis*, 10(2), pp. 102–108. Available at: <https://doi.org/10.1016/j.jpha.2020.03.001>.

Li, Y. and Tang, X.X. (2021) 'Abnormal Airway Mucus Secretion Induced by Virus Infection', *Frontiers in Immunology*, 12(September), pp. 1–11. Available at: <https://doi.org/10.3389/fimmu.2021.701443>.

Lin, L. et al. (2020) 'Long-term infection of SARS-CoV-2 changed the body's immune status', *Clinical Immunology*, 218(January), p. 108524.

Liu, Y. et al. (2020) 'Mucus production stimulated by IFN-AhR signaling triggers hypoxia of COVID-19', *Cell Research*, 30(12), pp. 1078–1087. Available at: <https://doi.org/10.1038/s41422-020-00435-z>.

Liva, G.A., Karatzanis, A.D. and Prokopakis, E.P. (2021) 'Review of rhinitis: Classification, types, pathophysiology', *Journal of Clinical Medicine*, 10(14), p. 3183. Available at: <https://doi.org/10.3390/jcm10143183>.

Lovato, A. and de Filippis, C. (2020) 'Clinical Presentation of COVID-19: A Systematic Review Focusing on Upper Airway Symptoms', *Ear, Nose and Throat Journal*, 99(9), pp. 569–576. Available at:

[https://doi.org/10.1177/0145561320920762.](https://doi.org/10.1177/0145561320920762)

Lu, W. *et al.* (2021) ‘Elevated MUC1 and MUC5AC mucin protein levels in airway mucus of critical ill COVID-19 patients’, *Journal of Medical Virology*, 93(2), pp. 582–584. Available at: <https://doi.org/10.1002/jmv.26406>.

M, P. and D, V. (2009) *Basic and Clinical Immunology Second Ed*, Elsevier .Inc.

Mak, T. and Saunders, M. (2006) ‘Cytokines and Cytokine Receptors’, *The Immune Response*, pp. 463–516. Available at: <https://doi.org/10.1016/b978-012088451-3/50019-3>.

Mason, R.J. (2020) ‘Pathogenesis of COVID-19 from a cell biology perspective’, *European Respiratory Journal*, 55, p. 2000607. Available at: <https://doi.org/10.1183/13993003.00607-2020>.

Mastrangelo, A., Bonato, M. and Cinque, P. (2021) ‘Smell and taste disorders in COVID-19: From pathogenesis to clinical features and outcomes’, *Neuroscience Letters*, 748(January), p. 135694.

Merza, M.Y. *et al.* (2021) ‘Analysis of cytokines in SARS-CoV-2 or COVID-19 patients in Erbil city, Kurdistan Region of Iraq’, *PLoS ONE*, 16(4 April), pp. 1–7. Available at: <https://doi.org/10.1371/journal.pone.0250330>.

Mette, D. *et al.* (2020) ‘Dupilumab shows long-term safety and efficacy in patients with moderate to severe atopic dermatitis enrolled in a phase 3 open-label extension study’, *Journal America Academy Dermatology*, 82(2), pp. 377–388.

Meyerholz, D.K. and Reznikov, L.R. (2021) ‘Influence of SARS-CoV-2 on airway mucus production: A review and proposed model’, *Veterinary Pathology*, 20(10), pp. 1–8. Available at: <https://doi.org/10.1177/03009858211058837>.

Mittal, N. *et al.* (2021) *COVID-19 : Diagnosis and Management*.

Moh'd Al-Rawashdeh, B. *et al.* (2020) ‘Association of IL-4 Polymorphisms with Allergic Rhinitis in Jordanian Population’, *Medicina (Kaunas, Lithuania)*, 56(4), pp. 1–9. Available at: <https://doi.org/10.3390/medicina56040179>.

Mohamadian, M. *et al.* (2021) ‘COVID-19: Virology, biology and novel laboratory diagnosis’, *Journal of Gene Medicine*, 23(2), p. e3303. Available at: <https://doi.org/10.1002/jgm.3303>.

Moran, T.M. *et al.* (1996) ‘Interleukin-4 causes delayed virus clearance in influenza virus-infected mice’, *Journal of Virology*, 70(8), pp. 5230–5235. Available at: <https://doi.org/10.1128/jvi.70.8.5230-5235.1996>.

Mutiawati, E. *et al.* (2021) ‘Anosmia and dysgeusia in SARS-CoV-2 infection: Incidence and effects on COVID-19 severity and mortality, and the possible pathobiology mechanisms - a systematic review and meta-analysis’, *F1000Research*, pp. 13–15. Available at: <https://doi.org/10.12688/f1000research.28393.1>.

- Nacleario, R.M., Bachert, C. and Baraniuk, J.N. (2010) ‘Pathophysiology of nasal congestion’, *International Journal of General Medicine*, 3, pp. 47–57. Available at: <https://doi.org/10.2147/ijgm.s8088>.
- Najafloo, R. *et al.* (2021) ‘Mechanism of anosmia caused by symptoms of COVID-19 and emerging treatments’, *ACS Chemical Neuroscience*, 12, pp. 3795–3802. Available at: <https://doi.org/10.1021/acscchemneuro.1c00477>.
- Nguyen, V.T. and Benveniste, E.N. (2000) ‘IL-4-Activated STAT-6 Inhibits IFN- γ -Induced CD40 Gene Expression in Macrophages/Microglia’, *The Journal of Immunology*, 165(11), pp. 6235–6243. Available at: <https://doi.org/10.4049/jimmunol.165.11.6235>.
- Önerci, T.M. (2013) ‘Nasal physiology and pathophysiology of nasal disorders’, *Nasal Physiology and Pathophysiology of Nasal Disorders*, pp. 1–616. Available at: <https://doi.org/10.1007/978-3-642-37250-6>.
- Oyanagi, T. *et al.* (2017) ‘Suppression of MUC5AC expression in human bronchial epithelial cells by interferon- γ ’, *Allergology International*, 66(1), pp. 75–82. Available at: <https://doi.org/10.1016/j.alit.2016.05.005>.
- Pathinayake, P.S., Awatade, N.T. and Wark, P.A.B. (2023) ‘Type 2 Immunity and Its Impact on COVID-19 Infection in the Airways’, *Viruses*, 15(2), pp. 1–14. Available at: <https://doi.org/10.3390/v15020402>.
- Porta-Etessam, J. *et al.* (2021) ‘COVID-19 anosmia and gustatory symptoms as a prognosis factor: a subanalysis of the HOPE COVID-19 (Health Outcome Predictive Evaluation for COVID-19) registry’, *Infection*, 49(4), pp. 677–684. Available at: <https://doi.org/10.1007/s15010-021-01587-9>.
- Pozharskaya, T. (2014) ‘Interferon gamma causes olfactory dysfunction without concomitant neuroepithelial damage Tatyana’, *Int Forum Allergy Rhinol.*, 3(11), pp. 1–10. Available at: <https://doi.org/10.1002/alr.21226>.
- Renu, K. *et al.* (2020) ‘The role of Interleukin-4 in COVID-19 associated male infertility – A hypothesis’, *Journal of Reproductive Immunology*, 142, p. 103213.
- Reuben, M. *et al.* (2020) ‘An autocrine Vitamin D-driven Th1 shutdown program can be exploited for COVID-19’, *BioRxiv*, July 19, p. 210161.
- Ridley, C. and Thornton, D.J. (2018) ‘Mucins: The frontline defence of the lung’, *Biochemical Society Transactions*, 46(5), pp. 1099–1106. Available at: <https://doi.org/10.1042/BST20170402>.
- Robinot, R. *et al.* (2021) ‘SARS-CoV-2 infection induces the dedifferentiation of multiciliated cells and impairs mucociliary clearance’, *Nature Communications*, 12(1), pp. 1–16. Available at: <https://doi.org/10.1038/s41467-021-24521-x>.
- Rothon, H.A. and Byrareddy, S.N. (2020) ‘The epidemiology and pathogenesis of coronavirus disease (COVID-19) outbreak’, *Journal of Autoimmunity*, 109(February),

- p. 102433. Available at: <https://doi.org/10.1016/j.jaut.2020.102433>.
- Sałkowska, A. *et al.* (2020) ‘Sars-cov-2 proteins induce ifng in th1 lymphocytes generated from cd4+ cells from healthy, unexposed polish donors’, *Vaccines*, 8(4), pp. 1–10. Available at: <https://doi.org/10.3390/vaccines8040673>.
- Sanico, A.M. *et al.* (1997) ‘Dose-dependent effects of capsaicin nasal challenge: In vivo evidence of human airway neurogenic inflammation’, *Journal of Allergy and Clinical Immunology*, 100(5), pp. 632–641. Available at: [https://doi.org/10.1016/S0091-6749\(97\)70167-2](https://doi.org/10.1016/S0091-6749(97)70167-2).
- Santos, J. de M.B. dos *et al.* (2021) ‘In Nasal Mucosal Secretions, Distinct IFN and IgA Responses Are Found in Severe and Mild SARS-CoV-2 Infection’, *Frontiers in Immunology*, 12(February), pp. 1–11. Available at: <https://doi.org/10.3389/fimmu.2021.595343>.
- Saravia, J., Chapman, N.M. and Chi, H. (2019) ‘Helper T cell differentiation’, *Cellular and Molecular Immunology*, 16(7), pp. 634–643. Available at: <https://doi.org/10.1038/s41423-019-0220-6>.
- Sherwani, S. and Khan, M.W.A. (2020) ‘Cytokine response in SARS-CoV-2 infection in the Elderly’, *Journal of Inflammation Research*, 13, pp. 737–747. Available at: <https://doi.org/10.2147/JIR.S276091>.
- Shumna, T.Y. *et al.* (2019) ‘Characteristics of interleukin-4 gene (C-589T, rs2243250) polymorphism in children with bronchial asthma and allergic rhinitis with isolated or allergic rhinitis-induced comorbid malocclusion’, *Zaporozhye Medical Journal*, 21(6). Available at: <https://doi.org/10.14739/2310-1210.2019.6.186484>.
- Silva, R. *et al.* (2023) ‘Thrombophilia and Immune-Related Genetic Markers in Long COVID’, *Viruses*, 15, p. 885.
- Smet, A. *et al.* (2021) ‘A dynamic mucin mRNA signature associates with COVID-19 disease presentation and severity’, *JCI Insight*, 6(19). Available at: <https://doi.org/10.1172/jci.insight.151777>.
- Sobotka, Tom *et al.* (2020) ‘Age , gender and COVID-19 infections Age , gender and COVID-19 infections’, *medRxiv*, 05(24), pp. 1–16.
- Symmes, B.A. *et al.* (2018) ‘Role of mucins in lung homeostasis : regulated expression and biosynthesis in health and disease’, *Biochemical Society Transactions*, pp. 1–13.
- Takeyama, K. *et al.* (2000) ‘Oxidative Stress Causes Mucin Synthesis Via Transactivation of Epidermal Growth Factor Receptor: Role of Neutrophils’, *The Journal of Immunology*, 164, pp. 1546–1552.
- Talepoor, A.G. *et al.* (2023) ‘Th-1, Th-2, Th-9, Th-17, Th-22 type cytokine concentrations of critical COVID-19 patients after treatment with Remdesivir’, *Immunobiology*, p. 152378. Available at: <https://doi.org/10.1016/j.imbio.2023.152378>.

Tantilipikorn, P. (2014) ‘The relationship between allergic rhinitis and viral infections’, *Current Opinion in Otolaryngology and Head and Neck Surgery*, 22(3), pp. 249–252. Available at: <https://doi.org/10.1097/MOO.0000000000000049>.

Tay, M.Z. *et al.* (2020) ‘The trinity of COVID-19: immunity, inflammation and intervention’, *Nature Reviews Immunology*, 20(6), pp. 363–374. Available at: <https://doi.org/10.1038/s41577-020-0311-8>.

Thomas, D.C., Baddireddy, S.M. and Kohli, D. (2020) ‘Anosmia: A review in the context of coronavirus disease 2019 and orofacial pain’, *Journal of the American Dental Association*, 151(9), pp. 696–700. Available at: <https://doi.org/10.1016/j.adaj.2020.06.039>.

Todorović-Raković, N. and Whitfield, J.R. (2021) ‘Between immunomodulation and immunotolerance: The role of IFN γ in SARS-CoV-2 disease’, *Cytokine*, 146, p. 155637. Available at: <https://doi.org/10.1016/J.CYTO.2021.155637>.

Trifonova, I. *et al.* (2023) ‘Patterns of cytokine and chemokine expression in peripheral blood of patients with COVID-19 associated with disease severity’, *International Journal of Immunopathology and Pharmacology*, 37, p. 039463202311636. Available at: <https://doi.org/10.1177/03946320231163681>.

Vaz de Paula, C.B. *et al.* (2020) ‘IL-4/IL-13 remodeling pathway of COVID-19 lung injury’, *Scientific Reports*, 10(1), pp. 4–11. Available at: <https://doi.org/10.1038/s41598-020-75659-5>.

Walker, F.C., Sridhar, P.R. and Baldridge, M.T. (2021) ‘Differential roles of interferons in innate responses to mucosal viral infections’, *Trends in Immunology*, 42(11), pp. 1009–1023. Available at: <https://doi.org/10.1016/j.it.2021.09.003>.

Wang, Xiaoyun *et al.* (2017) ‘Lyn regulates mucus secretion and MUC5AC via the STAT6 signaling pathway during allergic airway inflammation’, *Scientific Reports*, 7(August 2015), pp. 1–13. Available at: <https://doi.org/10.1038/srep42675>.

Wang, Y. *et al.* (2021) ‘Impact of cellular composition on SARS-CoV-2 infection biology and pathogenesis in primary human airway epithelial cells’, p. PA3699. Available at: <https://doi.org/10.1183/13993003.congress-2021.pa3699>.

Welsh, R.M. and Selin, L.K. (2002) ‘No one is naive: The significance of heterologous T-cell immunity’, *Nature Reviews Immunology*, 2(6), pp. 417–426. Available at: <https://doi.org/10.1038/nri820>.

WHO (2021a) ‘COVID-19 weekly epidemiological update’, *World Health Organization*, (58), pp. 1–23.

WHO (2021b) *Update on coronavirus disease in Indonesia, Situation Report – 205*.

WHO (2021c) *World Health Statistic 2021*.

Wilson, K.F., Spector, M.E. and Orlandi, R.R. (2011) ‘Types of Rhinitis’,

Otolaryngologic Clinics of North America, 44(3), pp. 549–559. Available at: <https://doi.org/10.1016/j.otc.2011.03.016>.

Wu, Y.C., Chen, C.S. and Chan, Y.J. (2020) ‘The outbreak of COVID-19: An overview’, *Journal of the Chinese Medical Association*, 83(3), pp. 217–220. Available at: <https://doi.org/10.1097/JCMA.0000000000000270>.

Xia, Y. *et al.* (2017) ‘IL-4-induced caveolin-1-containing lipid rafts aggregation contributes to MUC5AC synthesis in bronchial epithelial cells’, *Respiratory Research*, 18(174), pp. 1–11. Available at: <https://doi.org/10.1186/s12931-017-0657-z>.

Yao, A., Wilson, J.A. and Ball, S.L. (2018) ‘Autonomic nervous system dysfunction and sinonasal symptoms’, *Allergy & Rhinology*, 9, p. 215265671876423. Available at: <https://doi.org/10.1177/215265671876423>.

Yin, W. *et al.* (2021) ‘Analysis of pathological changes in the epithelium in COVID-19 patient airways’, *ERJ Open Research*, 7(2). Available at: <https://doi.org/10.1183/23120541.00690-2020>.

Yuki, K., Fujiogi, M. and Koutsogiannaki, S. (2020) ‘COVID-19 pathophysiology: A review’, *Clinical Immunology*, 215(April), p. 108427. Available at: <https://doi.org/10.1016/j.clim.2020.108427>.

Zhang, Xiaonan *et al.* (2020) ‘Viral and host factors related to the clinical outcome of COVID-19’, *Nature*, 583(7816), pp. 437–440. Available at: <https://doi.org/10.1038/s41586-020-2355-0>.

Zhang, Y. *et al.* (2014) ‘The human Cathelicidin LL-37 induces MUC5AC mucin production by airway epithelial cells via TACE-TGF- α -EGFR pathway’, *Experimental Lung Research*, 40(7), pp. 333–342. Available at: <https://doi.org/10.3109/01902148.2014.926434>.

Zhu, L. *et al.* (2011) ‘Cumulated Ca 2+ spike duration underlies Ca 2+ oscillation frequency-regulated NF κ B transcriptional activity’, *Journal of Cell Science*, 124(15), pp. 2591–2601. Available at: <https://doi.org/10.1242/jcs.082727>.