

DAFTAR PUSTAKA

- Abubakar, M., Koul, B., Chandrashekar, K., Raut, A., & Yadav, D. (2022). Whitefly (*Bemisia tabaci*) management (WFM) strategies for sustainable agriculture: A review. *Agriculture*, 12(9), 1317.
- Adellia, D., Siregar, A. C., & Alkadri, S. P. A. (2022). Penerapan Metode *Certainty Factor* pada Sistem Pakar Diagnosa Hama dan Penyakit pada Tanaman Tomat. *JEPIN (Jurnal Edukasi dan Penelitian Informatika)*, 8(3), 451-458.
- Agastya, IMI, RPD Julianto, & Marwoto. (2020). Pengaruh pemanasan global terhadap intensitas serangan kutu kebul (*Bemisia tabaci* Genn) dan cara pengendaliannya pada tanaman kedelai. *Buana Sains*. 20(1): 99–110.
- Agrios, G. N. (2005). Plant pathology 5th Edition. Elsevier Acad. Press, USA, XXV.
- Al Khoury C, Guillot J & Nemer N. (2019). Lethal activity of beauvericin, a *Beauveria bassiana* mycotoxin, against the two spotted spider mites, *Tetranychus urticae* Koch. *Journal of Applied Entomology* 143(9): 974-983.
- Anfoka GH & Abhary MK. (2007). Occurrence of *Tomato Infectious Chlorosis Virus* (TICV) in Jordan. *Bulletin OEPP/EPPO* 37:186-190.
- Anomsari, S. D., & Prayudi, B. (2012). Budidaya Tomat. *Balai Pengkajian Teknologi Pertanian Jawa Tengah*. Semarang, 78.
- Apriansyah, D. (2024). Patogenesitas Beberapa Isolat Cendawan Entomopatogen *Beauveria bassiana* (Balsamo) Vuillemin Dan *Metarhizium* spp Terhadap larva *Crocidolomia pavonana* F. In *Prosiding Seminar Nasional Perlindungan Tanaman* (Vol. 2, pp. 113-120).
- Barra-Bucarei, L., González, M. G., Iglesias, A. F., Aguayo, G. S., Peñalosa, M. G., & Vera, P. V. (2020). *Beauveria bassiana* multifunction as an endophyte: Growth promotion and biologic control of *Trialeurodes vaporariorum*, (Westwood) (Hemiptera: Aleyrodidae) in tomato. *Insects*, 11(9), 591.
- Behie SW, Jones SJ & Bidochka MJ. (2015). Plant tissue localization of the endophytic insect pathogenic fungi *Metarhizium* and *Beauveria*. *Fungal Ecology* 13, 112-119.
- Bidochka MJ, AM Kamp, JNA de Croos. (2000). Insect pathogenic fungi: from genes to populations. Di dalam: Kronstad JW, editor. *Fungal Pathology*. Netherlands; Kluwer Academic Publishers, 171- 193.

- Bock, K.R., E.J. Guthrie, G. Meredith, & H. Barker. (1977). RNA and Protein Components of *Maize Streak* and *Cassava Latent Viruses*. *Annals of Applied Biology* 85:305-308.
- Bonato O, Abdeslam K, Fargues J. (2006). Experimental evidence of arrhenotic parthenogenesis in *Bemisia tabaci* biotype Q (Homoptera: Aleyrodidae). *Annales de la Société Entomologique de France* 42:255–256.
- Borror, D.J., Triplehorn, Charles A & Norman F. Johnson. (1996). *Pengenalan Pelajaran Serangga*. Edisi Enam. Terjemahan S. Partosoedjono. Yogyakarta: Gajah Mada University Press.
- Bos L. (1981). *Plant Disease and Vector*. New York: Academia Press.
- Boston W, Leemon D, Cunningham JP. (2020). Virulence screen of *Beauveria bassiana* isolates for *Australian carpophilus* (Coleoptera: Nitidulidae) beetle biocontrol. *Agronomy* 10(2020): 1-10.
- BPS. (2024). *Produksi Tanaman Sayuran (2021-2023)*. Jakarta. Badan Pusat Statistik.
- Brownbridge M, Reay S & Nelson T. (2012). Persistence of *Beauveria bassiana* (Ascomycota: Hypocreales) as an endophyte following inoculation of radiata pine seed and seedlings. *Biol Control* 61(3):194–200.
- Byrne FJ & Devonshire AL. (1996). Biochemical evidence of haplodiploidy in the whitefly *Bemisia tabaci*. *Biochemical Genetics* 34:93–105.
- Costa HS & Brown JK. (1991). Variation in biological characteristics and esterase patterns among populations of *Bemisia tabaci*, and the association of one population with silverleaf symptom induction. *Entomologia Experimentalis et Applicata* 61:211–219.
- Daud, I. D., Kuswihani, T., Azrai, M., Bushhanu, N., Tuwo, M., & Azurah, N. (2024). Potensi Cendawan *Beauveria bassiana* pada Benih dan Pengaruhnya Terhadap *Spodoptera frugiperda* pada Pertanaman Jagung (*Zea mays* L). *Jurnal Agrisystem*, 20(1), 44-46.
- Dhar S, Jindal V, Jariyal M, Gupta VK. (2019). Molecular characterization of new isolates of the entomopathogenic fungus *Beauveria bassiana* and their efficacy against the tobacco caterpillar, *Spodoptera litura* (Fabricius) (Lepidoptera: Noctuidae). *Egyptian Journal of Biological Pest Control* 29(8):1-9.
- Diaz S, R., Sa´nchez-Rodri´guez A, R., Segura-Fernandez J, M., del Campillo M, C & Quesada-Moraga, E. (2017) Entomopathogenic fungi-based mechanisms for improved Fe nutrition in sorghum plants grown on calcareous substrates. *PLoS ONE* 12(10): e01185903

- Direktorat Perlindungan Tanaman Hortikultura. (2008). Pengenalan dan Pengendalian Hama Tanaman Sayuran Prioritas. *Direktorat Perlindungan Tanaman Hortikultura*: Jakarta.
- Dovas, CI, Kartis NI, & Avgelis AD, (2002). Multiplex detection of criniviruses associated with epidemics of a yellowing disease of tomato in Greece. *Plant Dis.* 86:1345-1349.
- Duffus JE, Liu HY & Coben S. (1994). Partial characterization of a new closterovirus, the causal agent of cucurbit yellow stunting disorder. Page 49 in Sweetpotato Whitefly: 1994 Supplement to the Five-Year Plan US Dep. *Agric. Res. Serv. Publ.* 112.
- Duffus, JE, Liu HY, Wisler GC. (1996). *Tomato Infectious Chlorosis virus*-a new clostero-like virus transmitted by *Trialeurodes vaporarum*. *European J of Plant Pathology* 102: 219-226.
- Fatahuddin, A, N, Daud, I. D. & Chandra. Y. (2003). Uji Kemampuan *Beauveria bassiana* Vuillemin (Hyphomycetes: Moniliales) Sebagai Endofit Pada Tanaman Kubis dan Pengaruhnya Terhadap Larva *Plutella xylostella* (Lepidoptera:Yponomeutidae). Fakultas Pertanian dan kehutanan, Jurusan Hama dan Penyakit Tumbuhan; Universitas Hasanuddin
- Fekrat, L., & Shishehbor, P. (2007). Some biological features of cotton whitefly, *Bemisia tabaci* (Homoptera: Aleyrodidae) on various host plants. *Pakistan journal of biological sciences: PJBS*, 10(18), 3180-3184.
- Fernandez, C. C. (2005). *Chiral Diphosphine Ligands Derived from 1, 4: 3, 6-Dianhydro-d-mannitol: Synthesis, Co-ordination to Transition Metals and Catalytic Applications*. Cardiff University (United Kingdom).
- Flawerina, Gita. (2021). Penggunaan Cendawan Entomopatogen *Beauveria bassiana* (Balsamo) Vuill. Untuk Pengendalian *Bemisia tabaci* (Gennadius) (Hemiptera;Aleyrodidae) pada Tanaman Tomat [Tesis]. Universtas Andalas. Padang
- Gangwar, R. K., & Gangwar, C. (2018). Lifecycle, distribution, nature of damage and economic importance of whitefly, *Bemisia tabaci* (Gennadius). *Acta Scientific Agriculture*, 2(4), 36-39.
- Gao, F. K., Dai, C. C., & Liu, X. Z. (2010). Mechanisms of Fungal Endophytes in Plant Protection Against Pathogens. *African Journal of Microbiology Research*, 4(13), 1346-1351.
- Gao Y, Reitz SR, Wang J, Tamez-Querra P, Wang E, Xu Y, & Lei Z. (2012). Potential use of the *Beauveria bassiana* against the western flower thrips *Franckliniella occidentalis* without reducing the effectiveness of its natural predator *Orius sauteri* (Hemiptera: Anthocoridae). *Biocontrol Science and Technology* 22(7):803-812.

- Geden, C. J., Rutz, D. A., & Steinkraus, D. C. (1995). Virulence of different isolates and formulations of *Beauveria bassiana* for house flies and the parasitoid *Muscidifurax raptor*. *Biological control*, 5(4), 615-621.
- Ghanim, M. (2014). A review of the mechanisms and components that determine the transmission efficiency of *Tomato yellow leaf curl virus* (Geminiviridae; *Begomovirus*) by its whitefly vector. *Virus Res.* 186, 47–54.
- González-Mas, N.; Quesada-Moraga, E.; Plaza, M.; Fereres, A.; Moreno, A. (2018). Changes in feeding behaviour are not related to the reduction in the transmission rate of plant viruses by *Aphis gossypii* (Homoptera: Aphididae) to melon plants colonized by *Beauveria bassiana* (Ascomycota: Hypocreales). *Biological Control*, 130, 95–103.
- Greenfield M, Gómez-Jiménez MI, Ortiz V, Vega FE, Kramer M, Parsa S. (2016). *Beauveria bassiana* and *Metarhizium anisopliae* endophytically colonize cassava roots following soil drench inoculation. *Biological Control* 95:40–48.
- Gronenborn, B. (2007). The tomato yellow leaf curl virus genome and function of its proteins. In *Tomato Yellow Leaf Curl Virus Disease: Management, Molecular Biology, Breeding for Resistance*. Czosnek, H., Ed.; Springer: Dordrecht, The Netherlands, pp. 67–84.
- Guesmi-Jouni, J., Garrido-Jurado, I., Lopez-Diaz, C., Ben Halima- Kamel, M., & Quesada-Oraga, E. (2014). Establishment of Fungal Entomopathogens *Beauveria bassiana* and *Bionectria ochroleuca* (Ascomycota : Hypocreales) as Endophytes on Artichoke *Cynara Scolymus*. *Journal Invertebr Phatol*, 119, 1-4.
- Gullan, P. J., & Martin, J. H. (2009). Stemorrhyncha: jumping plant-lice, whiteflies, aphids, and scale insects. In *Encyclopedia of insects* (pp. 957-967). Academic Press.
- Gunaeni, N, & Purwati, E. (2013). Uji Ketahanan terhadap *Tomato Yellow Leaf Curl Virus* pada Beberapa Galur Tomat. *J. Hort*, 23(1):374-386
- Gurulingappa, P., Sword, G. A., Murdoch, G., & McGee, P. A. (2010). Colonization of Crop Plants by Fungal Entomopathogens and Their Effects on Two Insect Pests When In Planta. *Biological Control*, 55(1), 34–41.
- Halo, B. A., Al-Yahyai, R., Al-Sadi, A., & Al-Sibani, A. (2023). Desert endophytic fungi improve reproductive, morphological, biochemical, yield and fruit quality characteristics of tomato under drought stress. *Arab Gulf Journal of Scientific Research*, 41(4), 638-655.
- Hanssen, I.M. Lapidot, M. & Thomma, B.P. (2010). Emerging viral diseases of tomato crops. *Mol. Plant Microbe Interact.* 23, 539–548.

- He, Y.Z.; Wang, Y.M.; Yin, T.Y.; Fiallo-Olivé, E.; Liu, Y.Q.; Hanley-Bowdoin, L.; Wang, X.W. (2020). A plant DNA virus replicates in the salivary glands of its insect vector via recruitment of host DNA synthesis machinery. *Proc. Natl. Acad. Sci. USA*. 117, 16928–16937.
- Hendra, H.A, Andoko, A. (2014). *Bertanam Sayuran Hidroponik Ala Pak Tani Hydrofarm*. Edisi 1. Agromedia. Jakarta Selatan.
- Hendra, Y., Trizelia, T., & Syahrawati, M. (2023). Colonization of the Entomopathogenic Fungus *Beauveria bassiana* (Bals.) Vuill. on Rice and Its Impact on Nymph Mortality and Fecundity of Brown Planthopper (*Nilaparvata lugens* Stål). *Jurnal Entomologi Indonesia*, 20(3), 203-203.
- Hendra, Yolma. (2022). Induksi Ketahanan Tanaman Padi Terhadap Wereng Batang Coklat (*Nilaparvata lugens* Stal) Menggunakan Cendawan Entomopatogen *Beauveria bassiana* (Bals.) Vuill. [Tesis]. Universitas Andalas. Padang
- Heriani, N., W. A. Zakaria, & A. Soelaiman. (2013). Analisis keuntungan dan risiko usahatani tomat di Kecamatan Sumberejo Kabupaten Tanggamus. *JIA 1* (2) : 169- 173.
- Hermawati, Heni. (2007). Pengaruh cendawan endofit terhadap biologi dan pertumbuhan populasi *Aphis gossypii* Glov. (Homoptera : Aphididae) pada tanaman cabai. [Skripsi]. IPB. Bogor.
- Hernawati, H., Wiyono, S., & Santoso, S. (2011). Leaf endophytic fungi of chili (*Capsicum annum*) and their role in the protection against *Aphis gossypii* (Homoptera : Aphididae). *Biodiversitas Journal of Biological Diversity*, 12(4).
- Hidayat P, Kurniawan HA, Afifah L, Triwidodo H. (2017). Siklus hidup dan statistik demografi kutu kebul *Bemisia tabaci* (Gennadius) (Homiptera: Aleyrodidae) biotipe B dan non-B pada tanaman cabai (*Capsicum annum* L.). *Jurnal Entomologi Indonesia* 4:143–151
- Hidayat, P, R Ludji, & N Maryana. (2020). Kemampuan reproduksi dan riwayat hidup kutu kebul *Bemisia tabaci* (Gennadius) dengan dan tanpa kopulasi pada tanaman cabai merah dan tomat. *Jurnal Entomologi Indonesia*. 17(3): 156–162.
- Hung, L. Q., Hong, T. D., & Ellis, R. H. (2001). Constant, fluctuating and effective temperature and seed longevity: a tomato (*Lycopersicon esculentum* Mill.) exemplar. *Annals of Botany*, 88(3), 465-470.
- Inayati, A. & Marwoto. (2015). Kultur Teknis Sebagai Dasar Pengendalian Hama Kutu Kebul *B. tabaci* Genn pada tanaman kedelai. *Buletin Palawija no. 29*, : 14-25.

- Jaber LR & Ownley BH. (2018). Can we use entomopathogenic fungi as endophytes for dual biological control of insect pests and plant pathogens?. *Biological Control*. 116:36-45.
- Jaber, L.R., Salem, N.M., (2014). Endophytic colonization of squash by the fungal entomopathogen *Beauveria bassiana* (Ascomycota: Hypocreales) for managing Zucchini Yellow Mosaic Virus (ZYMV) in cucurbits. *Biocontrol Sci. Technol.* 24, 1096–1109.
- Jacquemond M, Verdin E, Dalmon A, Guilbaud L, & Gognalos P. (2008). Serological and molecular detection of *tomato chlorosis virus* and *tomato infectious chlorosis virus* in tomato. *Plant Pathology* : 1365-3029.
- Junianto YD, & S Sukamto. (1995). Pengaruh suhu dan kelembaban relatif terhadap perkecambahan, pertumbuhan dan sporulasi beberapa isolat *B. bassiana*. *Pelita Perkebunan* 11(2):64-75
- Keswani, C., Singh, S. P., & Singh, H. B. (2013). *Beauveria bassiana*: status, mode of action, applications and safety issues. *Biotech Today*, 3(1), 16-20.
- Klaasen VA, Boeshore M, Koonin L, Tian T, Falk B. (1995). Genome structure and phylogenetic analysis of *lettuce infectious yellow virus*, a whitefly-transmitted bipartite cloveovirus. *Virology* 208:99-110.
- Kalshoven LGE. (1981). *Pest of crops in Indonesia*. PT. Ichtiar Baru-Van Hoeve. Jakarta.
- Klieber J, & Reineke A. (2016). The entomopathogen *Beauveria bassiana* has epiphytic and endophytic activity against the tomato leaf miner *Tuta absoluta*. *Journal of Applied Entomology* 140(8):580-589.
- Koswanudin, D. Whyono TE. (2015). Keefektifan bioinsektisida *Beauveria bassiana* terhadap hama wereng batang coklat (*Nilaparvata lugens*) walang sangit (*Leptocorisa oratorius*) penghisap polong (*Nezara viridula*), dan *Riptortus linearis*. *Balai penelitian rumput dan obat*. Bogor.
- Kumar CMS, Jacob TK, Devasahayam S, Silva SD, Nandeesh PG. (2016). Characterization and virulence of *Beauveria bassiana* associated with auger beetle (*Sinoxylon anale*) infesting allspice (*Pimenta dioica*). *Journal of Invertebrate Pathology* 139(2016):67-73.
- Landa B. B, López. C, Jiménez-Fernández D, Montes-Borrego M, Muñoz-Ledesma FJ, Ortiz-Urquiza A, Quesada-Moraga E. (2013). In-p Detection and Monitorization of Endophytic Colonization by a *Beauveria bassiana* Strain Using a new-developed Nested and Quantitative PCR- based Assay and Confocal Laser Scanning Microscopy. *Journal of Invertebrate Pathology* 114: 128–13.
- Lapidot M, Friedmann M . (2002). Breeding for resistance to whitefly transmitted geminiviruses. *Ann. Appl. Biol.* 140:109-127.

- Lapidot MM, Friedmen M, Pilowsky R BJ, Cohen S. (2001). Effect of host plant resistance to *Tomato yellow curl virus* (TYLCV) on virus acquisition and transmission by its whitefly vector. *Phytopathology*. 91:1209– 1213.
- Lee SJ, Lee MR, Kim JS. (2018). Genomic analysis of the insect-killing fungus *Beauveria bassiana* JEF-007 as a biopesticide. *ScientificReports* 8(1):1-12.
- Lehtonen, P.T, Helander, M, Siddiqui, S.A, Lehto, K, Saikkonen, K. (2006). Endophytic fungus decreases plant virus infections in meadow ryegrass (*Lolium pratense*). *Biol. Lett.*, 2, 620–623.
- Li M, Li S, Xu A, Lin H, Chen D, Wang H. (2014). Selection of *Beauveria isolates* pathogenic to adults of *Nilaparvata lugens*. *Journal of Insect Science* 14(32):1-12
- Li RH, Wisler GC, Liu HY & Duffus JE. (1998). Comparison of diagnostic techniques for detecting tomato infectious chlorosis virus. *Plant Dis*. 82:84-88.
- Li, X. L., Zhang, J. J., Li, D. D., Cai, X. Y., Qi, Y. X., & Lu, Y. Y. (2024). Toxicity of *Beauveria bassiana* to *Bactrocera dorsalis* and effects on its natural predators. *Frontiers in Microbiology*, 15, 1362089.
- Mascarin GM, Jaronski ST. (2016). The production and uses of *Beauveria bassiana* as a microbial insecticide. *World Journal of Microbiology and Biotechnology* 32(11):1-26.
- Mi, Z., Liu, Z., Wang, C., Wang, T., Zhang, Z., Wang, D., & Chen, C. (2019). Novel Copolyimides Containing 1, 4: 3, 6-Dianhydro-d-mannitol Unit Preparation, Characterization, Thermal, Mechanical, Soluble, and Optical Properties. *High Performance Polymers*, 31(2), 220-229.
- Miller, M. B., & Bassler, B. L. (2001). Quorum sensing in bacteria. *Annual Reviews in Microbiology*, 55(1), 165-199.
- Munir, S., Li, Y., He, P., He, P., Ahmed, A., Wu, Y., & He, Y. (2020). Unraveling the metabolite signature of citrus showing defense response towards *Candidatus Liberibacter asiaticus* after application of endophyte *Bacillus subtilis* L1-21. *Microbiological research*, 234, 126425.
- Muvea, A.M.; Subramanian, S.; Maniania, N.K.; Poehling, H.M.; Ekesi, S.; Meyhöfer, R. (2018). Endophytic colonization of onions induces resistance against viruliferous thrips and virus replication. *Front. Plant Sci.* 9, 1785.
- Mwanburi LA. (2021). Endophytic fungi, *Beauveria bassiana* and *Metarhizium anisopliae*, confer control of the fall armyworm, *Spodoptera frugiperda* (J. E. Smith) (Lepidoptera: Noctuidae), in two tomato varieties. *Egyptian Journal of Biological Pest Control* 31(7):1-6.

- Narendra AAGG, Phabiola TA, Yuliadhi KA. (2017). Hubungan antara populasi kutu kebul (*Bemisia tabaci*) (Gennadius) (Hemiptera: Aleyrodidae) dengan insiden penyakit kuning pada tanaman tomat (*Solanum lycopersicum* Mill.) di Dusun Marga Tengah, Desa Kerta, Kecamatan Payangan, Bali. *Jurnal Agroekoteknologi Tropika* 6:339–348.
- Navas- Castillo, J., Camero, R., Bueno, M., and Moriones, E. (2000). Severe yellowing outbreaks in tomato in Spain associated with infections of *Tomato chlorosis virus*. *Plant Dis.* 84:835-837.
- Nelly, N., Reflin, R., & Hidayat, Y. A. (2020). Effects of the entomopathogen concentration of *Beauveria Bassiana* [Bals] Vuil for biological control of *Helicoverpa armigera* Hubner [Lepidoptera: Noctuidae]. In *IOP Conference Series: Earth and Environmental Science* (Vol. 497, No. 1, p. 012028). IOP Publishing.
- Novia, P. S. (2021). Kelempakan Daun Tingka, Serangan Penggerek Buah, *Helicoverpa armigera* (Lepidoptera: Noctuidae) Pada Tanaman Tomat *Lycopersicon esculentum* Mill. Di Kecamatan Lembah Gumanti Kabupaten Solok. [Tesis]. Universitas Andalas.
- Ownley B.H., M.R, Griffin., W.E, Klingeman., K.D, Gwinn, J.K. Moulton ., & R.M, Pireira. (2008). *Beauveria bassiana* : Endophytic Colonization and Plant Disease Control *Journal invertebr Pathol.* 98: 267-270.
- Ownley BH, Gwinn KD, Vega FE. (2010). Endophytic fungal entomopathogens with activity against plant pathogens: ecology and evolution. *BioControl* 55(1):113-128.
- Perring, T. M., Stansly, P. A., Liu, T. X., Smith, H. A., & Andreason, S. A. (2018). Whiteflies: Biology, ecology, and management. In *Sustainable management of arthropod pests of tomato* (pp. 73-110). Academic press.
- Petlamul W, Prasertsan P. (2012). Evaluation of strains of *Metarhizium anisopliae* and *Beauveria bassiana* against *Spodoptera litura* on the basis of their virulence, germination rate, conidia production, radial growth and enzyme. *Mycobiology*, 40(2): 111-116.
- Pieterse, C, M, J. A, Leon., S. C, M. Van Wess. (2019). Networking by Small-molecule Hormones in Plant Immunity. *Nature Chemical Biology.* 5:306-318.
- Posada F, Aime M, Peterson S. (2007). Inoculation of coffee plants with the fungal entomopathogen *Beauveria bassiana* (Ascomycota: Hypocreales). *Mycol Res* 111(6):748–757.
- Prabhukarthikeyan SR, Umapathy K, Sornakili A, Thiruvengadam R .(2017). Analysis of genetic diversity among different isolates of *Beauveria bassiana* by RAPD-PCR. *J Biol Control* 31(1):18–24.

- Pracaya. (2008). *Hama dan Penyakit Tanaman edisi Revisi*. Jakarta: Penebar Swadaya.
- Prasad A, Sharma N, Hari-Gowthem G, Muthamilarasan M, Prasad M. (2020). Tomato yellow leaf curl virus: impact, challenges, and management. *TrendsPlantSci.* 25:897–911.
- Prayogo Y. (2013). Patogenisitas cendawan entomopatogen *Beauveria bassiana* (Deuteromycotina: Hyphomycetes) pada berbagai stadia kepik hijau (*Nezara viridula* L.). *Jurnal Hama dan Penyakit Tumbuhan Tropika* 13(1):75-86.
- Putra, G. M., Hadiastono, T., Afandhi, A., & Prayogo, Y. (2013). Patogenisitas jamur entomopatogen *Lecanicillium lecanii* (deuteromycotina; hyphomycetes) terhadap *Bemisia tabaci* (g.) sebagai vektor virus cowpea mild mottle virus (CMMV) pada tanaman kedelai. *Jurnal HPT (Hama Penyakit Tumbuhan)*, 27-39.
- Qin, X., Zhao, X., Huang, S., Deng, J., Li, X., Luo, Z., & Zhang, Y. (2021). Pest management via endophytic colonization of tobacco seedlings by the insect fungal pathogen *Beauveria bassiana*. *Pest Management Science*, 77(4), 2007-2018.
- Ramakuwela T, Hatting J, Bock C, Vega FE, Welld L, Mbata GN, David Shapiro-Ilan D. (2020). Establishment of *Beauveria bassiana* as a fungal endophyte in pecan (*Carya illinoensis*) seedlings and its virulence against pecan insect pests. *Biological Control* 140:1-8.
- Raupach, G.S., Liu, L., Murphy, J., Tuzun, S., Kloepper, J.W., (1996). Induced systemic resistance in cucumber and tomato against cucumber mosaic cucumovirus using plant growth- promoting rhizobacteria (PGPR). *Plant Dis.* 80, 891–894
- Rodríguez, E., Téllez, M., Janssen, D. (2019). Whitefly control strategies against tomato leaf curl New Delhi virus in greenhouse zucchini. *Int. J. Environ. Res. Public health.*, 16, 2673.
- Rosen, R.; Kanakala, S.; Kliot, A.; Pakkianathan, B.C.; Farich, B.A.; Santana-Magal, N.; Elimelech, M.; Kontsedalov, S.; Lebedev, G.; Cilia, M.; et al. (2015). Persistent, circulative transmission of begomoviruses by whitefly vectors. *Curr. Opin. Virol.* 15, 1–8.
- Rusli, R & Trizelia. (2009). Perbanyakkan *Beauveria Bassiana* Pada Limbah Organik, Formulasi Dan Uji Efektivitasnya Sebagai Bioinsektisida Untuk Pengendalian Hama *Spodoptera exigua* Hubner (Lepidoptera: Noctuidae). Universitas Andalas. Padang.
- Rybicki, E.P. (2015). A Top Ten list for economically important plant viruses. *Arch. Virol.* 160, 17–20.

- Saikkonem K, Mikola J, Helander M. (2015). Endophytic phyllosphere fungi and nutrient cycling in terrestrial ecosystems. *J Curr Sci.*109(1):121–5.
- Santoso TJ, Hidayat SH, Herman M, Aswidinoor, Sudarsono. (2008). Identitas dan keragaman genetik Begomovirus yang berasosiasi dengan penyakit keriting pada tomat berdasarkan teknik *polymerase chain reaction* (PCR)-*restriction fragment length polymorphism* (RFLP). *Jurnal AgroBiogen* 4:9–17.
- Saragih, Magdalena. (2024). Aplikasi Cendawan *Beauveria bassiana* (Balsamo) Vuillemin Untuk Menginduksi Ketahanan Tanaman Cabai (*Capsicum annum* L.) Terhadap Kutu Kebul (*Bemisia tabaci* Genn.) dan Kutu Daun (*Myzus persicae* Sulz dan *Aphis gossypii* Glov.) [Disertasi]. Universitas Andalas. Padang.
- Sayed S, Elarnaouty SA, Alotaibi S, Salah M. (2021). Pathogenicity and side effect of indigenous *Beauveria bassiana* on *Coccinella undecimpunctata* and *Hippodamia variegata* (Coleoptera: Coccinellidae). *Insect* 12(42):1-11.
- Scholthof, K.B.G.; Adkins, S.; Czosnek, H.; Palukaitis, P.; Jacquot, E.; Hohn, T.; Hohn, B.; Saunders, K.; Candresse, T.; Ahlquist, P. (2011). Top 10 plant viruses in molecular plant pathology. *Mol. Plant Pathol.* 12, 938–954.
- Setiawati, W. (2001). Penerapan Teknologi PHT pada Tanaman Tomat. Balai Penelitian Tanaman Sayuran Pusat Penelitian dan Pengembangan Hortikultura Badan Penelitian dan Pengembangan Hortikultura *Badan Penelitian dan Pengembangan Pertanian*. Bandung.
- Setiawati W, Udiarto, BK., & Gunaeni, N. (2007). Preferensi Beberapa Varietas Tomat dan Pola Infestasi Hama Kutu Kebul Serta Pengaruhnya terhadap Intensitas serangan Virus Kuning. *Jurnal Hortikultura*, 14(4); 374-386.
- Shaalán, R., Ibrahim, I., As-Sadi, F., & El Kayal, W. (2022). Impact of *Beauveria bassiana* and *Metarhizium anisopliae* on the Metabolic Interactions between Cucumber (*Cucumis sativus* L.) and Cucumber Mosaic Virus (CMV). *Horticulturæ*, 8(12), 1182.
- Shikano I. (2017). Evolutionary ecology of multitrophic interactions between plants, insect herbivores and entomopathogens. *Journal Chem Ecol* 43(6):586–598.
- Sita, B.R. & Hadi, S. (2016). Produktivitas dan Faktor-faktor yang Berpengaruh Terhadap Produksi Usaha Tani Tomat (*Solanum lycopersicum* Mill) di Kabupaten Jember. *JSEP* Vol. 9 No.3
- Soesanto L, Prastyani N, Utami DS, Manan A. (2020). Application of raw secondary metabolites from four entomopathogenic fungi against chilli disease caused by viruses. *Jurnal Hama dan Penyakit Tumbuhan Tropika* 20(2):100-107.

- Sofwah, A., & Prastowo, S. (2023). Efektivitas *Beauveria bassiana* dan *Metarhizium anisopliae* terhadap Pengendalian Hama *Thrips* sp.(Thysanoptera: Thripidae) pada Tanaman Cabai Besar (*Capsicum annuum* L.). *Berkala Ilmiah Pertanian*, 6(3), 115-121.
- Soumia, PS, GP Pandi, R Krishna, AW Ansari, DK Jaiswal, JP Verma, and M Singh. (2021). Whitefly-transmitted plant viruses and their management. Pp. 175–195 in *Emerging Trends in Plant Pathology* (KP Singh, S Jahadigar, and BK Sarma, Eds.). *Springer*. Singapore
- Srinivasan, R.,S. (2010). Safer tomato production methods: A field guide for soil fertility and pest management. AVRDC – The World Vegetable Center, Shanhua, Taiwan. *AVRDC Publication No. 10-740*. 97 p.
- Sudiono, Yasin N, Hidayat SH, Hidayat P. (2005). Penyebaran dan deteksi molecular virus Gemini penyebab penyakit kuning pada tanaman cabai di Sumatera. *Jurnal HPT Tropika* 52:113–121.
- Suhardjadinata, S., Kurniati, F., & Nur Lulu, D. H. (2020). Pengaruh Inokulasi Cendawan *Mikoriza Arbuskular* dan Pupuk NPK terhadap Pertumbuhan dan Hasil Tomat (*Lycopersicon esculentum* Mill.). *Media Pertanian*, 5(1), 20–30.
- Syahirwan, F . (2019). Aplikasi Cendawan *Beauveria bassiana* (Bals.)Vuill untuk Pengendalian *Myzus persicae* (Hemiptera : Aphididae) dan Peningkatan Pertumbuhan Tanaman Cabai (*Capsicum annum* L.). [Tesis]. Universitas Andalas. Padang.
- Tall, S., & Meyling, N. V. (2018). Probiotics for plants? Growth promotion by the entomopathogenic fungus *Beauveria bassiana* depends on nutrient availability. *Microbial ecology*, 76(4), 1002-1008.
- Trizelia, Novry, N, & Meizon, H. (2017). Karakterisasi fisiologi beberapa isolat cendawan entomopatogen *Beauveria bassiana* dan virulensinya terhadap *Spodoptera litura*. *Jurnal Proteksi Tanaman* (1)1: 19-17.
- Trizelia, Martinus, Reflinaldon, Yenny J., & Fadly S.P. (2020). Colonization of *Beauveria bassiana* (Bals.)Vuill on chilli (*Capsicum annum*) and its effect on populations of *Myzus persicae*. *Journal of Biopesticides*, 13 (1): 40-46.
- Tu, C., Ristaino, J. B., & Hu, S. (2006). Soil microbial biomass and activity in organic tomato farming systems: Effects of organic inputs and straw mulching. *Soil Biology and Biochemistry*, 38(2), 247-255.
- Vega F.(2008). Insect pathology and fungal endophytes. *Journal Invertebr Pathol* 98(3):277–279.
- Vikhe AG, Dale NS, Umbarkar RB, Labade GB, Savant AR, & Walunj AA. (2016). In Vitro and In Vivo Induction, and Characterization of Toxins Isolated from *Beauveria bassiana*. *Int. J. Pure App. Biosci.* 4(3): 97-103.

- Wahyudi, P. (2008). Enkapsulasi Propagul Jamur Entomopatogen *Beauveria bassiana* Menggunakan Alginat dan Pati Jagung sebagai Produk Mikoinsektisida . Jakarta: *Jurnal Ilmu Kefarmasian Indonesia*. Vol, 6. No, 2. Hal. 51-56.
- Wasnowati, C. (2011). Meningkatkan Pertumbuhan Tanaman Tomat (*Lycopersicum esculentum* Mill.) Dengan Sistem Budidaya Hidroponik. *Jurnal Agrovigor* Volume 4, Hal: 60-65.
- Wintermantel, W. M. (2004). Emergence of greenhouse whitefly (*Trialeurodes vaporariorum*) transmitted criniviruses as threats to vegetable and fruit production in North America. *APSnet Features*. doi, 10.
- Wintermantel WM, Wisler GC, Anchieta AG, Liu HY, Karasev AV, Tzanetakis IE. (2005). The complete nucleotide sequence and genome organization of tomato chlorosis virus. *Archives of Virology* 150:2287-2298.
- Wintermantel WM, Wisler GC. (2006). Vector specificity, host range, and genetic diversity of tomato chlorosis virus. *Plant disease* 90, 814-9.
- Wisler GC, Liu HY, Klaasen VA, Duffus JE, Falk BW. (1996). Tomato infectious chlorosis virus has a bipartite genome and induce phloem limited inclusions characteristic of the closteroviruses. *Plant Disease* 82:270-280.
- Yahya, S. U., Shuf'aibu, A. A., Usman, A., & Lado, A. (2018). Productivity of Tomato (*Solanum lycopersicum* L.) as affected by Cultivar and Organic amendment in Kano. *Journal of Organic Agriculture and Environment*, 6(1).
- Yun, H. G., Kim, D. J., Gwak, W. S., Shin, T. Y., & Woo, S. D. (2017). Entomopathogenic fungi as dual control agents against both the pest *Myzus persicae* and phytopathogen *Botrytis cinerea*. *Mycobiology*, 45(3), 192-198.
- Zhang Z, Lu Y, Xu W, Sun L, Du Q, Wang Y, Zhao Y, Li Q. (2020). Influence of genetic diversity of seventeen *Beauveria bassiana* isolates from different hosts on virulence by comparative genomics. *BMC Genomics* 21(1

