

## DAFTAR PUSTAKA

- [1] P. M. Gopal, K. S. Prakash, E. Makki, V. Kavimani, J. Giri, and T. Sathish, "E-waste CRT Panel Glass Reinforced Magnesium Composite Processed Through Powder Metallurgy: Fabrication and Mechanical Performance Evaluation," *J. Mater. Res. Technol.*, vol. 27, no. 10, pp. 2939–2952, 2023, DOI: 10.1016/j.jmrt.2023.10.178.
- [2] M. Gong, L. Zhang, and P. Wan, "Polymer Nanocomposite Meshes For Flexible Electronic Devices," *Prog. Polym. Sci.*, vol. 107, p. 101279, 2020, DOI: 10.1016/j.progpolymsci.2020.101279.
- [3] A. E. Krauklis, C. W. Karl, A. I. Gagani, and J. K. Jorgensen, "Composite Material Recycling Technology State Of The Art And Sustainable Development For The 2020s," *J. Compos. Sci.*, vol. 5, no. 1, pp. 1–33, 2021, DOI: 2504-477X/5/1/28.
- [4] R. Manurung, S. Simanjuntak, J. Sembiring, E. Z. Candra, R. A. . Napitulu, and S. Sihombing, "Analisa Kekuatan Bahan Komposit Yang Diperkuat Serat Bambu Menggunakan Resin Polyester Dengan Memvariasikan Susunan Serat," *SJoME*, vol. 2, no. 1, pp. 28–35, 2020, DOI: 10.36655/sproket.v2i1.296.
- [5] S. F. Limbong, A. Harsojuwono, and A. Hartiati, "Pengaruh Konsentrasi Polivinil Alkohol dan Lama Pengadukan pada Proses Pemanasan terhadap Karakteristik Komposit Biotermoplastik Maizena dan Glukomanan," *J. Ilm. Teknol. Pertan. Agrotechno*, vol. 7, no. 1, pp. 37–46, 2022, DOI: 10.24843/JITPA.2022.v07.i01.p05.
- [6] N. A. Althubiti, A. Atta, E. Abdeltwab, N. Al-Harbi, and M. M. Abdel-Hamid, "Structural Characterization And Dielectric Properties Of Low Energy Hydrogen Beam Irradiated PVA/ZnO Nanocomposite Materials," *Inorg. Chem. Commun.*, vol. 153, p. 110779, Jul. 2023, DOI: 10.1016/J.INOCHE.2023.110779.
- [7] B. Liu, S. Zhang, M. Li, Y. Wang, and D. Mei, "Metal Organic Framework/Polyvinyl Alcohol Composite Films for Multiple Applications Prepared by Different Methods," *Membranes (Basel)*, vol. 13, no. 9, pp. 1–27, 2023, DOI: 10.3390/membranes13090755.
- [8] B. Zazoum, A. Bachri, and J. Nayfeh, "Functional 2D MXene Inks For Wearable Electronics," *Materials (Basel)*, vol. 14, no. 21, p. 6603, 2021, DOI: 10.3390/ma14216603.
- [9] S. K. Kim, S. A. Kim, Y. S. Han, and K. Jung, "Supercapacitor Performance of MXene-Coated Carbon Nanofiber Electrodes," *J. Carbon Res.*, vol. 10, no. 2, pp. 1–13, 2024, DOI: 10.3390/c10020032.

- [10] A. B. Talipova, V. V. Buranych, I. S. Savitskaya, O. V. Bondar, A. Turlybekuly, and A. D. Pogrebnjak, "Synthesis, Properties, and Applications of Nanocomposite Materials Based on Bacterial Cellulose and MXene," *Polymers (Basel)*, vol. 15, no. 20, pp. 1–33, 2023, DOI: 10.3390/polym15204067.
- [11] Z. Wu, T. Shang, Y. Deng, Y. Tao, and Q. Yang, "The Assembly of MXenes from 2D to 3D," *Adv. Sci.*, vol. 1903077, pp. 1–16, 2020, DOI: 10.1002/advs.201903077.
- [12] N. Grishkewich, N. Mohammed, J. Tang, and K. C. Tam, "Recent Advances in The Application of Cellulose Nanocrystals," *Curr. Opin. Colloid Interface Sci.*, vol. 29, pp. 32–45, 2017, DOI: 10.1016/j.cocis.2017.01.005.
- [13] L. Ge, J. Yin, D. Yan, W. Hong, and T. Jiao, "Construction of Nanocrystalline Cellulose-Based Composite Fiber Films with Excellent Porosity Performances via an Electrospinning Strategy," *ACS Omega*, vol. 6, no. 7, pp. 4958–4967, 2021, DOI: 10.1021/acsomega.0c06002.
- [14] T. Chen *et al.*, "Effect of Acetylation of Two Cellulose Nanocrystal Polymorphs on Processibility and Physical Properties of Polylactide/Cellulose Nanocrystal Composite Film," *Molecules*, vol. 28, no. 12, pp. 1–14, 2023, DOI: 10.3390/molecules28124667.
- [15] T. S. Soliman, A. M. Rashad, I. A. Ali, S. I. Khater, and S. I. Elkalashy, "Investigation of Linear Optical Parameters and Dielectric Properties of Polyvinyl Alcohol/ ZnO Nanocomposite Films," *Phys. Status Solidi A*, vol. 219, no. 19, pp. 1–8, 2020, DOI: 10.1002/pssa.202000321.
- [16] W. R. Fadila, Abrar, and M. Nasir, "Pengaruh Heat Treatment Pada Sifat Kristal, Listrik Dan Optik Nanokomposit," *E-Proceeding Eng.*, vol. 9, no. 3, pp. 858–865, 2022, DOI: 10.1088/1742-6596/2622/1/012021.
- [17] M. M. Rahman, "Polyurethane/Zinc Oxide (PU/ZnO) Composite-Synthesis, Protective Property And Application," *Polymers (Basel)*, vol. 12, no. 7, pp. 1–23, 2020, DOI: 10.3390/polym12071535.
- [18] M. R. Khaleel, F. S. Hashim, and A. H. O. Alkhayatt, "Preparation, Characterization, And The Antimicrobial Activity Of PVA-PVP/ZnO Nanofiber Films Via Indigenous Electrospinning Setup," *J. Mol. Struct.*, vol. 1310, p. 138325, Aug. 2024, DOI: 10.1016/J.MOLSTRUC.2024.138325.
- [19] Ł. D. Sarapuk, A. Weronika, Sosnowicz Grzeczko, and M. Krzemiński, Jakub Jakubowska, "Ultrasonication Effects On Graphene Composites In Neural Cell Cultures," *Front. Mol. Neurosci.*, vol. 15, pp. 1–13, 2022, DOI: 10.3389/fnmol.2022.992494.
- [20] M. Nor *et al.*, "Ultrasonication : A Process Intensification Tool For Methyl Ester Synthesis : A Mini Review," *Biomass Convers. Biorefinery*, vol. 13, pp. 1457–1467, 2020, DOI: 10.1007/s13399-020-01100-6.

- [21] Z. Wu *et al.*, “Ultrasonics Sonochemistry Ultrasound-Assisted Preparation Of Chitosan / Nano-Silica Aerogel / Tea Polyphenol Biodegradable Films : Physical And Functional Properties,” *Ultrason. Sonochem.*, vol. 87, pp. 1–16, 2022, DOI: 10.1016/j.ultsonch.2022.106052.
- [22] P. Sobol *et al.*, “2D Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> (MXene) Reinforced Polyvinyl Alcohol (PVA) Nanofibers With Enhanced Mechanical And Electrical Properties,” *PLoS One*, pp. 1–18, 2017, DOI: 10.1371/journal.pone.0183705 August.
- [23] Y. Zhang, H. Li, Q. Zhang, X. Guo, and Z. Zhu, “Impact of Ultrasonic Treatment Duration On The Microstructure and Electrochemical Performance of NiZnCo<sub>2</sub>O<sub>4</sub> Electrode Materials for Supercapacitors,” *Sci. Rep.*, vol. 14, no. 1, p. 26262, 2024, DOI: 10.1038/s41598-024-77851-3.
- [24] D. N. Serfandi, P. H. Setyarini, Purnami, and Sulistyono, “Karakterisasi Biodegradasi Pada Komposit Polymer Polylactid Acid (PLA) Dengan Penambahan,” *J. Rekayasa Mesin*, vol. 14, no. 3, pp. 953–962, 2023, DOI: 10.21776/jrm.v14i3.1476.
- [25] P. H. Tjahjanti, *Buku Ajar Teori Dan Aplikasi Material Komposit Dan Polimer*. Sidoarjo: Umsida Press, 2018. DOI: 10.21070/2019/978-602-5914-27-0.
- [26] D. I. Fakis, C. Worrall, and M. Kazilas, “Waveguide Method for Surface Impedance Measurements on Composite Material Substrates,” *2019 93rd ARFTG Microw. Meas. Conf.*, no. 3, pp. 1–5, 2019, DOI: 10.1109/ARFTG.2019.8739221.
- [27] H. N. Khoramabadi *et al.*, “A Review Of Polyvinyl Alcohol/Carboxymethyl Cellulose (PVA/CMC ) Composites For Various Applications,” *J. Compos. Compd.*, vol. 2, no. 3, pp. 69–76, 2020, DOI: 10.29252/jcc.2.2.2.
- [28] C. F. Mok, Y. C. Ching, F. Muhamad, N. A. A. Osman, N. D. Hai, and C. R. C. Hassan, “Adsorption of Dyes Using Poly (vinyl alcohol) (PVA) and PVA Based Polymer Composite Adsorbents : A Review,” *J. Polym. Environ.*, vol. 28, pp. 775–793, 2020, DOI: 10.1007/s10924-020-01656-4.
- [29] J. O. Dennis *et al.*, “A Review of Current Trends on Polyvinyl Alcohol (PVA) Based Solid Polymer Electrolytes,” *Molecules*, vol. 28, no. 4, pp. 1–47, 2012, DOI: 10.1007/978-1-4614-0727-0\_5.
- [30] A. Jayakumar *et al.*, “Starch-PVA Composite Films With Zinc-Oxide Nanoparticles And Phytochemicals As Intelligent Ph Sensing Wraps For Food Packaging Application,” *Int. J. Biol. Macromol.*, vol. 136, pp. 395–403, 2019, DOI: 10.1016/j.ijbiomac.2019.06.018.
- [31] V. Khac *et al.*, “A Review On Zinc Oxide Composites For Energy Storage Applications: Solar Cells, Batteries, And Supercapacitors,” *J. Compos. Compd.*, vol. 3, no. 8, pp. 182–193, 2021, DOI: 10.52547/jcc.3.3.6.
- [32] M. P. Setiawan, N. Hindryawati, and A. Aziz, “Mini Review : Sintesis Dan

Karakterisasi Nanopartikel ZnO Dan Aplikasinya Sebagai Fotokatalis,” *Pros. Semin. Nas. Kim. dan Terap. III 2023*, vol. 2, no. 2, pp. 84–90, 2024, [Online]. Available: [jurnal.kimia.fmipa.unmul.ac.id/index.php/prosiding/article/view/1389](http://jurnal.kimia.fmipa.unmul.ac.id/index.php/prosiding/article/view/1389)

- [33] M. Saeed, H. M. Marwani, U. Shahzad, A. M. Asiri, and M. M. Rahman, “Recent Advances, Challenges, and Future Perspectives of ZnO Nanostructure Materials Towards Energy Applications,” *Chem. Rec.*, vol. 24, no. 1, pp. 1–17, 2023, DOI: 10.1002/tcr.202300106.
- [34] S. K. Amit, D. Gomez-Maldonado, T. Bish, M. S. Peresin, and V. A. Davis, “Properties of APTES-Modified CNC Films,” *ACS Omega*, vol. 9, no. 14, pp. 16572–16580, 2024, DOI: 10.1021/acsomega.4c00439.
- [35] V. Hynninen, J. Patrakka, and Nonappa, “Methylcellulose Cellulose Nanocrystal Composites for Optomechanically Tunable Hydrogels and Fibers,” *Materials (Basel)*, vol. 14, no. 18, pp. 1–22, 2021, DOI: 10.3390/ma14185137.
- [36] M. Pagliaro *et al.*, “Application Of Nanocellulose Composites In The Environmental Engineering As A Catalyst, Flocculants, And Energy Storages: A Review,” *J. Compos. Compd.*, vol. 3, pp. 114–128, 2021, DOI: 10.52547/jcc.3.2.5.
- [37] S. Singh, S. Bhardwaj, P. Tiwari, and K. Dev, “Recent Advances In Cellulose Nanocrystals-Based Sensors : A Review,” *Mater. Adv.*, vol. 5, pp. 2622–2654, 2024, DOI: 10.1039/d3ma00601h.
- [38] A. Bin Rashid *et al.*, “Synthesis, Properties, Applications, and Future Prospective of Cellulose Nanocrystals,” *Polymers (Basel)*, vol. 15, no. 20, pp. 1–26, 2022, DOI: 10.1007/978-3-030-89621-8\_12.
- [39] D. P. Pabba *et al.*, “MXene-Based Nanocomposites for Piezoelectric and Triboelectric Energy Harvesting Applications,” *Micromachines*, vol. 14, no. 6, pp. 1–45, 2023, DOI: 10.3390/mi14061273.
- [40] M. U. Khan *et al.*, “Preparations and Applications of MXene Metal Composites : A Review,” *Coatings*, vol. 12, no. 4, pp. 1–60, 2022, DOI: 10.3390/coatings12040516.
- [41] J. Yang, W. Bao, P. Jaumaux, S. Zhang, C. Wang, and G. Wang, “MXene-Based Composites : Synthesis and Applications in Rechargeable Batteries and Supercapacitors,” *Adv. Mater. Interfaces*, vol. 1802004, pp. 1–32, 2019, DOI: 10.1002/admi.201802004.
- [42] T. S. Dewi and N. P. Putri, “Pengaruh Waktu Ultrasonikasi Terhadap Nilai Kapasitansi Elektroda Superkapasitor Berbahan Dasar Tempurung Kelapa,” *J. Inov. Fis. Indones.*, vol. 8, no. 1, pp. 5–7, 2019, DOI: 10.26740/ifi.v8n1.
- [43] T. Ji *et al.*, “Effects Of Ultrasonication Time On The Properties Of Polyvinyl Alcohol/Sodium Carboxymethyl Cellulose/Nano-ZnO/Multilayer Graphene

- Nanoplatelet Composite Films,” *Nanomaterials*, vol. 10, no. 9, pp. 1–27, 2020, DOI: 10.3390/nano10091797.
- [44] A. Rahman and A. Mahyudin, “Pengaruh Waktu Ultrasonikasi Terhadap Sifat Mekanik Selulosa Serat Pinang,” *J. Fis. Unand*, vol. 9, no. 3, pp. 331–337, 2020, DOI: 10.25077/jfu.9.3.331-337.2020.
- [45] I. Nainggolan *et al.*, “South African Journal of Chemical Engineering Sensitivity of Chitosan Film Based Electrode Modified with Reduced Graphene Oxide (rGO) for Formaldehyde Detection Using Cyclic Voltammetry,” *South African J. Chem. Eng.*, vol. 48, pp. 184–193, 2024, DOI: 10.1016/j.sajce.2024.02.001.
- [46] H. Wang, C. Bringans, A. J. R. Hickey, J. A. Windsor, P. A. Kilmartin, and A. R. J. Phillips, “Cyclic Voltammetry in Biological Samples : A Systematic Review of Methods and Techniques Applicable to Clinical Settings,” *Signals*, vol. 2, no. 1, pp. 138–158, 2021, DOI: 10.3390/signals2010012.
- [47] S. Yunus, K. K. Umah, H. Abral, and O. A. Ogah, “Enhancing Current Density and Specific Capacitance of Nata de Coco , TEMPO , and MXene Composites through Boiling Time Variations,” *Andalasian Int. J.*, vol. 3, no. 3, pp. 221–229, 2023, DOI: 10.25077/aijaset.v3i3.110.
- [48] A. . Yani, E. Taer, and R. . Saputra, “Rancangan Alat Siklik Voltammogram Untuk Aplikasi Pada Pengukuran Sel Superkapasitor,” *JOMFMIPA UNRI*, vol. 1, pp. 1–7, 2014, [Online]. Available: <https://jom.unri.ac.id/index.php/JOMFMIPA/article/view/2545/2477>
- [49] S. Fatimah, R. Ragadhita, D. F. Al Husaeni, and A. B. D. Nandiyanto, “ASEAN Journal of Science and Engineering How to Calculate Crystallite Size from X-Ray Diffraction (XRD) Using Scherrer Method,” *ASEAN J. Sci. Eng.*, vol. 2, no. 1, pp. 65–76, 2022, DOI: 10.17509/ijost.v2i2.
- [50] A. Ali, Y. W. Chiang, and R. M. S. Santos, “X-ray Diffraction Techniques for Mineral Characterization : A Review for Engineers of the Fundamentals , Applications , and Research Directions,” *Minerals*, vol. 12, no. 2, pp. 1–25, 2022, DOI: 10.3390/min12020205.
- [51] G. F. Harrington and J. Santiso, “Back To Basics Tutorial : X Ray Diffraction Of Thin Films,” *J. Electroceramics*, vol. 47, pp. 141–163, 2021, DOI: 10.1007/s10832-021-00263-6.
- [52] S. A. Sayid, A. Dadan-garba, D. E. Enenche, and B. A. Ikyo, “Scanning Electron Microscopy (SEM) of the Bug Eye and Sand Coral,” *Microsc. Res.*, vol. 8, pp. 1–7, 2020, DOI: 10.4236/mr.2020.81001.
- [53] A. Deatsch, M. Perovnik, J. G. Eley, and W. David, “Application of Scanning Electron Microscopy in Metal Material Detection,” *J. Phys. Conf. Ser.*, pp. 1–7, 2021, DOI: 10.1088/1742-6596/2002/1/012010.
- [54] A. F. Septiano, Susilo, and N. E. Setyaningsih, “Analisis Citra Hasil

Scanning Electron Microscopy Energy Dispersive X-Ray (SEM EDX) Komposit Resin Timbal dengan Metode Contrast to Noise Ratio ( CNR ),” *Indones. J. Math. Nat. Sci.*, vol. 44, no. 2, pp. 81–85, 2021, DOI: 10.15294/ijmns.v44i2.33143.

- [55] N. Masta, *Scanning Electron Microscopy*. Jakarta: Universitas Kristen Indonesia, 2020. [Online]. Available: repository.uki.ac.id/8190/
- [56] W. Zhao, H. Chi, S. Zhang, X. Zhang, and T. Li, “One-Pot Synthesis of Cellulose/MXene/PVA Foam for Efficient Methylene Blue Removal,” *Molecules*, vol. 27, no. 13, pp. 1–12, 2022, DOI: 1420-3049/27/13/4243#.
- [57] A. Ismardi, T. D. Gunawan, A. Suhendi, and I. W. Fathona, “Study of Graphene Incorporation Into ZnO-PVA Nanocomposites Modified Electrode for Sensitive Detection of Cadmium,” *Heliyon*, vol. 10, no. 11, pp. 1–11, 2024, DOI: 10.1016/j.heliyon.2024.e31565.
- [58] P. He *et al.*, “Tough and Super-Stretchable Conductive Double Network Hydrogels With Multiple Sensations and Moisture-Electric Generation,” *Chem. Eng. J.*, vol. 414, p. 128726, 2021, DOI: 10.1016/j.cej.2021.128726.
- [59] A. A. Putri, “Pengaruh Variasi Waktu Ultrasonikasi Terhadap Konduktivitas Listrik Dari Film Komposit Polivinil Alkohol (PVA)/Gambir/MXene,” Universitas Andalas, 2021.
- [60] Zulhamida and A. Putra, “Sintesis dan Karakterisasi Elektroda Superkapasitor Berbasis Karbon Aktif Limbah Tongkol Jagung,” *J. Pendidik. Tambusai*, vol. 8, no. 2, pp. 19505–19516, 2024.
- [61] H. T. A. Awan *et al.*, “MXene-Polymer Hybrid Composites For Advanced Energy Storage: Insights Into Supercapacitors And Batteries,” *J. Energy Storage*, vol. 95, p. 112449, 2024, DOI: 10.1016/j.est.2024.112449.
- [62] M. P. Bilibana, “Electrochemical properties of MXenes and applications,” *Adv. Sens. Energy Mater.*, vol. 2, no. 4, p. 100080, 2023, DOI: 10.1016/j.asems.2023.100080.
- [63] X. Zang *et al.*, “Enhancing Capacitance Performance of Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> MXene as Electrode Materials of Supercapacitor: From Controlled Preparation to Composite Structure Construction,” *Nano-Micro Lett.*, vol. 12, no. 1, pp. 1–24, 2020, DOI: 10.1007/s40820-020-0415-5.
- [64] Z. Otgonbayar, S. Yang, I. J. Kim, and W. C. Oh, “Recent Advances in Two-Dimensional MXene for Supercapacitor Applications: Progress, Challenges, and Perspectives,” *Nanomaterials*, vol. 13, no. 5, p. 919, 2023, DOI: 10.3390/nano13050919.
- [65] H. Tang *et al.*, “MXene–2D Layered Electrode Materials For Energy Storage,” *Prog. Nat. Sci. Mater. Int.*, vol. 28, no. 2, pp. 133–147, 2018, DOI: 10.1016/j.pnsc.2018.03.003.

- [66] S. S. Poongavanam, V. Subramaniyan, P. S. Sellamuthu, J. Jarugala, and E. R. Sadiku, "Fabrication of Bio-Nanocomposite Packaging Films with PVA, MMt Clay Nanoparticles, CNCs, and Essential Oils for the Postharvest Preservation of Sapota Fruits," *Polymers (Basel)*, vol. 15, no. 17, 2023, DOI: 10.3390/polym15173589.
- [67] A. Aldhafer, N. Rabiee, and S. Iravani, "Exploring the synergistic potential of MXene-MOF hybrid composites: A perspective on synthesis, properties, and applications," *Hybrid Adv.*, vol. 5, no. October 2023, p. 100131, 2024, DOI: 10.1016/j.hybadv.2023.100131.
- [68] M. Aleksandrova, N. Kurtev, and I. Pandiev, "Effect of MXene Nanosheet Sticking on Supercapacitor Device Performance," *Appl. Sci.*, vol. 14, no. 6, 2024, DOI: 10.3390/app14062452.
- [69] A. Iqbal, J. Hong, T. Y. Ko, and C. M. Koo, "Improving Oxidation Stability of 2D MXenes: Synthesis, Storage Media, and Conditions," *Nano Converg.*, vol. 8, no. 1, 2021, DOI: 10.1186/s40580-021-00259-6.

