



**UNIVERSITAS ANDALAS**

**HUBUNGAN DUKUNGAN KELUARGA DAN DEPRESI DENGAN**

**KUALITAS HIDUP PASIEN KANKER**

**PAYUDARA DI RSUP M. DJAMIL**

**PADANG TAHUN 2018**

**Oleh :**

**DEKHA ZULMI RAMADANI**

**No. BP. 1311211115**

**Pembimbing I : Dr. dr. Fauziah Elytha M.Sc**

**Pembimbing II : Ade Suzana Eka Putri, Ph.D**

**FAKULTAS KESEHATAN MASYARAKAT**

**UNIVERSITAS ANDALAS**

**2019**

**FAKULTAS KESEHATAN MASYARAKAT  
UNIVERSITAS ANDALAS**

**Skripsi, Juli 2019**

**DEKHA ZULMI RAMADANI, No. BP. 1311211115**

**HUBUNGAN DUKUNGAN KELUARGA DAN DEPRESI DENGAN KUALITAS  
HIDUP PASIEN KANKER PAYUDARA DI RSUP DR. M. DJAMIL PADANG  
TAHUN 2018**

viii + 81 halaman, 21 tabel, 7 lampiran

**ABSTRAK**

**Tujuan**

Kanker payudara merupakan salah satu jenis kanker yang menjadi etiologi kematian terbesar kaum wanita didunia, termasuk indonesia. Angka prevalensi kanker payudara berdasarkan data rekam medis di RSUP Dr. M. Djamil tahun 2014 terdapat 2082 kasus rawat jalan dan 241 kasus rawat jalan, pada tahun 2015 terjadi penurunan sebanyak 972 kasus rawat jalan dan 155 kasus rawat inap, pada tahun 2016 terjadi peningkatan sebanyak 4132 kasus rawat jalan dan 109 kasus rawat jalan. Penelitian ini bertujuan untuk mengetahui hubungan dukungan keluarga dan depresi dengan kualitas hidup pasien kanker payudara di RSUP Dr. M. Djamil Padang tahun 2018.

**Metode**

Jenis penelitian kuantitatif dengan desain *cross sectional*. Populasi yaitu pasien yang didiagnosis menderita penyakit kanker payudara yang sedang berobat jalan dan sampel sebanyak 72 responden. Teknik pengambilan sampel dengan *non probability sampling*. Pengumpulan data dilakukan melalui wawancara dengan kuesioner dan dianalisis secara univariat, bivariat (*chi square*), dan multivariat (regresi logistik).

**Hasil**

Hasil analisis secara univariat diperoleh persentase kualitas baik sebanyak 52,5%, sedangkan hasil analisis bivariat diperoleh bahwa terdapat hubungan bermakna antara dukungan keluarga ( $p=0,003$ ), depresi ( $p=0,001$ ), status pekerjaan ( $p=0,031$ ) dan stadium kanker ( $p=0,004$ ) dengan kualitas hidup pasien kanker payudara dan tidak terdapat hubungan antara umur, tingkat pendidikan, dan status pernikahan dengan kualitas hidup pasien kanker payudara. Hasil analisis multivariat diperoleh variabel yang berhubungan dengan kualitas hidup adalah dukungan keluarga  $p$  value=0,018 (POR=3,62), depresi  $p$  value= 0,001 (POR=29,83).

**Kesimpulan**

Dukungan keluarga, depresi, status pekerjaan dan stadium kanker berhubungan dengan kualitas hidup pasien kanker payudara di RSUP Dr. M. Djamil Padang tahun 2018. Disarankan kepada petugas kesehatan dapat memberikan informasi/penyuluhan kepada pasien dan keluarga pasien tentang penyakit kanker payudara, menyarankan pasien untuk menjaga kesehatan, mengatasi rasa cemas, dan menghindari depresi karena akan memperburuk kualitas hidup pasien kanker payudara.

**Daftar Pustaka** : 57 (2002-2018)

**Kata Kunci** : Dukungan keluarga, Depresi, Kualitas Hidup, Kanker payudara

**FACULTY OF PUBLIC HEALTH  
ANDALAS UNIVERSITY**

**Undergraduate Thesis, July 2019**

**DEKHA ZULMI RAMADANI, No. BP. 1311211115**

**RELATIONSHIP OF FAMILY SUPPORT AND DEPRESSION WITH LIFE  
QUALITY OF BREAST CANCER PATIENTS AT DR. M. DJAMIL  
HOSPITALPADANG IN 2018**

viii + 81 pages, 21 tables, 7 attachments

## **ABSTRACT**

### **Objectives**

Breast cancer is one type of cancer which is the biggest etiology of death for women in the world, including Indonesia. The prevalence of breast cancer based on medical record data at Dr. M. Djamil hospital in 2014 there were 2082 outpatient cases and 241 outpatient cases, in 2015 there were 972 outpatient cases and 155 inpatient cases, in 2016 there were 4132 outpatient cases and 109 outpatient cases. This study aims to determine the relationship between family support and depression with the quality of life of breast cancer patients at Dr. M. Djamil hospital Padang in 2018.

### **Method**

This research is quantitative research with cross sectional design. The population is patients diagnosed with breast cancer who are outpatient and a sample of 72 respondents. Sampling technique with non probability sampling. Data collection was conducted through interviews with questionnaires and analyzed by univariate, bivariate (chi square), and multivariate (logistic regression).

### **Results**

Univariate analysis obtained a percentage of good quality of 52.5%, while the results of bivariate analysis showed that there was a significant relationship between family support ( $p = 0.003$ ), depression ( $p = 0.001$ ), employment status ( $p = 0.031$ ) and stage of cancer ( $p = 0.004$ ) with the quality of life of breast cancer patients and there is no relationship between age, education level, and marital status with the quality of life of breast cancer patients. The results of multivariate analysis showed that variables related to quality of life were family support  $p$  value = 0.018 (POR = 3.62), depression  $p$  value = 0.001 (POR = 29.83).

### **Conclusion**

Family support, depression, work status and cancer stage are related to the quality of life of breast cancer patients in Dr. M. Djamil hospital Padang in 2018. It is recommended that health workers can provide information or counseling to patients and families of patients about breast cancer, advise patients to maintain health, overcome anxiety, and avoid depression because it will worsen the quality of life for breast cancer patients.

**Bibliography** : 57 (2002-2018)

**Keywords** : Family support, Quality of Life, Depression, Breast Cancer