

## REFERENCES

- Aamir Baig, M., Imteyaz Ansari, M., Islam, N., & Umair, M. (2022). Damage assessment of circular bridge pier incorporating high-strength steel reinforcement under near-fault ground motions. *Materials Today: Proceedings*, 64, 488–498. <https://doi.org/10.1016/j.matpr.2022.04.964>
- Abbasi, S., Ardakani, A., & Yakhchalian, M. (2016). *Comparison between the Effects of Near- and Far-Fault Ground Motions on the Seismic Response of a Soil-Pile-Structure System*. October 2017.
- ACI Committee 440. (2002). Guide for the Design and Construction of Structural Concrete Reinforced with FRP Bars, ACI 440.1R-06. *Normos*, 88(Reapproved), 1–97.
- Adanur, S., Altunişik, A. C., Bayraktar, A., & Akköse, M. (2012a). Comparison of near-fault and far-fault ground motion effects on geometrically nonlinear earthquake behavior of suspension bridges. *Natural Hazards*, 64(1), 593–614. <https://doi.org/10.1007/s11069-012-0259-5>
- Adanur, S., Altunişik, A. C., Bayraktar, A., & Akköse, M. (2012b). Comparison of near-fault and far-fault ground motion effects on geometrically nonlinear earthquake behavior of suspension bridges. *Natural Hazards*, 64(1), 593–614. <https://doi.org/10.1007/s11069-012-0259-5>
- Al-Attraqchi, A. Y., Hashemi, M. J., & Al-Mahaidi, R. (2022). Loss assessment of rigid-frame bridges under horizontal and vertical ground motions. *Structures*, 35(November 2021), 243–259. <https://doi.org/10.1016/j.istruc.2021.11.014>
- Alliance American Lifelines (ALA). (2001). Seismic Fragility Formulations For Water Systems. *Asce*, 1–104.
- Anca - Ioana, F. L. R. (2009). Fragility Based Seismic Vulnerability Assessment of Ordinary Highway Bridges In Turkey. *Thesis*, 2(5), 255.
- Anhika Kadarusman, R., SMD, A., & Wibowo, A. (2012). KAJIAN ANALISIS PUSHOVER UNTUK PERFORMANCE BASED DESIGN PADA GEDUNG A RUMAH SAKIT UMUM DAERAH (RSUD) KERTOSONO (Study of Pushover Analysis for Performance Based Design on Kertosono Regional Public Hospital Building A). *Jurnal Teknik Sipil*, 1–10.
- Andreotti, G., & Lai, C. G. (2019). Use of fragility curves to assess the seismic vulnerability in the risk analysis of mountain tunnels. *Tunnelling and Underground Space Technology*, 91(June), 103008. <https://doi.org/10.1016/j.tust.2019.103008>
- Anon. (1977). Structural Dynamics. In *Consult Eng (London)* (Vol. 41, Issue 9). <https://doi.org/10.2514/5.9781624104657.0173.0210>
- Argyroudis, S. A., & Mitoulis, S. A. (2021). Vulnerability of bridges to individual and multiple hazards- floods and earthquakes. *Reliability Engineering and System Safety*, 210(January), 107564. <https://doi.org/10.1016/j.ress.2021.107564>
- Badan Standarisasi Nasional Indonesia. (2019). SNI 2847-2019: Persyaratan Beton Struktural untuk Bangunan Gedung. *Standar Nasional Indonesia*, 8, 720.

- Baker, J. W. (2015). Efficient analytical fragility function fitting using dynamic structural analysis. *Earthquake Spectra*.  
<https://doi.org/10.1193/021113EQS025M>
- Balasubramanian, A. (2017). Bridges and their types. *University of Mysore*, 5(1), 1–8. <https://doi.org/10.13140/RG.2.2.18109.46566>
- Bao, X., Zhang, M. H., & Zhai, C. H. (2019). Fragility analysis of a containment structure under far-fault and near-fault seismic sequences considering post-mainshock damage states. *Engineering Structures*, 198. <https://doi.org/10.1016/j.engstruct.2019.109511>
- Bazzurro, P., & Cornell, C. A. (1994). Seismic Hazard Analysis of Nonlinear Structures. II: Applications. *Journal of Structural Engineering*, 120(11), 3345–3365. [https://doi.org/10.1061/\(asce\)0733-9445\(1994\)120:11\(3345\)](https://doi.org/10.1061/(asce)0733-9445(1994)120:11(3345))
- Bhuiyan, A. R., Billah, A. H. M. M., & Alam, M. S. (2011). Seismic fragility assessment of SMA-bar restrained multi-span continuous highway bridge isolated by high damping rubber bearings in medium to strong seismic risk zones. *4th Annual Paper Meet and 1st Civil Engineering Congress*.
- Billah, A. H. M. M., Alam, M. S., & Bhuiyan, M. A. R. (2013). Fragility Analysis of Retrofitted Multicolumn Bridge Bent Subjected to Near-Fault and Far-Field Ground Motion. *Journal of Bridge Engineering*, 18(10), 992–1004. [https://doi.org/10.1061/\(asce\)be.1943-5592.0000452](https://doi.org/10.1061/(asce)be.1943-5592.0000452)
- Bockholt, J. L., & Weaver, W. (1974). Inelastic dynamic analysis of tier buildings. *Computers and Structures*, 4(3), 627–645. [https://doi.org/10.1016/0045-7949\(74\)90011-X](https://doi.org/10.1016/0045-7949(74)90011-X)
- Borcherdt, R. D. (1995). *Preliminary Estimates of Ground-Motion Amplification for the Northridge and Hyogo-ken Nanbu Earthquakes of January 17, 1994 and 1995*. 1–10.
- Brown, A. (2009). Investigation of Near-faults vs. Far-field ground motion Effects on a Substandard Bridge Bent. *University of Nevada, Reno, August*, 1–23.
- Çavdar, Ö. (2012). Probabilistic sensitivity analysis of two suspension bridges in Istanbul, Turkey to near- and far-fault ground motion. *Natural Hazards and Earth System Science*, 12(2), 459–473. <https://doi.org/10.5194/nhess-12-459-2012>
- Chen, E. W., & Duan, L. (2000). Bridge engineering handbook. In *Choice Reviews Online* (Vol. 37, Issue 09). <https://doi.org/10.5860/choice.37-5116>
- Chen, W. F., & Duan, L. (2014). Bridge engineering handbook: Seismic design, second edition. In *Bridge Engineering Handbook: Seismic Design, Second Edition*. <https://doi.org/10.1201/b15663>
- Chen, X., & Li, C. (2021). Seismic assessment of tall pier bridges with double-column bents retrofitted with buckling restrained braces subjected to near-fault motions. *Engineering Structures*, 226(May 2020), 111390. <https://doi.org/10.1016/j.engstruct.2020.111390>
- Chen, X., Li, J., & Guan, Z. (2020). Fragility analysis of tall pier bridges subjected to near-fault pulse-like ground motions. *Structure and Infrastructure Engineering*, 16(8), 1082–1095. <https://doi.org/10.1080/15732479.2019.1683589>

- Chen, X., Xiang, N., & Li, C. (2021). Influence of higher-order modes of slender tall pier bridge columns on the seismic performance of pile foundations. *Soil Dynamics and Earthquake Engineering*, 142(December 2020), 106543. <https://doi.org/10.1016/j.soildyn.2020.106543>
- Chen, Z. Q., Zheng, S. X., Ding, Z. H., Zhang, J., & Tai, Y. J. (2021). Seismic reliability evaluation of bridges under spatially varying ground motions using a four-parameter distribution. *Engineering Structures*, 247(April), 113157. <https://doi.org/10.1016/j.engstruct.2021.113157>
- Choi, C. (2018). *Fundamentals of Seismology* (2).
- Chomchuen, P., & Boonyapinyo, V. (2017). Incremental dynamic analysis with multi-modes for seismic performance evaluation of RC bridges. *Engineering Structures*, 132, 29–43. <https://doi.org/10.1016/j.engstruct.2016.11.026>
- Chopra, A. K. (2005). *Earthquake Dynamics of Structures, A Primer*.
- Chopra, A. K. (2008). Displacement-based seismic design of structures, M. J. N. Priestley, G. M. Calvi, and M. J. Kowalsky, IUSS Press, Pavia, Italy. ISBN: 978-88-6198-0006, 721 pp. *Earthquake Engineering & Structural Dynamics*, 37(9), 1247–1247. <https://doi.org/10.1002/eqe.807>
- Chopra, A. K., & Goel, R. K. (2004). A modal pushover analysis procedure to estimate seismic demands for unsymmetric-plan buildings. *Earthquake Engineering and Structural Dynamics*, 33(8), 903–927. <https://doi.org/10.1002/eqe.380>
- Cloke, P., Dickinson, S., & Tupper, S. (2017). The Christchurch earthquakes 2010, 2011: Geographies of an event. *New Zealand Geographer*, 73(2), 69–80. <https://doi.org/10.1111/nzg.12152>
- Coburn, A., & Spence, R. (1992). Earthquake protection. *Earthquake Protection*. <https://doi.org/10.5459/bnzsee.27.2.163>
- Colangelo, F. (2008). On the computation of seismic fragility curves. *The 14 Th World Conference on Earthquake Engineering, Beijing, China, October*, 1–8.
- Cornell, B. Y. C. A. (1968). *Engineering Seismic Risk Analysis*. 58(5), 1583–1606.
- Darzi, A., Bessason, B., Halldorsson, B., Molina, S., Kharazian, A., & Moosapoor, M. (2022). High spatial-resolution loss estimation using dense array strong-motion near-fault records. Case study for Hveragerði and the Mw6.3 Ölfus earthquake, South Iceland. *International Journal of Disaster Risk Reduction*, 73(November 2021), 102894. <https://doi.org/10.1016/j.ijdr.2022.102894>
- Edition, S. (2001). The Seismic Design Handbook. In *The Seismic Design Handbook*. <https://doi.org/10.1007/978-1-4615-1693-4>
- Elnashai, A. S., & Sarno, L. Di. (2015). *Fundamentals of earthquake engineering From source to Fragility*, (second edi).
- Fadil, W., Lindsey, E. O., Wang, Y., Maung, P. M., Luo, H., Swe, T. L., Tun, P. P., & Wei, S. (2021). The January 11, 2018, Mw 6.0 Bago-Yoma, Myanmar Earthquake: A Shallow Thrust Event Within the Deforming Bago-Yoma Range. *Journal of Geophysical Research: Solid Earth*, 126(7), 1–22. <https://doi.org/10.1029/2020JB021313>

- Fakhravar, H. (2021). Application of Failure Modes and Effects Analysis in the Engineering Design Process. *arXiv Preprint arXiv:2101.05444*, January.
- Falamarz-Sheikhabadi, M. R., & Zerva, A. (2018). Selection of earthquake records for the non-uniform excitation of bridges. *Engineering Structures*, 175(August), 296–303. <https://doi.org/10.1016/j.engstruct.2018.08.018>
- Fathi, E., & Nikzad, F. (n.d.-a). *Influence of Far and Near Fault Earthquake on Dynamic Behavior of Block Type Quay Wall*. 5805–5812.
- Fathi, E., & Nikzad, F. (n.d.-b). *Influence of Far and Near Fault Earthquake on Dynamic Behavior of Block Type Quay Wall*. 5805–5812.
- FEMA. (2000). Prestandard and Commentary for the Seismic Rehabilitation of Buildings. *Rehabilitation Requirements*, 1, 1–518.
- Feng, M. Q., Member, A., Kim, H., & Kim, S. (2000). *Nonlinear Static Procedure for Fragility Curve Development*. December, 1287–1295.
- Gentile, R., Nettis, A., & Raffaele, D. (2020). Effectiveness of the displacement-based seismic performance assessment for continuous RC bridges and proposed extensions. *Engineering Structures*, 221(December 2019), 110910. <https://doi.org/10.1016/j.engstruct.2020.110910>
- Ghallab, A. (2014). Ductility of externally prestressed continuous concrete beams. *KSCE Journal of Civil Engineering*, 18(2), 595–606. <https://doi.org/10.1007/s12205-014-0443-0>
- Gorai, S., & Maity, D. (2019a). Seismic response of concrete gravity dams under near field and far field ground motions. *Engineering Structures*, 196(June), 109292. <https://doi.org/10.1016/j.engstruct.2019.109292>
- Gorai, S., & Maity, D. (2019b). Seismic response of concrete gravity dams under near field and far field ground motions. *Engineering Structures*, 196(June), 109292. <https://doi.org/10.1016/j.engstruct.2019.109292>
- Graves, R. W., & Pitarka, A. (2010). Broadband ground-motion simulation using a hybrid approach. *Bulletin of the Seismological Society of America*, 100(5 A), 2095–2123. <https://doi.org/10.1785/0120100057>
- Güllü, H., & Karabekmez, M. (2017). Effect of near-fault and far-fault earthquakes on a historical masonry mosque through 3D dynamic soil-structure interaction. *Engineering Structures*, 152, 465–492. <https://doi.org/10.1016/j.engstruct.2017.09.031>
- Guo, W., Li, J., Guan, Z., & Chen, X. (2022). Pounding performance between a seismic-isolated long-span girder bridge and its approaches. *Engineering Structures*, 262(May), 114397. <https://doi.org/10.1016/j.engstruct.2022.114397>
- Guo, W., Wang, K., Yin, W., Zhang, B., & Lu, G. (2022). Research on seismic excitation direction of double-deck curved bridges: A probabilistic method based on the random forest algorithm. *Structures*, 39(March), 705–719. <https://doi.org/10.1016/j.istruc.2022.03.066>
- Hasan, R., Xu, L., & Grierson, D. E. (2002). Push-over analysis for performance-based seismic design. *Computers and Structures*. [https://doi.org/10.1016/S0045-7949\(02\)00212-2](https://doi.org/10.1016/S0045-7949(02)00212-2)
- Hason, M. M., Hanoon, A. N., Al Zand, A. W., Abdulhameed, A. A., & Al-Sulttani, A. O. (2020). Torsional strengthening of reinforced concrete beams with

- externally-bonded fibre reinforced polymer: An energy absorption evaluation. *Civil Engineering Journal (Iran)*, 6(Special Issue), 69–85. [https://doi.org/10.28991/cej-2020-SP\(EMCE\)-07](https://doi.org/10.28991/cej-2020-SP(EMCE)-07)
- Hason, M. M., Hanoon, A. N., Saleem, S. J., Hejazi, F., & Al Zand, A. W. (2021). Characteristics of experimental ductility energy index of hybrid-CFRP reinforced concrete deep beams. *SN Applied Sciences*, 3(2). <https://doi.org/10.1007/s42452-021-04202-6>
- Hazus. (2012). Hazus–MH 2.1: Technical Manual. *Federal Emergency Management Agency*, 718.
- Hu, Y., Jiang, L., Ye, J., Zhang, X., & Jiang, L. (2021). Seismic responses and damage assessment of a mid-rise cold-formed steel building under far-fault and near-fault ground motions. *Thin-Walled Structures*, 163(October 2020). <https://doi.org/10.1016/j.tws.2021.107690>
- Humar, J. L. (2012). Dynamics of Structures, Third Edition. *Dynamics of Structures, Third Edition*, 1–1019. <https://doi.org/10.1201/b11772>
- Hutchings, S. J., & Mooney, W. D. (2021). The Seismicity of Indonesia and Tectonic Implications. *Geochemistry, Geophysics, Geosystems*, 22(9), 1–42. <https://doi.org/10.1029/2021GC009812>
- Hyderkhan, P. (2018). *Comparison of Incremental Dynamic Analysis Curve*. 1588–1593.
- Ibrahim, Y. E., & El-Shami, M. M. (2011). Seismic fragility curves for mid-rise reinforced concrete frames in Kingdom of Saudi Arabia. *IES Journal Part A: Civil and Structural Engineering*, 4(4), 213–223. <https://doi.org/10.1080/19373260.2011.609325>
- Jin, Z., Liu, W., & Pei, S. (2022). Probabilistic evaluation of railway vehicle's safety on bridges under random earthquake and track irregularity excitations. *Engineering Structures*, 266(December 2021), 114527. <https://doi.org/10.1016/j.engstruct.2022.114527>
- Kabir, M. R., Billah, A. H. M. M., & Alam, M. S. (2019a). Seismic fragility assessment of a multi-span RC bridge in Bangladesh considering near-fault, far-field and long duration ground motions. *Structures*, 19(February), 333–348. <https://doi.org/10.1016/j.istruc.2019.01.021>
- Kabir, M. R., Billah, A. H. M. M., & Alam, M. S. (2019b). Seismic fragility assessment of a multi-span RC bridge in Bangladesh considering near-fault, far-field and long duration ground motions. *Structures*, 19(February), 333–348. <https://doi.org/10.1016/j.istruc.2019.01.021>
- Kalpana, V. G., & Subramanian, K. (2011). Behavior of concrete beams reinforced with GFRP BARS. *Journal of Reinforced Plastics and Composites*, 30(23), 1915–1922. <https://doi.org/10.1177/0731684411431119>
- Karaca, H., & Soyluk, K. (2018). *Effetcs of Near-Fault and Far-Fault Ground Motions on Cable-Stayed Bridges*. July, 1.
- Karim, K. R., & Yamazaki, F. (2003). A simplified method of constructing fragility curves for highway bridges. *Earthquake Engineering and Structural Dynamics*, 32(10), 1603–1626. <https://doi.org/10.1002/eqe.291>
- Kasyfi, R. I. (2023). *MENGGUNAKAN METODE INCREMENTAL DYNAMIC ANALYSIS MENGGUNAKAN METODE INCREMENTAL DYNAMIC ANALYSIS*.

- Kawashima, K., & Miyaji, K. (2006a). Seismic performance requirement of highway bridges. *8th US National Conference on Earthquake Engineering 2006*, 10(January), 5583–5592.
- Kawashima, K., & Miyaji, K. (2006b). Seismic performance requirement of highway bridges. *8th US National Conference on Earthquake Engineering 2006*, 10(August 2018), 5583–5592.
- K.Chopra, A. (2012). *Dynamic of structures*. In *Prentice Hall*.
- Khosravikia, F., Clayton, P., & Williamson, E. (2021). Investigation of potential damage to bridge infrastructure from induced earthquakes. *Engineering Structures*, 238(March), 112252. <https://doi.org/10.1016/j.engstruct.2021.112252>
- Kibboua, A., Kehila, F., Bechtoula, H., Mehani, Y., & Remki, M. (2014). Development of fragility curves for seismic evaluation of a reinforced concrete bridge. *Second European Conference on Earthquake Engineering and Seismology, Istanbul*, 1–11.
- Kim, S. (2003). *Developing Fragility Curves for concrete bridges retrofitted Steel Jacket* (p. 9).
- Kun, C., Yang, Z., & Chouw, N. (2018). Seismic performance of skewed bridges with simultaneous effects of pounding and supporting soil. *Engineering Structures*, 174(June), 26–38. <https://doi.org/10.1016/j.engstruct.2018.07.051>
- Leng, J., Buonopane, S. G., & Schafer, B. W. (2020). Incremental dynamic analysis and FEMA P695 seismic performance evaluation of a cold-formed steel-framed building with gravity framing and architectural sheathing. *Earthquake Engineering and Structural Dynamics*, 49(4), 394–412. <https://doi.org/10.1002/eqe.3245>
- Lesile, R. (2002). *The Pushover Analysis, Explained In Its Simplicity*. 0(September 2013), 1–13.
- Li, J., & Wang, W. (2022). Assessments on seismic performance of self-centering hybrid damping systems under far-field and near-field ground motions. *Journal of Constructional Steel Research*, 192(January), 107209. <https://doi.org/10.1016/j.jcsr.2022.107209>
- Li, X., Li, Z. X., & Crewe, A. J. (2018). Nonlinear seismic analysis of a high-pier, long-span, continuous RC frame bridge under spatially variable ground motions. *Soil Dynamics and Earthquake Engineering*, 114(May), 298–312. <https://doi.org/10.1016/j.soildyn.2018.07.032>
- Lin, M. L., Lin, C. H., Li, C. H., Liu, C. Y., & Hung, C. H. (2021). 3D modeling of the ground deformation along the fault rupture and its impact on engineering structures: Insights from the 1999 Chi-Chi earthquake, Shigang District, Taiwan. *Engineering Geology*, 281(June 2020), 105993. <https://doi.org/10.1016/j.enggeo.2021.105993>
- Ling, J. H., Lim, Y. T., & Jusli, E. (2023). Methods to Determine Ductility of Structural Members: A Review. *Journal of the Civil Engineering Forum*, 9(May), 181–194. <https://doi.org/10.22146/jcef.6631>

- Liu, C., & Shi, Y. (2022). The role of fault interaction in earthquake migration in Central Sulawesi, Indonesia. *Tectonophysics*, 839. <https://doi.org/10.1016/j.tecto.2022.229530>
- Liu, Z., Guo, T., Han, D., & Li, A. (2020). Experimental Study on Corrosion-Fretting Fatigue Behavior of Bridge Cable Wires. *Journal of Bridge Engineering*, 25(12), 1–9. [https://doi.org/10.1061/\(asce\)be.1943-5592.0001642](https://doi.org/10.1061/(asce)be.1943-5592.0001642)
- Llanes-Tizoc, M. D., Reyes-Salazar, A., Bojorquez, E., Bojorquez, J., Lopez-Barraza, A., Rivera-Salas, J. L., & Gaxiola-Camacho, J. R. (2019). Local, story, and global ductility evaluation for complex 2D steel buildings: Pushover and dynamic analysis. *Applied Sciences (Switzerland)*, 9(1), 1–21. <https://doi.org/10.3390/app9010200>
- Loh, C. H., Lee, Z. K., Wu, T. C., & Peng, S. Y. (2000). Ground motion characteristics of the Chi-Chi earthquake of 21 September 1999. *Earthquake Engineering and Structural Dynamics*, 29(6), 867–897. [https://doi.org/10.1002/\(SICI\)1096-9845\(200006\)29:6<867::AID-EQE943>3.0.CO;2-E](https://doi.org/10.1002/(SICI)1096-9845(200006)29:6<867::AID-EQE943>3.0.CO;2-E)
- Lubkowski, Z. A., & Duan, X. (2001). EN1998 Eurocode 8: Design of structures for earthquake resistance . *Proceedings of the Institution of Civil Engineers - Civil Engineering*, 144(6), 55–60. <https://doi.org/10.1680/cien.2001.144.6.55>
- Maidiawati, Tanjung, J., Sanada, Y., Nugroho, F., & Wardi, S. (2020). Seismic analysis of damaged buildings based on post-earthquake investigation of the 2018 palu earthquake. *International Journal of GEOMATE*, 18(70), 116–122. <https://doi.org/10.21660/2020.70.9490>
- Marsh, M. L., & Stringer, S. J. (2013). Performance-Based Seismic Bridge Design. In *Performance-Based Seismic Bridge Design*. <https://doi.org/10.17226/22632>
- Masrilayanti, M., Nasution, A. P., Kurniawan, R., Tanjung, J., & Sarmayenti, S. (2021). FRAGILITY CURVE ANALYSIS OF MEDIUM CABLE STAYED BRIDGE. 17(1), 209–218. <https://doi.org/10.2478/cee-2021-0022>
- Masrilayanti, Rahmadona, & Kurniawan, R. (2021). Seismic vulnerability assessment of three spans girder bridge in Kuranji—Padang by developing fragility curve. *IOP Conference Series: Earth and Environmental Science*, 708(1). <https://doi.org/10.1088/1755-1315/708/1/012006>
- Miari, M. (2019). Short Review on Incremental Dynamic Analysis and Fragility Assessment. *Advancements in Civil Engineering & Technology*, 3(2), 288–291. <https://doi.org/10.31031/acet.2019.03.000556>
- Mitchell, D., & Paultre, P. (1994). Ductility and overstrength in seismic design of reinforced concrete structures. *Canadian Journal of Civil Engineering*, 21(6), 1049–1060. <https://doi.org/10.1139/I94-109>
- MNBC. (2020). *Myanmar National Building Code 2020*. 282.
- Mosleh, A., Razzaghi, M. S., Jara, J., & Varum, H. (2016). Seismic fragility analysis of typical pre-1990 bridges due to near- and far-field ground motions. *International Journal of Advanced Structural Engineering*, 8(1), 1–9. <https://doi.org/10.1007/s40091-016-0108-y>

- Murty, C. V. R. (2005). Learning earthquake design and construction. *Resonance*, 10(11), 89–92. <https://doi.org/10.1007/bf02837649>
- Myanmar Engineering Society, Myanmar Geoscience Society, & Myanmar Earthquake Committee. (2015). *Enhancing and developing seismic risk assessment for Pyay city, Myanmar*. 35 pp.
- Naaman, A. E. (1985). Partially Prestressed Concrete: Review and Recommendations. *Journal - Prestressed Concrete Institute*, 30(6), 30–71.
- Nanni, A. (2016). *FRP Reinforced Concrete Structures – Theory , Design and Practice*. MARCH 2014.
- Narasimhan, S., & Wang, Y. (2020). Noncontact Sensing Technologies for Bridge Structural Health Assessment. *Journal of Bridge Engineering*, 25(6), 2019–2020. [https://doi.org/10.1061/\(asce\)be.1943-5592.0001560](https://doi.org/10.1061/(asce)be.1943-5592.0001560)
- Nazri, F. M. (2018). *SPRINGER BRIEFS IN APPLIED SCIENCES AND Seismic Fragility Assessment for Buildings due to Earthquake Excitation*.
- Nettis, A., Iacovazzo, P., Raffaele, D., Uva, G., & Adam, J. M. (2022). Displacement-based seismic performance assessment of multi-span steel truss bridges. *Engineering Structures*, 254(November 2021), 113832. <https://doi.org/10.1016/j.engstruct.2021.113832>
- Nicknam, A., Mosleh, A., & Hamidi Jamnani, H. (2011). Seismic performance evaluation of urban bridge using static nonlinear procedure, case study: Hafez bridge. *Procedia Engineering*, 14, 2350–2357. <https://doi.org/10.1016/j.proeng.2011.07.296>
- Nielson, B. G. (2005). *Analytical Fragility Curves for Highway Bridges in Moderate Seismic Zones Analytical Fragility Curves for Highway Bridges in Moderate Seismic Zones*. December.
- Noori, H. R., Memarpour, M. M., Yakhchalian, M., & Soltanieh, S. (2019). Effects of ground motion directionality on seismic behavior of skewed bridges considering SSI. *Soil Dynamics and Earthquake Engineering*, 127(July), 105820. <https://doi.org/10.1016/j.soildyn.2019.105820>
- Omranian, E., Abdelnaby, A. E., & Abdollahzadeh, G. (2018). Seismic vulnerability assessment of RC skew bridges subjected to mainshock-aftershock sequences. *Soil Dynamics and Earthquake Engineering*, 114(May), 186–197. <https://doi.org/10.1016/j.soildyn.2018.07.007>
- Pang, Y., Wei, K., He, H., & Wang, W. (2022). Assessment of lifetime seismic resilience of a long-span cable-stayed bridge exposed to structural corrosion. *Soil Dynamics and Earthquake Engineering*, 157(October 2021), 107275. <https://doi.org/10.1016/j.soildyn.2022.107275>
- Parghi, A., & Alam, M. S. (2017). Seismic collapse assessment of non-seismically designed circular RC bridge piers retrofitted with FRP composites. *Composite Structures*, 160, 901–916. <https://doi.org/10.1016/j.compstruct.2016.10.094>
- Pekelnicky, R., & Poland, C. (2012). ASCE 41-13: Seismic Evaluation and Retrofit Rehabilitation of Existing Buildings. *SEAOC 2012 Convention Proceedings*, 1–12.
- Peng, F., Ping, Y. L., & Yu-li, H. (2005). *Deformability and New Performance Indices of Flexural Members*.



- Pereira, V. G., Barros, R. C., & Cesar, M. B. (2010). Pushover analyses of a R/C frame by distinct software. *AIP Conference Proceedings*. <https://doi.org/10.1063/1.3452153>
- Pinho, R., Antoniou, S., & Pietra, D. (2006). A displacement-based Adaptive Pushover for seismic assessment of steel and reinforced concrete buildings. *8th US National Conference on Earthquake Engineering 2006*, 4(July 2014), 2252–2261.
- Porter, K., Kennedy, R., & Bachman, R. (2007). Creating fragility functions for performance-based earthquake engineering. *Earthquake Spectra*, 23(2), 471–489. <https://doi.org/10.1193/1.2720892>
- Powell, G. H. (2008a). Displacement-Based Seismic Design of Structures. *Earthquake Spectra*, 24(2), 555–557. <https://doi.org/10.1193/1.2932170>
- Powell, G. H. (2008b). Displacement-Based Seismic Design of Structures. *Earthquake Spectra*, 24(2), 555–557. <https://doi.org/10.1193/1.2932170>
- Pucci, S., Martini, P. M. De, Civico, R., & Nappi, R. (2016). *Coseismic ground ruptures related to the 2016 Amatrice earthquake: Geological survey by EMERGEIO Working Group. February 2017.*
- Pugliese, F., & Di Sarno, L. (2022). Probabilistic structural performance of RC frames with corroded smooth bars subjected to near- and far-field ground motions. *Journal of Building Engineering*, 49(January), 104008. <https://doi.org/10.1016/j.jobe.2022.104008>
- Pujari, N. N., Mandal, T. K., Ghosh, S., & Lala, S. (2013). Optimisation of IDA-based fragility curves. *Safety, Reliability, Risk and Life-Cycle Performance of Structures and Infrastructures - Proceedings of the 11th International Conference on Structural Safety and Reliability, ICOSSAR 2013, Dm*, 4435–4440. <https://doi.org/10.1201/b16387-641>
- Rahul, R., & Uttam, K. (2018). Incremental dynamic analysis and static pushover analysis of existing RC framed buildings using the seismostruct software. *International Journal of Advance Research*, 4(2), 2088–2101.
- Rakhshanimehr, M., Esfahani, M. R., Kianoush, M. R., Mohammadzadeh, B. A., & Mousavi, S. R. (2014). Flexural ductility of reinforced concrete beams with lap-spliced bars. *Canadian Journal of Civil Engineering*, 41(7), 594–604. <https://doi.org/10.1139/cjce-2013-0074>
- Rezaei, H., Zarfam, P., Golafshani, E. M., & Amiri, G. G. (2022). Seismic fragility analysis of RC box-girder bridges based on symbolic regression method. *Structures*, 38(November 2021), 306–322. <https://doi.org/10.1016/j.istruc.2021.12.058>
- Saha, S., Karthik Reddy, K. S. K., & Somala, S. N. (2022). Seismic assessment of steel frame subjected to simulated directivity earthquakes: The unilaterality of fault normal component at various rupture distances. *Journal of Building Engineering*, 47(October 2021), 103880. <https://doi.org/10.1016/j.jobe.2021.103880>
- Salkhordeh, M., Govahi, E., & Mirtaheri, M. (2021). Seismic fragility evaluation of various mitigation strategies proposed for bridge piers. *Structures*, 33(May), 1892–1905. <https://doi.org/10.1016/j.istruc.2021.05.041>

- Shama, A., & Jones, M. (2020). Seismic Performance-Based Design of Cable-Supported Bridges: State of Practice in the United States. *Journal of Bridge Engineering*, 25(12), 1–10. [https://doi.org/10.1061/\(asce\)be.1943-5592.0001639](https://doi.org/10.1061/(asce)be.1943-5592.0001639)
- Shirwa, A. M., Moniruzzaman, P., Biswas, T., & Shirwa, A. (2014). *Incremental Dynamic Analysis of Reinforced Concrete Structures Considering Height Effects*. October 2014, 0–9.
- Simanjuntak, A. V. H., Asnawi, Y., Umar, M., Rizal, S., & Syukri, M. (2020). A Microtremor Survey to Identify Seismic Vulnerability Around Banda Aceh Using HVSAR Analysis. *Elkawanie*, 6(2), 342. <https://doi.org/10.22373/ekw.v6i2.7886>
- Simos, N., Manos, G. C., & Kozikopoulos, E. (2018). Near- and far-field earthquake damage study of the Konitsa stone arch bridge. *Engineering Structures*, 177, 256–267. <https://doi.org/10.1016/j.engstruct.2018.09.072>
- Society, S. (1976). A study on the duration of strong earthquake ground motion. 14F, 1T, Refs. *International Journal of Rock Mechanics and Mining Sciences & Geomechanics Abstracts*, 13(3), 28. [https://doi.org/10.1016/0148-9062\(76\)90487-3](https://doi.org/10.1016/0148-9062(76)90487-3)
- Soltangharaei, V., Razi, M., & Gerami, M. (2016). Comparative evaluation of behavior factor of SMRF structures for near and far fault ground motions. *Periodica Polytechnica Civil Engineering*, 60(1), 75–82. <https://doi.org/10.3311/PPci.7625>
- Somerville, P. (1999). *Characterizing Crustal Earthquake Slip Models for the Prediction of Strong Ground Motion*. October 2016. <https://doi.org/10.1785/gssrl.70.1.59>
- Soyluk, K., & Karaca, H. (2017). Near-fault and far-fault ground motion effects on cable-supported bridges. *Procedia Engineering*, 199, 3077–3082. <https://doi.org/10.1016/j.proeng.2017.09.421>
- Su, P., Zhu, X., Chen, Y., Xue, B., & Zhang, B. (2022). Seismic Response Analysis of a Curved Bridge under Near-Fault and Far-Field Ground Motions. *Applied Sciences*, 12(16), 8349. <https://doi.org/10.3390/app12168349>
- Sucuoğlu, H., & Nurtuğ, A. (1995). Earthquake ground motion characteristics and seismic energy dissipation. *Earthquake Engineering & Structural Dynamics*, 24(9), 1195–1213. <https://doi.org/10.1002/eqe.4290240903>
- Sucuoğlu, H., Yüçemen, S., Gezer, A., & Erberik, A. (1998). Statistical evaluation of the damage potential of earthquake ground motions. *Structural Safety*, 20(4), 357–378. [https://doi.org/10.1016/S0167-4730\(98\)00018-6](https://doi.org/10.1016/S0167-4730(98)00018-6)
- Sun, B., Zhang, S., Deng, M., & Wang, C. (2020). Inelastic dynamic response and fragility analysis of arched hydraulic tunnels under as-recorded far-fault and near-fault ground motions. *Soil Dynamics and Earthquake Engineering*, 132(December 2019), 106070. <https://doi.org/10.1016/j.soildyn.2020.106070>
- Tauheed, A., & Alam, M. (2022). Seismic performance of regular frame under near field and far field earthquakes. *Materials Today: Proceedings*, 64, 554–569. <https://doi.org/10.1016/j.matpr.2022.05.112>

- Tehrani, P., & Mitchell, D. (2013). Incremental dynamic analysis (IDA) applied to seismic risk assessment of bridges. *Handbook of Seismic Risk Analysis and Management of Civil Infrastructure Systems, March 2016*, 561–596. <https://doi.org/10.1533/9780857098986.4.561>
- Thachampuram, S. J. (2014). *Development of Fragility Curves for an RC Frame*. 6890(May), 591–594.
- Todorov, B., & Billah, A. H. M. M. (2021). Seismic fragility and damage assessment of reinforced concrete bridge pier under long-duration, near-fault, and far-field ground motions. *Structures*, 31, 671–685. <https://doi.org/10.1016/j.istruc.2021.02.019>
- Towashiraporn, P., & Disaster, A. (2012). *Earthquake Risk Assessment of Mandalay City, Myanmar*.
- Tubaldi, E., Dall'Asta, A., & Dezi, L. (2015). Seismic response analysis of continuous multispan bridges with partial isolation. *Shock and Vibration*, 2015. <https://doi.org/10.1155/2015/183756>
- Tubaldi, E., Scozzese, F., De Domenico, D., & Dall'Asta, A. (2021). Effects of axial loads and higher order modes on the seismic response of tall bridge piers. *Engineering Structures*, 247(April), 113134. <https://doi.org/10.1016/j.engstruct.2021.113134>
- Vamvatsikos, D. (2018). *Applied Incremental Dynamic Analysis 1*. April. <https://doi.org/10.1193/1.1737737>
- Vamvatsikos, D., & Cornell, C. A. (2004). Applied incremental dynamic analysis. *Earthquake Spectra*, 20(2), 523–553. <https://doi.org/10.1193/1.1737737>
- Van Der Elst, N. J., & Brodsky, E. E. (2010). Connecting near-field and far-field earthquake triggering to dynamic strain. *Journal of Geophysical Research: Solid Earth*, 115(7), 1–21. <https://doi.org/10.1029/2009JB006681>
- Vargas, Y. F., Barbat, A. H., Pujades, L. G., & Hurtado, J. E. (2014). Probabilistic seismic risk evaluation of reinforced concrete buildings. *Proceedings of the Institution of Civil Engineers: Structures and Buildings*, 167(6), 327–336. <https://doi.org/10.1680/stbu.12.00031>
- Vargas, Y. F., Pujades, L. B., Barbat, A. H., & Hurtado, J. E. (2010). Probabilistic assessment of the global damage in reinforced concrete structures. *14Ecee*, 43–61.
- Vargas, Y. F., Pujades, L. G., Barbat, A. H., & Hurtado, J. E. (2013). Capacity, fragility and damage in reinforced concrete buildings: A probabilistic approach. *Bulletin of Earthquake Engineering*, 11(6), 2007–2032. <https://doi.org/10.1007/s10518-013-9468-x>
- Vazurkar, U. Y., & Chaudhari, D. J. (2016). Development of Fragility Curves for RC Buildings. *International Journal of Engineering Research*, 5(Special 3), 591–594.
- Veggalam, S., Karthik Reddy, K. S. K., & Somala, S. N. (2021). Collapse fragility due to near-field directivity ground motions: Influence of component, rupture distance, hypocenter location. *Structures*, 34(September), 3684–3702. <https://doi.org/10.1016/j.istruc.2021.09.096>
- Verma, I., & Kumar, A. (2021). *Analytical Study on Ductility Parameters of seismic resisting elements*. November 2021, 16571–16582.

- Vona, M. (2014). Fragility Curves of Existing RC Buildings Based on Specific Structural Performance Levels. *Open Journal of Civil Engineering*, 04(02), 120–134. <https://doi.org/10.4236/ojce.2014.42011>
- Wei, B., Zuo, C., He, X., Jiang, L., & Wang, T. (2018). Effects of vertical ground motions on seismic vulnerabilities of a continuous track-bridge system of high-speed railway. *Soil Dynamics and Earthquake Engineering*, 115(September), 281–290. <https://doi.org/10.1016/j.soildyn.2018.08.022>
- Wu, S. L., Charatpangoon, B., Kiyono, J., Maeda, Y., Nakatani, T., & Li, S. Y. (2016). Synthesis of near-fault ground motion using a hybrid method of stochastic and theoretical green's functions. *Frontiers in Built Environment*, 2(October). <https://doi.org/10.3389/fbuil.2016.00024>
- Xu, J. G., Cai, Z. K., & Feng, D. C. (2021). Life-cycle seismic performance assessment of aging RC bridges considering multi-failure modes of bridge columns. *Engineering Structures*, 244(January), 112818. <https://doi.org/10.1016/j.engstruct.2021.112818>
- Yang, S., & Mavroeidis, G. P. (2018a). Bridges crossing fault rupture zones: A review. *Soil Dynamics and Earthquake Engineering*, 113(February), 545–571. <https://doi.org/10.1016/j.soildyn.2018.03.027>
- Yang, S., & Mavroeidis, G. P. (2018b). Bridges crossing fault rupture zones: A review. *Soil Dynamics and Earthquake Engineering*, 113(July), 545–571. <https://doi.org/10.1016/j.soildyn.2018.03.027>
- Yilmaza, M. F., & Alpaslanb, E. (2020). Civil Engineering Beyond Limits. *Acapublishing.Com*, 1, 22–28.
- Zhang, Q., & Alam, M. S. (2020). State-of-the-Art Review of Seismic-Resistant Precast Bridge Columns. *Journal of Bridge Engineering*, 25(10), 1–16. [https://doi.org/10.1061/\(asce\)be.1943-5592.0001620](https://doi.org/10.1061/(asce)be.1943-5592.0001620)
- Zheng, S. xiong, Shi, X. hu, Jia, H. yu, Zhao, C. hui, Qu, H. lue, & Shi, X. long. (2020). Seismic response analysis of long-span and asymmetrical suspension bridges subjected to near-fault ground motion. *Engineering Failure Analysis*, 115(May). <https://doi.org/10.1016/j.engfailanal.2020.104615>
- Zheng, S. xiong, Shi, X. long hu, Jia, H. yu, Zhao, C. hui, Qu, H. lue, Shi, X. long hu, Todorov, B., Billah, A. H. M. M., Noori, H. R., Memarpour, M. M., Yakhchalian, M., Soltanieh, S., Chen, X., Xiang, N., Li, C., Nazarnezhad, T., Naderpour, H., Chen, X., Li, C., ... Somala, S. N. (2021). Deriving seismic fragility curves for sheet-pile wharves using finite element analysis. *Structures*, 115(January), 265–277. <https://doi.org/10.1016/j.soildyn.2019.105945>
- Zou, P. X. W. (2003). Flexural Behavior and Deformability of Fiber Reinforced Polymer Prestressed Concrete Beams. *Journal of Composites for Construction*, 7(4), 275–284. [https://doi.org/10.1061/\(asce\)1090-0268\(2003\)7:4\(275\)](https://doi.org/10.1061/(asce)1090-0268(2003)7:4(275))