

DAFTAR PUSTAKA

- [1] T. Cheng *et al.*, “Recy-ctronics: Designing Fully Recyclable Electronics with Varied Form Factors,” *arXiv (Cornell University)*, Jun. 2024, doi: <https://doi.org/10.48550/arxiv.2406.09611>.
- [2] Y. Farhana *et al.*, “An Account of Natural Material Based Non Volatile Memory Device,” *arXiv (Cornell University)*, Jun. 2023.
- [3] K. N. Paracha, A. D. Butt, A. S. Alghamdi, S. A. Babale, and P. J. Soh, “Liquid Metal Antennas: Materials, Fabrication and Applications,” *Sensors*, vol. 20, no. 1, p. 177, Dec. 2019, doi: <https://doi.org/10.3390/s20010177>.
- [4] A. Cahyono, *Perancangan Antena Mikrostrip Array Berbentuk Patch Segi Enam Mimo 4x4 Pada Frekuensi 28 Ghz*, Universitas Islam Negeri Sultan Syarif Kasim Riau, 2021.
- [5] S. Roy, S. Noghianian, M. Qureshi, and B. Braaten, “On the Dielectric Permittivity of 3-D Printed Biocomposite Cubes Using Two Different Coaxial Probe Measurement Methods,” *IEEE International Symposium on Antennas and Propagation & USNC/URSI National Radio Science Meeting*, Boston, MA, USA, 2018.
- [6] M. Yani, B. Suroso, and Rajali, “Jurnal Rekayasa Material, Manufaktur dan Energi FT-UMSU 74 Mechanical Properties Komposit Limbah Plastik Mechanical Properties of Plastic Waste Composite,” *Manufaktur dan Energi*, vol. 2, no. 1, pp. 74–83, 2019, doi: <https://doi.org/10.30596/rmme.v2i1.3071>.
- [7] D. Qureshi *et al.*, “Fabrication and Characterization of Poly (vinyl alcohol) and Chitosan Oligosaccharide-Based Blend Films,” *Gels*, vol. 7, no. 2, p. 55, May 2021, doi: <https://doi.org/10.3390/gels7020055>.
- [8] D. Choudhary and S. Sinha, “A Systematic Review on the Dielectric Response of Polyvinyl alcohol - Zinc Oxide Nanocomposites Films,” *Journal of physics. Conference series*, vol. 2267, no. 1, pp. 012046–012046, May 2022, doi: <https://doi.org/10.1088/1742-6596/2267/1/012046>.
- [9] M. Hamzah *et al.*, “Dielectric Properties of Poly (vinyl alcohol)/Polypyrrole Composite Polymer Films,” *Journal for the Advancement of Science & Arts*, vol. 1, no. 1, 2019.
- [10] V. Harahap, S. Sidabutar, and F. Kesehatan, “Sintesis dan Sifat Magnetik Komposit BaFe₁₂O₁₉/ZnO Terhadap Aplikasi Elektronik Media Perekam

dan Absorben ,” *2-TRIK: Tunas-Tunas Riset Kesehatan*, vol. 10, no. 2, pp. 86–92, May 2020, doi: <https://doi.org/10.33846/2trik10203>.

- [11] A. Ramadhan, Abrar, and I. W. Fathonah , “Pengaruh Suhu Annealing Terhadap Sifat Listrik dan Struktur Kristal Lapisan Tipis Nanokomposit PVA/ZnO,” *eProceedings of Engineering*, vol. 10, no. 5, p. 4440, 2023.
- [12] R. Rahmatunisa, E. S. Iriani, N. E. Suyatma, and R. Syarief, “Pengaruh Nanopartikel Zinc Oxide dan Etilen Glikol Terhadap Sifat Fisik dan Antimikroba *Biodegradable Foam*,” *Jurnal Penelitian Pascapanen Pertanian*, vol. 12, no. 2, p. 51, Jan. 2017, doi: <https://doi.org/10.21082/jpasca.v12n2.2015.51-59>.
- [13] D. Ponnamma *et al.*, “Synthesis, Optimization and Applications of ZnO/polymer Nanocomposites,” *Materials Science and Engineering: C*, vol. 98, pp. 1210–1240, May 2019, doi: <https://doi.org/10.1016/j.msec.2019.01.081>.
- [14] A. Barzinjy, S. Hamad, and H. Azeez, “Structure, Synthesis and Applications of ZnO Nanoparticles: a Review,” *Jordan Journal of Physics* , vol. 13, no. 2, pp. 123–135, Dec. 2019.
- [15] N. Muhammad, N. Mohd, R. Farahiyan, None Alicja Klimkowicz, and None Akito Takasaki, “Structural, Morphological, and Electrochemical Properties of Mxene/MoS₂-based Supercapacitor,” *International Journal of Nanoelectronics and Materials (IJNeaM)*, vol. 17, no. June, pp. 263–273, Jun. 2024, doi: <https://doi.org/10.58915/ijneam.v17ijune.867>.
- [16] A. S. Levitt, M. Alhabeab, C. B. Hatter, A. Sarycheva, G. Dion, and Y. Gogotsi, “Electrospun Mxene/carbon nanofibers as supercapacitor electrodes,” *Journal of Materials Chemistry A*, vol. 7, no. 1, pp. 269–277, 2019, doi: <https://doi.org/10.1039/c8ta09810g>.
- [17] M. A. Kosnan, M. A. Azam, N. E. Safie, R. F. Munawar, and A. Takasaki, “Recent Progress of Electrode Architecture for Mxene/MoS₂ Supercapacitor: Preparation Methods and Characterizations,” *Micromachines*, vol. 13, no. 11, p. 1837, Nov. 2022, doi: <https://doi.org/10.3390/mi13111837>.
- [18] C. Ma, M. Ma, C. Si, X. Ji, and P. Wan, “Flexible Mxene-Based Composites for Wearable Devices,” *Advanced Functional Materials*, vol. 31, no. 22, Mar. 2021, doi: <https://doi.org/10.1002/adfm.202009524>.
- [19] F. Shahzad, A. Iqbal, H. Kim, and C. M. Koo, “2D Transition Metal Carbides (Mxenes): Applications as an Electrically Conducting Material,” *Advanced*

Materials, vol. 32, no. 51, Nov. 2020, doi:
<https://doi.org/10.1002/adma.202002159>.

- [20] N. Hartati, E. Kurniawan, M. Trisna, and I. Noviarni, “SSJ: Sains Sutha Journal Isolasi, Karakterisasi, dan Aplikasi Nanokristal Selulosa : Review ,” *Jurnal Sains dan Sains Terapan*, vol. 1, no. 2, pp. 29–38, Aug. 2023.
- [21] G. E. Demewoz and A. H. Tiruneh, “Synthesis, and Characterization of Cellulose Nanocrystal (CNC) From Corncob /PVA Based Nanocomposite,” *Research Square*, vol. 1, Nov. 2023, doi: <https://doi.org/10.21203/rs.3.rs-3543433/v1>.
- [22] F. Seta, “Hidrolisis Asam Padat Untuk Isolasi Selulosa Nanocrystalin dan Chitin Nanocrystalin – Mini Reviu,” *Jurnal Selulosa*, vol. 11, no. 2, pp. 11–20, 2021, doi: <https://doi.org/10.25269/jsel.v11i01.340>.
- [23] N. Hartati, T. Kemala, K. Sutriah, and O. Farobie, “Y-Sains & Aplikasi Kompatibilitas Nanokristal Selulosa Termodifikasi Setrimonium Klorida (CTAC) Dalam Matriks Poliasam Laktat Sebagai Material Pengemas ,” *Jurnal Kimia Sains dan Aplikasi*, vol. 22, no. 4, pp. 157–163, 2019.
- [24] X. Zhang, H. Ni, X. Xu, L. Li, H. Kang, and D. Li, “Recent Advancements in the Synthesis, Functionalization, and Utilization of Cellulose Nanocrystals,” *Resources Chemicals and Materials*, vol. 1, no. 1, Jun. 2024, doi: <https://doi.org/10.1016/j.recm.2024.05.003>.
- [25] T. S. Dewi and N. P. Putri, “Pengaruh Waktu Ultrasonikasi Terhadap Nilai Kapasitansi Elektroda Superkapasitor Berbahan Dasar Tempurung Kelapa,” *Jurnal Inovasi Fisika Indonesia (IFI)*, vol. 08, no. 01, pp. 5–7, 2019.
- [26] M. Prihantini, E. Zulfa, L. D. Prastiwi, and I. D. Yulianti, “Pengaruh Waktu Ultrasonikasi Terhadap Karakteristik Fisika Nanopartikel Kitosan Ekstrak Etanol Daun Suji (*Pleomele Angustifolia*) dan Uji Stabilitas Fisika Menggunakan Metode Cycling Test,” *JIFFK : Jurnal Ilmu Farmasi dan Farmasi Klinik*, vol. 16, no. 02, p. 40, Dec. 2019, doi: <https://doi.org/10.31942/jiffk.v16i02.3139>.
- [27] S. Yunus, K. K. Umah, H. Abral, O. A. Ogah, and A. Aulia, “Enhancing Current Density and Specific Capacitance of Nata de Coco, TEMPO, and Mxene Composites through Boiling Time Variations,” *Andalasian International Journal of Applied Science, Engineering and Technology*, vol. 3, no. 3, pp. 221–229, Dec. 2023, doi: <https://doi.org/10.25077/aijaset.v3i3.110>.

- [28] Patrik Sobolčiak *et al.*, “2D Ti₃C₂T_x (Mxene)-reinforced Polyvinyl Alcohol (PVA) Nanofibers with Enhanced Mechanical and Electrical Properties,” *Plos One Journal*, vol. 12, no. 8, pp. e0183705–e0183705, Aug. 2017, doi: <https://doi.org/10.1371/journal.pone.0183705>.
- [29] S. S. Hossain *et al.*, “Effect of Ultrasonication Parameters on the Structural, Morphological, and Electrical Properties of Polypyrrole Nanoparticles and Optimization by Response Surface Methodology,” *Polymers*, vol. 15, no. 6, p. 1528, Mar. 2023, doi: <https://doi.org/10.3390/polym15061528>.
- [30] Q. Tarrés, H. Oliver-Ortega, M. Alcalà, F. X. Espinach, P. Mutjé, and M. Delgado-Aguilar, “Research on the Strengthening Advantages on Using Cellulose Nanofibers as Polyvinyl Alcohol Reinforcement,” *Polymers*, vol. 12, no. 4, p. 974, Apr. 2020, doi: <https://doi.org/10.3390/polym12040974>.
- [31] S. Purnavita and V. Dewi, “Kajian Ketahanan Bioplastik Pati Jagung Dengan Variasi Berat dan Suhu Pelarutan Polivinil Alkohol,” *Journal of Chemical Engineering*, vol. 2, no. 1, pp. 14–22, 2021.
- [32] D. Oktavian, B. Arifvianto, and M. Mahardika, “Ekstruksi dan Karakterisasi Filamen Komposit Polylactid Acid (PLA) / Carbon Nano Tube (CNT),” *Jurnal Material Teknologi Proses: Warta Kemajuan Bidang Material Teknik Teknologi Proses*, vol. 2, no. 2, p. 12, Dec. 2021, doi: <https://doi.org/10.22146/jmtp.70481>.
- [33] R. Manurung, S. Simanjuntak, J. Sembiring, E. Zaluku, R. Napitupulu, and S. Sihombing, “Analisa Kekuatan Bahan Komposit Yang Diperkuat Serat Bambu Menggunakan Resin Polyester ,” *SJoME*, vol. 2, no. 1, pp. 28–35, 2020.
- [34] L. Iryani and S. Satrio Wibowo, “Proses Manufaktur Material Komposit Struktur Sayap Pesawat Udara Tanpa Awak Dengan Menggunakan Metode Hand Lay-Up dan Vacuum Bagging” *Prosiding SNTTM XVIII*, vol. 1, pp. 1–4, 2019.
- [35] Daniel, A. Porwanto, and L. Johar, “Karakterisasi Komposit Berpenguat Serat Bambu dan Serat Gelas Sebagai Alternatif Bahan Baku Industri,” Jurusan Teknik Fisika FTI ITS Surabaya, 2008.
- [36] A. Firdaus, “Analisis Pengaruh Bentuk Filler Pada Komposit Batang Bambu Terhadap Nilai Kekerasan (Hardness Shore D),” 2017.
- [37] Tjahjanti and P. Harmi, “Buku Ajar Teori Dan Aplikasi Material Komposit Dan Polimer,” *Umsida Press*, pp. 1–24, 2018.

- [38] S. Moreta, *Fabrikasi Nanofiber Sinamaldehyda Dari Minyak Kayu Manis (Cinnamomum Zeylanicum) Dengan Matriks PVA dan B-Siklodekstrin*. Universitas Negeri Semarang, 2020.
- [39] Miskhatul Hidayati and Harmadi Harmadi, "Rancang Bangun Sensor Serat Optik Dengan Cladding Zinc Oxide Untuk Mendeteksi Kelembaban Udara," *Jurnal Fisika Unand*, vol. 10, no. 2, pp. 255–261, Apr. 2021, doi: <https://doi.org/10.25077/jfu.10.2.255-261.2021>.
- [40] N. Wulan and M. Fajri, "Analisis Fitokimia Dan Gugus Fungsi Dari Ekstrak Etanol Pisang Goroho Merah (Musa Acuminata (L))," *Indonesian Journal of Biotechnology and Biodiversity*, vol. 2, no. 1, 2018.
- [41] P. Kuang, J. Low, B. Cheng, J. Yu, and J. Fan, "Mxene-based Photocatalysts," *Journal of Materials Science & Technology*, pp. 18–44, Mar. 2020, doi: <https://doi.org/10.1016/j.jmst.2020.02.037>.
- [42] E. Putri and S. Gea, "Isolasi Dan Karakterisasi Nanokistral Selulosa Dari Tandan Sawit (Elaeis Guineensis Jack)," *Elkawnie*, vol. 4, no. 1, pp. 13–22, Jul. 2018, doi: <https://doi.org/10.22373/ekw.v4i1.2877>.
- [43] D. Candani, M. Ulfah, W. Noviana, and R. Zainul, "Pemanfaatan Teknologi Sonikasi." 2018.
- [44] M. S. Arain, T. G. Kazi, H. I. Afridi, J. Ali, and A. Akhtar, "Ultrasonic energy enhanced the efficiency of advance extraction methodology for enrichment of trace level of copper in serum samples of patients having neurological disorders," *Ultrasonics Sonochemistry*, vol. 37, pp. 23–28, Jul. 2017, doi: <https://doi.org/10.1016/j.ultsonch.2016.12.020>.
- [45] I. Majid, G. Ahmad Nayik, and V. Nanda, "Ultrasonication and Food technology: a Review I," *Cogent Food & Agriculture*, vol. 1, no. 1, 2015, doi: <https://doi.org/10.1080/23311932.2015.1071022>.
- [46] O. Achmad, A. Fikri, and W. Brams Dwandaru, "Pengaruh Variasi Konsentrasi Surfaktan Dan Waktu Ultrasonikasi Terhadap Sintesis Material Graphene Dengan Metode Liquid Sonification Exfoliation Menggunakan Tweeter Ultrasonication Graphite Oxide Generator," 2016.
- [47] S. Yunus, A. Yusman, M. Mahardika, H. Abral, and R. Nazir, "Increasing Electrical Conductivity of Bacterial Cellulose/Polypyrrole Bio Composite Films Prepared Using the Pulling Technique," *TEM Journal*, vol. 12, no. 1, pp. 370–376, Feb. 2023, doi: <https://doi.org/10.18421/tem121-46>.

- [48] I. Najir, "Sintesis Plastik Biodegradable Berbahan Kitosan, Arang Manggis Dan Minyak Sereh," *Fakultass Sains dan Teknologi Universitas Islam Negeri Walisongo Semarang*, 2018.
- [49] D. Dachriyanus, "Analisis Struktur Senyawa Organik Secara Spektroskopi," *LPTIK Universitas Andalas*, 2004.
- [50] S. Rahmat and S. Suwarno, "Analisa Spektroskopi Inframerah Transformasi Fourier dan Gas Terlarut Terhadap Perubahan Gugus Fungsi Komposisi Minyak Ester," *Infotekmesin*, vol. 11, no. 1, pp. 14–23, Jan. 2020, doi: <https://doi.org/10.35970/infotekmesin.v11i1.63>.
- [51] A. Nayan and Teuku Hafli, "Analisa Stuktur Mikro Material Komposit Polimer Berpenguat Serbuk Cangkang Kerang," *Malikussaleh Journal of Mechanical Science Technology/Malikussaleh Journal of Mechanical Science and Technology*, vol. 6, no. 1, pp. 15–15, Aug. 2022, doi: <https://doi.org/10.29103/mjmst.v6i1.8184>.
- [52] N. Masta, *Buku Materi Pembelajaran Scanning Electron Microscopy*. Jakarta, 2020.
- [53] M. Krisanti and D. Faridawati, "Pengujian Konduktivitas Listrik Material Dengan Metode Four Point Probe (FPP)," Institut Teknologi Sepuluh November, Surabaya, 2019.
- [54] W. Zhao, H. Chi, S. Zhang, X. Zhang, and T. Li, "One-Pot Synthesis of Cellulose/Mxene/PVA Foam for Efficient Methylene Blue Removal," *Molecules*, vol. 27, no. 13, p. 4243, Jun. 2022, doi: <https://doi.org/10.3390/molecules27134243>.
- [55] S. S. Dwitama, *Pengaruh Variasi Waktu Ultrasonikasi Terhadap Sifat Listrik Dari Film Komposit Polivinil Alkohol, Gambir, Mxene*, Tugas Akhir dan Tesis, Teknik Elektro FT UNAND, 2022.
- [56] M. Pi, L. Jiang, Z. Wang, W. Cui, L. Shi, and R. Ran, "Robust and Ultrasensitive Hydrogel Sensors Enhanced by Mxene/cellulose Nanocrystals," *Journal of Materials Science*, vol. 56, no. 14, pp. 8871–8886, Feb. 2021, doi: <https://doi.org/10.1007/s10853-020-05644-w>.
- [57] İ. K. Duygun and A. Bedeloğlu, "Ti3C2Tx Mxene/reduced Graphene oxide/cellulose nanocrystal-coated Cotton Fabric Electrodes for Supercapacitor Applications," *Journal of Materials Science*, vol. 59, no. 21, pp. 9455–9471, May 2024, doi: <https://doi.org/10.1007/s10853-024-09784-1>.

- [58] K. H. Tan, L. Samyilingam, N. Aslfattahi, R. Saidur, and K. Kadirgama, "Optical and Conductivity Studies of Polyvinyl alcohol-Mxene (PVA-Mxene) Nanocomposite Thin Films for Electronic Applications," *Optics & Laser Technology*, vol. 136, p. 106772, Apr. 2021, doi: <https://doi.org/10.1016/j.optlastec.2020.106772>.
- [59] A. E. Pramono, "Karakteristik Komposit Karbon-Karbon Berbasis Limbah Organik Hasil Proses Tekan Panas," Fakultas Teknik, Universitas Indonesia, Depok, 2012.
- [60] A. Al Faruqi, "Studi Pengaruh Variasi Komposisi Binder Sampah Plastik Polypropylene (Pp) Dan High-Density Polyethylene (Hdpe) Terhadap Sifat Fisis Dan Sifat Mekanik Komposit Berpenguat Serbuk Ampas Tebu Untuk Aplikasi Papan Partikel," Institut Teknologi Sepuluh November, 2019.
- [61] J. Guo et al., "Cold Sintered Ceramic Nanocomposites of 2D MXene and Zinc Oxide," *Advanced Materials*, vol. 30, no. 32, Jun. 2018, doi: <https://doi.org/10.1002/adma.201801846>.
- [62] T. Parker et al., "Fourier-Transform Infrared Spectral Library of Mxenes," *Chemistry of Materials*, vol. 36, no. 17, pp. 8437–8446, Aug. 2024, doi: <https://doi.org/10.1021/acs.chemmater.4c01536>.
- [63] A. N. Shahab, "Sintesis Lapis Tipis TiO₂ Dopping Zn 10% w/w sebagai Fotokatalis Metilen Biru Menggunakan Metode Dip-Coating," Universitas Islam Indonesia Yogyakarta, 2023.
- [64] M. Tang et al., "Surface Terminations of Mxene: Synthesis, Characterization, and Properties," *Symmetry*, vol. 14, no. 11, p. 2232, Oct. 2022, doi: <https://doi.org/10.3390/sym14112232>.
- [65] S. Tamayo-Vegas, A. Muhsan, C. Liu, M. Tarfaoui, and K. Lafdi, "The Effect of Agglomeration on the Electrical and Mechanical Properties of Polymer Matrix Nanocomposites Reinforced with Carbon Nanotubes," *Polymers*, vol. 14, no. 9, p. 1842, Apr. 2022, doi: <https://doi.org/10.3390/polym14091842>.
- [66] D. Coetsee, M. Venkataraman, J. Militky, and M. Petru, "Influence of Nanoparticles on Thermal and Electrical Conductivity of Composites," *Polymers*, vol. 12, no. 4, p. 742, Mar. 2020, doi: <https://doi.org/10.3390/polym12040742>.