

DAFTAR PUSTAKA

- Ahmad, T., Murtaza, Shah, S. S., Khan, S., Khan, A. A., Ullah, N., Oyama, M., & Aziz, M. A. (2023). Preparation and electrochemical performance of *Convolvulus arvensis*-derived activated carbon for symmetric supercapacitors. *Materials Science and Engineering B: Solid-State Materials for Advanced Technology*, 292. <https://doi.org/10.1016/j.mseb.2023.116430>
- Ahmed, S., Rafat, M., & Ahmed, A. (2018). Nitrogen doped activated carbon derived from orange peel for supercapacitor application. *Advances in Natural Sciences: Nanoscience and Nanotechnology*, 9(3). <https://doi.org/10.1088/2043-6254/aad5d4>
- Alif, A., Tetra, O. N., Aziz, H., & Defri, H. (2017). Pengaruh Perlakuan Sokletasi dan Aktivator KOH Terhadap Kinerja Karbon Aktif Cangkang Kelapa Sawit Sebagai Elektroda Superkapasitor. *Jurnal Zarah*, 5(2), 38–43.
- Bandoz, T. (2006). *Activated Carbon Surfaces in Environmental Remediation*.
- Cao, Y., Wang, K., Wang, X., Gu, Z., Fan, Q., Gibbons, W., Hoefelmeyer, J. D., Kharel, P. R., & Shrestha, M. (2016). Hierarchical porous activated carbon for supercapacitor derived from corn stalk core by potassium hydroxide activation. *Electrochimica Acta*, 212, 839–847. <https://doi.org/10.1016/j.electacta.2016.07.069>
- Celiktas, M. S., & Alptekin, F. M. (2019). Conversion of model biomass to carbon-based material with high conductivity by using carbonization. *Energy*, 188. <https://doi.org/10.1016/j.energy.2019.116089>
- Charoensook, K., Huang, C. L., Tai, H. C., Lanjapalli, V. V. K., Chiang, L. M., Hosseini, S., Lin, Y. T., & Li, Y. Y. (2021). Preparation of porous nitrogen-doped activated carbon derived from rice straw for high-performance supercapacitor application. *Journal of the Taiwan Institute of Chemical Engineers*, 120, 246–256. <https://doi.org/10.1016/j.jtice.2021.02.021>
- Cheng, J., Hu, S. C., Sun, G. T., Kang, K., Zhu, M. Q., & Geng, Z. C. (2021). Comparison of activated carbons prepared by one-step and two-step chemical activation process based on cotton stalk for supercapacitors application. *Energy*, 215. <https://doi.org/10.1016/j.energy.2020.119144>
- Conway B.E. (1999). *Electrochemical Supercapacitors; Scientific, Fundamental and Technological Applications*. Kluwer Academic/Plenum Publisher. <https://doi.org/http://dx.doi.org/10.1007/978-1-4757-3058-6>
- Daud, Z., Zainuri, M., Hatta, M., Sari, A., Kassim, M., Awang, H., & Aripin, A. M. (2013). Analysis the Chemical Composition and Fiber Morphology Structure of Corn Stalk. *Australian Journal of Basic and Applied Sciences*, 7(9), 401–405.

- Díez, N., Fuertes, A. B., & Sevilla, M. (2021). Molten salt strategies towards carbon materials for energy storage and conversion. In *Energy Storage Materials* (Vol. 38, pp. 50–69). Elsevier B.V. <https://doi.org/10.1016/j.ensm.2021.02.048>
- Elanthamilan, E., Catherin Meena, B., Renuka, N., Santhiya, M., George, J., Kanimozhi, E. P., Christy Ezhilarasi, J., & Princy Merlin, J. (2021). Walnut shell derived mesoporous activated carbon for high performance electrical double layer capacitors. *Journal of Electroanalytical Chemistry*, 901. <https://doi.org/10.1016/j.jelechem.2021.115762>
- Emrooz, H. B. M., Hosseini Naghavi, M. S., Mohammadi, S., & Mousavi-Khoshdel, S. M. (2022). One-step green synthesis of meso-microporous carbons by self-activation of lemon wastes for high-performance supercapacitors. *Journal of Energy Storage*, 56. <https://doi.org/10.1016/j.est.2022.105989>
- Farma, R., Julita, R. I., Apriyani, I., Awitdrus, A., & Taer, E. (2023). ZnCl₂-assisted synthesis of coffee bean bagasse-based activated carbon as a stable material for high-performance supercapacitors. *Materials Today: Proceedings*, 87, 25. <https://doi.org/10.1016/j.matpr.2023.01.370>
- Fu, F., Yang, D., Fan, Y., Qiu, X., Huang, J., Li, Z., & Zhang, W. (2022). Nitrogen-rich accordion-like lignin porous carbon via confined self-assembly template and in-situ mild activation strategy for high-performance supercapacitors. *Journal of Colloid and Interface Science*, 628, 90–99. <https://doi.org/10.1016/j.jcis.2022.07.070>
- Gajalakshmi, T., Kalaivani, T., Thuy Lan Chi, N., & Brindhadevi, K. (2023). Investigation on carbon derived from casuarina bark using microwave activation for high performance supercapacitors. *Fuel*, 337. <https://doi.org/10.1016/j.fuel.2022.127078>
- Guo, D., Li, Z., Liu, P., & Sun, M. (2021). N, P, S co-doped biomass-derived hierarchical porous carbon through simple phosphoric acid-assisted activation for high-performance electrochemical energy storage. *International Journal of Hydrogen Energy*, 46(11), 8197–8209. <https://doi.org/10.1016/j.ijhydene.2020.12.013>
- Hassen, J. H. (2017). Effect of KOH Ratio on The Formation of Activated Carbon From Pressed Wood Residues. *International Journal of Pharmaceutical Sciences and Research*, 8(11), 4875–4880. [https://doi.org/10.13040/IJPSR.0975-8232.8\(11\).4875-80](https://doi.org/10.13040/IJPSR.0975-8232.8(11).4875-80)
- Hoon, Q., & Cheok, N. (2013). *Activated Carbon Manufacture: An opportunity for sustainable management of problematic waste biomass* Environmental and Water Resource Engineering Section Department of Civil and Environmental Engineering Imperial College London.

- Isahak, W. N. R. W., Hisham, M. W. M., & Yarmo, M. A. (2013). Highly porous carbon materials from biomass by chemical and carbonization method: A comparison study. *Journal of Chemistry*. <https://doi.org/10.1155/2013/620346>
- Karakehya, N. (2023). Effects of one-step and two-step KOH activation method on the properties and supercapacitor performance of highly porous activated carbons prepared from *Lycopodium clavatum* spores. *Diamond and Related Materials*, 135. <https://doi.org/10.1016/j.diamond.2023.109873>
- Khajonrit, J., Sichumsaeng, T., Kalawa, O., Chaisit, S., Chinnakorn, A., Chanlek, N., & Maensiri, S. (2022). Mangosteen peel-derived activated carbon for supercapacitors. *Progress in Natural Science: Materials International*, 32(5), 570–578. <https://doi.org/10.1016/j.pnsc.2022.09.004>
- Kwiatkowski, J. F. (2012). *Activated Carbon: Classifications, Properties and Applications* (I). Nova Science Publishers, Inc. .
- Li, B., Yu, M., Li, Z., Yu, C., Li, Q., & Wang, H. (2022). Three-dimensional activated carbon nanosheets modified by graphitized carbon dots: One-step alkali pyrolysis preparation and supercapacitor applications. *Journal of Energy Storage*, 51. <https://doi.org/10.1016/j.est.2022.104515>
- Li, Y., Zhang, D., Zhang, Y., He, J., Wang, Y., Wang, K., Xu, Y., Li, H., & Wang, Y. (2020). Biomass-derived microporous carbon with large micropore size for high-performance supercapacitors. *Journal of Power Sources*, 448. <https://doi.org/10.1016/j.jpowsour.2019.227396>
- Li, Y., Zhang, T., Wang, Y., & Wang, B. (2021). Transformation of waste cornstalk into versatile porous carbon adsorbent for selective CO₂ capture and efficient methanol adsorption. *Journal of Environmental Chemical Engineering*, 9(5). <https://doi.org/10.1016/j.jece.2021.106149>
- Lien, Y. C., Lai, S. J., Lin, C. Y., Wong, K. P., Chang, M. S., & Wu, S. H. (2022). High-efficiency decomposition of eggshell membran by a keratinase from *Meiothermus taiwanensis*. *Scientific Reports*, 12(1). <https://doi.org/10.1038/s41598-022-18474-4>
- Lobato-Peralta, D. R., Ayala-Cortés, A., Longoria, A., Pacheco-Catalán, D. E., Okoye, P. U., Villafán-Vidales, H. I., Arancibia-Bulnes, C. A., & Cuentas-Gallegos, A. K. (2022). Activated carbons obtained by environmentally friendly activation using solar energy for their use in neutral electrolyte supercapacitors. *Journal of Energy Storage*, 52. <https://doi.org/10.1016/j.est.2022.104888>
- Luo, L., Lan, Y., Zhang, Q., Deng, J., Luo, L., Zeng, Q., Gao, H., & Zhao, W. (2022). A review on biomass-derived activated carbon as electrode materials for energy storage supercapacitors. In *Journal of Energy Storage* (Vol. 55). Elsevier Ltd. <https://doi.org/10.1016/j.est.2022.105839>

- Majid, S., Ali, A. S. G., Cao, W. Q., Reza, R., & Ge, Q. (2021). Biomass-derived porous carbons as supercapacitor electrodes-A review. In *Xinxing Tan Cailiao/New Carbon Materials* (Vol. 36, Issue 3, pp. 546–572). Institute of Metal Research Chinese Academy of Sciences. [https://doi.org/10.1016/S1872-5805\(21\)60038-0](https://doi.org/10.1016/S1872-5805(21)60038-0)
- Marsh, Harry., & Rodríguez-Reinoso, F. (2006). *Activated carbon*. Elsevier.
- Matsagar, B. M., Yang, R. X., Dutta, S., Ok, Y. S., & Wu, K. C. W. (2021). Recent progress in the development of biomass-derived nitrogen-doped porous carbon. In *Journal of Materials Chemistry A* (Vol. 9, Issue 7, pp. 3703–3728). Royal Society of Chemistry. <https://doi.org/10.1039/d0ta09706c>
- Mehdi, R., Naqvi, S. R., Khoja, A. H., & Hussain, R. (2023a). Biomass derived activated carbon by chemical surface modification as a source of clean energy for supercapacitor application. *Fuel*, 348. <https://doi.org/10.1016/j.fuel.2023.128529>
- Mehdi, R., Naqvi, S. R., Khoja, A. H., & Hussain, R. (2023b). Biomass derived activated carbon by chemical surface modification as a source of clean energy for supercapacitor application. *Fuel*, 348. <https://doi.org/10.1016/j.fuel.2023.128529>
- Mo, R. J., Zhao, Y., Wu, M., Xiao, H. M., Kuga, S., Huang, Y., Li, J. P., & Fu, S. Y. (2016). Activated carbon from nitrogen rich watermelon rind for high-performance supercapacitors. *RSC Advances*, 6(64), 59333–59342. <https://doi.org/10.1039/c6ra10719b>
- Nasser, R., Tiantian, J., & Song, J. M. (2022). Hierarchical porous activated carbon derived from olives: Preparation, (N, S) co-doping, and its application in supercapacitors. *Journal of Energy Storage*, 51. <https://doi.org/10.1016/j.est.2022.104348>
- Ortiz-Olivares, R. D., Lobato-Peralta, D. R., Arias, D. M., Okolie, J. A., Cuentas-Gallegos, A. K., Sebastian, P. J., Mayer, A. R., & Okoye, P. U. (2022). Production of nanoarchitectonics corncob activated carbon as electrode material for enhanced supercapacitor performance. *Journal of Energy Storage*, 55. <https://doi.org/10.1016/j.est.2022.105447>
- Oyedotun, K. O., Barzegar, F., Mirghni, A. A., Khaleed, A. A., Masikhwa, T. M., & Manyala, N. (2019). Examination of High-Porosity Activated Carbon Obtained from Dehydration of White Sugar for Electrochemical Capacitor Applications. *ACS Sustainable Chemistry and Engineering*, 7(1), 537–546. <https://doi.org/10.1021/acssuschemeng.8b04080>
- Priya, D. S., Kennedy, L. J., & Anand, G. T. (2023). Effective conversion of waste banana bract into porous carbon electrode for supercapacitor energy storage applications. *Results in Surfaces and Interfaces*, 10. <https://doi.org/10.1016/j.rsurfi.2023.100096>

- Raj, C. J., Manikandan, R., Rajesh, M., Sivakumar, P., Jung, H., Das, S. J., & Kim, B. C. (2021). Cornhusk mesoporous activated carbon electrodes and seawater electrolyte: The sustainable sources for assembling retainable supercapacitor module. *Journal of Power Sources*, 490. <https://doi.org/10.1016/j.jpowsour.2021.229518>
- Ruan, W., Wang, Y., Liu, C., Xu, D., Hu, P., Ye, Y., Wang, D., Liu, Y., Zheng, Z., & Wang, D. (2022). One-step fabrication of N-doped activated carbon by NH₃ activation coupled with air oxidation for supercapacitor and CO₂ capture applications. *Journal of Analytical and Applied Pyrolysis*, 168. <https://doi.org/10.1016/j.jaap.2022.105710>
- Rustamaji, H., Prakoso, T., Devianto, H., Widiatmoko, P., & Kurnia, K. A. (2023). Facile synthesis of N, S-modified activated carbon from biomass residue for promising supercapacitor electrode applications. *Bioresource Technology Reports*, 21. <https://doi.org/10.1016/j.biteb.2022.101301>
- Rustamaji, H., Prakoso, T., Devianto, H., Widiatmoko, P., & Saputera, W. H. (2022). Urea nitrogenated mesoporous activated carbon derived from oil palm empty fruit bunch for high-performance supercapacitor. *Journal of Energy Storage*, 52. <https://doi.org/10.1016/j.est.2022.104724>
- Shah, S. S., Cevik, E., Aziz, M. A., Qahtan, T. F., Bozkurt, A., & Yamani, Z. H. (2021). Jute Sticks Derived and Commercially Available Activated Carbons for Symmetric Supercapacitors with Bio-electrolyte: A Comparative Study. *Synthetic Metals*, 277. <https://doi.org/10.1016/j.synthmet.2021.116765>
- Shahanaz, P., Biplop Kumar, B., Md Asadur, R., Md Hafizur, R., Md Shahyaz, A., & Md Raes, U. (2019). Study on adsorption of Congo red onto chemically modified egg shell membran. *Chemosphere*, 236, 124–136.
- Shaku, B., Mofokeng, T. P., Coville, N. J., Ozoemena, K. I., & Maubane-Nkadimeng, M. S. (2023). Biomass valorisation of marula nutshell waste into nitrogen-doped activated carbon for use in high performance supercapacitors. *Electrochimica Acta*, 442. <https://doi.org/10.1016/j.electacta.2023.141828>
- Shao, J., Zhu, G., Xie, L., Tao, S., Zhang, Y., Zhang, J., Wang, H., Zhang, L., & Chen, C. (2022). One-step production of N, S co-doped honeycomb-like activated carbon from instant dry yeast for high gravimetric and volumetric performance supercapacitors. *Diamond and Related Materials*, 127. <https://doi.org/10.1016/j.diamond.2022.109165>
- Shell, K. M., Rodene, D. D., Amar, V., Thakkar, A., Maddipudi, B., Kumar, S., Shende, R., & Gupta, R. B. (2021). Supercapacitor performance of corn stover-derived biocarbon produced from the solid co-products of a hydrothermal liquefaction process. *Bioresource Technology Reports*, 13. <https://doi.org/10.1016/j.biteb.2021.100625>

- Song, M., Zhou, Y., Ren, X., Wan, J., Du, Y., Wu, G., & Ma, F. (2019). Biowaste-based porous carbon for supercapacitor: The influence of preparation processes on structure and performance. *Journal of Colloid and Interface Science*, 535, 276–286. <https://doi.org/10.1016/j.jcis.2018.09.055>
- Song, Y., Qu, W., He, Y., Yang, H., Du, M., Wang, A., Yang, Q., & Chen, Y. (2020a). Synthesis and processing optimization of N-doped hierarchical porous carbon derived from corncob for high performance supercapacitors. *Journal of Energy Storage*, 32. <https://doi.org/10.1016/j.est.2020.101877>
- Song, Y., Qu, W., He, Y., Yang, H., Du, M., Wang, A., Yang, Q., & Chen, Y. (2020b). Synthesis and processing optimization of N-doped hierarchical porous carbon derived from corncob for high performance supercapacitors. *Journal of Energy Storage*, 32. <https://doi.org/10.1016/j.est.2020.101877>
- Su, X. L., Chen, J. R., Zheng, G. P., Yang, J. H., Guan, X. X., Liu, P., & Zheng, X. C. (2018). Three-dimensional porous activated carbon derived from loofah sponge biomass for supercapacitor applications. *Applied Surface Science*, 436, 327–336. <https://doi.org/10.1016/j.apsusc.2017.11.249>
- Suhendra, D., & Ryantin Gunawan, E. (2010). Pembuatan Arang Aktif dari Batang Jagung Menggunakan Aktivator Asam Sulfat dan Penggunaannya Pada Penyerapan Ion Tembaga (II). *Makara of Sciences Serie*, 14(1), 22–26.
- Taer, E. (2018). *Buku Ajar Superkapasitor* (1st ed.). Unri Press.
- Thommes, M., Kaneko, K., Neimark, A., Olivier, J., Rodriguez, F., Rouquerol, J., & Sing, K. (2015). Physisorption of gases, with special reference to the evaluation of surface area and pore size distribution (IUPAC Technical Report). *Pure Appl. Chem*, 87(9), 1051–1069.
- Tian, X. L., Yu, J. H., Qiu, L., Zhu, Y. H., & Zhu, M. Q. (2023). Structural changes and electrochemical properties of mesoporous activated carbon derived from *Eucommia ulmoides* wood tar by KOH activation for supercapacitor applications. *Industrial Crops and Products*, 197. <https://doi.org/10.1016/j.indcrop.2023.116628>
- Torres-Mansilla, A., Hincke, M., Voltes, A., López-Ruiz, E., Baldión, P. A., Marchal, J. A., Álvarez-Lloret, P., & Gómez-Morales, J. (2023). Eggshell Membran as a Biomaterial for Bone Regeneration. In *Polymers* (Vol. 15, Issue 6). MDPI. <https://doi.org/10.3390/polym15061342>
- Ukkakimapan, P., Sattayarut, V., Wanchaem, T., Yordsri, V., Phonyiem, M., Ichikawa, S., Obata, M., Fujishige, M., Takeuchi, K., Wongwiriyapan, W., & Endo, M. (2020). Preparation of activated carbon via acidic dehydration of durian husk for supercapacitor applications. *Diamond and Related Materials*, 107. <https://doi.org/10.1016/j.diamond.2020.107906>

- Usha Rani, M., Nanaji, K., Rao, T. N., & Deshpande, A. S. (2020). Corn husk derived activated carbon with enhanced electrochemical performance for high-voltage supercapacitors. *Journal of Power Sources*, 471. <https://doi.org/10.1016/j.jpowsour.2020.228387>
- Vignesh, K., Ganeshbabu, M., Puneeth, N. P. N., Mathivanan, T., Ramkumar, B., Lee, Y. S., & Selvan, R. K. (2023). Oxygen-rich functionalized porous carbon by KMnO₄ activation on pods of *Prosopis juliflora* for symmetric supercapacitors. *Journal of Energy Storage*, 72. <https://doi.org/10.1016/j.est.2023.108216>
- Wang, B., Wang, Y., Peng, Y., Wang, X., Wang, N., Wang, J., & Zhao, J. (2018). Nitrogen-doped biomass-based hierarchical porous carbon with large mesoporous volume for application in energy storage. *Chemical Engineering Journal*, 348, 850–859. <https://doi.org/10.1016/j.cej.2018.05.061>
- Wang, Y., Li, H., Yang, W., Jian, S., Zhang, C., & Duan, G. (2022). One step activation by ammonium chloride toward N-doped porous carbon from *camellia oleifera* for supercapacitor with high specific capacitance and rate capability. *Diamond and Related Materials*, 130. <https://doi.org/10.1016/j.diamond.2022.109526>
- Wei, X., Wei, J. S., Li, Y., & Zou, H. (2019). Robust hierarchically interconnected porous carbons derived from discarded *Rhus typhina* fruits for ultrahigh capacitive performance supercapacitors. *Journal of Power Sources*, 414, 13–23. <https://doi.org/10.1016/j.jpowsour.2018.12.064>
- wu, J., Xia, M., Zhang, X., Chen, Y., Sun, F., Wang, X., Yang, H., & Chen, H. (2020). Hierarchical porous carbon derived from wood tar using crab as the template: Performance on supercapacitor. *Journal of Power Sources*, 455. <https://doi.org/10.1016/j.jpowsour.2020.227982>
- Xi, Y., Cao, J., Li, J., Zhang, P., Zhu, Y., & Han, W. (2021). High-rate supercapacitor based on 3D hierarchical N-doped porous carbon derived from sustainable spongy cornstalk pith. *Journal of Energy Storage*, 37. <https://doi.org/10.1016/j.est.2021.102470>
- Xiao, J., Wang, Y., Zhang, T. C., Ouyang, L., & Yuan, S. (2022). Phytic acid-induced self-assembled chitosan gel-derived N, P-co-doped porous carbon for high-performance CO₂ capture and supercapacitor. *Journal of Power Sources*, 517. <https://doi.org/10.1016/j.jpowsour.2021.230727>
- Xu, M., Huang, Q., Lu, J., & Niu, J. (2021). Green synthesis of high-performance supercapacitor electrode materials from agricultural corncob waste by mild potassium hydroxide soaking and a one-step carbonization. *Industrial Crops and Products*, 161. <https://doi.org/10.1016/j.indcrop.2020.113215>

- Yawei Shi, Guozhu Liu, Mingde Li, & Liang Wang. (2020). Egg shell waste as an activation agent for the manufacture of porous carbon. *Chinese Journal of Chemical Engineering*, 28(3), 896–900.
- Yin, Q., Li, X., Yong, X., Sha, P., Zhang, Q., Dong, H., Sui, J., Yu, J., Yu, L., & Dong, L. (2023). An environmentally friendly process to derive N/O/S-codoped porous carbon from biomass waste with high yield for high performance supercapacitor. *Diamond and Related Materials*, 134. <https://doi.org/10.1016/j.diamond.2023.109798>
- Yu, A., Chabot, V., & Zhang, J. (2013a). *Electrochemical Energy Storage and Conversion* (J. Zhang, Ed.). Taylor and Francis.
- Yu, A., Chabot, V., & Zhang, J. (2013b). *Electrochemical Supercapacitors For Energy Storage and Delivery* (J. Zhang, Ed.; I). CRC Press Taylor&Francis Group.
- Yu, K., Zhu, H., Qi, H., & Liang, C. (2018a). High surface area carbon materials derived from corn stalk core as electrode for supercapacitor. *Diamond and Related Materials*, 88, 18–22.
- Yu, K., Zhu, H., Qi, H., & Liang, C. (2018b). High surface area carbon materials derived from corn stalk core as electrode for supercapacitor. *Diamond and Related Materials*, 88, 18–22. <https://doi.org/10.1016/j.diamond.2018.06.018>
- Yuan, X., Xiao, J., Yilmaz, M., Zhang, T. C., & Yuan, S. (2022). N, P Co-doped porous biochar derived from cornstalk for high performance CO₂ adsorption and electrochemical energy storage. *Separation and Purification Technology*, 299. <https://doi.org/10.1016/j.seppur.2022.121719>
- Zhang, Y., Sun, W., & Yang, F. (2021). Electrochemical performance of potato-derived activated carbon: Effect of compressive stress. *Journal of Energy Storage*, 37. <https://doi.org/10.1016/j.est.2021.102476>
- Zhang, Y., Zhao, Y. P., Qiu, L. Le, Xiao, J., Wu, F. P., Cao, J. P., Bai, Y. H., & Liu, F. J. (2022). Insights into the KOH activation parameters in the preparation of corncob-based microporous carbon for high-performance supercapacitors. *Diamond and Related Materials*, 129. <https://doi.org/10.1016/j.diamond.2022.109331>
- Zhong, C., Yida, D., Hu, W., Qiao, J., Zhang, L., & Zhang, J. (2015). A Review of Electrolyte Materials and Composition For Electrochemical Supercapacitors. *Chemical Society Reviews*, 44, 7484–7539.
- Zhou, M., Pu, F., Wang, Z., & Guan, S. (2014). Nitrogen-doped porous carbons through KOH activation with superior performance in supercapacitors. *Carbon*, 68, 185–194. <https://doi.org/10.1016/j.carbon.2013.10.079>
- Zhu, S., Xu, J., Kuang, Y., Cheng, Z., Wu, Q., Xie, J., Wang, B., Gao, W., Zeng, J., Li, J., & Chen, K. (2021). Lignin-derived sulfonated porous carbon from

cornstalk for efficient and selective removal of cationic dyes. *Industrial Crops and Products*, 159. <https://doi.org/10.1016/j.indcrop.2020.113071>

Zhu, W., Shen, D., & Xie, H. (2023). Combination of chemical activation and nitrogen doping toward hierarchical porous carbon from *houltuynia cordata* for supercapacitors. *Journal of Energy Storage*, 60. <https://doi.org/10.1016/j.est.2022.106595>

Zou, K., Deng, Y., Chen, J., Qian, Y., Yang, Y., Li, Y., & Chen, G. (2018). Hierarchically porous nitrogen-doped carbon derived from the activation of agriculture waste by potassium hydroxide and urea for high-performance supercapacitors. *Journal of Power Sources*, 378, 579–588. <https://doi.org/10.1016/j.jpowsour.2017.12.081>

Zou, Z., Luo, X., Wang, L., Zhang, Y., Xu, Z., & Jiang, C. (2021). Highly mesoporous carbons derived from corn silks as high performance electrode materials of supercapacitors and zinc ion capacitors. *Journal of Energy Storage*, 44. <https://doi.org/10.1016/j.est.2021.103385>

