

DAFTAR PUSTAKA

1. Ahda S, Mahyudin dan Alimin. Aplikasi Metode Molten Salt untuk Sintesis Bahan Piezoelektrik $\text{Bi}_{0,5}(\text{Na}_{0,75}\text{K}_{0,25})_{0,5}\text{TiO}_3$. *Jurnal Sains Materi Indonesia Indonesian Journal of Materials Science*. 2013;14(4):284–9.
2. Bahtiar A. Sifat Optik dan Struktur Kristal Material Perovskite yang Disintesis dari Baterai Bekas Mobil. *Jurnal Ilmu dan Inovasi Fisika*. 2017;1(2):8–15.
3. Putri YE, Yusri H, Zulhadjri D. Studi Hantaran Listrik Senyawa $\text{Sr}_{n+1}\text{Ti}_n\text{O}_{3n+1}$ ($n = 1$ dan 2) Fasa Ruddlesden-Popper yang Disintesis dengan Metode Lelehan Garam. *Maret*. 2015;8(2).
4. Mulia E, Sabrina A, Aprianti DK, Andriani N, Zulhadjri Z, Putri YE. Sintesis Codoped- Sr_2TiO_4 Fasa Ruddlesden-Popper dengan Metoda Lelehan Garam dan Sifat Hantaran Listriknya. *Jurnal Riset Kimia*. 2020;11(2):97–105.
5. Pikalova EY, Sadykov VA, Filonova EA, Ereemeev NF, Sadovskaya EM, Pikalov SM, et al. Structure, Oxygen Transport Properties and Electrode performance of Ca-Substituted Nd_2NiO_4 . *Solid State Ion*. 2019 Jul 1;335:53–60.
6. Pikalov SM, Vedmid LB, Filonova EA, Pikalova EY, Lyagaeva JG, Danilov NA, et al. High-Temperature Behavior of Calcium Substituted Layered Neodymium Nickelates. *J Alloys Compd*. 2019 Sep 15;801:558–67.
7. Wongsawatgul N, Yeyongchaiwat J, Pornprasertsuk R, Kazunori S, Chaianansutcharit S. Ca and Pr Substitution Promoted the Cell Performance in $\text{LnSr}_3\text{Fe}_3\text{O}_{10-\delta}$ Cathode for Solid Oxide Fuel Cells. *Ceram Int*. 2020 Feb 15;46(3):3082–90.
8. Ivanov D V., Isupova LA, Gerasimov EY, Dovlitova LS, Glazneva TS, Prosvirin IP. Oxidative Methane Coupling Over Mg, Al, Ca, Ba, Pb-Promoted SrTiO_3 and Sr_2TiO_4 : Influence of Surface Composition and Microstructure. *Appl Catal A Gen*. 2014 Sep 5;485:10–9.
9. Mu Z, Hu Y, Ju G. Luminescence Properties of Eu^{3+} and Ho^{3+} in Sr_2TiO_4 . *Journal of Rare Earths*. 2012;30(8):744–7.
10. Putri YE, Said SM, Refinel R, Ohtaki M, Syukri S. Low Thermal Conductivity of RE-Doped $\text{SrO}(\text{SrTiO}_3)_1$ Ruddlesden Popper Phase Bulk Materials Prepared by Molten Salt Method. *Electronic Materials Letters*. 2018 Sep 1;14(5):556–62.
11. Wang Y, Lee KH, Ohta H, Koumoto K. Thermoelectric Properties of Electron Doped $\text{SrO}(\text{SrTiO}_3)_n$ ($n=1,2$) ceramics. *J Appl Phys*. 2009;105(10).
12. Champier D. Thermoelectric generators: A review of applications. Vol. 140, *Energy Conversion and Management*. Elsevier Ltd; 2017. p. 167–81.
13. Putri YE, Wan C, Wang Y, Norimatsu W, Kusunoki M, Koumoto K. Effects of Alkaline Earth Doping on the Thermoelectric Properties of Misfit Layer Sulfides. *Scr Mater*. 2012 Jun;66(11):895–8.
14. Zhu H, Su T, Li H, Hu Q, Li S, Hu M. Thermoelectric Properties of BiCuSO Doped with Pb. *Solid State Commun*. 2018 Sep 1;278:1–5.
15. Ohta H, Kim S, Mune Y, Mizoguchi T, Nomura K, Ohta S, et al. Giant Thermoelectric Seebeck Coefficient of a Two-Dimensional Electron Gas in SrTiO_3 . *Nat Mater*. 2007;6(2):129–34.
16. Putri YE, Said SM, Diantoro M. Nanoarchitected Titanium Complexes for Thermal Mitigation in Thermoelectric Materials. *Renewable and Sustainable Energy Reviews [Internet]*. 2019;101(October 2018):346–60. Available from: <https://doi.org/10.1016/j.rser.2018.10.006>
17. Putri YE. SrTiO_3 Nanokubus: Sintesis, Kontrol Morfologi dan Sifat Termoelektrik (Tinjauan). *Akta Kimia Indonesia*. 2021 May 30;6(1):83.
18. N Ruddl BS, Popper P. New Compounds of the K_2NiF_4 Type. Vol. 10, 538 *SHORT COMMUNICATIONS Acta Cryst*. 1957.
19. Park S, Kim Y, Noh Y, Kim T, Han H, Yoon W, et al. A Sulfur-Tolerant Cathode Catalyst Fabricated with in Situ Exsolved CoNi Alloy Nanoparticles Anchored on a Ruddlesden-Popper Support for CO_2 Electrolysis. *J Mater Chem A Mater*. 2020 Jan 7;8(1):138–48.
20. Xu X, Pan Y, Zhong Y, Ran R, Shao Z. Ruddlesden-Popper Perovskites in Electrocatalysis. Vol. 7, *Materials Horizons*. Royal Society of Chemistry; 2020. p. 2519–65.

21. Ding P, Li W, Zhao H, Wu C, Zhao L, Dong B, et al. Review on Ruddlesden-Popper Perovskites as Cathode for Solid Oxide Fuel Cells. Vol. 4, *JPhys Materials*. IOP Publishing Ltd; 2021.
22. Lu Y, Jia D, Gao F, Hu T, Chen Z. First-Principle Calculations of the Thermal Properties of SrTiO_3 and $\text{SrO}(\text{SrTiO}_3)_n$ ($n=1,2$). *Solid State Commun*. 2015;201:25–30.
23. Li Z, Zhang X, Hou J, Zhou K. Molten Salt Synthesis of Anisometric $\text{Sr}_3\text{Ti}_2\text{O}_7$ Particles. *J Cryst Growth*. 2007 Jul 1;305(1):265–70.
24. Xue P, Wu H, Lu Y, Zhu X. Recent Progress in Molten Salt Synthesis of Low-Dimensional Perovskite Oxide Nanostructures, Structural Characterization, Properties, and Functional Applications: A review. *J Mater Sci Technol [Internet]*. 2018;34(6):914–30. Available from: <http://dx.doi.org/10.1016/j.jmst.2017.10.005>
25. garuda1536198.
26. Zaremba T. Synthesis of Ferroelectric $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$ by MSS (Molten Salt Synthesis) Method [Internet]. Available from: www.intechopen.com
27. Bardakhanov S, Lysenko V, Nomoev A, Trufanov D. Ceramic Preparation of Nanopowders and Experimental Investigation of Its Properties [Internet]. Available from: www.intechopen.com
28. Deady E, Moon C, Moore K, Goodenough KM, Shail RK. Bismuth: Economic Geology and Value Chains. Vol. 143, *Ore Geology Reviews*. Elsevier B.V.; 2022.
29. Lalonde AD, Pei Y, Wang H, Snyder GJ. Lead Telluride Alloy Thermoelectrics.
30. Chen C, Bousnina M, Giovannelli F, Delorme F. Influence of Bi on the Thermoelectric Properties of SrTiO_3 - δ . *Journal of Materiomics*. 2019 Mar 1;5(1):88–93.
31. Setiabudi A, Hardian R, Mudzakir A, Material K, Prinsip ;, Aplikasinya D, et al. UPI PRESS.
32. Sutrisno H, Ariswan, Purwaningsih D. Qualitative and Quantitative Phase-Analysis of Undoped Titanium Dioxide and Chromium Doped Titanium Dioxide from Powder X-Ray Diffraction Data. *Indonesian Journal of Chemistry*. 2018 Aug 1;18(3):486–95.
33. Sulistyani M. Spektroskopi Fourier Transform Infra Red dengan Metode Reflektansi (ATR-FTIR) pada Optimasi Pengukuran Spektrum Vibrasi Vitamin C. 2018;1(2).
34. Shipp DW, Sinjab F, Notingher I. Spectroscopy, Raman; (180.5655) Raman microscopy; (300.6230) Spectroscopy, Coherent Anti-Stokes Raman scattering; (170.3880) Medical and biological imaging. 2017; Available from: <http://dx.doi.org/10.1364/aop.XX.XXXXXX>
35. Ellingham STD, Thompson TJU, Islam M. Scanning Electron Microscopy–Energy-Dispersive X-Ray (SEM/EDX): A Rapid Diagnostic Tool to Aid the Identification of Burnt Bone and Contested Cremains. *J Forensic Sci*. 2018 Mar 1;63(2):504–10.
36. Li A, Brod MK, Wang Y, Hu K, Nan P, Han S, et al. Opening the Bandgap of Metallic Half-Heuslers Via the Introduction of d–d Orbital Interactions. *Advanced Science*. 2023 Aug 15;10(23).
37. Yulia Basri Dedy Irfan I. Komponen Elektronika.
38. Wibowo GR, Emriadi E, Zulhadjri Z. Sintesis Senyawa Aurivillius Lapis Empat $\text{PbBi}_4\text{Ti}_4\text{O}_{15}$ dan $\text{PbBi}_3\text{NdTi}_4\text{O}_{15}$ dengan Metode Lelehan Campuran Garam NaCl-KCl dan Karakterisasi Struktur. *Jurnal Riset Kimia*. 2019 Sep 30;10(2):85–92.
39. Hu C, Chen TS, Huang HX. Heterojunction of n-Type Sr_2TiO_4 with p-Type $\text{Bi}_5\text{O}_7\text{I}$ with Enhanced Photocatalytic Activity Under Irradiation of Simulated Sunlight. *Appl Surf Sci [Internet]*. 2017 ; 426 : 536–44. Available from : <https://doi.org/10.1016/j.apsusc.2017.07.224>
40. Verma, A. K.; Mahato, D. K. Structural and FTIR Analysis of SrCoO_3 Perovskite Ceramics. *IOSR Journal of Applied Physics (IOSR-JAP)* 2022, 14 (3), 25–28. DOI: 10.9790/4861-1403012528.
41. Ta TA, Pham LD, Nguyen HS, Hoang CV, Le CH, Dang CT, et al. Electrochemical Performance of $\text{Na}_{0.44}\text{MnO}_2$ Synthesized by Hydrothermal Method Using as a Cathode Material for Sodium Ion Batteries. *Communications in Physics*. 2017 Aug 24;27(2):143.
42. Padmini E, Ramachandran K. Investigation on Versatile Behaviour of Cd Doped SrTiO_3 Perovskite Structured Compounds. *Solid State Commun*. 2019 Nov 1;302.
43. Putri YE, Elvinda R, Wendari TP, Zulhadjri. Bismuth-substituted $\text{Sr}_3\text{Ti}_2\text{O}_7$ Ruddlesden-Popper Oxide Prepared by Molten Salt Method with Tunable Electrical Conductivity.

Case Studies in Chemical and Environmental Engineering [Internet]. 2023 Dec;8:100513. Available from :
<https://linkinghub.elsevier.com/retrieve/pii/S2666016423002189>

44. Samain L, Amshoff P, Biendicho JJ, Tietz F, Mahmoud A, Hermann RP, et al. Crystal Structure and High-Temperature Properties of the Ruddlesden-Popper Phases $\text{Sr}_{3-x}\text{Y}_x(\text{Fe}_{1.25}\text{Ni}_{0.75})\text{O}_{7-\delta}$ ($0 \leq x \leq 0.75$). *J Solid State Chem.* 2015;227:45–54.
45. Maddu A, Santoso K, Fisika J, Sains dan Teknologi F, Islam Negeri Alauddin Makassar U, Artikel I. Karakteristik Sifat Optik Nanopartikel Karbon (Carbon Dots) dengan Metode UV-VIS DRS (Ultra Violet-Visible Diffuse Reflectance Spectroscopy). Tahun Terbit [Internet]. 9(1):1–15. Available from: <http://journal.uin-alauddin.ac.id/index.php/jft>
46. Holzwarth U, Gibson N. The Scherrer Equation Versus the 'Debye-Scherrer Equation'. Vol. 6, *Nature Nanotechnology*. Nature Publishing Group; 2011. p. 534.

