

## DAFTAR PUSTAKA

- Abdulhafiz, F., Mohammed, A., Kayat, F., Bhaskar, M., Hamzah, Z., Podapati, S.K. and Reddy, L.V. (2020), “Xanthine oxidase inhibitory activity, chemical composition, antioxidant properties and GC-MS analysis of keladi candik (*Alocasia longiloba* Miq)”, *Molecules*, Vol. 25 No. 11, doi: 10.3390/molecules25112658.
- Abedinpour, N., Ghanbariasad, A., Taghinezhad, A. and Osanloo, M. (2021), “Preparation of Nanoemulsions of *Mentha piperita* Essential Oil and Investigation of Their Cytotoxic Effect on Human Breast Cancer Lines”, *BioNanoScience*, Vol. 11 No. 2, pp. 428–436, doi: 10.1007/s12668-021-00827-4.
- Ahmadi, F. and Rahmani, M. (1993), “Chemical Constituents of *Piper aduncum* Linn (Piperaceae)”, *Pertanika J. Sci. & Techno*, Vol. 1 No. 2, pp. 185–188.
- Amna, U., Wahyuningsih, P., Saidi, N. and Nasution, R. (2019), “Evaluation of cytotoxic activity from Temurui (*Murraya koenigii* [Linn.] Spreng) leaf extracts against HeLa cell line using MTT assay”, *Journal of Advanced Pharmaceutical Technology & Research*, Wolters Kluwer-Medknow Publications, Vol. 10 No. 2, p. 51.
- Araújo, M.J.C., Câmara, C.A.G., Born, F.S., Moraes, M.M. and Badji, C.A. (2012), “Acaricidal activity and repellency of essential oil from *Piper aduncum* and its components against *Tetranychus urticae*”, *Experimental and Applied Acarology*, Vol. 57 No. 2, pp. 139–155, doi: 10.1007/s10493-012-9545-x.
- Bastian, A.B.S. (2021), “Toksisitas Rebusan Rimpang Temu Putih (*Curcuma zedoaria*) terhadap Larva Udang Artemia Salina Leach Menggunakan Metode BSLT”, Akademi Farmasi Putra Indonesia Malang.
- Bernuci, K.Z., Iwanaga, C.C., Fernandez-Andrade, C.M., Lorenzetti, F.B., Torres-Santos, E.C., Faiões, V.D., Gonçalves, J.E., et al. (2016), “Evaluation of Chemical Composition and Antileishmanial and Antituberculosis Activities of Essential Oils of *Piper Species*”, *Molecules*, doi: 10.3390/molecules21121698.
- Bilqies, Z.L.F., Andriani, S. and Yanto, E.S. (2021), “Formulasi Sediaan Gel Antiseptik Daun Sirih Hijau (*Piper betle linn*) dengan Basis Biji Rami (*Linum usitatissimum*) dan Penambahan Sari Jeruk Nipis (*Citrus x aurantiifolia*) sebagai Aroma”, *Journal of Holistic and Health Sciences*, Vol. 4 No. 2, pp. 114–119, doi: 10.51873/jhhs.v4i2.79.
- Cardoso, J.C., de Oliveira, M.E.B.S. and Cardoso, F. de C.I. (2019), “Advances and challenges on the in vitro production of secondary metabolites from medicinal plants”, *Horticultura Brasileira*, Vol. 37 No. 2, pp. 124–132, doi: 10.1590/s0102-053620190201.
- Cells, M.-, Cells, T., Soemardji, A.A. and Tan, M.I. (2022), “Cytotoxic Effects of Kirinyuh Herb ( *Austroeupatorium inulaefolium* ( Kunth ) R . d . King & H . Robinson ) Extracts and Fractions on BSLT ”, Vol. 14 No. 2, pp. 374–378.

- Chan, C.K., Aimagambetova, G., Ukybassova, T., Kongrtay, K. and Azizan, A. (2019), “Human papillomavirus infection and cervical cancer: epidemiology, screening, and vaccination—review of current perspectives”, *Journal of Oncology*, Hindawi, Vol. 2019.
- Clinic, cleveland. (2024), “cervical cancer”, *Cleveland Clinic*, available at: <https://my.clevelandclinic.org/health/diseases/12216-cervical-cancer>.
- Cohen, P.A., Jhingran, A., Oaknin, A. and Denny, L. (2019), “Cervical cancer”, *The Lancet*, Elsevier, Vol. 393 No. 10167, pp. 169–182.
- Contini, A., Di Bello, D., Azzarà, A., Giovanelli, S., D’Urso, G., Piaggi, S., Pinto, B., et al. (2020), “Assessing the cytotoxic/genotoxic activity and estrogenic/antiestrogenic potential of essential oils from seven aromatic plants”, *Food and Chemical Toxicology*, Vol. 138, p. 111205, doi: <https://doi.org/10.1016/j.fct.2020.111205>.
- Corbeil, C.R., Williams, C.I. and Labute, P. (2012), “Variability in docking success rates due to dataset preparation”, *Journal of Computer-Aided Molecular Design*, Vol. 26 No. 6, pp. 775–786, doi: 10.1007/s10822-012-9570-1.
- Drețcanu, G., Iuhas, C.I. and Diaconeasa, Z. (2021), “The involvement of natural polyphenols in the chemoprevention of cervical cancer”, *International Journal of Molecular Sciences*, Vol. 22 No. 16, doi: 10.3390/ijms22168812.
- Durofil, A., Radice, M., Blanco-Salas, J. and Ruiz-Téllez, T. (2021), “Piper aduncum essential oil: a promising insecticide, acaricide and antiparasitic. A review.”, *Parasite (Paris, France)*, France, Vol. 28, p. 42, doi: 10.1051/parasite/2021040.
- Efdi, M., Okselni, T., Itam, A., Arifin, B., Novela, M., Hidayat, T. and Fadli. (2023), “Essential Oil Extraction of Piper betle, Piper ramipilum, and Piper aduncum and their Antibacterial Activity against Food borne Pathogens”, *Journal of Essential Oil-Bearing Plants*, Vol. 26 No. 2, pp. 446–458, doi: 10.1080/0972060X.2023.2202335.
- Elshamy, A.I. and Abd-elgawad, A.M. (2024), “Essential Oils in the Above-Ground Parts of Sonchus oleraceus L.”
- Emslie, S. (2023), “Artemia salina”, *Animal Diversity*, available at: [https://animaldiversity.org/accounts/Artemia\\_salina/](https://animaldiversity.org/accounts/Artemia_salina/) (accessed 1 November 2023).
- Erlina, L.H., Lina, E.C., Reflinaldon, Djamaan, A. and Arneti. (2020), “Insecticidal activity of nanoemulsion of Piper aduncum extract against cabbage head cartepillar Crocidolomia pavonana F. (Lepidoptera: Crambidae)”, *IOP Conference Series: Earth and Environmental Science*, Vol. 468 No. 1, doi: 10.1088/1755-1315/468/1/012001.
- Fadlan, A., Warsito, T. and Sarmoko, S. (2022), “Evaluasi Parameter Fisikokimia, Farmakokinetika, dan Farmakodinamika Senyawa Fisetin Dalam Desain Obat”, *Akta Kimia Indonesia*, Vol. 7 No. 1, p. 1, doi: 10.12962/j25493736.v7i1.10879.

- Ferreira, O.O., Cruz, J.N., de Moraes, Â.A., de Jesus Pereira Franco, C., Lima, R.R., Anjos, T.O., Siqueira, G.M., *et al.* (2022), “Essential Oil of the Plants Growing in the Brazilian Amazon: Chemical Composition, Antioxidants, and Biological Applications”, *Molecules*, doi: 10.3390/molecules27144373.
- Ferreira, O.O., Cruz, J.N., de Moraes, Â.A.B., Franco, C. de J.P., Lima, R.R., Dos Anjos, T.O., Siqueira, G.M., *et al.* (2022), “Essential Oil of the Plants Growing in the Brazilian Amazon: Chemical Composition, Antioxidants, and Biological Applications”, *Molecules*, Vol. 27 No. 14, pp. 1–29, doi: 10.3390/molecules27144373.
- Geethaa, S., Thavamany, P.J., Chiew, S.P. and Thong, O.M. (2013), “Interference from ordinarily used solvents in the outcomes of Artemia salina lethality test”, *Journal of Advanced Pharmaceutical Technology & Research*, Wolters Kluwer--Medknow Publications, Vol. 4 No. 4, p. 179.
- Ghasemi, M., Turnbull, T., Sebastian, S. and Kempson, I. (2021), “The mtt assay: Utility, limitations, pitfalls, and interpretation in bulk and single-cell analysis”, *International Journal of Molecular Sciences*, Vol. 22 No. 23, doi: 10.3390/ijms222312827.
- Gomathi, D., Kalaiselvi, M., Ravikumar, G., Devaki, K., & Uma, C. (2015), “GC-MS analysis of bioactive compounds from the whole plant ethanolic extract of *Evolvulus alsinoides* (L.) L.”, *Journal of Food Science and Technology*, Vol. 52, pp. 1212–1217.
- Guerrini, A., Sacchetti, G., Rossi, D., Paganetto, G., Muzzoli, M., Andreotti, E., Tognolini, M., *et al.* (2009), “Bioactivities of *Piper aduncum* L. and *Piper obliquum* Ruiz & Pavon (Piperaceae) essential oils from Eastern Ecuador”, *Environmental Toxicology and Pharmacology*, Vol. 27 No. 1, pp. 39–48, doi: 10.1016/j.etap.2008.08.002.
- Hananun, H.S., Angela, I.F., Muawanah and Sherly. (2013), “Isolasi Dan Standarisasi Bahan Alam Gas Chromatography Mass Spectrometry Gc – Ms”, *Jurnal Farmasi Universitas Semarang*, No. 1041111098, pp. 2–7.
- Hanggoro Putro, D.U., Ike Darmayanti, A.R., Tandiola, R. and Aulawi, K. (2023), “Pengendalian Infeksi pada Pasien Kanker: Literature Review”, *Jurnal Kesehatan Vokasional*, Vol. 8 No. 1, p. 46, doi: 10.22146/jkesvo.67677.
- Hemmat, N., Mokhtarzadeh, A., Aghazadeh, M., Jadidi-Niaragh, F., Baradaran, B. and Bannazadeh Baghi, H. (2020), “Role of microRNAs in epidermal growth factor receptor signaling pathway in cervical cancer”, *Molecular Biology Reports*, Springer Netherlands, Vol. 47 No. 6, pp. 4553–4568, doi: 10.1007/s11033-020-05494-4.
- Herrera-calderon, O., Chacaltana-ramos, L., Yuli-posadas, R.Á., Pari-olarte, B., Enciso-roca, E., Tinco-jayo, J.A., Rojas-armas, J.P., *et al.* (2019), “Antioxidant and Cytoprotective Effect of *Piper aduncum* L. against Sodium Fluoride (NaF)-Induced Toxicity in Albino Mice”, *Toxic*, Vol. 7 No. 28, pp. 1–9.

- Herrera Calderon, O., Alvarado-Puray, C., Arroyo-Acevedo, J., Juan, R., Chumpitaz-Cerrate, V., Hañari-Quispe, R. and Valenzuela-Herrera, R. (2018), “Phytochemical screening, total phenolic content, antioxidant, and cytotoxic activity of five peruvian plants on human tumor cell lines”, *Pharmacognosy Research*, Vol. 10, pp. 161–165, doi: 10.4103/pr.pr\_109\_17.
- Hu, Z., Wang, H., Fu, Y., Ma, K., Ma, X. and Wang, J. (2021), “Gentiopicroside inhibits cell growth and migration on cervical cancer via the reciprocal MAPK/Akt signaling pathways”, *Nutrition and Cancer*, Taylor & Francis, Vol. 73 No. 8, pp. 1459–1470.
- Huong, D.Q., Huong, N.T.L., Nguyet, T.T.A., Duong, T., Tuan, D., Thong, N.M. and Nam, P.C. (2020), “Pivotal role of heteroatoms in improving the corrosion inhibition ability of thiourea derivatives”, *ACS Omega*, Vol. 5 No. 42, pp. 27655–27666, doi: 10.1021/acsomega.0c04241.
- Institute, N.H.G.R. (2024), “Cancer”, available at: <https://www.genome.gov/genetics-glossary/Cancer>.
- Jaramillo, M.A. and Manos, P.S. (2001), “Phylogeny and patterns of floral diversity in the genus *Piper* (Piperaceae)”, *American Journal of Botany*, Wiley Online Library, Vol. 88 No. 4, pp. 706–716.
- Jie Yu, Y.L. (2018), “Artemia spp. Model -A Well-Established Method for Rapidly Assessing the Toxicityon an Environmental Perspective”, *Medical Research Archives*, Vol. 6 No. 2, pp. 1–15.
- June, A.P. and Turner, D. (2022), “Analyses and GC-MS / MS”.
- Kamiloglu, S., Sari, G., Ozdal, T. and Capanoglu, E. (2020), “Guidelines for cell viability assays”, *Food Frontiers*, Vol. 1 No. 3, pp. 332–349, doi: 10.1002/fft2.44.
- Katekar, V.P., Rao, A.B. and Sardeshpande, V.R. (2022), “Review of the rose essential oil extraction by hydrodistillation: An investigation for the optimum operating condition for maximum yield”, *Sustainable Chemistry and Pharmacy*, Elsevier, Vol. 29, p. 100783.
- Khalil, H.E., Ibrahim, H.I.M., Darrag, H.M. and Matsunami, K. (2022), “Insight into analysis of essential oil from anisosciadium lanatum boiss.—chemical composition, molecular docking, and mitigation of hepg2 cancer cells through apoptotic markers”, *Plants*, Vol. 11 No. 1, doi: 10.3390/plants11010066.
- Khazaei, Z., Sohrabivafa, M., Mansori, K., Naemi, H. and Goodarzi, E. (2019), “Incidence and Mortality of Cervix Cancer and their Relationship with the Human Development Index in 185 Countries in the World: An Ecology Study in 2018”, *Advances in Human Biology*, Vol. 9 No. 3.
- Kopka, J. (2006), “Gas chromatography mass spectrometry”, *Biotechnology in Agriculture and Forestry*, Vol. 57, pp. 3–20, doi: 10.1007/3-540-29782-0\_1.
- Kuete, V., Karaosmanoğlu, O. and Sivas, H. (2017), “Anticancer Activities of African Medicinal Spices and Vegetables”, *Medicinal Spices and Vegetables*

- from Africa: Therapeutic Potential Against Metabolic, Inflammatory, Infectious and Systemic Diseases*, pp. 271–297, doi: 10.1016/B978-0-12-809286-6.00010-8.
- De Lima, E.J.S.P., Alves, R.G., D’Elia, G.M.A., Da Anunciação, T.A., Silva, V.R., Santos, L. de S., Soares, M.B.P., *et al.* (2018), “Antitumor Effect of the Essential Oil from the Leaves of *Croton matourensis* Aubl. (Euphorbiaceae)”, *Molecules*, Vol. 23 No. 11, pp. 1–12, doi: 10.3390/molecules23112974.
- Lipinski, C.A., Lombardo, F., Dominy, B.W. and Feeney, P.J. (2012), “Experimental and computational approaches to estimate solubility and permeability in drug discovery and development settings”, *Advanced Drug Delivery Reviews*, Elsevier, Vol. 64, pp. 4–17.
- Luyen, B., Thao, N., Widowati, W., Maesaroh, M., Herlina, T. and Kim, Y.H. (2017), “Chemical constituents of *Piper aduncum* and their inhibitory effects on soluble epoxide hydrolase and tyrosinase”, *Medicinal Chemistry Research*, Vol. 26, doi: 10.1007/s00044-016-1735-3.
- Madhumita, M., Guha, P. and Nag, A. (2019), “Extraction of betel leaves (*Piper betle* L.) essential oil and its bio-actives identification: Process optimization, GC-MS analysis and anti-microbial activity”, *Industrial Crops and Products*, Elsevier, Vol. 138 No. July, p. 111578, doi: 10.1016/j.indcrop.2019.111578.
- Mahajan, S.D., Law, W.C., Aalinkeel, R., Reynolds, J., Nair, B.B., Yong, K.T., Roy, I., *et al.* (2012), *Nanoparticle-Mediated Targeted Delivery of Antiretrovirals to the Brain*, *Methods in Enzymology*, 1st ed., Vol. 509, Elsevier Inc., doi: 10.1016/B978-0-12-391858-1.00003-4.
- Maia, J.G.S., Zohhbi, M.D.G.B., Andrade, E.H.A., Santos, A.S., da Silva, M.H.L., Luz, A.I.R. and Bastos, C.N. (1998), “Constituents of the essential oil of *Piper aduncum* L. growing wild in the Amazon region”, *Flavour and Fragrance Journal*, Wiley Online Library, Vol. 13 No. 4, pp. 269–272.
- Marinas, I.C., Oprea, E., Buleandra, M., Badea, I.A., Tihauan, B.M., Marutescu, L., Angheloiu, M., *et al.* (2021), “Chemical composition, antipathogenic and cytotoxic activity of the essential oil extracted from *amorpha fruticosa* fruits”, *Molecules*, Vol. 26 No. 11, pp. 1–18, doi: 10.3390/molecules26113146.
- Martins, M.L., Jerônimo, G.T., Figueiredo, A.B., Tancredo, K.R., Bertaglia, E.A., Furtado, W.E., Lehmann, N.B., *et al.* (2021), “Chapter 4 - Antiparasitic agents”, in Kibenge, F.S.B., Baldisserotto, B. and Chong, R.S.-M.B.T.-A.P. (Eds.), Academic Press, pp. 169–217, doi: <https://doi.org/10.1016/B978-0-12-821339-1.00002-7>.
- Mayanga-Herrera, A., Tapia-Rojas, S., Fukusaki-Yoshizawa, A., Marcelo-Rodríguez, Á. and Amiel-Pérez, J. (2020), “Cytotoxic activity of the chloroform fraction of *Piper aduncum* and its effect on the cell cycle in gastric cancer cell lines”, *Revista Peruana de Medicina Experimental y Salud Pública*, Vol. 37 No. 3, pp. 471–477.
- Mbadiko, C., Bongo, G., Ngbolua, K., Ngombe, N. and Kapepula, P. (2023), “Uses,

- phytochemistry and biological activity of *Piper* genus: a review”, Vol. 14 No. 1, pp. 1–17.
- Mohanty, M. and Mohanty, P.S. (2023), “Molecular docking in organic, inorganic, and hybrid systems: a tutorial review”, *Monatshefte Fur Chemie*, Springer Vienna, Vol. 154 No. 7, pp. 683–707, doi: 10.1007/s00706-023-03076-1.
- Monzote, L., Scull, R., Cos, P. and Setzer, W.N. (2017), “Essential Oil from *Piper aduncum*: Chemical Analysis, Antimicrobial Assessment, and Literature Review.”, *Medicines (Basel, Switzerland)*, Switzerland, Vol. 4 No. 3, doi: 10.3390/medicines4030049.
- Morais, V.P., Cabral, F.V., Fernandes, C.C. and Miranda, M.L.D. (2023), “Brief Review on *Piper aduncum* L., its Bioactive Metabolites and its Potential to Develop Bioproducts”, *Brazilian Archives of Biology and Technology*, Vol. 66, doi: 10.1590/1678-4324-2023220314.
- Nambisan, P. (2017), “Relevance of Intellectual Property Rights in Biotechnology”, *An Introduction to Ethical, Safety and Intellectual Property Rights Issues in Biotechnology*, pp. 291–309, doi: 10.1016/b978-0-12-809231-6.00013-2.
- Navickiene, H.M.D., Morandim, A.D.A., Alécio, A.C., Regasini, L.O., Bergamo, D.C.B., Telascrea, M., Cavalheiro, J., et al. (2006), “Composition and Antifungal Activity of Essential Oils from *Piper aduncum*, *Piper arboreum* and *Piper tuberculatum*”, Vol. 29 No. 3, pp. 467–470.
- Nga, N.T.H., Ngoc, T.T.B., Trinh, N.T.M., Thuoc, T.L. and Thao, D.T.P. (2020), “Optimization and application of MTT assay in determining density of suspension cells”, *Analytical Biochemistry*, Elsevier Inc., Vol. 610 No. September, p. 113937, doi: 10.1016/j.ab.2020.113937.
- Nguyen, N.H., Ta, Q.T.H., Pham, Q.T., Luong, T.N.H., Van Trung Phung, T., Duong, H.-H. and Vo, V.G. (2020), “Anticancer Activity of Novel Plant Extracts and”, *Molecules*, Vol. 25 No. 2912, pp. 1–16.
- Niksic, H., Becic, F., Koric, E., Gusic, I., Omeragic, E., Muratovic, S., Miladinovic, B., et al. (2021), “Cytotoxicity screening of *Thymus vulgaris* L. essential oil in brine shrimp nauplii and cancer cell lines”, *Scientific Reports*, Nature Publishing Group UK, Vol. 11 No. 1, pp. 1–9, doi: 10.1038/s41598-021-92679-x.
- Nobiron, I. (2017), “HeLa cells: Origin of this important cell line in life science research”, *Tebubio*.
- Okunade, K.S. (2020), “Human papillomavirus and cervical cancer”, *Journal of Obstetrics and Gynaecology*, Taylor & Francis, Vol. 40 No. 5, pp. 602–608.
- Padmanaba, M. (2023), “*Piper aduncum* (spiked pepper)”, *CABI Compendium*, CABI Compendium, 4 November, doi: 10.1079/cabicompound.41354.
- Pant, P., Pandey, S. and Dall’Acqua, S. (2021), “The Influence of Environmental Conditions on Secondary Metabolites in Medicinal Plants: A Literature Review”, *Chemistry and Biodiversity*, Vol. 18 No. 11, doi:

10.1002/cbdv.202100345.

- Potzernheim, M.C.L., Bizzo, H.R., Silva, J.P. and Vieira, R.F. (2012), “Chemical characterization of essential oil constituents of four populations of *Piper aduncum* L. from Distrito Federal, Brazil”, *Biochemical Systematics and Ecology*, Vol. 42, pp. 25–31, doi: <https://doi.org/10.1016/j.bse.2011.12.025>.
- Pratiwi, R.D., Gunawan, E., Aropo, G.Y.B., Cenderawasih, U. and Indonesia, P. (2022), “Cytoxic Activity Test of Akway ( Drymis Sp ) Wood Fraction of From Manokwari , West Papua with BSLT Method”, Vol. 1 No. 1, pp. 29–34.
- “Protein--ligand docking with MOE: introduction Taras V. Pogorelov, School of Chemical Sciences, University of Illinois at Urbana---Champaign”. (2011), , pp. 1–16.
- Putri, R.B., Nugrahaningsih, W. and Dewi, N.K. (2021), “Uji Toksisitas Ekstrak Daun Cassava Terhadap Larva Artemia salina Leach dengan Metode Brine Shrimp Lethality Test”, *Indonesian Journal of Mathematics and Natural Sciences*, Vol. 44 No. 2, pp. 86–91, doi: [10.15294/ijmns.v44i2.33145](https://doi.org/10.15294/ijmns.v44i2.33145).
- Rali, T., Wossa, S.W., Leach, D.N. and Waterman, P.G. (2007), “Volatile chemical constituents of *Piper aduncum* L and *Piper gibbifolium* C. DC (Piperaceae) from Papua New Guinea.”, *Molecules (Basel, Switzerland)*, Switzerland, Vol. 12 No. 3, pp. 389–394, doi: [10.3390/12030389](https://doi.org/10.3390/12030389).
- Ramos, C.S., dos Santos, D.N.A., Claudino, L.L.M., de Albuquerque, J.P.A. and Silva, M.F.F. (2022), “Use of Hydrodistillation to Obtain and Fractionate Essential Oils Simultaneously”, *Brazilian Journal of Analytical Chemistry*, Vol. 9 No. 37, pp. 72–83, doi: [10.30744/brjac.2179-3425.AR-17-2022](https://doi.org/10.30744/brjac.2179-3425.AR-17-2022).
- Rani, Z., Ridwanto, R., Miswanda, D., Yuniarti, R., Sutiani, A., Syahputra, R.A. and Irma, R. (2022), “Cytotoxicity Test of Cocoa Leaf Ethanol Extract (*Theobroma Cacao* L.) With Brine Shrimp Lethality Test (BSLT) Method”, *Indonesian Journal of Chemical Science and Technology (IJCST)*, Vol. 5 No. 2, p. 80, doi: [10.24114/ijcst.v5i2.37452](https://doi.org/10.24114/ijcst.v5i2.37452).
- Rohimatun, Aisyah, M.D.N., Puspasari, L.T. and Rusmin, D. (2023), “Toxicity and chemical compounds of *Piper aduncum* fruit extract against storage pest *Sitophilus oryzae* and *Callosobruchus maculatus*”, *IOP Conference Series: Earth and Environmental Science*, Vol. 1253 No. 1, doi: [10.1088/1755-1315/1253/1/012001](https://doi.org/10.1088/1755-1315/1253/1/012001).
- Salehi, B., Zakaria, Z.A., Gyawali, R., Ibrahim, S.A., Rajkovic, J., Shinwari, Z.K., Khan, T., et al. (2019), *Piper Species: A Comprehensive Review on Their Phytochemistry, Biological Activities and Applications*, *Molecules*, Vol. 24, doi: [10.3390/molecules24071364](https://doi.org/10.3390/molecules24071364).
- Santos, T.S., Vieira, T.E.S., Paula, J.R. de, Oliveira Neto, J.R. de, Cunha, L.C. da, Santos, A.H. dos and Romano, C.A. (2021), “Influence of drying on the chemical composition and bioactivity of *Piper aduncum* (Piperaceae) essential oil against *Aedes aegypti* (Diptera: Culicidae)”, *Research, Society and Development*, Vol. 10 No. 8, p. e46810817397, doi: [10.33448/rsd-10-8-e46810817397](https://doi.org/10.33448/rsd-10-8-e46810817397).

- v10i8.17397.
- Scalvenzi, L., Grandini, A., Spagnoletti, A., Tacchini, M., Neill, D., Ballesteros, J.L., Sacchetti, G., et al. (2017), “Myrcia splendens (Sw.) DC. (syn. M. fallax (Rich.) DC.) (myrtaceae) essential oil from amazonian Ecuador: A chemical characterization and bioactivity profile”, *Molecules*, Vol. 22 No. 7, pp. 1–12, doi: 10.3390/molecules22071163.
- Silva, A.L., Chaves, F.C.M., Lameira, R.C. and Bizzo, H.R. (2013), “Rendimento e composição do óleo essencial de Piper aduncum L. cultivado em Manaus, AM, em função da densidade de plantas e épocas de corte”, *Revista Brasileira de Plantas Medicinais*, SciELO Brasil, Vol. 15, pp. 670–674.
- Silva, M.A. Da, Passarini, G.M., Martinez, L.D.N., Alves, V. and ... (2020), “... Plants Of The Genus Piper L.(Piperaceae): A Review Constituintes Químicos E Bioatividades De Óleos Essenciais Do Gênero Piper L ...”, *Researchgate.Net*, No. May.
- Slamet, A. and Andarias, S.H. (2018), “Studi Etnobotani dan Identifikasi Tumbuhan Berkhasiat Obat Masyarakat Sub Etnis Wolio Kota Baubau Sulawesi Tenggara”, *Proceeding Biology Education Conference*, Vol. 15 No. 1, pp. 721–732.
- Stephen E. Winikoff, Herbert J. Zeh, Richard DeMarco, M.T.L. (2020), “Cytolytic Assays”, *Measuring Immunity*, pp. 217–219, doi: 10.2307/j.ctv15vwj9v.37.
- Su, Y.-C., Hsu, K.-P., Wang, E.I.-C. and Ho, C.-L. (2015), “Composition, in vitro Cytotoxic, and Antimicrobial Activities of the Flower Essential Oil of Diospyros discolor from Taiwan.”, *Natural Product Communications*, United States, Vol. 10 No. 7, pp. 1311–1314.
- Suryati, Emil Salim and Gustia Elizar. (2022), “Potensi Antimikroba dan Toksisitas Minyak Atsiri yang Diisolasi dari Biji Jintan (Carum carvi L.)”, *Jurnal Riset Kimia*, Vol. 13 No. 2, pp. 198–207, doi: 10.25077/jrk.v13i2.551.
- Suryati, Hefni, D., Wahyuni, F.S. and Dachriyanus. (2021), “The cytotoxicity study of lantana camara Linn essential oil on HeLa cancer cells line”, *Pharmacognosy Journal*, Vol. 13 No. 6, pp. 1498–1501, doi: 10.5530/PJ.2021.13.190.
- Suryati, S., Aziz, E.D., Efdi, M., Wahyuni, F.S. and Hefni, D. (2021), “Analysis of the essential oil from Lantana camara leaves and its cytotoxic potential against T-47D breast cancer cells”, *Jurnal Riset Kimia*, Vol. 12 No. 1, pp. 1–9, doi: 10.25077/jrk.v12i1.364.
- Susanto, D., Sudrajat, Suwinarti, W. and Amirta, R. (2018), “Seed Germination and Cuttings Growth of Piper Aduncum”, *IOP Conference Series: Earth and Environmental Science*, Vol. 144 No. 1, doi: 10.1088/1755-1315/144/1/012018.
- Taher, M., Amri, M.S., Susanti, D., Abdul Kudos, M.B., Md Nor, N.F.A. and Syukri, Y. (2020), “Medicinal uses, phytochemistry, and pharmacological properties of piper aduncum L.”, *Sains Malaysiana*, Vol. 49 No. 8, pp. 1829–

- 1851, doi: 10.17576/jsm-2020-4908-07.
- Thao, N.P., Luyen, B.T.T., Widowati, W., Fauziah, N., Maesaroh, M., Herlina, T., Manzoor, Z., *et al.* (2016), “Anti-inflammatory flavonoid C-glycosides from *Piper aduncum* leaves”, *Planta Medica*, Vol. 82 No. 17, pp. 1475–1481, doi: 10.1055/s-0042-108737.
- Trisilawati, O. and Pitono, J. (2012), “Pengaruh cekaman defisit air terhadap pembentukan bahan aktif pada purwoceng”, *Buletin Litro*, Vol. 23 No. 1, pp. 34–47.
- Ulia, R.V., Suryati and Santoni, A. (2023), “Cytotoxic Potential of Essential Oil Isolated from Semambu (*Clibadium surinamese* L) Leaves Against T47D Breast and HeLa Cervical Cancer Cells”, *Molekul*, Vol. 18 No. 2, pp. 289–299, doi: 10.20884/1.jm.2023.18.2.7816.
- Utami & Sari. (2015), “The Cytotoxic Activity Of Ethylacetatefraction Of Kersen (*Muntingia calabura*) Leaves Against Larvae Shrimp *Artemia Salina Leach*”, *Jurnal Natural*, Vol. 15 No. 2, pp. 11–12.
- Valadares, A.C.F., Alves, C.C.F., Alves, J.M., DE DEUS, I.P.B., DE OLIVEIRA FILHO, J.G., Dos Santos, T.C.L., Dias, H.J., *et al.* (2018), “Essential oils from *piper aduncum* inflorescences and leaves: Chemicacomposition and antifungal activity against *sclerotinia sclerotiorum*”, *Anais Da Academia Brasileira de Ciencias*, Vol. 90 No. 3, pp. 2691–2699, doi: 10.1590/0001-3765201820180033.
- Wahyuni, F.S., Firnando, E. and Elidahanum Husni. (2013), “Kajian Efek Sitotoksik Hasil Fraksinasi Ekstrak Etanol Kulit Buah Asam Kandis (*Garcinia cowa Roxb.*) Terhadap Sel Kanker Payudara T47d Dengan Metoda Microtetrazolium (MTT)”, *Prosiding Seminar Nasional Perkembangan Terkini Sains Farmasi Dan Klinik III 2013 KAJIAN*, Vol. 16 No. 2, pp. 78–87.
- Walboomers, J.M.M., Jacobs, M. V., Manos, M.M., Bosch, F.X., Kummer, J.A., Shah, K. V., Snijders, P.J.F., *et al.* (1999), “Human papillomavirus is a necessary cause of invasive cervical cancer worldwide”, *The Journal of Pathology*, Wiley Online Library, Vol. 189 No. 1, pp. 12–19.
- Wang, Y.H., Morris-Natschke, S., Yang, J., Niu, H.M., Long, C.L. and Lee, K.H. (2014), “Anticancer principles from medicinal *Piper* (*Hú Jiāo*) plants”, *Journal of Traditional and Complementary Medicine*, Vol. 4 No. 1, pp. 8–16, doi: 10.4103/2225-4110.124811.
- Wibawa, I.P.A.H., Saraswaty, V., Kuswantoro, F., Andila, P.S., Wardhani, P.K., Tirta, I.G. and Sujarwo, W. (2019), “A study of essential oil from an invasive *Piper aduncum* L.”, *Jurnal Biologi Udayana*, Vol. 23 No. 2, p. 50, doi: 10.24843/jbiounud.2019.v23.i02.p02.
- Yu, Z., Chen, Z., Su, Q., Ye, S., Yuan, H., Kuai, M., Lv, M., *et al.* (2019), “Dual inhibitors of RAF-MEK-ERK and PI3K-PDK1-AKT pathways: Design, synthesis and preliminary anticancer activity studies of 3-substituted-5-(phenylamino) indolone derivatives”, *Bioorganic and Medicinal Chemistry*,

Elsevier, Vol. 27 No. 6, pp. 944–954, doi: 10.1016/j.bmc.2019.01.028.

