

DAFTAR PUSTAKA

- Abdullah, K. M., Alam, M. M., Iqbal, Z., & Naseem, I. (2018). Therapeutic effect of vitamin B3 on hyperglycemia, oxidative stress and DNA damage in alloxan induced diabetic rat model. *Biomedicine and Pharmacotherapy*, 105, 1223–1231. <https://doi.org/10.1016/j.biopha.2018.06.085>
- Arsov, S. et al. (2014). Advanced glycation end-products and skin autofluorescence in end-stage renal disease: A review, *Clinical Chemistry and Laboratory Medicine*, 52(1), pp. 11–20. doi: 10.1515/cclm-2012-0832.
- Astina, J., Sapwarabol, S., Astina, J., & Sapwarabol, S. (2018). Resistant Maltodextrin and Metabolic Syndrome: A Review. *Journal of the American College of Nutrition*, 37(0), 1–6. <https://doi.org/10.1080/07315724.2018.1523028>
- Ayda Krisnawati dan M. Muchlis Adie. (2018). Pengaruh Posisi Biji Pada Polong Terhadap Perkecambahan Benih Beberapa Varietas Lokal Bengkuung (Pachyrizus erosus L.) [The Effect of Seed Position in Pod on The Seed Germination from Several Local Accessions of Yam Bean (Pachyrizus erosus L.)] Ayda. *Jurnal Biologi Indonesia*, 14(2), 175–183.
- Barbier, C., Sorre, D. La, Ellis, C. L., Lee, J., Hartman, A. L., Rutledge, J. C., & Raybould, H. E. (2024). Propensity to high-fat diet-induced obesity in rats is associated with changes in the gut microbiota and gut inflammation. 34, 440–443. <https://doi.org/10.1152/ajpgi.00098.2010>.
- Ben-Skowronek, I., Sieniawska, J., Pach, E., Wrobel, W., Skowronek, A., Tomczyk, Z., & Rosolowska, I. (2022). Potential therapeutic application of regulatory T cells in diabetes mellitus type 1. *International Journal of Molecular Sciences*, 23(1), 1–17. <https://doi.org/10.3390/ijms23010390>
- Bhanja, A., & Kumar, S. (2023). Characterization and identification of inulin from *Pachyrizus erosus* and evaluation of its antioxidant and in - vitro prebiotic efficacy. *Journal of Food Science and Technology*, 60(1), 328–339. <https://doi.org/10.1007/s13197-022-05619-6>
- Bielka, W., Przezak, A., & Pawlik, A. (2022). The Role of the Gut Microbiota in the Pathogenesis of Diabetes. 1–20.
- Birt, D. F., Boylston, T., Hendrich, S., Jane, J., Hollis, J., Li, L., McClelland, J., Moore, S., Phillips, G. J., Rowling, M., Schalinske, K., Scott, M. P., & Whitley, E. M. (2013). Resistant Starch: Promise for Improving Human Health 1 , 2. 587–601. <https://doi.org/10.3945/an.113.004325>.TABLE
- Bojarczuk, A., Skapska, S., Mousavi Khaneghah, A., & Marszałek, K. (2022). Health benefits of resistant starch: A review of the literature. *Journal of Functional Foods*, 93(April). <https://doi.org/10.1016/j.jff.2022.105094>

- Brenner, D., Blaser, H., & Mak, T. W. (2015). Regulation of tumour necrosis factor signalling: Live or let die. *Nature Reviews Immunology*, 15(6), 362–374. <https://doi.org/10.1038/nri3834>
- Brierly, G., Celentano A., Breik O., Elham M., Romeo P., Michael M., et al. (2023). Tumor Necrosis Factor Alpha (TNF- α) and Oral Squamous Cell Carcinoma. *Cancers*, 15(6), <https://doi.org/10.3390/cancers15061841>
- Cai, H., Wen, Z., Zhao, L., Yu, D., Meng, K., & Yang, P. (2022). Lactobacillus plantarum FRT4 alleviated obesity by modulating gut microbiota and liver metabolome in high-fat diet-induced obese mice. *Food and Nutrition Research*, 66. <https://doi.org/10.29219/fnr.v66.7974>
- Chadda, K. P., Cheng, T. S., & Ng, K. K. (2014). GLP-1 agonists for obesity and type 2 diabetes in children: Systematic review and meta-analysis. *Obesity Reviews*, 22(6), 1–10. <https://doi.org/10.1111/obr.13177>
- Chierico, F. Del, Rapini, N., Deodati, A., Matteoli, M. C., Cianfarani, S., & Putignani, L. (2022). *Pathophysiology of Type 1 Diabetes and Gut Microbiota Role*. 1–12.
- Cooke, D. W., Plotnick, L., & Cooke, D. W. (2012). *Type 1 Diabetes Mellitus in*. <https://doi.org/10.1542/pir.29-11-374>
- Deehan, E. C., Yang, C., Perez-mun, M. E., Zhang, Z., Bakal, J. A., Deehan, E. C., Yang, C., Perez-mun, M. E., Zhang, Z., Bakal, J. A., & Walter, J. (2020). *Precision Microbiome Modulation with Discrete Dietary Fiber Structures Directs Short-Chain Fatty Acid Production*. *Precision Microbiome Modulation with Discrete Dietary Fiber Structures Directs Short-Chain Fatty Acid Production*. 389–404. <https://doi.org/10.1016/j.chom.2020.01.006>
- DiMeglio, L. A., Evans-Molina, C., & Oram, R. A. (2019). Type 1 Diabetes. HHS Public Access. *Lancet (London, England)*, 176(3), 139–148. [https://doi.org/10.1016/S0140-6736\(18\)31320-5](https://doi.org/10.1016/S0140-6736(18)31320-5). Type
- Dos Santos Haber, J. F., Barbalho, S. M., Sgarbi, J. A., de Argolo Haber, R. S., de Labio, R. W., Laurindo, L. F., Chagas, E. F. B., & Payao, S. L. M. (2023). The Relationship between Type 1 Diabetes Mellitus, TNF- α , and IL-10 Gene Expression. *Biomedicines*, 11(4), 1–13. <https://doi.org/10.3390/biomedicines11041120>
- Drake, A. M., Coughlan M. T., Christoffersen, C. T., Snelson, M. (2022). Resistant Starch as a Dietary Intervention to Limit the Progression of Diabetic Kidney Disease. *Nutrients*, 14(21), <https://doi.org/10.3390/nu14214547>
- Dsm, E., John, D., Hutabarat, C., Zakaria, F. R., Purwani, E. Y., & Suhartono, M. T. (2018). *SCFA Profile of Rice RS Fermentation by Colonic Microbiota , Clostridium butyricum BCC B2571 ,* 90–106. <https://doi.org/10.4236/abb.2018.92008>

- Durazzo, M., Ferro, A., & Gruden, G. (2019). *Gastrointestinal Microbiota and Type 1 Diabetes Mellitus : The State of Art*. 1–14.
- Edge, L. (2016). *Review From Dietary Fiber to Host Physiology : Short-Chain Fatty Acids as Key Bacterial Metabolites*. <https://doi.org/10.1016/j.cell.2016.05.041>
- Esposito, S., Toni, G., Tascini, G., Santi, E., Berioli, M. G., & Principi, N. (2019). Environmental factors associated with type 1 diabetes. *Frontiers in Endocrinology*, 10(AUG), 1–12. <https://doi.org/10.3389/fendo.2019.00592>
- Farooq, U., Di Mattia, C., Faieta, M., Flamminii, F., & Pittia, P. (2021). Colloidal properties and stability of olive oil-in water emulsions stabilized by starch particles. *Italian Journal of Food Science*, 33(4), 1–10. <https://doi.org/10.15580/ijfs.v33i4.2090>
- Frances, D. E., Paola I. I., Maria, T. R., Cristina, E. C. (2013) Diabetes, an Inflammatory Process: Oxidative Stress and TNF-alpha Involved in Hepatic Complication. *J. Biomedical Science and Engineering*, 6, 645-653, <http://dx.doi.org/10.4236/jbise.2013.66079>
- Haryo, R., Setiarto, B., Sri, B., Jenie, L., Faridah, D. N., & Saskiawati, I. (2015). *Kajian Peningkatan Pati Resisten yang Terkandung dalam Bahan Pangan Sebagai Sumber Prebiotik (Study of Development Resistant Starch Contained in Food Ingredients as Prebiotic Source)*. 20(3). <https://doi.org/10.18343/jipi.20.3.191>
- Hee, B. Van Der, & Wells, J. M. (2021). Microbial Regulation of Host Physiology by Short-chain Fatty Acids. *Trends in Microbiology*, xx(xx), 1–13. <https://doi.org/10.1016/j.tim.2021.02.001>
- Holbrook, J., Lara-Reyna, S., Jarosz-Griffiths, H., & McDermott, M. (2019). Tumour necrosis factor signalling in health and disease. *F1000Research*, 8, 1–12. <https://doi.org/10.12688/f1000research.17023.1>
- Hong, M., Cheng, L., Liu, KYE DWI A DJA, Zhang, P., & Zhang, X. (2022). *Mechanisms Underlying the Interaction Between Chronic Neurological Disorders and Microbial Metabolites via Tea Polyphenols Therapeutics*. 13(March), 1–13. <https://doi.org/10.3389/fmicb.2022.823902>
- Horiuchi, T., Mitoma, H., Harashima, S. I., Tsukamoto, H., & Shimoda, T. (2010). Transmembrane TNF- α : Structure, function and interaction with anti-TNF agents. *Rheumatology*, 49(7), 1215–1228. <https://doi.org/10.1093/rheumatology/keq031>
- Ighodaro, O. M., Adeosun, A. M., & Akinloye, O. A. (2017). Alloxan-induced diabetes, a common model for evaluating the glycemic-control potential of therapeutic compounds and plants extracts in experimental studies. In *Medicina (Lithuania)* (Vol. 53, Issue 6, pp. 365–374). Elsevier B.V. <https://doi.org/10.1016/j.medici.2018.02.001>

- Jaiswal, V., Chauhan, S., & Lee, H. J. (2022). The bioactivity and phytochemicals of *Pachyrhizus erosus* (L.) urb.: A multifunctional underutilized crop plant. *Antioxidants*, 11(1), 1–23. <https://doi.org/10.3390/antiox11010058>
- Jang, D. I., Lee, A. H., Shin, H. Y., Song, H. R., Park, J. H., Kang, T. B., Lee, S. R., & Yang, S. H. (2021). The role of tumor necrosis factor alpha (Tnf- α) in autoimmune disease and current tnf- α inhibitors in therapeutics. *International Journal of Molecular Sciences*, 22(5), 1–16. <https://doi.org/10.3390/ijms22052719>
- Jaworska, K., Kopacz, W., Koper, M., Szudzik, M., & Gawry, M. (2022). *Enalapril Diminishes the Diabetes-Induced Changes in Intestinal Morphology, Intestinal RAS and Blood SCFA Concentration in Rats*.
- Jiang, Y., Zhang, N., Zhou, Y., Zhou, Z., Bai, A., Strapete, T., et al. (2021). Manipulations of Glucose/Lipid Metabolism and Gut Microbiota of Resistant Starch Encapsulated Ganoderma lucidum Spores in T2DM Rats. *Food Science and Biotechnology*, 30, 755–764. <https://doi.org/10.1007/s10068-021-00908-w>
- Jyothsna, E., & Hymavathi, T. V. (2017). *Resistant starch: Importance, categories, food sources and physiological effects*. 6(2), 67–69.
- Kalliolias, G. D., & Ivashkiv, L. B. (2016). TNF biology, pathogenic mechanisms and emerging therapeutic strategies. *Nature Reviews Rheumatology*, 12(1), 49–62. <https://doi.org/10.1038/nrrheum.2015.169>
- Katsarou, A., Gudbjörnsdóttir, S., Rawshani, A., Dabelea, D., Bonifacio, E., Anderson, B. J., Jacobsen, L. M., Schatz, D. A., & Lernmark, A. (2017). Type 1 diabetes mellitus. *Nature Reviews Disease Primers*, 3, 1–18. <https://doi.org/10.1038/nrdp.2017.16>
- Khan, A., Ali, H., Rahman, Belduz, Bibi A., Abdurrahman MA, et al. (2022). Prebiotic Potential of Enzymatically Prepared Resistant Starch in Reshaping Gut Microbiota and Their Respond to Body Physiology. *PLoS ONE*, 17(5). <https://doi.org/10.1371/journal.pone.0267318>
- Kim, C. H. (2017). Microbiota or short-chain fatty acids: which regulates diabetes? *Nature Publishing Group*, 1–4. <https://doi.org/10.1038/cmi.2017.57>
- Knudsen, K., Helle, N.L., Mette, S.H., Tina, S.N., Anne, K.I., Ditte, S. G.N., et al. (2018). Impact of Diet-Modulated Butyrate Production on Intestinal Barrier Function and Inflammation. *Nutrients*, 10(10). <https://doi.org/10.3390/nu10101499>
- Le, A. R. T. I. C., Pellegrini, S., Sordi, V., Bolla, A. M., Saita, D., Ferrarese, R., Canducci, F., Clementi, M., Invernizzi, F., Mariani, A., Bonfanti, R., Barera, G., Testoni, P. A., Doglioni, C., Bosi, E., & Piemonti, L. (2018). *Duodenal Mucosa of Patients With Type 1 Diabetes Shows Distinctive Inflammatory*

Profile and Microbiota. 102(January), 1468–1477.
<https://doi.org/10.1210/jc.2016-3222>

Li, R., Xu, W., Wang, N., & Zhao, B. (2020). A specific gut microbiota and metabolomic profiles shifts related to antidiabetic action: the similar and complementary antidiabetic properties of Type 3 Resistant Starch from Canna edulis and Metformin. *Pharmacological Research*, April, 104985. <https://doi.org/10.1016/j.phrs.2020.104985>

Li, W., Stirling, K., Yang, J., & Zhang, L. (2020). *mechanism.* 11(7), 293–308. <https://doi.org/10.4239/wjd.v11.i7.293>

Li, Z., & Wei, C. (2020). Morphology, structure, properties and applications of starch ghost: A review. *International Journal of Biological Macromolecules*, 163, 203–219. <https://doi.org/10.1016/j.ijbiomac.2020.09.077>

Liu, J., Lu, W., Liang, Y., Wang, L., Jin, N., Zhao, H., Fan, B., & Wang, F. (2022). *Research Progress on Hypoglycemic Mechanisms of Resistant Starch : A Review.* 1–15.

Luc, K., Schramm-Luc, A., Guzik, T. J., & Mikolajczyk, T. P. (2019). Oxidative stress and inflammatory markers in prediabetes and diabetes. *Journal of Physiology and Pharmacology*, 70(6), 809–824. <https://doi.org/10.26402/jpp.2019.6.01>

Ma, Z., Hu, X., & Boye, J. I. (2018). Research advances on the formation mechanism of resistant starch type III: A review Research advances on the formation mechanism of resistant starch type III: *Critical Reviews in Food Science and Nutrition*, 0(0), 1–22. <https://doi.org/10.1080/10408398.2018.1523785>

Magallanes-cruz, P. A., Flores-silva, P. C., & Bello-perez, L. A. (2017). *Starch Structure Influences Its Digestibility: A Review.* 82(9). <https://doi.org/10.1111/1750-3841.13809>

Mariño, E., Richards, J. L., McLeod, J. A. D. J., Stanley, D., Yap, Y. A., Knight, J., Mckenzie, H. N. K., Krupich, J., Oliveira, A. C., Rossello, F. J. G., Krishnamurthy, B., Nefzger, C. M., Macra, L., Thorburn, A., Baxter, A. G., Morahan, G., Wong, L. H., Polo, J. M., Moore, R. J., & Mackay, C. R. (2017). *Gut microbial metabolites limit the frequency of autoimmune T cells and protect against type 1 diabetes.* October 2016. <https://doi.org/10.1038/ni.3713>

Mazhar, M., & Zhu, Y. (2023). *The Interplay of Dietary Fibers and Intestinal Microbiota Affects Type 2 Diabetes by Generating Short-Chain Fatty Acids.*

Morrison, D. J., Preston, T., Morrison, D. J., & Preston, T. (2016). Formation of short chain fatty acids by the gut microbiota and their impact on human metabolism. *Gut Microbes*, 7(3), 189–200. <https://doi.org/10.1080/19490976.2015.1134082>

Nakajima, S., & Kitamura, M. (2013). Bidirectional regulation of NF-κB by

- reactive oxygen species: A role of unfolded protein response. *Free Radical Biology and Medicine*, 65, 162–174. <https://doi.org/10.1016/j.freeradbiomed.2013.06.020>
- Neurath, M. F. (2014). Cytokines in inflammatory bowel disease. *Nature Reviews Immunology*, 14(5), 329–342. <https://doi.org/10.1038/nri3661>
- Ozturk, S., Koksel, H., & Ng, P. K. W. (2011). Production of resistant starch from acid-modified amylose starches with enhanced functional properties. *Journal of Food Engineering*, 103(2), 156–164. <https://doi.org/10.1016/j.jfoodeng.2010.10.011>
- Padgett, L. E., Broniowska, K. A., Hansen, P. A., Corbett, J. A., & Tse, H. M. (2013). The role of reactive oxygen species and proinflammatory cytokines in type 1 diabetes pathogenesis. *Annals of the New York Academy of Sciences*, 1281(1), 16–35. <https://doi.org/10.1111/j.1749-6632.2012.06826.x>
- Paschou, S. A., Papadopoulou-Marketou, N., Chrousos, G. P., & Kanakakos, G. P. (2018). On type 1 diabetes mellitus pathogenesis. *Endocrine Connections*, 7(1), R38–R46. <https://doi.org/10.1530/EC-17-0347>
- Pasparakis, M., & Vandenberghe, P. (2015). Necroptosis and its role in inflammation. *Nature*, 517(7534), 311–320. <https://doi.org/10.1038/nature14191>
- Petersen, M. C., & Shulman, G. I. (2018). Mechanisms of insulin action and insulin resistance. *Physiological Reviews*, 98(4), 2133–2223. <https://doi.org/10.1152/physrev.00063.2017>
- Pobezinskaya, Y. L., & Liu, Z. (2012). The role of TRADD in death receptor signaling. *Cell Cycle*, 11(5), 871–876. <https://doi.org/10.4161/cc.11.5.19300>
- Probert, L. (2015). TNF and its receptors in the CNS: The essential, the desirable and the deleterious effects. *Neuroscience*, 302, 2–22. <https://doi.org/10.1016/j.neuroscience.2015.06.038>
- Ríos-covián, D., Duran-madiedo, P., Margolles, A., Gueimonde, M., Reyes-gavilán, C. G. D. L., & Salazar, N. (2016). *Intestinal Short Chain Fatty Acids and their Link with Diet and Human Health*. 7(February), 1–9. <https://doi.org/10.3389/fmicb.2016.00185>
- Roep, B. O., Thomaïdou, S., van Tienhoven, R., & Zaldumbide, A. (2021). Type 1 diabetes mellitus as a disease of the β -cell (do not blame the immune system?). *Nature Reviews Endocrinology*, 17(3), 150–161. <https://doi.org/10.1038/s41574-020-00443-4>
- Salazar, J., Angarita, L., Morillo, V., Navarro, C., Martínez, M. S., Chacín, M., Torres, W., Rajotia, A., Rojas, M., Cano, C., Añez, R., Rojas, J., & Bermudez, V. (2020). Microbiota and diabetes mellitus: Role of lipid mediators. *Nutrients*, 12(10), 1–22. <https://doi.org/10.3390/nu12103039>
- Sampath Kumar, A., Maiya, A. G., Shastry, B. A., Vaishali, K., Ravishankar, N.,

- Hazari, A., Gundmi, S., & Jadhav, R. (2019). Exercise and insulin resistance in type 2 diabetes mellitus: A systematic review and meta-analysis. *Annals of Physical and Rehabilitation Medicine*, 62(2), 98–103. <https://doi.org/10.1016/j.rehab.2018.11.001>
- Santoso, P., Maliza, R., Rahayu, R., Astrina, Y., & Syukri, F. (2022). Extracted yam bean (*Pachyrhizus erosus* (L.) Urb.) fiber counteracts adiposity, insulin resistance, and inflammation while modulating gut microbiota composition in mice fed with a high-fat diet. 17(October), 558–571.
- Sherif, O. L. (2018). A New Model for Alloxan Induced Diabetes Mellitus in Rats. 13(2), 41–46.
- Shi, X., Huang, J., Han, J., & Wang, S. (2021). Physicochemical and Functional Properties of Fibres from *Pachyrhizus erosus* with Low Digestibility. 2, 154–161.
- Sreethong, T., Prom-u-thai, C., Rerkasem, B., Dell, B., & Jamjoc, S. (2020). Identifying rice grains with premium nutritional quality among on-farm germplasm in the highlands of Northern Thailand. *Quality Assurance and Safety of Crops & Foods*, 12(3), 12–23. <https://doi.org/10.15586/qas2020.699>
- Teferra, T. F. (2021). Possible actions of inulin as prebiotic polyaccharide: A review. May, 407–416. <https://doi.org/10.1002/fft2.92>
- Terayama, Y., et al., (2017). Acute alloxan renal toxicity in the rat initially causes degeneration of thick ascending limbs of henle, *Journal of Toxicologic Pathology*, 30(1), 7-13. doi:10.1293/tox.2016-0035.
- Thaiss, C. A., Levy, M., Grosheva, I., Zheng, D., Soffer, E., Blacher, E., Braverman, S., Tengeler, A. C., Barak, O., Elazar, M., Ben-zeev, R., Lehavi-regev, D., Katz, M. N., Pevsner-fischer, M., Gertler, A., Halpern, Z., Harmelin, A., Aamar, S., & Serradas, P. (2018). Hyperglycemia drives intestinal barrier dysfunction and risk for enteric infection. 1383(March), 1376–1383.
- Thompson, M. S., Danari, S. I., Shamsuddin, M. S., Rushdi, A., & Sarbini, S. R. (2021). Effects of sago starch on body weight, food intake, caecum short chain fatty acids, adipose tissue, and hepatic lipid content of fat-induced Sprague Dawley rats. *International Food Research Journal*, 28(5), 1057–1066. <https://doi.org/10.47836/ifrj.28.5.19>
- Todd, J. A. (2010). Etiology of Type 1 Diabetes. *Immunity*, 32(4), 457–467. <https://doi.org/10.1016/j.immuni.2010.04.001>
- Vespa, E., D'amico, F., Sollai, M., Allocca, M., Furfaro, F., Zilli, A., Buono, A. D., Gabbiadini, R., Danese, S., & Fiorino, G. (2022). Histological Scores in Patients with Inflammatory Bowel Diseases: The State of the Art. *Journal of Clinical Medicine*, 11(4). <https://doi.org/10.3390/jcm11040939>

- Widiastini, T. A., Sakinah, E. N., Nurdian, Y., & Firdaus, J. (2018). Type 3 Resistant Starch Effect of Cassava (*Manihot esculenta* Crantz) on Fasting Blood Glucose in Diabetes Mellitus Wistar Rat Models. *Journal of Agromedicine and Medical Sciences*, 4(3), 133. <https://doi.org/10.19184/ams.v4i3.6469>
- Yachida, S., Mizutani, S., Shiroma, H., Shiba, S., Takeshi, N., Taku, S. (2019). Metagenomic and Metabolomic Analyses Reveal Distinct Stage-specific Phenotypes of the Gut Microbiota in Colorectal Cancer. *Nature Medicine*, 25, 968-976. <https://doi.org/10.1038/s41591-019-0458-7>.
- Ye, W., Luo, C., Huang, J., Li, C., Liu, Z., & Liu, F. (2022). Gestational diabetes mellitus and adverse pregnancy outcomes: systematic review and meta-analysis. *The BMJ*. <https://doi.org/10.1136/bmj-2021-067946>
- Yosmar, R., Almasdy D., & Kahma, F. (2018). Jurnal Sains Farmasi Dan Klinis. *Survei Risiko Penyakit Diabetes Melitus Terhadap Kesehatan Masyarakat Kota Padang*, 5(Agustus 2018), 134–141.
- Zajec, A., Trebušák Podkrajšek, K., Tesovník, T., Šket, R., Čugalj Kern, B., Jenko Bizjan, B., Šmigoc Schweiger, D., Battelino, T., & Kovac, J. (2022). Pathogenesis of Type 1 Diabetes: Established Facts and New Insights. *Genes*, 13(4). <https://doi.org/10.3390/genes13040706>
- Zhang, C., Dong, L., Wu, J., Qiao, S., Xu, W., Ma, S., Zhao, B., & Wang, X. (2020). Intervention of resistant starch 3 on type 2 diabetes mellitus and its mechanism based on urine metabolomics by liquid chromatography-tandem mass spectrometry. *Biomedicine and Pharmacotherapy*, 128(May), 110350. <https://doi.org/10.1016/j.bioph.2020.110350>
- Zhang, X., Liang, D., Liu, N., Qiao, O., Zhang, X., Gao, W., & Li, X. (2022). Preparation and characterization of resistant starch type 3 from yam and its effect on the gut microbiota. *Traditional Medicine Research*, 7(2), 11. <https://doi.org/10.53388/tmr2021101247>
- Zhang, X., Shuo, H., & Zheng, X. (2019). Amino acids at the intersection of nutrition and insulin sensitivity. *Drug Discovery Today*, 24(4), 1038–1043. <https://doi.org/10.1016/j.drudis.2019.02.008>
- Zhao, L., Zhang, F., Ding, X., Wu, G., Lam, Y. Y., Shi, Y., Shen, Q., Dong, W., Liu, R., Ling, Y., & Zeng, Y. (2018). Gut bacteria selectively promoted by dietary fibers alleviate type 2 diabetes. *1156*(March), 1151–1156.