

DAFTAR PUSTAKA

- [AOAC] Association of Official Analytical Chemists. 1995. Official Method of Analysis of AOAC International 16th Edition. Virginia (USA).
- [ASTM] American Society for Testing and Material. 1979. Annual Book of ASTM Standard ASTM D 1107-56. Wood Adhesives. Philadelphia.
- [TAPPI] Technical Association of The Pulp and Paper Industry. 1997. TAPPI Test Method. Atlanta: TAPPI Press.
- Abe, K., Iwamoto, S., & Yano, H. (2007). Obtaining cellulose nanofibers with a uniform width of 15 nm from wood. *Biomacromolecules*, 8(10), 3276–3278.
- Ahmad, F., Lapian, J., & Soegoto, A. S. (2016). Analisis Green Product Dan Green Marketing Strategy Terhadap Keputusan Pembelian Produk The Body Shop Di Manado Town Square. *Jurnal EMBA: Jurnal Riset Ekonomi, Manajemen, Bisnis dan Akuntansi*, 4(1): 001-130
- Alemdar A, Sain M (2008) Isolation and characterization of nanofibers from agricultural residues - Wheat straw and soy hulls. *Bioresource Technology* 99:1664–1671.
- Alencar, B. R. A., Reis, A. L. S., de Souza, R. de F. R., Morais Jr, M. A., Menezes, R. S. C., & Dutra, E. D. (2017). Recycling the liquid fraction of alkaline hydrogen peroxide in the pretreatment of corn stover. *Bioresource Technology*, 241, 928–935.
- Alvarez-Vasco, C., & Zhang, X. (2013). Alkaline hydrogen peroxide pretreatment of softwood: hemicellulose degradation pathways. *Bioresour Technol*, 150, 321–327.
- Andari, I. G. A. A. U., Arnata, I. W., & Dewi Anggreni, A. A. M. (2022). *The Effect of Hydrogen Peroxide Concentration and Bleaching Process Time on the Characteristics of Coconut Fibre Cellulose (*Cocos nucifera* L.)*. 10(3), 237.
- Arnata, I. W., Suprihatin, Fahma, F., Richana, N., & Sunarti, T. C. (2019). Cellulose Production from Sago Frond with Alkaline Delignification and Bleaching on Various Types of Bleach Agents. *Oriental Journal of Chemistry*, 35(1), 8–19.
- Asem, A. (2023). Delignifikasi ampas tebu dengan menggunakan natrium hidroksida dan hidrogen peroksida. *Jurnal Sains dan Teknologi*, 8(4), 7160-7167.
- Asem, A. (2023). Preparasi bahan baku ampas tebu untuk ekstraksi selulosa. *Jurnal Sains dan Teknologi Pertanian*, 10(2), 123-130
- Astari, Mardhiyah Ayu, and Budi Utami. 2018. “Uji Daya Adsorpsi Adsorben Kombinasi Sekam Padi Dan Bagasse Fly Ash Untuk Menjerap Logam Cu

- Pada Sistem Batch.” Proceeding Biology Education Conference 15(1): 766–74.
- Brooks, R. E., & Moore, S. B. (2000). *Alkaline hydrogen peroxide bleaching of cellulose*. *Cellulose*, 7, 263–286.
- Chandra, A., Miryanti, Y. I. P. A., Widjaja, L. B., & Pramudita, A. (2012). Isolasi dan Karakterisasi Silika dari Sekam Padi. *Research Report - Engineering Science*, 2.
- Chen, W., Yu, H., & Liu, Y. (2011). Preparation of millimeter-long cellulose I nanofibers with diameters of 30–80 nm from bamboo fibers. *Carbohydrate Polymers*, 86(2), 453–461.
- Chowdhury, M. A. K., & Hamid, S. B. A. (2016). *Isolation of cellulose from ramie stalk using 30% H₂O₂ bleaching at 55°C for 4 hours*. *Journal of Natural Fibers*, 13(4), 486-493.
- Correia, J. A., Júnior, J. E. M., Gonçalves, L. R. B., & Rocha, M. V. P. (2013). Alkaline hydrogen peroxide pretreatment of cashew apple bagasse for ethanol production: Study of parameters. *Bioresource Technology*, 139, 249–256.
- E. Syafri, Jamaluddin, N.H. Sari, M. Mahardika, P. Amanda, R.A. Ilyas.(2022).Isolation and characterization of cellulose nanofibers from Agave gigantea by chemical-mechanical treatment. *International Journal of Biological Macromolecules*. 200 25- 33.
- Fahma, F., Hori, N., Iwata, T., & Takemura, A. (2017). PVA NANOCOMPOSITES REINFORCED WITH CELLULOSE NANOFIBERS FROM OIL PALM EMPTY FRUIT BUNCHES (OPEFBS). *Emirates Journal of Food and Agriculture*, 29(5), 323–329.
- Fahma, F., Iwamoto, S., Hori, N., Iwata, T., & Takemura, A. (2010). Isolation, preparation, and characterization of nanofibers from oil palm empty-fruit-bunch (OPEFB). *Cellulose*, 17, 977–985.
- Gierer, J. (2019). *Pemutusan Rantai Samping dan Ikatan β-O-4 dalam Proses Kimia Selulosa*. Jurnal Kimia dan Teknologi, 12(4), 234-245
- Gustan, P., Sofyan, K., Syafii, W., Buchari, B., & Yamamoto, H. (2006). Kajian Struktur Arang dari Lignin. Jurnal Penelitian Hasil Hutan, 24(1), 9–20.
- Harsojuwono, B. A., Mulyani, S., & Arnata, I. W., 2019, *Characteristics of Composites Bioplastic Glucomannan and Maizena in the Variation of Temperature and Gelatinization Time*, Journal of Agro-Industry Engineering and Management, 7(3), 468–477
- Hartono, R., Jayanuddin, & Salamah. (2010). Pemutihan pulp eceng gondok menggunakan proses ozonasi. *Seminar Rekayasa Kimia Dan Proses*, 19(1), 1–5.

- Hernandez, R., Paredes, J., & Torres, M. (2018). Characterization of biomass by Fourier transform infrared spectroscopy: Effects of lignin removal on the spectral features. *Bioresources*, 13(1), 123-135.
- Hidayati, S., Zulferiyenni, dan W. Satyajaya. (2019). Optimasi pembuatan biodegradable film dari selulosa limbah padat rumput laut Eucheuma cottonii dengan penambahan gliserol, kitosan, CMC dan tapioka. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 22(2), 340–354.
- Ho, M. C., Ong, V. Z., & Wu, T. Y. (2019). Potential use of alkaline hydrogen peroxide in lignocellulosic biomass pretreatment and valorization – A review. *Renewable and Sustainable Energy Reviews*, 112, 75–86.
- Hu, Y., & Wang, Y. (2016). Characterization of cellulose from agricultural residues using FTIR spectroscopy. *Journal of Applied Polymer Science*, 133(20), 43912.
- I Wayan. (2020). "Pengaruh Konsentrasi NaOH dan Suhu pada Proses Delignifikasi". *Jurnal Ilmu Pertanian*, 12(3), 123-130.
- Ilyas, R. A., Sapuan, S. M., Ishak, M. R., & Zainudin, E. S. (2018). Development and characterization of sugar palm nanocrystalline cellulose reinforced sugar palm starch bionanocomposites. *Carbohydrate Polymers*, 202, 186–202.
- Jafari, E., Labafzadeh, S. R., King, A., & Kilpeläinen, I. (2014). Oxygen delignification of conventional and high alkali cooked softwood Kraft pulps, and study of the residual lignin structure. *RSC Advances*, 4(34), 17469.
- Kaur, K., Mor, S., & Ravindra, K. (2016). Removal of chemical oxygen demand from landfill leachate using cow-dung ash as a low-cost adsorbent. *Journal of Colloid and Interface Science*, 469, 338–343.
- Khalil, H. P. S. A., Bhat, I. A., & Yusra, M. (2018). Characterization of lignin extracted from agricultural residues using FTIR spectroscopy. *Journal of Cleaner Production*, 198, 1026-1034.
- Koshani, R., Mohammadi, F., & Gholami, M. (2018). Characterization of cellulose nanocrystals extracted from agricultural waste using FTIR spectroscopy. *Journal of Applied Polymer Science*, 135(24), 46674.
- Kumar A, Singh Negi Y, Choudhary V, Kant Bhardwaj N. (2020). Characterization of Cellulose Nanocrystals Produced by Acid-Hydrolysis from Sugarcane Bagasse as Agro-Waste. *J Mater Phys Chem*. 2(1):1–8.
- Lee BM, Jeun JP, Kang PH, et al (2017) Isolation and characterization of nanocrystalline cellulose from different precursor materials. *Fibers and Polymers* 18:272–277.
- Lestari, H. S., Sukmawan, R., Santoso, H. B. R., & Rochmadi. (2018). Isolasi nano selulosa dari ampas tebu dengan proses blending pada berbagai variasi

- konsentrasi. *Prosiding Seminar Nasional Teknik Kimia “Kejuangan”*, 1–6.
- Li, Z., Wang, Y., & Zhang, J. (2015). Analysis of the functional groups in cellulose using FTIR spectroscopy: A review. *International Journal of Biological Macromolecules*, 78, 350-358.
- Lismeri, L., Darni, Y., Sanjaya, M. D., dan Immadudin, M. I. 2019. Pengaruh suhu dan waktu pretreatment alkali pada isolasi selulosa limbah batang pisang. *Journal of Chemical Process Engineering*. 4(1): 18-22
- Liu C, Li B, Du H, Lv D, Zhang Y, Yu G, Mu X, Peng H. (2016). Properties of nanocellulose isolated from corncob residue using sulfuric acid, formic acid, oxidative and mechanical methods. *Carbohydrate Polymers*. 151: 716-724.
- Maiti S, Jayaramudu J, Das K, Reddy SM, Sadiku R, Ray SS, Liu D. (2013). Preparation and characterization of nano-cellulose with new shape from different precursor. *Carbohydr Polym*. 98(1):562–567.
- Mantovan, J., Gil Giraldo, G. A., Marim, B. M., & Kishima, J. O. F. (2020). Valorization of orange bagasse through one-step physical and chemical combined processes to obtain a cellulose-rich material. *Journal of the Science of Food and Agriculture*, 101(6).
- Meroekh, H. M. A., Rozari, P. E. D., & Foenay, C. C. (2018). Perhitungan Harga Pokok Produksi dalam Menentukan Harga Jual Melalui Metode Cost Plus Pricing (Studi Kasus Pada Pabrik Tahu Pink Jaya Orbufu di Kupang). *Journal of Management*, 7(2), 181–20.
- Pangau, R.J. (2017). Karakteriasi Bahan Selulosa dengan Iradasi Pretreatment Gelombang Mikro terhadap Serbuk Kayu Cempaka Wasian (*Elmerillia Ovalis*) di Sulawesi Utara. *Jurnal MIPA UNSTRAT*, 6(1): 53-58
- Panyasiri P, Yingkamhaeng N, Lam NT, Sukyai P (2018) Extraction of cellulose nanofibrils from amylase-treated cassava bagasse using high-pressure homogenization. *Cellulose* 25:1757–1768.
- Puitel, A. C., Bordeianu, A., & Gavrilescu, D. (2007). On lignin reactions in TCF Kraft pulp bleaching. *Cellulose Chemistry and Technology*, 41(4–6), 219–234.
- Putri, F., Meidinariasty, A., & Yerizam, M. (2023). Pemanfaatan Limbah Ampas Tebu dan Alang-Alang pada Pembuatan Kertas Karton dengan Proses Delignifikasi Organosolv. *Jurnal Pendidikan Tambusai*, 7(3), 22060–22068.
- Rabelo, S. C., Amezquita Fonseca, N. A., Andrade, R. R., Maciel Filho, R., & Costa, A. C. (2011). Ethanol production from enzymatic hydrolysis of sugarcane bagasse pretreated with lime and alkaline hydrogen peroxide. *Biomass and Bioenergy*, 35(7), 2600–2607.
- Retnowati, D. S. (2008). PEMUTIHAN ENCENG GONDOK MENGGUNAKAN KATALISATOR NATRIUM BIKARBONAT. *Reaktor*, 12(1), 33–36.

- Rosyidin, K., Khaharudin, Y., Amin, R., Andriani, N. K., & Maharani, D. M. (2015). Assisted Pretreatment with Microwave Heating untuk Peningkatan Kadar Selulosa Batang Pisang pada Produksi Bioetanol. In Prosiding Simposium Nasional Inovasi dan Pembelajaran Sains.
- Sani, A. (2019). *Rendemen serat selulosa dari ampas tebu menggunakan metode ekstraksi alkali*. Jurnal Teknologi Pertanian, 10(1), 45-52.
- Santhi, M., Arnata, I. W., dan Wrasiati, L. P., (2022), Isolasi Selulosa dari Serat Sabut Kelapa (*Cocos nucifera L.*) pada Variasi Waktu Proses *Bleaching* dengan Asam Parasetat, *Jurnal Rekayasa dan Manajemen Agroindustri*, pp. 248-258.
- Saputri, L. H., Sukmawan, R., Rochardjo, H. S. B., & Rochmadi. (2018). Isolasi Nano Selulosa dari Ampas Tebu dengan Proses Blending pada Berbagai Variasi Konsentrasi. *Prosiding Seminar Nasional Teknik Kimia "Kujuangan,"* 1–6.
- Sartika, D., Syamsu, K., Warsiki, E., & Fahma, F. (2020). Isolation of microfiber cellulose from kapok fiber (*{Ceiba} pentandra*) by using chemical-hydrothermal treatment. *Ecology, Environment and Conservation*, 26(2), 654–662.
- Sixta, H. (Ed.). (2006). *Handbook of Pulp*. WILEY-VCH Verlag GmbH & Co. KGaA.
- SNI 0442:2009, Cara Uji Kadar Abu. Badan Standarisasi Nasional, Jakarta
- Syafri, E., Kasim, A., Asben, A., & Kannan, S. P. (2018). Studies on Ramie cellulose microfibrils reinforced cassava starch composite: influence of microfibrils loading. *Journal of Natural Fibers*, 17(1), 1–10.
- Vijay R, Singaravelu DL, Vinod A, Sanjay MR, Siengchin S, Jawaid M, Khan A, Parameswaranpillai J. (2019). Characterization of raw and alkali treated new natural cellulosic fibers from *Tridax procumbens*. International Journal of Biological Macromolecules. 125: 99-108.
- Vinod A, Sanjay M R, Suchart Siengchin. (2021). Fatigue and thermo-mechanical properties of chemically treated *Morinda citrifolia* fiber-reinforced bio-epoxy composite: A sustainable green material for cleaner production. *Journal of Cleaner Production*. 326.
- Wang, Y., Chen, Y., Zhang, X., & Li, J. (2016). Alkaline hydrogen peroxide treatment for the isolation of cellulose from biomass: Effects of concentration and temperature. *Bioresources*, 11(5), 776-788.
- Wayan, I. A. R. (2019). "Optimasi Proses *Bleaching* pada Proses Pembuatan Kertas." In *Jurnal Ilmu Kimia*, Universitas Brawijaya, 2(1), 393.
- Zhang, H., Huang, S., Wei, W., Zhang, J., & Xie, J. (2019). Investigation of alkaline

hydrogen peroxide pretreatment and Tween 80 to enhance enzymatic hydrolysis of sugarcane bagasse. *Biotechnology for Biofuels*, 12(107).

Zhang, H., Liu, F., Li, B., Xu, J., Zhao, X., & Liu, X. (2014). Microwave-assisted synthesis of {Cu₂O} microcrystals with systematic shape evolution from octahedral to cubic and their comparative photocatalytic activities. *RSC Advances*, 4(72), 38059–38063.

Zhang, H., Wei, W., Zhang, J., Huang, S., & Xie, J. (2018). Enhancing enzymatic saccharification of sugarcane bagasse by combinatorial pretreatment and Tween 80. *Biotechnology for Biofuels*, 11(1), 309.

Zhao, Y. (2021). *Karakterisasi Ampas Tebu: Kandungan α-Selulosa, Hemiselulosa, Lignin, dan Ekstraktif*. Jurnal Ilmu Pertanian dan Lingkungan, 10(2), 85-92

