

DAFTAR PUSTAKA

- [1] Edy and A. T, "Pengaruh Koefisien Hambatan Udara Terhadap Konsumsi Bahan Bakar Pada Kendaraan Mini Bus," *Media Tek. Tahun XII-No.3.126*, 1990.
- [2] Marzuqi, Noviandy, N. S, Yenita, and N. K. Sari, "Desain Spoiler Truk Untuk Pengurangan Seretan Udara (Drag) Berdasarkan Uji Terowongan Angin Dan Uji Jalan Untuk Penghematan Bahan Bakar Minyak (BBM)," 2013.
- [3] J. D. Anderson, *Fundamentals of Aerodynamics (6th edition)*, vol. 1984, no. 3. 2011.
- [4] M. H. Roslan, H. Hasbullah, T. Ramesh, D. Hissein Didane, B. Manshoor, and H. A. Kabrein, "Journal of Design for Sustainable and Environment Effect of a Spoiler on the Aerodynamic Performance of a Race Car on Track Using Two Different Turbulence Models," *JDSE J. Des. Sustain. Environ.*, vol. 5, no. 2, pp. 28–37, 2023, [Online]. Available: <http://www.fazpublishing.com/jdse>
- [5] S. Rahayu, M. A. Sahbana, and A. Farid, "Study Eksperimental Pengaruh Sudut Kemiringan Model Kendaraan Sedan Terhadap Tekanan Hisap Dalam Wind Tunel," vol. 5, no. 1, pp. 1689–1699, 2016, [Online]. Available: [https://revistas.ufrj.br/index.php/rce/article/download/1659/1508%0Ahttp://hipatiapress.com/hpjournals/index.php/qre/article/view/1348%5Cnhttp://www.tandfonline.com/doi/abs/10.1080/09500799708666915%5Cnhttps://mc](https://revistas.ufrj.br/index.php/rce/article/download/1659/1508%0Ahttp://hipatiapress.com/hpjournals/index.php/qre/article/view/1348%5Cnhttp://www.tandfonline.com/doi/abs/10.1080/09500799708666915%5Cnhttps://mc.manuscriptcentral.com/kinseyonociety.com/downloads/reports/Educa)
- [6] J. Ignacio Rojas-Sola, C. García-Baena, and M. Jesús Hermoso-Orzáez, "A Review Of The Computational Fluid Dynamics Simulation Software: Advantages, Disadvantages And Main Applications," *Magnetohydrodyn. Plasma Sp. Res.*, vol. 23, no. 4, 2016, [Online]. Available: <https://www.proquest.com/openview/15c04f72fcea01e49d8d754636cce6/1?pq-origsite=gscholar&cbl=2034836>
- [7] M. N. Dhaubhadel, "Review: Cfd applications in the automotive industry," *J. Fluids Eng. Trans. ASME*, vol. 118, no. 4, pp. 647–653, 1996, doi: 10.1115/1.2835492.
- [8] N. Watanabe, S. Miyamoto, M. Kuba, and J. Nakanishi, "The CFD Application for Efficient Designing in the Automotive Engineering," *Passeng. CAR Mech. Syst.*, vol. 112, 2003.
- [9] M. Cakir, "CFD study on aerodynamic effects of a rear wing/ spoiler on a passenger vehicle," *St. Cl. Univ. Sch. Commons*, pp. 1–72, 2012.
- [10] W. Widodo, N. Wicaksono, and H. Harwin, "Analisis Volume, Kecepatan, dan Kepadatan Lalu Lintas dengan Metode Greenshields dan Greenberg," *Semesta Tek.*, vol. 15, no. 2, pp. 178–184, 2016, doi: 10.18196/st.v15i2.1361.
- [11] B. S. Wibowo, J. S. Harefa, M. Z. Abdi, and Febriansyah, "Analisis Aerodinamika Kendaraan Tipe Prototype Tim Riset Hemat Energi Teknik

Mesin UBB,” *BULLET J. Multidisiplin Ilmu*, vol. 01, no. 5, pp. 880–885, 2022.

- [12] F. Azhiima, “Analisis Penggunaan Spoiler Terhadap Nilai Drag Coefficient Pada Mobil Sedan X,” 2016.
- [13] P. Padagannavar and M. Bheemanna, “Automotive computational fluid dynamics simulation of a car using ansys,” *Int. J. Mech. Eng. Technol.*, vol. 7, no. 2, pp. 101–114, 2016.
- [14] Y. A. Cengel and J. M. Cimbala, *Fluid Mechanics; Fundamental and Application*, no. Mi. 2014.
- [15] B. Saint-Michel, B. Dubrulle, L. Marié, F. Ravelet, and F. Daviaud, “Influence of Reynolds number and forcing type in a turbulent von Kármán flow,” *New J. Phys.*, vol. 16, 2014, doi: 10.1088/1367-2630/16/6/063037.
- [16] S. Roy and P. Srinivasan, “External flow analysis of a truck for drag reduction,” *SAE Tech. Pap.*, no. 724, 2000, doi: 10.4271/2000-01-3500.
- [17] B. Junaidin, “Aerodynamic Analysis of Sport Utility Vehicle (Suv) By Computational Fluid Dynamics (Cfd) Aproach,” *Vortex*, vol. 3, no. 1, p. 67, 2022, doi: 10.28989/vortex.v3i1.1161.
- [18] W.-H. Hucho and G. Sovran, “Aerodynamics of Road Vehicles,” *Annu. Rev. Fluid Mech.*, vol. 25, pp. 485–537, Nov. 2003, doi: 10.1146/annurev.fl.25.010193.002413.
- [19] “The Basics of Truck Aerodynamics,” *Kuda Automotive UK*, 2024. <https://www.kudauk.ltd.uk/shop/truck-aerodynamics> (accessed May 28, 2024).
- [20] A. A. Luthfie, D. Romahadi, H. Ghufro, and S. D. Murtyas, “Numerical Simulation on Rear Spoiler Angle of Mini Mpv Car for Conducting Stability and Safety,” *Sinergi*, vol. 24, no. 1, p. 23, 2019, doi: 10.22441/sinergi.2020.1.004.
- [21] P. Examiner and K. A. Betton, “(12) United States Design Patent (10) Patent No. : US D722 , 929 S,” no. 12, 2015.
- [22] A. Ghurri *et al.*, “CFD Simulation of Aerodynamics Truck Using Cylinder as Drag Reduction Device,” *J. Adv. Res. Fluid Mech. Therm. Sci.*, vol. 105, no. 2, pp. 166–181, 2023, doi: 10.37934/arfmts.105.2.166181.
- [23] M. F. Mohd Sajali, A. Aabid, S. Khan, F. Ahmed, and E. Sulaeman, “Numerical Investigation of Flow Field of a Non-Circular Cylinder,” *CFD Lett.*, vol. 11, pp. 37–49, May 2019.
- [24] C. Bayındırılı, Y. Akansu, and M. Salman, “The Determination Of Aerodynamic Drag Coefficient Of Truck and Trailer Model By Wind Tunnel Tests,” *Int. J. Automot. Eng. Technol.*, vol. 5, p. 53, Jul. 2016, doi: 10.18245/ijaet.11754.
- [25] M. khosravi, F. Mosaddeghi, M. Oveisi, and A. khodayari-b, “Aerodynamic

drag reduction of heavy vehicles using append devices by CFD analysis,” *J. Cent. South Univ.*, vol. 22, no. 12, pp. 4645–4652, 2015, doi: 10.1007/s11771-015-3015-7.

- [26] W. Mokhtar, K. Dinger, S. Kachare, M. Hossain, and C. Britcher, “A CFD Study Investigating Drag Reduction for Different Offset and Inline Distance for Two Trucks Platooning,” *J. Energy Power Eng.*, vol. 14, May 2020, doi: 10.17265/1934-8975/2020.05.001.

