DAFTAR PUSTAKA

Agoes, A. 2010. Tanaman Obat Indonesia. Salemba Medika. Jakarta. 105 hal.

Agustin, F., R.W.S. Ningrat., Devint dan T. Rima. 2018. Rumen fermentability and in vitro digestibility of corn straw and gliricidia maculata in the ruminand diet. Internotional Converence on Innovation in researtch. Faculty of Animal Science and Technology. 85 (1): 99-109.

Alara, O. R., & Olalere, O. A. 2016. Review on Phaleria macrocarpa Pharmacological and Phytochemical. Drug Designing : Open Access Review on Phaleria macrocarpa Pharmacological and Phytochemical Properties.

Aldila, H. F. 2013. Analisis faktor-faktor yang mempengaruhi risiko produksijagung manis (Zea mays saccharata) di desa gunung malang kecamatan tenjolaya kabupaten bogor. Skripsi. Fakultas Ekonomi Dan Manajemen Institut Pertanian Bogor, Bogor

Ali, U. 2012. Pengaruh Penggunaan Onggok Dan Isi Rumen Sapi Dalam Pakan Komplit Terhadap Penampilan Kambing Peranakan Etawah. Fakultas Peternakan Universitas Islam Malang.

Altaf R, Asmawi MZB, Dewa A, Sadikun A, Umar MI. 2013. Phytochemistry and medicinal properties of Phaleria macrocarpa (Scheff.) Boerl. extracts. Pharmacogn Rev.; 7(13): 73 80.

Arum I., S. Rahayu dan M.Bata. 2013. Pengaruh Pemberian Ekstrak Daun Waru (Hibiscus Tiliaceus) Pada Pakan Sapi Potong Lokal Terhadap Produksi VFA Total Dan NH_3 Secara In Vitro. Jurnal Ilmiah Peternakan. 1(1):31-38.

Badan Pusat Statistik (BPS). 2020. Sumatera Barat Dalam Angka 2020. Padang : Badan Pusat Statistik Sumatera Barat.

Badan Pusat Statistik (BPS). 2022. Sumatera Barat Dalam Angka 2022. Padang : Badan Pusat Statistik Sumatera Barat.

Bayram, G., Murat, T., & Falakali, B. 2001. New rumen ciliate from Turkish domestic cattle (Bos Taurus L.): 3. Entodinium oektemae n. sp. and E. imaii n. sp. (Entodiniidae, Entodinomorphida). Turk J Zool, 25, 269–274.

Beatrice, L. 2010. Daya Antibakteri Ekstrak Buah Mahkota Dewa (Phaleria Macrocarpa.Scheff (Boerl.)) Terhadap Enterococcus Faecalis Sebagai Bahan Medikamen Saluran Akar Secara In Vitro. (Skripsi): Universitas Sumatera Utara. 72 hlm.

Beauchemin K. A., E. M. Ungerfeld, R. J. Eckard and M. Wang. 2020. Review: Fifty years of research on rumen methanogenesis: lessons learned and future challenges for mitigation. Animal, Vol. 14:S1, pp s2-s16.

Cheeke, P.R. 2000. Actual and potential applications of Yucca schidigera and Quillaja Saponaria saponins in human and animal nutrition, J. Anim Sci. 77: 1-10

Cheeke, P.R. 2001. Actual and potential applications of Yucca schidigera and Quillaja saponaria saponins in human and animal nutrition. Recent Adv. Anim Nutr Aust. 13:115-126

Clark, J. K., Klusmeyer, T.H., and Cameron, M. R. 1992. Microbial protein synthesis and flower of nitrogen fractions to the duodenum of dairy cows. Symposium: Nitrogen metabolism and amino acid nutrition in Dairy Cattle. J Dairy Sci. 75:2304-2323.

Cronquist, A. 1981, An Integrated System of Classification of Flowering Plants, New York, Columbia University Press, 477.

Church, D. C. 1988. The Ruminant Animal: Digestive Physiology and Nutrition. Prentice Hall. United. Englewood Cliffs, New Jersey.

Czerkawski, J.W. 1986. An Introduction to Rumen Studies. Pergamon Press. Oxford, New York, Toronto, Sydney, Frankfurt. 109, 118 – 120.

Dayyani, N, Karkudi K and Zakerian A. 2013. Special Rumen Microbiology. Qom, Iran. Universitas Qom. International Journal of Advanced Biological and Biomedical Research. 1 (11): 1397-1402.

Dehority, B. 2005. Effect of pH on viability of entodinium caudatum, entodinium exiguum, epidinium caudatum, and ophryoscolex purkynjei in vitro. The Journal of Eukaryotic Microbiology, 52(4), 339– 342.

Dona.A dan H. D. Triani.2015. Produksi NH3, protein by pass dan sintesis protein mikroba danpod kakao yang di suplementasi chromolaena odorata. Jurnal Peternakan Indonesia.Vol. 17(3).

Francis ,G., Z. Kerem, H.P.S. Makkae, K. Becker.2002. The biological action of saponins in animal system : a review. Br. J. Nurt. 88:587-605.

Franzolin, R., Rosales, F. P., & Soares, W. V. B. 2010. Effects of dietary energy and nitrogen supplements on rumen fermentation and protozoa population in buffalo and zebu cattle. Revista Brasileira de Zootecnia, 39(3), 549– 555.

Goel, G., Arvidsson, K., Vlaeminck, B., Bruggeman, G., Deschepper, K., & Fievez, V. 2009. Effects of capric acid on rumen methanogenesis and biohydrogenation of linoleic and α-linolenic acid. Animal, 3(6), 810–816.

Griswold, K.E., G.A. Apgar, J. Bouton and J.L. Firkins. 2003. Effects of urea infusion and ruminal degradable protein concentration on microbial growth digestibility and fertation in continuous culture. Journal Animal Science. less81(1): 329-336

Gürelli, G., Canbulat, S., Aldayarov, N., & Dehority, B. A. 2016. Rumen ciliate protozoa of domestic sheep (Ovis aries) and goat (Capra aegagrus hircus) in Kyrgyzstan. FEMS Microbiology Letters, 363(6), 1–7.

Hess, H. D., R. A. Beuret, M. Lötscher, I. K. Hindrichsen, A. Machmüller, J. E. Carulla, C. E. Lascano and M. Kreuzer. 2004. Ruminal fermentation, methanogenesis and nitrogen utilization of sheep receiving tropical grass hay- concentrate diets offered with Sapindus saponaria fruits and Cratylia argenteafoliage. Anim. Sci. 79:177-189

Hidayah, N. 2016. Pemanfaatan senyawa metabolit sekunder tanaman (tanin dan saponin) dalam mengurangi emisi metan ternak ruminansia. Jurnal Sains Peternakan Indonesia. Vol. 11 No. 2.

Hikmawan, D., Erwanto, M., Fathul, F., 2019. Pengaruh substitusi rumput laut (Eucheuma cottonii) dalam pakan rumput gajah (Pennisetum purpureum) terhadap Konsentrasi VFA parsial dan estimasi produksi gas metana secara invitro: J. Riset dan Inovasi Peternakan. 3(1): 12-18

Hoover, W. H. and S. R. Stokes. 1991. Balancing carbohydrates and proteins for optimum rumen mivrobial yield. J. Dairy Sci. 74:3630-3644.

Hu, W. L., W. Yue-Ming, L. Jian-Xin, G. Yan-Giu and Y. Jun-An. 2005. Tea saponins affect *in vitro* fermentation and metanogenesis in faunated and defaunated rumen fluid. J Zhejiang Univ. Sci., 6: 787-792.

Ismail, R. 2011. Pengaruh Penggunaan Limbah Tape Singkong dalam Ransum Terhadap Konsentrasi NH3 dan Produksi Gas Total pada Cairan Rumen Domba (In Vitro). Skripsi. Institut Pertanian Bogor.

Ismartoyo. 2011. Pengantar Teknik Penelitian: Degradasi Pakan Ternak Ruminansia. Brilian Internasional, Surabaya.

Jamarun, N. 1991. Penyediaan pemanfaatan dan nilai gizi limbah pertanian sebagai makanan ternak di Sumatera Barat , Pusat Penelitian Universitas Andalas, Padang.

Jamarun, N., M. Zain., Arief, and R.Pazla. 2017a. Effects of Calcium (Ca), Phosphorus (P) and Manganase (Mn) supplementation during Oil Palm frond fermentation by Phanerochaetechrysosporium on rumen fluid characteristic and microbial protein synthesis. Pak. J. Nutr. Vol. 16(6): 393-399.

Jamarun, N., M. Zain., Arief, and R. Pazla. 2017b. Populations of rumen microbes and the in vitro digestibility of fermented oil palm fronds in combination with tithonia (Tithonia diversifolia) and elephant grass (Pennisetum purpureum). Pakistan Journal of Nutrition.Vol 17(7):329-335.

Koswara, S. 1989. Makalah Khusus Budidaya Jagung Manis. Fakuktas Pertanian-IPB. Bogor.

Kurihara, Y., T. Takechi and F. Shibata. 1978. Relationship between bacteria and ciliate protozoa in the rumen of sheep fed on purified diet. J. Agric. Sci. (Camb.) 90: 373-381.

Lisdawati, V. 2002. Buah mahkota dewa (Phaleria macrocarpa (Scheff.) Boerl.) : Toksisitas, anti oksidan dan efek anti kanker berdasarkan uji penapisan farmakologi. Makalah Fakultas Matematika dan Ilmu Pengetahuan Alam. Universitas Indonesia, Jakarta.

Lowry, O. H., N. J. Rosebrough, A. L. Farr, and R. J. Randall. 1951. Protein measurement with the Folin reagent. J. Biol. Chem. 193:265.

Lu, CD, Jorgensen, NA, 1987. Saponin alfalfa memengaruhi lokasi dan tingkat pencernaan nutrisi pada ruminansia. J. Nutr. 117, 919–927.

Mahzir, K. A. M., Gani, S. S. A., Zaidan, U. H., & Halmi, M. I. E. 2018. Development of Phaleria macrocarpa (Scheff.) Boerl Fruits Using Response Surface Methodology Focused on Phenolics, Flavonoids and Antioxidant Properties. Molecules 2018, 23, 1–22.

Mastika, I made. 2015. Teknik Mengurangi dan Menekan Populasi Protozoa Rumen pada Ternak Ruminansia. Udayana University Press. Denpasar, Bali.

Miah, M. Y., M. S. Rahman, M. K. Islam, dan M. M. Monir. 2004. Effects of saponin and L. Carnitine on the performance and reproductive fitness of male broiler. Int. J. Poult. Sci. 3 (8): 530 – 533.

Morgavi, D. P., Forano, E., Martin, C., & Newbold, C. J. 2010. Microbial ecosystem and methanogenesis in ruminants. Animal, 4(7), 1024–1036.

Muslim, G., J.E. Sihombing., S. Fauziah., A. Abrar., & A. Fariani. 2014. Aktivitas proporsi berbagai cairan rumen dalam mengatasi tannin dengan teknik in vitro. Jurnal Peternakan Sriwijaya. 3(1): 25-36.

Nasri, S. H. Ben Salema, V. Vasta, S. Abidi, H.P.S. Makkar , A. Priolo. 2010. Effect of increasing levels of Quillaja saponaria on digestion, growth and meat quality of Barbarine lamb. Animal Feed Science and Technology. Volume 164, Issues 1–2, Pages 71-78.

Newbold, C. J., de la Fuente, G., Belanche, A., Ramos-Morales, E., & McEwan, N. R. 2015. The Role of Ciliate Protozoa in the Rumen. Frontiers in Microbiology, 6, 1–14.

Nurhayati, I. 2004. Conservation of Asian--Native medicinal plants on the university campus. KnowledgeMarketplace Reports. The 3rd IUCN World Concervation Congress, Bangkok, Thailand. 17--25 November 2004.

Ogimoto, K. & S. Imai. 1981. Atlas of rumen microbiology. JSSP: Scientific Societes Press. Tokyo.

Ørskov, E.R. 1998. The Feeding of Ruminants Principles And Practice. Aberdeen: Rowett Research Institute.

Oshimi, S., K. Zaima, Y. Matsuno, Y. Hirasawa, T. Iizuka, H. Studiawan, G. Indrayanto, N.C. Zaini dan H. Morita. 2008. Studies on the constituents from the fruits of Phaleria macrocarpa. J. Nat. Med. 62 : 207--210.

Paengkoum, P., Liang, J.B., Jelan, Z.A., and Basery, M. 2006. Utilization of Steam-treated Oil Palm Fronds in Growing Saanen Goats: II. Supplementation with Energy and Urea. *Asian-Aust. J. Anim. Sci.* 19 (11): 1623-1631.

Pazla, R., N. Jamarun., M. Zain., and Arief. 2018. Microbial protein synthesis and in vitro fermentabililty of fermented oil palm fronds by Phanesrochaete chrysosporium in combination with Tithonia (Tithonia diversifolia) and Elephant Grass (Pennisetum purpureum). Pakistan Journal of Nutrition. Vol. 17(10):462-470.

Ramaiyulis. J. Nefri., R.W.S. Ningrat., M. Zain., dan L. Warly. 2016. Optimalisasi Sintesis Protein Mikroba Rumen dengan Penambahan Ampas Gambir dalam Pakan Suplemen Sapi Potong secara In Vitro. Seminar Nasional Dampak Perubahan Iklim Terhadap Biodiversitas Pertanian Indonesia. Politeknik Pertanian Negeri Payakumbuh. Payakumbuh.

Ramdani, E. D., Marlupi, U. D., Sinambela, J., & Tjandrawinata, R. R. 2017. Asian Paci fi c Journal of Tropical Biomedicine. Asian Pacific Journal of Tropical Biomedicine, 7(4), 300–305.

Rizki A.T. S., FM Suhartati dan EA Rimbawant. 2022. Produk fermentasi rumen sapi potong secara in vitro yang diberi pakan silase daun nanas sebagai pengganti rumput gajah. ANGON: Journal of Animal Science and Technology 4 (1), 105-114.

Rukmana, R. 1997. Jagung. Kanisius. Yogyakarta. 84 hlm.

Sasongko, W.T., L.M. Yusiati, Z.Bachruddin. 2010. Optimalisasi pengikatan tanin daun nangka dengan protein Bovine serum albumin. Buletin Peternakan. 34 : 154-158

Satter, L.D. dan L. L. Slyter. 1974. Effect of ammonia concentration on rumen microbial protein production in vitro. Brit. J. Nutr. 32:199-208.

Soetanto, H. 2004. Mikrobiologi Rumen. Fakultas Peternakan. Universitas Brawijaya, Malang.

Subandi, S. M. dan A. Widjono. 1988. Jagung. Potensi Jagung dan Limbahnya Badan Penelitian dan Pengembangan Pertanian. Pusat Penelitian dan Pengembangan Tanaman Pangan. Bogor. 422 hal.

Suhartati, F. M. 2005. Proteksi protein daun lamtoro (Laucaena Leucocephala) Menggunakan Tanin, Saponin, Minyak Dan Pengaruhnya Terhadap

Ruminal Undegradable Dietary Protein (RUDP) Dan Sintesis Protein Mikroba Rumen. Anim Production. 7 (1) : 52-58.

Suharti, S., D. A. Astuti dan E. Wina. 2009. Kecernaan nutrien dan performa produksi sapi potong peranakan ongole (PO) yang diberi tepung lerak (*Sapindus rarak*) dalam ransum. Jurnal Ilmu Ternak dan Veteriner 14 (3): 200-207.

Suryani, Ni N., I Ketut M. B. Dan I Putu A. A.. 2014. Fermentasi Rumen dan Sintesis Protein Mikroba Kambing Peranakan Ettawa yang Diberi Pakan dengan Komposisi Hijauan Beragam dan Level Konsentrat Berbeda. Majalah Ilmiah Peternakan, vol. 17, no. 2, 2014, doi:10.24843/MIP.2014.v17.i02.p04.

Sutardi, T. 1979. KetahananProtein Bahan Makanan Terhadap Degredasi oleh Mikroba Rumen dan Manfaatnya Bagi Peningkatan Produktifitas Ternak. Di dalam: Prosiding Seminar Penelitian dan Penunjangan Peternakan. Bogor: LPP IPB.

Sutardi, T. 1980. Landasan Ilmu Nutrisi Jilid I. Departemen Ilmu Makanan Ternak, Fakultas Pertanian IPB: Bogor.

Syamsiyah, D., Suharti, S., & Jayanegara, A. 2023. Fermentation Characteristics, Digestibility, and Estimation of Ruminant Methane from Saponin: A Quantitative Study. Jurnal Sain Peternakan Indonesia, 18(2), 76–82.

Sylvester, J. T., Karnati, S. K. R., Yu, Z., Morrison, M., & Firkins, J. L. 2004. Development of an assay to quantify rumen ciliate protozoal biomass in cows using real-time PCR. The Journal of Nutrition, 134(12), 3378–3384. https://doi.org/10.1093/jn/134.12.3378

Sylvester, J. T., Karnati SKR, Dehority BA, Morrison M, Smith GL, St-Pierre NR and Firkins JL, 2009. Rumen ciliated protozoa decrease generation time and adjust 18S ribosomal DNA copies to adapt to decreased transfer interval, starvation, and monensin. Journal of Dairy Science 92(1): 256–269. http://dx.doi.org/10.3168/jds.2008-1417

Thalib, A., Widiawati, Y., Hamid, H., Suherman, D., Sabrani, M., 1995. The effects of saponins from Sapindus rarak fruit on rumen microbes and host animal growth. Ann. Zootech. 44 (Suppl.), 161.

Thalib, A. 2008. Buah Lerak Mengurangi gas Metana pada Hewan Ruminansia. Warta Penelitian dan Pengembangan Pertanian. 30(2): 11-12

Tilley, J. M. A dan R. A. Terry. 1963. A two stage technique for in the in-vitro digestion of forage crops. J. Grassland Soc, 18 :104.

Umiyasih, U. dan E. Wina. 2008. Pengolahan dan Nilai Nutrisi Limbah Tanaman Jagung sebagai Pakan Ternak Ruminansia. WARTAZOA Vol. 18 No. 3 Th. 2008. Bogor.

Usman, Y., 2013. Pemberian pakan serat sisa tanaman pertanian (jerami kacang tanah, jerami jagung, pucuk tebu) terhadap evolusi pH, N-NH3 dan VFA di dalam rumen sapi. J. Agripet. 13: 53–58.

Van Soest, P. J. 1994. Nutritional Ecology of The Ruminant. Second Edition. Comstock Publishing Associates Cornell University Press. A Division of Ithaca and London.

Wallace, R. J., N. R. McEwan, F. M. McIntosh, B. Teferedegne, and C. New Bold. 2002. Natural product as manipulators of rumen fermentation. Asia-Aus. J. Anin. Feed Sci. and Tech., 15: 1458-1468.

Wang, J. K., J-A. Ye. and Jian-Xin Liu. 2011. Effects of tea saponins on rumen microbiota, rumen fermentation, methane production and growth performance—a review. Trop. Anim. Health Prod., 44: 697–706.

Wardeh MF. 1981. Model for estimating energy and protein utilization for feeds [disertasi]. Utah (US): Utah State University.

Widodo, W. 2005. Tanaman Beracun Dalam Kehidupan Ternak. UMM Press

Yanuartono, Alfarisa Nururrozi, Soedarmanto Indarjulianto, Hary Purnamaningsih. 2019. Peran protozoa pada pencernaan ruminansia dan dampak terhadap lingkungan. Journal of Tropical Animal Production. Vol 20, No. 1 pp. 16-28.