

DAFTAR PUSTAKA

- Agrios, G.N. (2005). *Plant pathology*, 5th edition. California. Elsevier Academic Press. USA.
- Amin, F., Razdan, V. K., Mohiddin, F. A., Bhat, K. A. & Sheikh. P. A. (2010). Effect of Volatile Metabolites of *Trichoderma* Species Against Seven Fungal Plant Pathogens *In Vitro*. *Jurnal of Phytology*, 2(10), 34 - 37.
- Aribowo, S. S., Sarjono, P. R., & Mulyani, N. S. (2012). Aktivitas *Trichoderma viride* Fnc6013 dalam Menghidrolisis Kulit Pisang Raja (*Musa Paradisiaca* L. Var. Sapientum) dengan Variasi Waktu Fermentasi. *Jurnal Kimia Sains Dan Aplikasi*, 15(2), 53–57.
- Badan Pusat Statistika (BPS). (2024). *Luas Panen Tanaman Sayuran Menurut Provinsi dan Jenis Tanaman*. SPH/BPS-Statistics Indonesia.
- Baker, S. E., Perrone, G., Richardson, N. M., Gallo, A., & Kubicek, C. P. (2012). Phlogenetic Analysis of Polyketide Synthase-encoding Genes in *Trichoderma*. *Microbiology*, 1(158), 147-154.
- Banakar, S. N., Kumar, V.B. S., & Thejesha, A. G. (2017). Morphological and Cultural Studies of *Sclerotium rolfsii* Sacc. causing Foot Rot Disease of Tomato. *Original Research Article*, 6(3), 1146-1153.
- Benatar, G. V., Nurhayati, Y., & Kulsum, U. (2023). Biological Agent *Trichoderma asperellum* and Its *in vitro* Inhibitory Activity Against Mango Fruit Rot Pathogens. *Jurnal Biologi Tropis*, 23(3), 70–75.
- Berlian, I., Setyawan, B., & Hadi, H. (2013). Mekanisme Antagonisme *Trichoderma* spp. terhadap Beberapa Patogen Tular Tanah. *Warta Perkaretan*, 32(2), 74.
- Bhardwaj, N.R. & Kumar, J. (2017). Characterization of Volatile Secondary Metabolites from *Trichoderma asperellum*. *Journal of Applied Natural Science*, 9(2), 954 - 959.
- Cahya, G. D. (2023). Potensi Nanoemulsi Minyak Serai Wangi (*Cymbopogon nardus* L.) terhadap Perkembangan Penyakit Rebah Kecambah (*Sclerotium rolfsii* Sacc.) pada Persemaian Cabai. [Skripsi]. Fakultas Pertanian. Universitas Andalas. Padang.
- Dewi, I. P., Maryono, T., Aeny, T. N., & Ratih, S. (2015). Kemampuan *Trichoderma* sp. dan Filtratnya dalam Menekan Pertumbuhan *Sclerotium rolfsii* Secara *In Vitro*. *Jurnal Agrotek Tropika*, 3(1), 130–133.
- Dubey, S. C., Tripathi, A., Dureja, P., & Grover, A. (2011). Characterization of Secondary Metabolites and Enzymes Produced by *Trichoderma* Species and Their Efficacy against Plant Pathogenic Fungi. *Indian Journal of Agricultural Sciences*, 81(5), 455–461

- Ekowati, N., Sucianto, E. T., Muljowati, J. S., & Dewi, R. (2009). Uji Antibiosis Beberapa Isolat *Gliocladium* dan *Trichoderma* terhadap Mikrob Patogen dengan pH Awal Fermentasi yang Berbeda. *Jurnal Inovasi*, 3(2), 69-77.
- Erental, A., Dickman, M. B., & Yarden, O. (2008). Sclerotial development in *Sclerotinia sclerotiorum* : Awakening Molecular Analysis Of a "Dormant" Structure. *Fungal Biology Reviews*, 22(1), 6-16.
- Fadilah, N. (2022). Kemampuan Filtrat *Trichoderma harzianum* Pada Beberapa Waktu Inkubasi yang Berbeda dalam Menekan Pertumbuhan *Fusarium oxysporum* f.sp. *lycopersici* pada Tanaman Tomat. [Skripsi]. Fakultas Pertanian. Universitas Andalas. Padang.
- Falahiyah, M. T., Bahri, S., Marnita, Y., & Dalimunthe, C. I. (2023). Uji Efektivitas Beberapa Isolat *Trichoderma* sp. terhadap Penyakit Jamur Akar Putih (*Rigidoporus microporus*). *Agroqua*, 21(1), 204-216.
- Gusnawaty, H., Muhammad, T., Leni, T., & Asniah. (2014). Karakterisasi Morfologis *Trichoderma* spp. Indigenus Sulawesi Tenggara. *Jurnal Agroteknos*, 4(2), 88-94.
- Gveroska, B., & Ziberoski, J. (2011). *Trichoderma harzianum* as a Biocontrol Agent Against *Alternaria alternata* on Tobacco. *Applied Technologies and Innovations*, 2(2), 1-11.
- Harman, G. E., Howell, C. R., Viterbo, A., Chet, I., & Lorito, M. (2004). *Trichoderma* species - Opportunistic, Avirulent Plant Symbionts. *Nature Reviews Microbiology*, 2(1), 43-56.
- Harman, G. E. (2006). Overview of Mechanisms and uses of *Trichoderma* spp. *Phytopathology*, 96(2), 190-194.
- Herlina, L., & Dewi, P. (2012). Penggunaan Kompos Aktif *Trichoderma harzianum* dalam Meningkatkan Pertumbuhan Tanaman Cabai. *Jurnal Sains Dan Teknologi*, 8(2), 11-25.
- Herliyana, E. N., Jamilah, R., Taniwiryono, D., & Firmansyah, A. (2013). Uji *in-vitro* Pengendalian Hayati oleh *Trichoderma* spp. Terhadap *Ganoderma* yang Menyerang Sengon. *Silvikultur Tropika*, 4(3), 190-195.
- Hutauruk, D., Suryanto, D., & Munir, E. (2016). Asal Isolat Bakteri Kitinolitik *Bacillus* sp. BK17 pada Media Pembawa Tanah Gambut dan Kompos Janjang Kelapa Sawit dalam Menghambat Pertumbuhan Jamur Patogen *Sclerotium rolfsii* dan *Fusarium oxysporum* pada Kecambah Cabai. *Jurnal HPT Tropika*, 16(1), 61-70.
- Jelen, H., Blaszczyk, L., Chelkowski, J., Rogowicz, K., & Strakowska, J. (2014). Formation of 6-n-pentyl-2H-pyran-2-one (6-PAP) and Other Volatiles by Different *Trichoderma* Species. *Mycol Progress*, 13, 589-600.
- Ji, S., Liu, Z., Liu, B., Wang, Y. & Wang, J. (2020). The effect of *Trichoderma* biofertilizer on the quality of flowering Chinese cabbage and the soil environment. *Scientia Horticulturae*, 262.

- Jumarwati, F. R. (2020). Aplikasi Berbagai Sediaan *Trichoderma viride* Pers. untuk Pengendalian *Sclerotium rolfsii* Sacc. Penyebab Rebah Kecambah Pada Bibit Cabai. [Skripsi]. Fakultas Pertanian. Universitas Andalas. Padang.
- Kartini & Widodo. (2000). Pengaruh Solarisasi Tanah terhadap Pertumbuhan *Sclerotium rolfsii* Sacc. dan Patogenesitasnya Pada Kacang Tanah. *Buletin Hama dan Penyakit Tumbuhan*, 12(2). 53-59.
- Kator, L., Hosea, Z. Y., & Oche, O. D. (2015). *Sclerotium rolfsii* ; Causative Organism of Southern Blight , Stem Rot , White Mold and Sclerotia Rot Disease *Sclerotium rolfsii*. *Scholars Research Library*, 6(11), 78–89.
- Khan, K., A., & Haider, F. (2016). Spectrophotometric Determination and Commercial Formulation of Tebuconazole Fungicide after Derivatization. *Chemical Sciences Journal*, 7(2). 1-5.
- Khan, R. A. A., Najeeb, S., Hussain, S., Xie, B., & Li, Y. (2020). Bioactive Secondary Metabolites from *Trichoderma* spp. against Phytopathogenic Fungi. *Microorganisms*, 8, (817), 1-22.
- Kottb, M., Gigolashvii, T., Grobkinsky, D. K., & Piechulla, B. (2015). *Trichoderma* Volatiles Effecting Arabidopsis: from Inhibition to protection Against Phytopathogenic Fungi. *Original Research*, 6 (995) , 1-14.
- Krishna, M. S. R., Aswini, A., Sharmila, T., Raaga, K., & Deepthi, S. (2016). In vitro antifungal activity of *Trichoderma* Strains on Pathogenic Fungi Inciting Hot Pepper (*Capsicum annuum* L.). *Journal of Chemical and Pharmaceutical Research*, 8(4), 425–430.
- Kumar, V., Shahid, M., Srivastava, M., Pandey, S., Singh, A., & Sharma, A. (2014). Role of Secondary Metabolites Produced by Commercial *Trichoderma* Species and their Effect Against Soil Borne Pathogens. *Biosensors Journal*, 3(1),1-5.
- Kumar, G., Singh, A., Pandey, S., Singh, J., Chauhan, S.S., and Srivastava, M. (2020). Morphomolecular Identification of *Trichoderma* sp. and their Mycoparasitic Activity Against Soil Borne pathogens. *International Journal of Bio-resource and Stress Management*, 1(6), 613-627.
- Kumar, R. & Thakur, N. B. (2021). *Sclerotium rolfsii* : A Soil-borne Fungal Menace to Crop Production. *International Journal of Botany Studies*, 6(6), 1471-1475.
- Kushwaha, S. K., Kumar, S., & Chaudhary B. (2018). Efficacy of *Trichoderma* against *Sclerotium rolfsii* causing Collar Rot Disease of Lentil Under In Vitro Conditions. *Journal of Applied and Natural Science*, 10(1), 307-312.
- Lerdi, L., & Notarianto, R. (2017). Pengaruh Aplikasi *Trichoderma* spp. terhadap Serangan Penyakit Layu (*Sclerotium rolfsii*) pada Kacang Tanah (*Arachis hypogea* L.). *Jurnal Ilmiah Respati.*, 8(1), 1–7.
- Malinda, N., Suryanto, D., & Nurtjahja, K. (2012). Penghambatan Serangan *Sclerotium rolfsii* Penyebab Rebah Kecambah pada Kedelai Dengan Bakteri Kitinolitik. *Saintia Biologi*, 1(1), 52–58.

- Magenda, S., Kandou, F. E. F., & Umboh, S. D. (2011). Karakteristik Isolat Jamur *Sclerotium rolsii* dari Tanaman Kacang Tanah (*Arachis hypogaea* Linn.). *Jurnal Bios Logos*, 1(1), 1–7
- Meena, M., Swapnil, P., Zehra, A., Dubey, M. K., & Upadhyay., R. S. (2017). Antagonistic Assessment of *Trichoderma* spp. by Producing Volatile and Non-volatile Compounds Against Different Fungal Pathogen. *Archives of Phytopathology and Plant Protection*, 13(14), 629–648.
- Meilin, A. (2014). *Hama dan Penyakit Pada Tanaman Cabai serta Pengendaliannya*. Jambi: Balai Pengkajian Teknologi Pertanian.
- Ningsih, W. J. 2016. Aktivitas Air Rebusan Daun Dari Beberapa Tumbuhan Dalam Menekan Pertumbuhan *Sclerotium rolsii* Sacc. Penyebab Busuk Batang Pada Tanaman Kacang Tanah Secara *In Vitro*. [Skripsi]. Padang. Fakultas Pertanian. Universitas Andalas.
- Nurbailis, Djamaan, A., Rahma, H., & Liswarni, Y. (2019). Potential of Culture Filtrate from *Trichoderma* spp. as Biofungicide to *Colletotrichum gloeosporioides* Causing Anthracnose Disease in Chili. *Biodiversitas*, 20(10), 2915–2920.
- Nurleawati, N., Jannah, A., & Nimih. (2010). Respon Pertumbuhan dan Hasil Tanaman Cabai terhadap Berbagai Dosis Pupuk Fosfat dan Bokashi Jerami Limbah Jamur Merang. *Jurnal Agrika*, 4(1), 9–20.
- Oktaviani, E.A. (2015). Potensi *Trichoderma harzianum* dan *Gliocladium* sp. untuk Pengendalian *Botryodiplodia* sp. pada Jabon (*Anthocephalus cadamba*) [Thesis]. Institut Pertanian Bogor. 35 hal. Bogor
- Ozbay, N. & Newman, S.E. (2004). Biological Control with *Trichoderma* spp with Emphasis on *T. harzianum*. *Pakistan Journal of Biological Sciences* 7(4), 478–484.
- Patel, R. Shah, D, Prajapati, B. G. & Patel, M. (2010). Overview of Industrial Filtration Technology and its Applications. *Indian Journal of Science and Technology*. 3(10). 1121–1127.
- Piay, S. S., Tyadjaja, A., Ermawati, Y., & Rudi, F.R.H. (2010). *Budidaya dan Pascapanen Cabai Merah (Capsicum annum L.)*. Jawa Barat: Badan Penelitian dan Pengembangan Pertanian.
- Prijono, D. (2004). *Pengujian pestisida berbahan aktif majemuk*. Pusat Kajian Pengendalian Hama Terpadu. Departemen Hama dan Penyakit Tanaman. Institut Pertanian Bogor : Fakultas Pertanian IPB.
- Purwantisari, S., & Hastuti, R.B. (2009). Uji antagonisme jamur patogen *Phytophthora infetans* Penyebab Penyakit Busuk Daun & Umbi Tanaman Kentang dengan menggunakan *Trichoderma* spp. Isolat Lokal. *Jurnal Bioma*, 11(1) : 24–32.
- Rahmadanty, H. N., Darmayasa, G. B. I., & Parwanayoni, S. N. M. (2023). Potensi Filtrat *Trichoderma asperellum* TKD dalam Mengambat Kontaminasi *Aspergillus parasiticus* pada Biji Kacang Tanah (*Arachis hypogaea* L.). *Simbiosis*, 11(1), 15–30.

- Rahman, A. M., Rahman, M. M., Kamruzzaman, M., Ferdousi Begum, M., Firoz Alam, M., & Author, C. (2012). Use of Culture Filtrates Of *Trichoderma* Strains as a Biological Control Agent Against *Colletotrichum capsici* Causing Anthracnose Fruit Rot Disease of Chili. *Journal of Biodiversity and Environmental Sciences (JBES)*, 2(1), 9–18.
- Rahmawati, M. (2018). Uji Konsentrasi Nanoemulsi Serai wangi (*Cymbopogon nardus* L.; Randle) dalam Menekan Pertumbuhan Jamur *Colletotrichum gloeosporioides* (Penz.) Sacc. Penyebab Penyakit Antraknosa pada Tanaman Cabai (*Capsicum annum* L.) Secara *In Vitro*. [Skripsi]. Fakultas Pertanian. Universitas Andalas. Padang.
- Samuels, G. J., Ismaiel, A., Bon, M.C., De Respini, S., & Pertini,). (2010). *Trichoderma asperellum* Ssensu Lato Consists of Two Cryptic Species. *Mycologia*, 102(4), 944-966.
- Sehim, A. E., Hewedy, O. A., Altammar, K. A., Alhumaidi, M. S., & Elghaffar, R.Y. (2023). *Trichoderma asperellum* Empowers Tomato Plants and Suppresses *Fusarium oxysporum* Through Priming Respons. *Frontiers in Microbiology*, 14 (March), 1-17.
- Sekhar, J.C., Mishra, J.P., Prasad. R., Reddy, V.P., Kumar, S., Thakur A., & Pal, J. (2020). Isolation and *In Vitro* Evaluation of Biocontrol Agents, Fungicides and Essential Oils Against Stem Blight of Tomato Caused by *Sclerotium rolfsii* (Curzi) CC Tu and Kimber. *Journal of Pharmacognosy and Phytochemistry*, 9(3), 700-705.
- Sharfuddin, C., & Mohanka, R. (2012). *In Vitro* Antagonism of Indigenous *Trichoderma* Isolates Against Phytopathogen Causing Wilt of Lentil. *Life Sciences*, 2(3), 195–202.
- Sibero, M. T., Sabdaningsih, A., Radjasa, O. K., Sabdono, A., Trianto, A., & Subagiyo, S. (2019). Karakterisasi Senyawa Bioaktif Kapang Laut *Trichoderma asperellum* MT02 dengan Aktivitas Anti-Extended Spectrum β -Lactamase (ESBL) *E. coli*. *Jurnal Kelautan Tropis*, 22(1), 9–18.
- Siddiquee, S., Yusuf, U. K., Hossain, K., & Jahan, S. (2009). *In vitro* Studies on The Potential *Trichoderma harzianum* for Antagonistic Properties Against *Ganoderma boninense*. *Journal of Food, Agriculture and Environment*, 7(3–4), 970–976.
- Soesanto, L., Mugiastuti, E., Rahayuniati, R. F., & Dewi, R. S. (2013). Uji Kesesuaian Empat Isolat *Trichoderma* spp. dan Daya Hambat *In Vitro* Terhadap Beberapa Patogen Tanaman. *Jurnal HPT Tropika*, 13(2), 117–123.
- Sumartini. (2011). Penyakit Tular Tanah (*Sclerotium rolfsii* dan *Rhizoctonia solani*) pada Tanaman Kacang-Kacangan dan Umbi-Umbian serta Cara Pengendaliannya. *Jurnal Litbang Pertanian*, 31(1), 27–34.
- Swathi, B., Patibanda, A. K., & Prasuna, R. P. (2015). Antagonistic Efficacy of *Trichoderma* Species on *Sclerotium rolfsii* *In Vitro*. *Journal of Agriculture and Veterinary Science*, 7(1). 19-22.

- Timper, P., Minton, N. A., & Johnson, A. W. (2001). Influence of Cropping Systems on Stem rot (*Sclerotium rolfsii*), *Meloidogyne arenaria*, and the Nematode Antagonist *Pasteuria penetrans* in Peanut. *Plant Disease*, 85(7), 767–772.
- Trigiano, R. N., Windham, M. T., & Windham, A. S. (2008). *Plant pathology: Concepts and laboratory exercises* (p. 558). Second Edition. New York: CRC Press.
- Utami, L. B. (2004). Efektivitas Serai Wangi (*Cymbopogon nardus* Linn.) sebagai Bio Fungisida pada Pengendalian *Sclerotium rolfsii* Sacc. Penyebab Busuk Pangkal Batang pada Tanaman Cabai Merah (*Capsicum annum* L.). Prosiding PS Biologi FMIPA, Universitas Ahmad Dahlan.1-10.
- Vinale F., Sivasithamparam, K., Ghisalberti, E. L., Marra, R., Barbetti, M. J., Li, H., Woo, S. L., & Lorito, M. (2008). A Novel Role for *Trichoderma* Secondary Metabolites in the Interactions with Plants. *Physiological and Molecular Plant Pathology*, 72(1-3), 80-86.
- Vinale, F., Manganiello, G., & Nigro, M. (2014). A Novel Fungal Metabolite with Beneficial Properties for Agricultural Applications. *Molecules*, 19(7), 9760–9772.
- Vinale, F., Sivasithamparam, K., Ghisalberti, E. L., Woo, S. L., Nigro, M., Marra, R., Lombardi, N., Pascale, A., Ruocco, M., Lanzuise, S., Manganiello, G., & Lorito, M. (2014). *Trichoderma* Secondary Metabolites Active on Plants and Fungal Pathogens. *The Open Mycology Journal*, 8(1), 127-139.
- Verma, R., Dutta, A., Choudhary, A. K., & Maurya, S. (2017). *Trichoderma asperellum*, a Potential Fungal Biocontrol Agent Against *Aspergillus niger*. *Journal of Advanced Laboratory Research in Biology*, 8(4). 74078.
- Wahyuni, H. S. (2018). Potensi *Trichoderma viride* Dalam Menekan Serangan *Sclerotium rolfsii* pada Tanaman Kedelai (*Glycine max* L.). *Energies*, 5(1), 51–57.
- Watanabe, T. (2002). *Pictorial Atlas of Soil and Seed Fungi, Morphologies of Cultured Fungi and Key to Species*. CRC Press/Taylor&Francis.
- Xie, C., & Vallad, G. (2010). Integrated Management of Southern Blight in Vegetable Production. *Edis*, 2(3), 1–5.