

DAFTAR PUSTAKA

- Agricultural Research Council. 1980. The Nutrient Requirement of Ruminant Livestock, Commonwealth Agricultural Bureaux, Farnham Royal, Slough, UK
- Agustin, F., Erpomen, Suryadi, H., and Jamarun, N. 2022. The Use of Calcium Hydroxide with Different Soaking Time on Cassava Peel for Reducing HCN, and Its Effect on Rumen Fermentation. In International Conference on Improving Tropical Animal Production for Food Security (ITAPS 2021) (pp. 274-281). Atlantis Press.
- Arora, S.P. 1989. Pencemaran Mikroba pada Ruminansia. Universitas Gadjah Mada Press, Yogyakarta.
- Ani, A. S., Pujaningsih, R. I., & Widiyanto, W. (2015). Protection of protein using tannins and saponins of rumen digestibility and microbes synthesis protein. Jurnal Veteriner Vol.16 No.3 : 439-447.
- Chukwuka, K. S., Ogunyemi, S., & Fawole, I. 2007. Ecological distribution of *Tithonia diversifolia* (Hemsl). A. Gray-A new exotic weed in Nigeria.
- Church, D. C. and W. G. Pond. 1988. The Ruminant Animal Digestive Physiology and Nutrition. Pretice Hall, Englemood Cliff, New York.
- Clark, J. K., Klusmeyer, T.H., and Cameron, M. R. 1992. Microbial protein synthesis and flow of nitrogen fractions to the duodenum of dairy cows. Symposium: Nitrogen metabolism and amino acid nutrition in Dairy Cattle. J Dairy Sci. 75:2304-2323.
- Damron WS. 2006. The gastrointestinal tract and nutrition. In: Yarnell D (ed) Intro duction to animal science: Global, biological, social, and industry perspec tives. Upper Saddle River, New Jersey, Pearson Education, Inc., pp. 97–115
- Direktorat Jenderal Peternakan dan Kesehatan Hewan. 2024. Sistem Informasi Pelaporan Serapan Jagung Lokal Secara Online (SIJAGUNG) Versi 2.0.
- Dona, A., & Triani, H. D. 2015. Produksi NH_3 , Protein By Pass dan Sintesis Protein Mikroba dari Pod Kakao yang di Suplementasi *Chromolaena odorata*. Jurnal Peternakan Indonesia, 17(3), 171-175.
- Fasuyi, A., Dairo, F.A., & Ibitayo, F. 2010. Ensiling wild sunflower (*Tithonia diversifolia*) leaves with sugar cane molasses. Livest. Res. Rural Develop. 22(3).
- Fasuyi, A and Ibitayo, F. 2011. Preliminary analyses anda amino acid profile of wilf sunflower (*Tithonia diversifolia*) leaves. Int. J. Biol. Chem. Sci. 5(1): 164-170.

- Fondevilla, M., Barrios Urdaneta, A., Balcell, J., Castrillo, C. 2002. Gas productoin from straw incubated *in vitro* with different levels of purified carbohydrates. *Animal Feed Science and Technology*, 101(1-4), 1-15.
- General Laboratory Procedures. 1966. Departemen of Diary Science. University of Wiscouns in Medison.
- Getachew, G., Blümmel, M., Makkar, H. P. S., & Becker, K. 1998. *In vitro* gas measuring techniques for assessment of nutritional quality of feeds: a review. *Animal Feed Science and Technology*, 72(3-4), 261-281.
- Givens, D.I., E. Owen and A.T. Adesogan. 2000. Current procedures, future requirements and the need for standardization. In: *Forage Evaluation in Ruminant Nutrition*. CABI Publishing. pp. 449-474.
- Graf, E., & Eaton, J. W. 1990. Antioxidant functions of phytic acid. *Free Radical Biology and Medicine*, 8(1), 61-69.
- Hadi, Nurul. 2024. Pengaruh Imbangan Sonia dengan Konsentrat Terhadap Karakteristik Cairan rumen (pH, NH₃, dan VFA) secara *In-Vitro*. Skripsi. Fakultas Peternakan, Universitas Andalas.
- Hakim, N. 2001. Kemungkinan Penggunaan Titonia (*Tithonia diversifolia*) Sebagai Sumber Bahan Organik Dan Nitrogen. Laporan Penelitian Pusat Penelitian Pemanfaatan Iptek Nuklir Unand, Padang.
- Hakim, N dan Agustian. 2003. Gulma Titonia dan pemanfaatannya sebagai sumber bahan organik dan unsur hara untuk tanaman hortikultura. Laporan Penelitian Tahun I Hibah Bersaing XI/I. Proyek Peningkatan Penelitian Perguruan Tinggi DP3M Ditjen Dikti. Lembaga Penelitian Unand Padang
- Hakim, N dan Agustian. 2012. *Titonia Untuk Pertanian Berkelanjutan*. Andalas University Press, Padang
- Hartadi, Heri., Soedomo. Soekanto. Allen. Kearl dan Harris. 1991. *Tabel Komposisi Bahan Makanan Ternak Untuk Indonesia*. Gadjah Mada University Press. Yogyakarta.
- Hartati, E. 1998. Suplementasi minyak lemuru dan seng ke dalam ransum yang mengandung silase pod kakao dan urea untuk memacu pertumbuhan sapi holstein jantan. Disertasi. Program Pasca Sarjana IPB, Bogor.
- Hoover, W. H. and S. R. Stokes. 1991. Balancing carbohydrates and proteins for optimum rumen mivrobial yield. *Journal of Dairy Sci.* 74:3630-3644.
- Hume, J. D. 1982. *Fibre digestion in the ruminant nutrition and growth*. Manual Melbourne: Hedge and Bell Pty Ltd
- Hungate, R. E. 1996. *The Rumen and its Micorbes*. 2 nd Edition Academyc Press, New Yersey.

- Ifani, Merryafinola. Dwi Wijayanti, Efka Aris Rimbawanto, Bambang Hartoyo. 2023. Substitusi Konsentrat dengan Daun Gamal (*gliricidial sepium*) Pada Ransum Sapi Potong Secara *In Vitro* terhadap Kecernaan Bahan Kering dan Bahan Organik. Jurnal Peternakan Lokal : Volume 5, No. 1.
- Jamarun, N dan Zain, M. 2013. Dasar nutrisi ruminansia. CV Jasa Surya Press, Padang. Indonesia.
- Jamarun, N., Elihasridas, R. Pazla and Fitriyani. 2017. In-vitro nutrients digestibility of the combination (*Tithonia diversifolia*) and Napier grass (*Pennisetum purpureum*). Proceedings of the 7th International Seminar on Tropical Animal Production, September 12- 14, 2017, Yogyakarta, Indonesia.
- Jamarun, N., R. Pazla., Mardiaty Zain and Arief. 2019. Comparison of *in vitro* digestible and rumen fluid characteristics between the tithonia (*Tithonia diversifolia*) with elephant grass (*Pennisetum pupureum*). IOP Con. Series : Earth and Environmental Science 287.
- Kumar, V., Sinha, A. K., Makkar, H. P. S., & Becker, K. 2010. Dietary roles of phytate and phytase in human nutrition: A review. *Food Chemistry*, 120, 945–959. DOI: [10.1016/j.foodchem.2009.11.052](https://doi.org/10.1016/j.foodchem.2009.11.052).
- Lestari DAS. 2016. Pemanfaatan Paitan (*Tithonia diversifolia*) sebagai Pupuk Organik pada Tanaman Kedelai. Iptek Tanaman Pangan. 50: 49-56.
- Lowry, O. H., N. J. Roserbrough, A. L. Farr, and R. J. Randall. 1951. Protein measurement with the Folin reagent. *J. Biol. Chem.* 193:265.
- Makkar, H. P. S. 2003. Effects and fate of tannins in ruminant animals, adaptation to tannins, and strategies to overcome detrimental effects of feeding tannin-rich feeds. *Small Ruminant Research*, 49(3), 241-256.
- McDonald, P. R., A. Edwards, J. F. D. Greenhalg dan C. A. Morgan. 2002. *Animal Nutrition* 6th Edition. Longman Scientific and Technical Co. Published in The United States with John Willey and Sons Inc, New York.
- Mcleod, M. N. and Minson, D. J. 1988. Breakdown of large particles in forage by simulated digestion and detrition. *Jurnal Of Animal Science* 66 (4) 1000 1004.
- Muhktarudin and Liman, 2006. Penentuan tingkat penggunaan mineral organik untuk memperbaiki bioproses rumen pada kambing secara *in vitro*. *J. Ilmu-Ilmu Peternakan Indonesia*, 8: 132-140.
- NRC. 2001. *Nutrient Requirements of Dairy Cattle* (7th ed.). National Academies Press

- Oluwasola, T.A and F. A. S. Dairo. 2016. Proximate composition, amino acid profile and some anti-nutrients of *Tithonia diversifolia* cut at two different times. African Journal of Agricultural Research. Vol. 11(38), pp. 3659-3663.
- Orskov, E. R. 1982. Protein Nutrition in Ruminants. Academic press, New York.
- Owens, F.N. and W.G. Bergen. 1983. Nitrogen metabolism of ruminant animals: historical perspective, current understanding and future implications. J. Anim. Sci. Suppl. 57 : 498-518.
- Parakkasi, A. 1995. Ilmu Makanan Ternak Ruminansia. Cetakan pertama. Penerbit Universitas Indonesia, Jakarta.
- Pazla R. 2018. Pemanfaatan pelepah sawit dan (*Tithonia diversifolia*) dalam ransum kambing Peranakan Etawa untuk menunjang swasembada susu 2020. Ph.D. tesis, Universitas Andalas, Padang, Indonesia.
- Pazla, R., N. Jamarun., M. Zain., and Arief. 2018. Microbial protein synthesis and *in vitro* fermentability of fermented oil palm fronds by *Phanerochaete chrysosporium* in combination with *Tithonia* (*Tithonia diversifolia*) and Elephant Grass (*Pennisetum purpureum*). Pakistan Journal of Nutrition. Vol. 17(10):462-470.
- Pazla, R., N Jamarun., dan Arief. 2022. Laporan Kemajuan Riset Publikasi Bereputasi. Unand.
- Pazla. Roni, Novirman Jamarun, Arief, Elihasridas, Gusri Yanti, Zaitul Ikhlās, Citra Vlowrentino, Sufri Aulia Nanda, Muhammad Taufiq. 2023. *Tithonia* sebagai pakan hijauan alternatif ternak ruminansia. Eureka Media Aksara, Purbalingga.
- Pazla. Roni, Novirman Jamarun, Fauzia Agustin, Yelly Fitri, Ahmad Fajri Thufail, Biolen Fernando, Dea Fadrita Rahmadhani Nawawy. 2023. Potensi kombinasi *tithonia diversifolia* dan sorgum mutan BMR sebagai hijauan alternative pakan ternak ruminansia. Eureka Media Aksara, Purbalingga.
- Perry, A.E. Cullison, R.S. Lowrey, 2003. Feeds and Feeding, 3rd Ed Practice.
- Ribeiro, R.S., Terry, S.A., Sacramento, J.P., Silveira, S.R.E., Bento, C.B.P., Da Silva, E.F., Mantovani, H.C., Da Gama, M.A.S., Pereira, L.G.R., Tomich, T.R., Maurício, R.M. & Chaves, A.V. 2016. *Tithonia diversifolia* as a supplementary feed for dairy cows. PLoS ONE. 11(12), 1–18. DOI: 10.1371/journal.pone.0165751.
- Russel, J. B., J. D. O’Connors., D. G. Fox., P. J. Van Soest and C. J. Sniffen. 1992. A net carbohydrate and protein system for evaluating cattle diets : I. Ruminal fermentation. J. Anim. Sci. 70:3551-3561.

- Russell, J. B., & Rychlik, J. L. 2001. "Factors that alter rumen microbial ecology." *Science*, 292(5519), 1119-1122.
- Sakinah, D. 2005. Kajian suplementasi probiotik bermineral terhadap produksi VFA, NH₃, dan pencernaan zat makanan pada domba. Skripsi. Fakultas Peternakan, Institut Pertanian Bogor, Bogor.
- Sauvant, D., J. Djikra and D. Mertens. 1995. Optimisation of ruminal digestion: a modeling approach. In: M. Journet, E. Grenet, M.H. France, M. Theriez and C. Dermaquilly (Eds.). *Recent Developments in the Nutrition of Herbivores*. Inra Editions. Paris. pp. 161-166.
- Sayuti, N. 1989. Ruminologi. Kuliah Fakultas Peternakan Universitas Andalas, Padang.
- Sidabutar, R. S. J. 2023. Evaluasi Penggunaan Berbagai Level Silase Mantangan Terhadap Profil Produksi Gas Secara *In Vitro* (Doctoral dissertation, Universitas Jambi).
- Sirait, J., & Simanihuruk, K. 2021. Utilization of tithonia diversifolia as Ruminant feed. *Indonesian Bulletin of Animal and Veterinary Sciences*, 31(3), 137.
- Stern, M. D., & Hoover, W. H. 1979. Methods for determining and factors affecting rumen microbial protein synthesis: a review. *Journal of Animal Science*, 49(6), 1590-1603.
- Susanti, S., & Chuzaemi, S. 2001. Pengaruh Pemberian Konsentrat yang mengandung Bungkil Biji Kapuk terhadap Kecernaan Ransum, Produk Fermentasi dan Jumlah Protozoa Rumen Sapi Perah PFH jantan.
- Sutanto, Y., DiChiara, J. M., Shoemaker, N. B., Gardner, J. F., & Salyers, A. A. 2004. Factors required *in vitro* for excision of the Bacteroides conjugative transposon, CTnDOT. *Plasmid*, 52(2), 119-130.
- Sutardi, T. 1979. Pengaruh minyak kelapa dan kembang sepatu terhadap pencernaan ransum dan jumlah protozoa. *Jurnal produksi ternak* 2 (2): 53-5.
- Sutardi, T. 1980. Landasan Ilmu Nutrisi. Departemen Ilmu Makanan Ternak, IPB, Bogor.
- Sutardi, T., N. A. Sigit dan T. Toharmat. 1983. Standarisasi mutu protein bahan makanan ruminansia berdasarkan parameter metabolismenya oleh mikroba rumen. Laporan Penelitian, Direktorat Pembinaan dan Pengabdian Masyarakat. Direktorat Jenderal Pendidikan Tinggi. Departemen Pendidikan dan Kebudayaan.
- Tilley, J. M and R. A. Terry. 1963. A two stage technique for the in-vitro digestion of forage crops. *J. Br. Grassland. Soc.* Vol. 18 : 104 - 111.

- Tillman, A. D., H. Hartadi, S. Reksohadiprodjo, S. Prawirokusumo dan S. Lebdosoekojo. 1989. Ilmu Makanan Ternak Dasar. Gadjah Mada University Press, Yogyakarta.
- Van Sao, N., Mui, N. T., & Van Binh, D. 2010. Biomass production of *Tithonia diversifolia* (Wild Sunflower), soil improvement on sloping land and use as high protein foliage for feeding goats. *Livestock Research for rural development*, 22(8), 2010.
- Widyaningrum, R. (2020). Pemanfaatan daun Paitan (*Tithonia diversifolia*) dan Daun Lamtoro (*Leucaena leucocephala*) Sebagai Pupuk Organik Cair (POC). Doctoral dissertation, UIN Raden Intan Lampung.
- Wirza, Wazhifah. 2024. Pengaruh Imbangan Sonia dengan Konsentrat terhadap Produksi Gas, Total Populasi Protozoa dan Sintesis Protein Mikroba secara *In-Vitro*. Skripsi. Fakultas Peternakan, Universitas Andalas.
- Wohlt, J. E., J. H. Clark, and F. S. Balaisdell. 1976. Effects of sampling location, time and method on concentration of ammonia nitrogen in rumen fluid. *J. Dairy Sci.* 59: 459-464.
- Yulianti, A. 2006. Kinetika Volatile Fatty Acid (VFA) cairan rumen dan estimasi sintesis protein mikorba pada sapi perah dara Peranakan Friesian Holstein yang diberi pakan basal rumput raja, jerami jagung, dan jerami padi yang disuplementasi konsentrat protein tinggi. *Jurnal Teknologi Pertanian*. 6(1): 25-33.
- Yogyantara, A.P.I.K.D, Suarna I W., dan Suryani N.N. 2014. Pengaruh Level Konsentrat dalam Ransum Terhadap Komposisi Tubuh Kambing Peranakan Etawah. *Majalah Ilmiah Peternakan*, 17(3): 113-116..