

DAFTAR PUSTAKA

- Afandhi, A., Fernando, I., Widjayanti, T., Maulidi, A. K., Radifan, H. I., & Setiawan, Y. (2022). Impact of the Fall Armyworm, *Spodoptera frugiperda* invasion on Maize and the Native *Spodoptera litura* in East Java, Indonesia, and Evaluation of the Virulence of Some Entomopathogenic Fungus Isolates for Controlling the Pest. *Egyptian Journal of Biological Pest Control*, 32(1).
- Agbessenou, A., Akutse, K. S., Yusuf, A. A., & Khamis, F. M. (2022). The Endophyte *Trichoderma asperellum* M2RT4 Induces the Systemic Release of Methyl Salicylate and (Z)-jasmones in Tomato Plant Affecting Host Location and Herbivory of *Tuta absoluta*. *Frontiers in Plant Science*, 13(April), 1–16.
- Alinç, T., Cusumano, A., Peri, E., Torta, L., & Colazza, S. (2021). *Trichoderma harzianum* Strain T22 Modulates Direct Defense of Tomato Plants in Response to *Nezara viridula* Feeding Activity. *Journal of Chemical Ecology*, 47(4–5), 455–462.
- Andini, R., & Triyuliana, D. (2023). Tingkat Serangan *Spodoptera frugiperda* (Lepidoptera: Noctuidae) pada Pertanaman Jagung di Kecamatan Batu Engau, Paser, Kalimantan Timur. *Jurnal AgroSainTa: Widyaiswara Mandiri Membangun Bangsa*, 7(2), 37-42.
- Anjorin, F. B., Odeyemi, O. O., Akinbode, O. A., & Kareem, K. T. (2022). Fall Armyworm (*Spodoptera frugiperda*) (J. E. Smith) (Lepidoptera: Noctuidae) Infestation: Maize Yield Depression and Physiological Basis of Tolerance. *Journal of Plant Protection Research*, 62(1), 12–21.
- Anwar, W., Subhani, M. N., Haider, M. S., Shahid, A. A., Mushatq, H., Rehman, M. Z., ... & Javed, S. (2016). First Record of *Trichoderma longibrachiatum* as Entomopathogenic Fungi against *Bemisia tabaci* in Pakistan. *Pakistan Journal of Phytopathology*, 28(2), 287-294.
- Ardiyati, A. T., Mudjiono, G., & Himawan, T. (2015). Uji patogenisitas jamur entomopatogen *Beauveria bassiana* (Balsamo) Vuillemin pada jangkrik (*Gryllus* sp.) (Orthoptera: Gryllidae). *Jurnal HPT (Hama Penyakit Tumbuhan)*, 3(3), 43-51.
- Artanti, D., Isnawati, T. G., & Prayogo, Y. (2013). Cendawan entomopatogen *Beauveria bassiana* dalam mengendalikan telur hama penggerek ubi jalar (*Cylas formicarius*). *Jurnal LenteraBio*, 2.
- Arunthirumeni, M., Veerammal, V., & Shivakumar, M. S. (2022). Biocontrol Efficacy of Mycosynthesized Selenium Nanoparticle Using *Trichoderma* sp. on Insect Pest *Spodoptera litura*. *Journal of Cluster Science*, 33(4), 1645-1653.

- Badan Pusat Statistik. (2025). Luas Panen, Produksi, dan Produktivitas Jagung menurut Provinsi. <https://www.bps.go.id/id/statistics-table/2/MjIwNCMy/luas-panen--produksi--dan-produktivitas-jagung-menurut-provinsi.html>. Diakses pada 5 januari 2025
- Batool, R., Umer, M. J., Wang, Y., He, K., Zhang, T., Bai, S., Zhi, Y., Chen, J., & Wang, Z. (2020). Synergistic Effect of *Beauveria bassiana* and *Trichoderma asperellum* to Induce Maize (*Zea mays* L.) Defense against The Asian Corn Borer, *Ostrinia furnacalis* (Lepidoptera, crambidae) and Larval Immune Response. *International Journal of Molecular Sciences*, 21(21), 1–29.
- Benatar, G. V., Nurhayati, Y., & Kulsum, U. (2023). Biological Agent *Trichoderma asperellum* and Its in Vitro Inhibitory Activity Against Mango Fruit Rot Pathogens. *Jurnal Biologi Tropis*, 23(3), 70-75.
- Berg, J. Van den, & Plessis, H. du. (2022). Chemical Control and Insecticide Resistance in *Spodoptera frugiperda* (Lepidoptera: Noctuidae). *Journal of Economic Entomology*, 115(6), 1761–1771.
- Bird, L., Miles, M., Quade, A., & Spafford, H. (2022). Insecticide Resistance in Australian *Spodoptera frugiperda* (J.E. Smith) and Development of Testing Procedures for Resistance Surveillance. *PLoS ONE*, 17, 1–20.
- Boaventura, D., Martin, M., Pozzebon, A., Mota-Sanchez, D., & Nauen, R. (2020). Monitoring of target-site mutations Conferring Insecticide Resistance in *Spodoptera frugiperda*. *Insects*, 11(8), 1–15.
- Chapman, R. F. (1998). *The Insects: Structure and Function*. Cambridge University Press.
- Chen, Y., Ni, X., & Buntin, G. D. (2009). Physiological, Nutritional, and Biochemical Bases of Corn Resistance to Foliage-Feeding Fall Armyworm. *Journal of chemical ecology*, 35, 297-306.
- Chinnaperumal, K., Govindasamy, B., Paramasivam, D., Dilipkumar, A., Dhayalan, A., Vadivel, A., Sengodanb, K. & Pachiappan, P. (2018). Bio-Pesticidal Effects of *Trichoderma viride* Formulated Titanium Dioxide Nanoparticle and Their Physiological and Biochemical Changes on *Helicoverpa Armigera* (Hub.). *Pesticide biochemistry and physiology*, 149, 26-36.
- Contreras-Cornejo, H. A., Macías-Rodríguez, L., Del-Val, E., & Larsen, J. (2018). The Root Endophytic Fungus *Trichoderma atroviride* Induces Foliar Herbivory Resistance in Maize Plants. *Applied Soil Ecology*, 124, 45–53.

- Coppola, M., Cascone, P., Lelio, I. D., Woo, S. L., Lorito, M., Rao, R., Pennacchio, F., Guerrieri, E., & Digilio, M. C. (2019). *Trichoderma atroviride* P1 Colonization of Tomato Plants Enhances Both Direct and Indirect Defense Barriers Against Insects Insect Rearing and Fungal Isolate. *Frontiers in Physiology*, 10(813), 1–12.
- Dalimunthe, P.I.R., Siregar, E.B.M., & Anna, N. (2015). Respon *Cylindrocladium* SP. Terhadap Fungisida Berbahan Aktif Mancozeb Secara in Vitro. *Peronema Forestry Science Journal*, 4(3), 104-114.
- Deden, D., Umiyati, U., & Dukat, D. (2023). Preferensi dan Intensitas Serangan *Spodoptera frugiperda* J.E. Smith (Lepidoptera: Noctuidae) pada Berbagai Varietas Tanaman Jagung Manis (*Zea mays* Saccharata). *Jurnal Agrotek Tropika*, 11(2), 173.
- Dethier, V. G. (1954). Evolution of feeding preferences in phytophagous insects. *Evolution*, 33-54.
- Dwisandi, R. F., Miranti, M., Prismantoro, D., Alizadeh, M., Mispan, M. S., Hermawan, W., Mohamed, Z., Doni, F., & Joshi, R. C. (2024). Trichoderma for Managing Lepidopteran insect pests: Current Understanding and Future Directions. *Biological Control*, 105604.
- Fakhira Nurul, H. (2023). *Uji Virulensi Cendawan Entomopatogen Beauveria bassiana (Bals). Vuill Terhadap Larva Spodoptera frugiperda JE Smith* (Disertasi doktor, Universitas Andalas).
- FAO & CABI. (2019). Community-Based Fall Armyworm (*Spodoptera frugiperda*) Monitoring, Early Warning and Management. <https://www.cabi.org/wp-content/uploads/ToT-manual.pdf>
- Fiqriansyah, M., Putri, S. A., Syam, R., Rahmadani, A. S., Frianie, T. N., Anugrah, S., Sari, Y. I., Adhayani, A. N., Nurdiana, Fauzan, Bachok, N. A., Manggabarani, A. M., & Utami, Y. D. (2021). Teknologi Budidaya Tanaman Jagung (*Zea mays*) dan Sorgum (*Sorghum bicolor* (L.) Moench). Jurusan Biologi Fakultas FMIPA Universitas Negeri Makassar.
- Gao, F. K., Dai, C. C., & Liu, X. Z. (2010). Mechanisms of Fungal Endophytes in Plant Protection against Pathogens. *Afr J Microbiol Res*, 4(13), 1346-1351.
- Gusnawaty H.S., Taufik, M., Triana, L., & Asniah, A. Karakterisasi Morfologis *Trichoderma* Spp. Indigenus Sulawesi Tenggara. *Jurnal Agroteknos*, 4(2), 244069.
- Gustianingtyas, M., Herlinda, S., & Suwandi, S. (2021). The Endophytic Fungi from South Sumatra (Indonesia) and Their Pathogenecity against The New Invasive Fall Armyworm, *Spodoptera frugiperda*. *Biodiversitas Journal of Biological*

- Hanudin, W. N., & Marwoto, B. (2016). Induksi Resistensi Tanaman Krisan Terhadap *Puccinia horiana* P. Henn. dengan Menggunakan Ekstrak Tanaman Elisitor. *Hortikultura*, 26(2): 245-256.
- Harni, R., Amaria, W., Syafruddin, & Mahsunah, H. (2017). Potensi Metabolit Sekunder *Trichoderma* spp. untuk Mengendalikan Penyakit Vascular Streak Dieback (VSD) pada Bibit Kakao Potential. *Tanaman Industri dan Penyegar*, 4(2), 57–66.
- Hendra, Y., Trizelia, T., & Syahrawati, M. (2022). Aplikasi Cendawan Entomopatogen *Beauveria bassiana* (Bals.) pada Tanaman Padi dan Pengaruhnya terhadap Preferensi Oviposisi Imago Wereng Batang Coklat (*Nilaparvata lugens* Stal). *Proceedings Series on Physical & Formal Sciences*, 4, 453-459.
- Herlinda, S., Octariati, N., Suwandi, S., & Hasbi, H. (2020). Exploring Entomopathogenic Fungi from South Sumatra (Indonesia) Soil and Their Pathogenicity against a New Invasive Maize pest, *Spodoptera frugiperda*. *Biodiversitas Journal of Biological Diversity*, 21(7).
- Hruska, A. J. (2019). Fall armyworm (*Spodoptera frugiperda*) Management by Smallholders. CAB Reviews: Perspectives in Agriculture, Veterinary Science, Nutrition and Natural Resources, 14.
- Huang, Z. H., Wang, Z. L., Shi, B. L., Wei, D., Chen, J. X., Wang, S. L., & Gao, B. J. (2015). Simultaneous Determination of Salicylic Acid, Jasmonic Acid, Methyl Salicylate, and Methyl Jasmonate from *Ulmus pumila* Leaves by GC-MS. *International Journal of Analytical Chemistry*, 2015(1), 698630.
- Hutagalung, R. P. S., Sitepu, S. F., & Marheni. (2021). Biologi Fall Armyworm (*Spodoptera frugiperda* J. E. Smith) (Lepidoptera: Noctuidae) di laboratorium. *Jurnal Pertanian Tropik*, 8(1), 1–10.
- Idrees, A., Afzal, A., Qadir, Z. A., & Li, J. (2022). Bioassays of *Beauveria bassiana* Isolates Against the Fall Armyworm, *Spodoptera frugiperda*. *Journal of Fungi*, 8(7), 717.
- Idrees, A., Afzal, A., Qadir, Z. A., & Li, J. (2023). Virulence of Entomopathogenic Fungi Against Fall Armyworm, *Spodoptera frugiperda* (Lepidoptera: Noctuidae) Under Laboratory Conditions. *Frontiers in Physiology*, 14, 1107434.
- Irawan, F. P., Afifah, L., Surjana, T., Irfan, B., Prabowo, D. P., & Widiawan, A. B. (2022). Morfologi dan Aktifitas Makan Larva *Spodoptera frugiperda* J.E Smith (Lepidoptera:Noctuidae) pada Beberapa Inang Tanaman Pangan dan Hortikultura. *Jurnal Agroplasma*, 9(2), 170–182.

- Jafarbeigi, F., Samih, M. A., Alaei, H., & Shirani, H. (2020). Induced tomato resistance against *Bemisia tabaci* triggered by salicylic acid, β -aminobutyric acid, and Trichoderma. *Neotropical entomology*, 49, 456-467.
- Kalvnadi, E., Mirmoayedi, A., Alizadeh, M., & Pourian, H. R. (2018). Sub-lethal Concentrations of the Entomopathogenic Fungus, *Beauveria bassiana* Increase Fitness Costs of *Helicoverpa armigera* (Lepidoptera: Noctuidae) Offspring. *Journal of invertebrate pathology*, 158, 32-42.
- Kiarie, S., Nyasani, J. O., Gohole, L. S., Maniania, N. K., & Subramanian, S. (2020). Impact of Fungal Endophyte Colonization of Maize Aphid-Transmitted Viruses. *Plants*, 9, 1–22.
- Köhl, J., Kolnaar, R., & Ravensberg, W. J. (2019). Mode of action of microbial biological control agents against plant diseases: relevance beyond efficacy. *Frontiers in plant science*, 10, 845.
- Kumala, D. L. S. K., Proborini, M. W., & Wijayanti, F. E. (2023). Potensi *Trichoderma asperellum* TKD dalam Menghambat *Phytophthora* spp. pada Benih Kakao Selama Masa Penyimpanan. *Biota: Jurnal Ilmiah Ilmu-Ilmu Hayati*, 40-50.
- Macías-Rodríguez, L., Contreras-Cornejo, H. A., Adame-Garnica, S. G., Del-Val, E., & Larsen, J. (2020). The Interactions of Trichoderma at Multiple Trophic Levels: Inter-Kingdom Communication. *Microbiological Research*, 240, 126552.
- Masyitah, I., Sitepu, S. F., & Safni, I. (2017). Potensi Jamur Entomopatogen untuk Mengendalikan Ulat Grayak *Spodoptera litura* F. pada Tanaman Tembakau In Vivo. *Jurnal Agroekoteknologi FP USU*, 5(3), 484-493.
- Ma'wa, M., Afifah, L., Surjana, T., & Darmadi, D. (2023). Mortalitas *Spodoptera frugiperda* JE Smith Akibat Racun Kontak Dari Ekstrak Daun Mimba (*Azadirachta indica*) dan *Beauveria bassiana*. *AGRICA*, 16(2), 140-150.
- Montezano, D. G., Specht, A., Sosa-Gómez, D. R., Roque-Specht, V. F., de Paula-Moraes, S. V., Peterson, J. A., & Hunt, T. E. (2019). Developmental Parameters of *Spodoptera frugiperda* (Lepidoptera: Noctuidae) Immature Stages Under Controlled and Standardized Conditions. *Journal of Agriculture Science*, 11 (8), 76-89.
- Mu'arif, A.I., Fitriana, Y., Suharjo, R., & Swibawa, I. G. (2024). Pengaruh modifikasi media S terhadap produksi spora, viabilitas, dan patogenisitas jamur agensia hayati. *Jurnal Proteksi Agrikultura*, 1(1), 34-45.
- Mukrimah, U. L., Wati, A. P. M., Asmara, A., Annisi, A. D., & Sambo, A. G. (2021). Trichoderma dan Pemanfaatan. Jurusan Biologi FMIPA UNM.

- Munawara, W., & Haryadi, N. T. (2020). Induksi Ketahanan Tanaman Kedelai (*Glycine max* (L.) merril) dengan Cendawan Endofit *Trichoderma harzianum* dan *Beauveria bassiana* Untuk Menekan Penyakit Busuk Pangkal Batang (*Sclerotium rolfsii*). *Jurnal Pengendalian Hayati*, 3(1), 6-13.
- Nasution, L., Corah, R., Nuraida, N., & Siregar, A. Z. (2018). Effectiveness *Trichoderma* sp. and *Beauveria bassiana* on Larvae of *Oryctes rhinoceros* on Palm Oil Plant (*Elaeis guineensis* Jacq.) in Vitro. *International Journal of Environment, Agriculture and Biotechnology*, 3(1), 239050.
- Nawaz, A., Gogi, M. D., Naveed, M., Arshad, M., Sufyan, M., Binyameen, M., Islam S.U., Waseem, M., Ayyub, M.B., Arif M.J. & Ali, H. (2020). In Vivo and in Vitro Assessment of *Trichoderma* Species and *Bacillus thuringiensis* Integration to Mitigate Insect Pests of Brinjal (*Solanum melongena* L.). *Egyptian Journal of Biological Pest Control*, 30, 1-7.
- Nelly, N., Hamid, H., Lina, E. C., Yunisman, Y., Yaherwandi, Y., & Putri, Y. D. (2023). The Development of *Spodoptera frugiperda* (Lepidoptera: Noctuidae) on Several Varieties of maize. *Biodiversitas Journal of Biological Diversity*, 24(1).
- Nonci, N., Muis, A., Mirsam, H., Kalqutny, S. H., Azrai, M., & Aqil, M. (2019). Pengenalan Fall Army Worm (*Spodoptera frugiperda* J.E. Smith) Hama Baru Pada Tanaman Jagunng di Indonesia. Balai Penelitian Tanaman Serealia.
- Otim, M. H., Fiaboe, K. K. M., Akello, J., Mudde, B., Obonyom, A. T., Bruce, A. Y., Opio, W. A., Chinwada, P., Hailu, G., & Paparu, P. (2021). Managing a Transboundary Pest: The Fall Armyworm on Maize in Africa. *Moths and Caterpillars*.
- Overton, K., Maino, J. L., Day, R., Umina, P. A., Bett, B., Carnovale, D., Ekes, S., Meagher, R. & Reynolds, O. L. (2021). Global Crop Impacts, Yield Losses and Action Thresholds for Fall Armyworm (*Spodoptera frugiperda*): A Review. *Crop Protection*, 145, 105641.
- Pál, M., Janda, T., Majláth, I., & Szalai, G. (2020). Involvement of Salicylic Acid and Other Phenolic Compounds in Light-Dependent Cold Acclimation in Maize. *International journal of molecular sciences*, 21(6), 1942.
- Pieterse, C. M. J., Van Pelt, J. A., Ton, J., Parchmann, S., Mueller, M. J., Buchala, A. J., Métraux, J. P., & Van Loon, L. C. (2000). Rhizobacteria-Mediated Induced Systemic Resistance (ISR) in *Arabidopsis* Requires Sensitivity to Jasmonate and Ethylene but is not Accompanied by an Increase in Their Production. *Physiological and Molecular Plant Pathology*, 57(3), 123–134.
- Poveda, J. (2021). *Trichoderma* as Biocontrol Agent Against Pests: New Uses for a Mycoparasite. *Biological Control*, 159, 1–8.

- Prayogo, Y. (2005). Potensi, Kendala, dan Upaya Mempertahankan Keefektifan Cendawan Entomopatogen untuk Mengendalikan Hama Tanaman Pangan. *Buletin Palawija*, (10), 53-65.
- Prayogo, Y. (2010). *Lecanicillium lecanii* sebagai Bioinsektisida untuk Pengendalian Telur Hama Kepik Coklat pada Kedelai. *Iptek Tanaman Pangan. Puslitbangtan*, 5(2), 169-182.
- Purnomo, Ananda, E. A., Fajar, A. A., Wibowo, L., Lestari, P., & Swibawa, I. G. (2023). Hama-hama Tanaman Jagung dan Keragaman Artropoda pada Pertanaman Jagung di Kabupaten Lampung Selatan dan Pesawaran, Provinsi Lampung. *Jurnal Agrotek Tropika*, 11(2), 337–349.
- Ramadhani, R., Soedijo, S., & Rosa, H. O. (2024). Aplikasi Agensia Hayati *Metarhizium anisopliae* terhadap *Spodoptera frugiperda* JE Smith. *Jurnal proteksi tanaman tropika*, 7(1), 814-822.
- Rath, A. C. (2000). The Use of Entomopathogenic Fungi for Control of Termites. *Biocontrol Science and Technology*, 10(5), 563-581.
- Ratnaweera, P. B., Madhushika, D. H., Jayasundara, J. N. M., Williams, D. E., de Silva, E. D., & Andersen, R. J. (2021). Antifeedant Properties and Contact Toxicities of the Trichocellins AI and B-II from a *Trichoderma reesei* against *Plutella xylostella* larvae. *International Journal of Tropical Insect Science*, 1-10.
- Riwandi, Hasanudin, & Handajaningsih, M. (2014). Teknik Budidaya Jagung dengan Sistem Organik di Lahan Marjinal. UNIB Press.
- Rodríguez-González, Á., Mayo, S., González-López, Ó., Reinoso, B., Gutierrez, S., & Casquero, P. A. (2017). Inhibitory Activity of *Beauveria bassiana* and *Trichoderma* spp. on The Insect Pests *Xylotrechus arvicola* (Coleoptera: Cerambycidae) and *Acanthoscelides obtectus* (Coleoptera: Chrisomelidae: Bruchinae). *Environmental Monitoring and Assessment*, 189, 1-8.
- Rosmiati, A., Hidayat, C., Firmansyah, E., & Setiati, Y. (2018). Potensi *Beauveria bassiana* sebagai Agens Hayati *Spodoptera litura* Fabr. pada Tanaman Kedelai. *Jurnal Agrikultura*, 29(1), 43–47.
- Samuels, G. J., Lieckfeldt, E., & Nirenberg, H. I. (1999). *Trichoderma asperellum*, a New Species with Waited Conidia, and Redescription of *T. viride*. *Sydowia*, 51(1), 71–88.
- Saputra, R. D., Hadiastono, T., Afandhi, A., & Bedjo, B. (2016). Sinergisme *Spodoptera litura* NPV Jtm 97c (Slnpv-Jtm 97c) dengan Ekstrak Biji Sirsak (*Annona muricata* L.) dalam Pengendalian *Helicoverpa armigera* Hubner (Lepidoptera: noctuidae) pada Tanaman Kedelai (*Glycine max* L.) di Laboratorium. *Jurnal Hama Dan Penyakit Tumbuhan*, 3(3), pp.26-33.

- Sari, J. M. P., Herlinda, S., Suwandi, S., & Elfita, E. (2023). Effect of *Beauveria bassiana* and *Metarhizium anisopliae* on the growth of *Spodoptera frugiperda* by seed inoculation. *Biodiversitas Journal of Biological Diversity*, 24(4).
- Sartiami, D., Dadang, Harahap, I. S., Kusumah, Y. M., & Anwar, R. (2020). First Record of Fall Armyworm (*Spodoptera frugiperda*) in Indonesia and Its Occurrence in Three Provinces. *IOP Conference Series: Earth and Environmental Science*, 468(1).
- Silva, B. B., Banaay, C. G., & Salamaney, K. (2019). Trichoderma Induced Systemic Resistance Against the Scale Insect (*Unaspis mabilis* lit & barbecho) in Ianzones (*Lansium domesticum* corr.). *Agriculture and Forestry*, 65(2), 59–78.
- Sriwati, R., Khamzurni, T., Iskandar, E., & Lestari, M. T. (2015). Colonization Ability of Biological Control Agent *Trichoderma* spp. on Cocoa Pod and Seedling. In *Proceedings of The Annual International Conference, Syiah Kuala University-Life Sciences & Engineering Chapter*, 5(2).
- Suanda, I. W. (2019). Karakterisasi Morfologis *Trichoderma* sp. Isolat Jb dan Daya Hambatnya terhadap Cendawan *Fusarium* sp. Penyebab Penyakit Layu dan Jamur Akar Putih pada Beberapa Tanaman. *Jurnal Widya Biologi*, 10(2), 99–112.
- Subekti, N. A., Syafruddin, R. E., & Sunarti, S. (2008). Morfologi Tanaman dan Fase Pertumbuhan Jagung. Di dalam: *Jagung, Teknik Produksi dan Pengembangan*. Jakarta (ID): Pusat Penelitian dan Pengembangan Tanaman Pangan.
- Sulaiman, A. A., Kariyasa, I. ., Hoerudin, Subagyo, K., Suwandi, & Bahar, F. A. (2017). *Cara Cepat Swasembada Jagung*. Kementerian Pertanian RI.
- Syamsulhadi, M., Ramadhan, V. T., & Widjayanti, T. (2023). Pertumbuhan Jamur *Beauveria bassiana* pada Beberapa Tingkat Keasaman Media dan Suhu Penyimpanan Serta Efektivitasnya terhadap Hama *Spodoptera Litura*. *Jurnal Hama Dan Penyakit Tumbuhan*, 11(1), 28–41.
- Tamboli, F. A., More, H. N., Bhandugare, S. S., Patil, A. S., Jadhav, N. R., & Killedar, S. G. (2020). Estimation of Total Carbohydrate Content by Phenol Sulphuric Acid Method from *Eichhornia crassipes* (Mart.) Solms.
- Tanada, Y., & Kaya, H. K. (2012). *Insect pathology*. Academic press.
- Tay, W. T., Meagher, R. L., Czepak, C., & Groot, A. T. (2023). *Spodoptera frugiperda*: Ecology, Evolution, and Management Options of an Invasive Species. *Annual Review of Entomology*, 68, 299–317.

- Tefera, T., & Vidal, S. (2009). Effect of Inoculation Method and Plant Growth Medium on Endophytic Colonization of Sorghum by the Entomopathogenic Fungus *Beauveria bassiana*. *BioControl*, 54(5), 663–669.
- Thungrabeab, M., Blaeser, P., & Sengonca, C. (2006). Effect of temperature and host plant on the efficacy of different entomopathogenic fungi from Thailand against *Frankliniella occidentalis* (Pergande) and *Thrips tabaci* Lindeman (Thysanoptera: Thripidae) in the laboratory. *Journal of Plant Diseases and Protection*, 181-187.
- Trizelia, Eri Sulyanti, & Saputra, R. (2020). Kemampuan Kolonisasi Cendawan Endofit *Trichoderma* sp. dan *Beauveria bassiana* pada Tanaman Cabai dan Pengaruhnya terhadap Populasi Kutu Daun *Myzus persicae*. Prosiding Seminar Nasional Fakultas Pertanian Upn “Veteran” Yogyakarta.
- Trizelia, Rahma, H., & Syahrawati, M. (2023). Diversity of Endophytic Fungi of Rice Plants in Padang City, Indonesia, Entomopathogenic to Brown Planthopper (*Nilaparvata lugens*). *Biodiversitas*, 24(4), 2384–2391.
- Trizelia, Rahma, H., & Syahrawati, M. (2024). Virulence of the Endophytic Fungus, *Trichoderma asperellum*, against the Brown Planthopper (*Nilaparvata lugens* Stal). In *IOP Conference Series: Earth and Environmental Science* (Vol. 1346, No. 1, p. 012009). IOP Publishing.
- Vijayakumar, N., Alagar, S., Madanagopal, N., & Sangilimuthu Alagar, C. (2016). Effects of Chitinase from *Trichoderma viride* on Feeding, Growth and Biochemical Parameters of The Rice Moth, *Corcyra cephalonica* Stainton. *Journal of Entomology and Zoology Studies*, 4(4), 520–523.
- Vinale, F., Manganiello, G., Nigro, M., Mazzei, P., Piccolo, A., Pascale, A., Ruocco, M., Marra, R., Lombardi, N., Lanzuise, S., Varlese, R., Cavallo, P., Lorito, M., & Woo, S. L. (2014). A Novel Fungal Metabolite with Beneficial Properties for Agricultural Applications. *Molecules*, 19(7), 9760–9772.
- Wang, L., Huang, J., You, M., Guan, X., & Liu, B. (2005). Effects of toxins from two strains of *Verticillium lecanii* (Hyphomycetes) on bioattributes of a predatory ladybeetle, *Delphastus catalinae* (Col., Coccinellidae). *Journal of Applied Entomology*, 129(1), 32-38.
- Wei, Y., Yang, H., Hu, J., Li, H., Zhao, Z., Wu, Y., Li, J., Zhou, Y., Yang, K., & Yang, H. (2023). *Trichoderma harzianum* Inoculation Promotes Sweet Sorghum Growth in The Saline Soil by Modulating Rhizosphere Available Nutrients And Bacterial Community. *Frontiers in Plant Science*, 14, 1258131.
- Yasui, H., Kato, A., & Yazawa, M. (1998). Antifeedants to armyworms, *Spodoptera litura* and *Pseudaletia separata*, from bitter gourd leaves, *Momordica charantia*. *Journal of Chemical Ecology*, 24, 803-813.

- Yudiawati, E. (2021). Virulence of the Entomopathogenic Fungi *Metarhizium* spp. From Various Rhizosphere Against Pest Walang Sangit (*Leptocorisa acuta* thunb.). *Baselang*, 1(2), 129-138.
- Zhou, D., Huang, X. F., Guo, J., Dos-Santos, M. L., & Vivanco, J. M. (2018). *Trichoderma gamsii* Affected Herbivore Feeding Behaviour on *Arabidopsis thaliana* by Modifying the Leaf Metabolome and Phytohormones. *Microbial Biotechnology*, 11(6), 1195–1206.
- Zin, N. A., & Badaluddin, N. A. (2020). Biological Functions of *Trichoderma* spp. for Agriculture Applications. *Annals of Agricultural Sciences*, 65(2), 168–178.

