

DAFTAR PUSTAKA

- Andini, A. (2021). Konsorsium Bakteri Endofit Sebagai Pengendali Hayati Penyakit Bercak Ungu (*Alternaria porri*), Pemacu Pertumbuhan dan Produksi Bawang Merah. [Skripsi]. Fakultas Pertanian Universitas Andalas, Padang.
- Aryal, L., Bhattarai, G., Subedi, A., Subedi, M., Subedi, B., & Shah, G. K. (2016). Response of Rice Varieties to Brown Spot Disease of Rice at Paklihawa, Rupandehi. *Globale Insititute for Research and Education*, 5(2), 50–54.
- Badan Pusat Statistik. (2024). Luas Panen, Produksi dan Produktivitas Padi Menurut Provinsi, 2024. <https://www.bps.go.id> (diakses 2 Desember 2024).
- Barnwal, M. K., Kotasthane, A., Magculia, N., Mukherjee, P. K., Savary, S., Sharma, A. K., Singh, H. B., Singh, U. S., Sparks, A. H., Variar, M., & Zaidi, N. (2013). A review on crop losses, epidemiology and disease management of rice brown spot to identify research priorities and knowledge gaps. *European Journal of Plant Pathology*, 136(3), 443–457.
- Bashan, Y., L.E. de-Bashan., S.R. Prabhu & J.P. Hernandez. (2014). Advances in Plant Growth-Promoting Bacterial Inoculant Technology: Formulations and Practical Perspectives (1998–2013). *J. Plant Soil*. 378(1), 1–33.
- Dariush, S., Darvishnia, M., Ebadi, A., & Padasht-dehkaei, F. (2020). Screening Rice Genotypes for Brown Spot Resistance Along with Yield Attributing Characters and its Association with Morphological Traits. *J. Crop Prit*, 9(3), 381–393.
- European Plant Protection Organization [EPPO]. (2002). EPPO Global Database: *Bipolaris Oryzae*. [diakses pada 27 Februari 2024].
- Fauzia, A. (2024). Uji Antagonis Konsorsium Bakteri Endofit terhadap Pertumbuhan *Helminthosporium oryzae* Breda de Haan Penyebab Penyakit Bercak Coklat pada Tanaman Padi secara *In Vitro*. [Skripsi]. Fakultas Pertanian Universitas Andalas, Padang.
- Imran, M., Sahi, S. T., Atiq, M., & Rasul, A. (2020). Disparity in mineral contents of rice genotypes infected with brown leaf spot. *Pakistan Journal of Agricultural Sciences*, 57(6), 1607–1615.
- Imrani, N., Boudoudou, H., Mouria, A., Touati, J., Touhami, A. O., Benkirane, R., & Douira, A. (2017). Pathogenicity of *Helminthosporium rostrata* on rice varieties widely grown in Morocco. *International Journal of Environment, Agriculture and Biotechnology*, 2(2), 1003–1006.
- IRRI. (1996). Bacterial Leaf Blight. (On-line). http://nwww.knowledgebank.irri.org/riceDoctor_MX/Fact_Sheets/Diseases/Bacterial_Leaf_Blight.htm.
- IRRI. (2013). *Standard Evaluation System for Rice 5th Edition*. International Rice Research Institute.

- Jaiganesh, V., & Kannan, C. (2019). Studies on The Cultural Characters and Pathogenicity Studies of Brown Leaf Spot of Rice Caused by *Helminthosporium Oryzae* (Syn: *Bipolaris Oryzae*). *Plant Archives*, 19(1), 585-587.
- Jaiganesh, V., Eswaran, A., Balabaskar, P., & Kannan, C. (2007). Antagonistic Activity of *Serratia Marcescens* Against *Pyricularia Oryzae*. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, 35(2), 48-54.
- James, D., & Mathew, K. S. (2015). Evaluation of Endophytic Microbial Consortium for the Management of Bacterial Wilt of Tomato Caused by *Ralstonia solanacearum*. *Journal of Biological Control*, 29(3), 148-156.
- Jamilah. (2017). Peluang Budidaya Tanaman Padi. *Grup Penerbitan CV Budi Utama*, 1-92.
- Khaeruni, A., Rahim, A., Syair, & Adriani. (2014). Induksi Ketahanan Terhadap Penyakit Hawar Daun Bakteri Pada Tanaman Padi Di Lapangan Menggunakan Rizobakteri Indigenos. *Jurnal Hama Dan Penyakit Tumbuhan Tropika*, 14(1).
- Khalid, A., Arshad, M., & Zahir, Z. A. (2004). Screening plant growth-promoting rhizobacteria for improving growth and yield of wheat. *Journal of Applied Microbiology*, 96(3), 473-480.
- Khan, M., Salman, M., Jan, S. A., & Shinwari, Z. K. (2021). Biological control of fungal phytopathogens: A comprehensive review based on *Bacillus* species. *MOJ Biology and Medicine*, 6(2), 90-92.
- Klement, Z., Rudolph, K., & Sands, D. C. (1990). *Methods in Phytopathology*. Akademia Kiado. Budapest.
- Kumar, K. H., & Jagadeesh, K. S. (2016). Microbial Consortia-Mediated Plant Defense Against Phytopathogens and Growth Benefits. *South Indian Journal of Biological Sciences*, 2(4), 395-403.
- Lestari, P., Susilowati, D.N & Riyanti, E.I. (2007). Pengaruh Hormon Asam Indol Asetat yang dihasilkan *Azospirillum* sp. terhadap Perkembangan Akar Padi. *Jurnal AgroBiogen* 3(2), 66-72.
- Limtong, S., Into, P., & Attarat, P. (2020). Biocontrol of rice seedling rot disease caused by *curvularia lunata* and *Helminthosporium oryzae* by epiphytic yeasts from plant leaves. *Microorganisms*, 8(5).
- Lugtenberg, B., & Kamilova, F. (2009). Plant-growth-promoting rhizobacteria. *Annual Review of Microbiology*, 63, 541-556.
- Makarim, A. Karim & Suhartik. E. (2009). *Morfologi dan Fisiologi Tanaman Padi*. Sukamandi : Balai Besar Penelitian Tanaman Padi.
- Manamgoda, D.S., Rossman, A.Y., Castlebury, L.A., Crous, P.W., Madrid, H., Chukeatirote, E., & Hyde, K.D. (2014). The Genus *Bipolaris*. *Studies in Mycology*, 79, 221-288.

- Mau, Y. S., Ndiwa, A. S. S., & Oematan, S. S. (2020). Brown spot disease severity, yield and yield loss relationships in pigmented upland rice cultivars from east nusa tenggara, indonesia. *Biodiversitas*, 21(4), 1625–1634.
- Melnick, R.L., Zidack, N.K., Bailey, B.A., Maximova, S.N., Gultinan, M & Backman, P.A. (2008). Bacterial Endophytes: *Bacillus* spp. from Annual Crops as Potential Biological Control Agents of Black Pod Rot of Cacao. *Biological control* 46, 46–56.
- Mew T.W., & Gonzales P. (2002). *A Handbook of Rice Seedborne Fungi*. Los Bafios (Philippines): *International Rice Research Institute, and Enfield, N.H. (USA)*: Science Publishers, Inc: 1-83.
- Miller, F. H., & Berg, G. (2009). Characterization of plant growth promoting bacteria from crops in Bolivia. *Journal of Plant Diseases and Protection*, 116 (4), 149–155.
- Monisha, S., Praveen, N., & A, R. (2019). Isolation, Characterization and Management of Brown Spot Disease of Rice. *Journal of Pharmacognosy and Phytochemistry*, 8(3), 4539–4545.
- Mukherjee, G., C. Saha., N. Naskar., A. Mukherjee., S. Lahiri., A. L. Majumder & A. Seal. (2018). An Endophytic Bacterial Consortium Modulates Multiple Strategies to Improve Arsenic Phytoremediation Efficacy in *Solanum nigrum*. *Scientific Reports*. 8(1), 1-16.
- Munif, A., Wiyono, S., & Suwarno. (2012). Isolation of Endophytic Bacteria from Upland Rice and Its Role as Biocontrol Agents and Plant Growth Inducer. *Jurnal Fitopatologi Indonesia*, 8(3), 57–64.
- Nainggolan, S., Fitri, Y., & Malik, A. (2021). Model Fungsi Produktivitas dan Risiko Produksi Usaha Tani Padi Sawah Di Kabupaten Kerinci. *Jurnal Ilmiah Ilmu Terapan Universitas Jambi*, 5(2), 243–253.
- Nazirah, L. (2018). *Teknologi Budidaya Padi Toleran Kekeringan* (Issue 3). Aceh. CV Sefa Bumi Persada.
- Ningrat, M. A., Mual, C. D., & Makabori, Y. Y. (2021). Pertumbuhan dan Hasil Tanaman Padi (*Oryza sativa* L.) pada Berbagai Sistem Tanam di Kampung Desay, Distrik Prafi, Kabupaten Manokwari. *Prosiding Seminar Nasional Pembangunan Dan Pendidikan Vokasi Pertanian*, 2(1), 325–332.
- Norjamilah, Mariana, & Budi, I. S. (2021). Ketahanan Penyakit Bercak Coklat (*Helminthosporium* sp.) pada Padi Beras Merah, Padi Beras Hitam, Lokal Siam, dan Unggul Ciherang. *Jurnal Proteksi Tanaman Tropika*, 4(3), 372–379.
- Nurhayati. (2011). Penggunaan Jamur dan bakteri dalam pengendalian penyakit tanaman secara hayati yang ramah lingkungan. *Prosiding Semirata*, 978 - 979.

- Nuryanto, B. (2018). Pengendalian Penyakit Tanaman Padi Berwawasan Lingkungan Melalui Pengelolaan Komponen Epidemik. *Jurnal Penelitian Dan Pengembangan Pertanian*, 37(1), 1–12.
- Oktavia, N. (2023). Respon Beberapa Varietas Padi Asal Sumatera Barat Terhadap Infeksi *Helminthosporium Oryzae* (B. de Haan) Penyebab Penyakit Bercak Coklat Pada Tanaman Padi. [Skripsi]. Fakultas Pertanian Universitas Andalas, Padang.
- Parida, I., Damayanti, T. A., & Giyanto. (2016). Isolasi, Seleksi, dan Identifikasi Bakteri Endofit sebagai Agens Penginduksi Ketahanan Padi terhadap Hawar Daun Bakteri. *Jurnal Fitopatologi Indonesia*, 12(6), 199–208.
- Patti, P.S., Kaya, E., & Silahooy, CH. (2013). Analisis Status Nitrogen Tanah dalam Kaitannya dengan Serapan N oleh Tanaman Padi Sawah di Desa Waimital, Kecamatan Kairatu, Kabupaten Seran Bagian Barat. *Agrologia*, 2 (1), 51–58.
- Prasetya, A. A., Jazilah, S., & Badrudin, U. (2022). Pengaruh Sistem Tanam terhadap Pertumbuhan dan Produksi beberapa Varietas Tanaman Padi (*Oryza sativa* L.). *Biofarm : Jurnal Ilmiah Pertanian*, 18(1), 53.
- Putri, D., A. Munif., & K.H. Mutaqin. (2016). Lama Penyimpanan, Karakterisasi Fisiologi Dan Viabilitas Bakteri Endofit *Bacillus* Sp. Dalam Formula Tepung. *J. Fitopatologi Indonesia*. Vol. 12. hh 19–26.
- Resti, Z. (2016). Karakterisasi Respon Fisiologis Tanaman Bawang Merah yang Diintroduksi dengan Bakteri Endofit Indigenus Terhadap Penyakit Hawar Daun Bakteri (*Xanthomonas axonopodis* pv. *allii*). [Disertasi]. Pascasarjana. Universitas Andalas.
- Resti, Z., Eri, S., & Reflin. (2018). Konsorsium bakteri endofit sebagai pengendali hayati *Ralstonia solanacearum* dan pemacu pertumbuhan tanaman cabai. *Prosiding Seminar Nasional Masyarakat Biodiv Indonesia*, 4(2), 208–214.
- Resti, Z., Habazar, T., Putra, D. P & Nasrun. (2016). Aktivitas Enzim Peroksidase Bawang Merah yang diintroduksi dengan Bakteri Endofit dan Tahan terhadap Penyakit Hawar Daun Bakteri (*Xanthomonas axonopodis* pv *allii*). *Jurnal HPT Tropika* 16(2), 131 –137.
- Resti, Z., Habazar, T., Putra, D. P., & Nasrun. (2013). Skrining dan Identifikasi Isolat Bakteri Endofit Untuk Mengendalikan Penyakit Hawar Daun Bakteri pada Bawang Merah. *Journal of Tropical Plant Pests and Diseases*, 13(2), 167–178.
- Resti, Z., Liswarni, Y., & Martinius. (2020). Endophytic Bacterial Consortia as Biological Control of Bacterial Leaf Blight and Plant Growth Promoter of Rice (*Oryza sativa* L.). *Journal of Applied Agricultural Science and Technology*, 4(2), 134–145.
- Resti, Z., Reflin, & Gani, S. (2017). Antagonistic and Plant Growth Promoting Potentials of Indigenous Endophytic Bacteria of Shallots. *International Journal of Science and Applied Technology IJSAT*, 2(2), 42–49.

- Ryan, R. P., Germaine, K., Franks, A., Ryan, D. J., & Dowling, D. N. (2008). Bacterial endophytes: Recent developments and applications. *FEMS Microbiology Letters*, 278(1), 1–9.
- Schaad, N. W., Jones, & J. B., Chun, W. (2001). Laboratory Guide for Identification of Plant Pathogenic Bacteria. St Paul: *The American Phytopathology Society*. 44(4), 546-546.
- Shrestha, S., Aryal, L., Parajuli, B., Panthi, J., Sharma, P., & Singh Saud, Y. (2017). Field Experiment to Evaluate the Efficacy of Different Doses of Chemical Fungicides against Rice Brown Leaf Spot Disease Caused by *Bipolaris Oryzae* L. at Paklihawa, Rupandehi, Nepal. *World Journal of Agricultural Research*, 5(3), 162–168.
- Singh, L., Lal, A. A., Kumar, P., Simon, S., & Kumar, M. (2017). Management of brown spot disease of rice by safer fungicides and some bioagents. *Plant Archives*, 17(2), 1020–1022.
- Sipi, S. & Subiadi. (2018). Uji Eefektivitas Bahan Aktif Fungisida untuk Pengendalian Penyakit Bercak Coklat pada Tanaman Padi. *Prosiding Seminar Nasional: Mewujudkan Kedaulatan Pangan Melalui Penerapan Inovasi Teknologi Pertanian Spesifik Lokasi Pada Kawasan Pertanian*; November 2017; Sorong: Balai Besar Pengkajian dan Pengembangan Teknologi Pertanian. Hal. 785-790.
- Siregar, M., & Sulardi. (2018). *Agribisnis budidaya padi* (Issue September 2018). Fakultas Ekonomi Universitas Panca Budi, Medan.
- Sivan, A., & Chet, I. (1986). Biological Control of *Fusarium* spp. in Cotton, Wheat and Muskmelon by *Trichoderma harzianum*. *Journal of Phytopathology*, 116(1), 39–47.
- Sobanbabu, G., Sabarinathan, K. G., Parthiban, V. K., & Ramamoorthy, V. (2018). Isolation, Screening and Identification of Virulent Isolates of *Bipolaris oryzae* Causing Rice Brown Spot and *Sarocladium oryzae* Causing Sheath Rot Disease. *International Journal of Current Microbiology and Applied Sciences*, 7(09), 930–939.
- Sopialena, Sofian, & Nurdiana, J. (2019). Diversity of diseases of rice (*Oryza sativa*) in Kutai Kartanegara, Indonesia. *Asian Journal of Agriculture*, 3(2), 55–62.
- Sudewi, S., Ala, A., Baharuddin, B., & BDR, M. F. (2020). Keragaman Organisme Pengganggu Tanaman (OPT) pada Tanaman Padi Varietas Unggul Baru (VUB) dan Varietas Lokal pada Percobaan Semi Lapangan. *Agrikultura*, 31(1), 15.
- Sunder, S., Singh, R., & Agarwal, R. (2014). Brown spot of rice: an overview History and economic importance. *Indian Phytopath*, 67(3), 201–215.
- Surendhar, M., Anbuselvam, Y., & Ivin, J. J. S. (2022). Status of Rice Brown Spot (*Helminthosporium oryza*) Management in India: A Review. *Agricultural Reviews*, 43(Of), 217–222.

- Suryaningsih. (2008). Pengaruh Mekanisme Pelarut Fosfat Dan Pupuk P terhadap P tersedia, aktivitas fosfatase, populasi mikroorganisme pelarut fosfat, konsentrasi P tanaman dan hasil padi gogo (*Oryza sativa* L.) pada Ultisol. *Agrikultura*. 20(3), 27-29.
- Thakur, K., Netam, R. S., Kerketta, A., Thakur, A. K., Singh, D. P., Singh, A., Pujari, D., Yadu, S., Kale, S., & Sai, K. (2023). Effect of Temperature , pH and Media On Growth and Sporulation of *Helminthosporium oryzae*. *The Pharma Innovation Journal*. 12(July), 582–588.
- Van Loon, L. C. (2007). Plant Responses to Plant Growth-Promoting Rhizobacteria. *European Journal of Plant Pathology*, 119(3), 243–254.
- Walascha, A., Febriana, A., Saputri, D., Sri, D., Haryanti, N., & Tsania, R. (2021). Review Artikel: Inventarisasi Jenis Penyakit yang Menyerang Daun Tanaman Padi (*Oryza sativa* L .). 471–477.
- Wang, Y., Zeng, Q. gui, Zhang, Z. bin, Yan, R. ming, & Zhu, D. (2010). Antagonistic bioactivity of an endophytic bacterium H-6. *African Journal of Biotechnology*, 9(37), 6140–6145.
- Waruwu, A., Soekarno, B., & Munif, A. (2016). "Metabolite of Endophytic Fungi Isolated from Rice as an Alternative to Control Seed-borne Pathogenic Fungi on Rice". *Jurnal Fitopatologi Indonesia*, 12(2), 53–61.
- Yanti, Y. (2015). Peroxidase Enzyme Activity of Rhizobacteria-introduced Shallots Bulbs to Induce Resistance of Shallot towards Bacterial Leaf Blight (*Xanthomonas Axonopodis* pv *Allii*). *Procedia Chemistry*, 14, 501–507.
- Yanti, Y., Hamid, H., Reflin, Warnita, & Habazar, T. (2020). The ability of indigenous *Bacillus* spp. Consortia to control the anthracnose disease (*Colletotricum capsici*) and increase the growth of chili plants. *Biodiversitas*, 21(1), 179–186.
- Yanti, Y., Hamid, H., Yaherwandi, Y., & Nurbailis, N. (2022). Konsorsium *Bacillus* spp. untuk pengendalian penyakit rebah kecambah dan busuk batang (*Sclerotium rolfsii*) pada tanaman Cabai. *Jurnal AGRO*, 9(2), 208–218.
- Yanti, Y., Warnita., Reflin., & Busniah, M. (2018). Indigenous Endophyte Bacteria Ability To Control *Ralstonia* And *Fusarium* Wilt Disease On Chili Pepper. *Biodiversitas Journal Of Biological Diversity*, 19(4), pp.1532- 1538.
- Zen, S., Syarif, A., & Yufdy, M. (2011). Varietas Unggul Lokal Padi Sawah Dengan Rasa Pera Spesifik Sumatera Barat. BPTP Sumatera Barat.