

DAFTAR PUSTAKA

- Appelmelk B, Lynn W. 2000. The cause of sepsis: bacterial cell component that trigger the cytokine cascade. In: Dhainaut J, Thijs L, Park G, eds. Septic shock. London: WB Saunders, 21-39.
- Arnold R, Shapiro N, Jones A, Schorr C, Pope J, Casner E. 2009. Multicenter study of early lactate clearance as a determinant of survival in patients with presumed sepsis. Shock, 32(1), 35-9.
- Arroyo JM, McCarthy JJ, King BR. 2008. Sepsis. In: Baren JM, Rothrock SG, Brennan JA, Brown L, eds. Pediatric emergency medicine. California: Saunders elsevier, 132-40.
- Bai Z, Zhu X, Li M, Hua J, Li Y, Pan J, et al. Effectiveness of predicting in-hospital mortality in critically ill children by assessing blood lactate levels at admission. BMC Pediatrics, 2014;14:1-9.
- Baldari C, Bonavolonta V, Emerenziani GP, Gallotta MC, Silva AJ, Guidetti L. 2009. Accuracy, reliability, linearity of Accutrend and Lactate Pro versus EBIO plus analyzer. Eur J Appl Physiol, 107, 105-11.
- Billeter A, Turina M, Seifert B, Mica L, Stocker R, Keel M. 2009. Early serum procalcitonin, interleukin-6, and 24-hour lactate clearance: useful indicators of septic infections in severely traumatized patients. World J Surg, 33, 558-66.
- Blomkalns A. 2007. New concept and emerging technologies for emergency physicians. EMCREG, 7, 1-11.
- Carvalho PR, Feldens L, Seitz EE, Rocha TS, Soledade MA, Trotta EA. 2005. Prevalence of systemic inflammatory syndromes at a tertiary pediatric intensive care unit. J de Pediatria, 81, 143-8.
- Chaerul F. 2002. Sepsis dan syok sepsis. Dalam: Soedarmo S, Garna H, Hadinegoro S, Safari H, penyunting. Buku ajar infeksi dan penyakit tropis. Jakarta: Balai Penerbit FKUI, 391-8.
- Ciarka A, Backer DD, Vincent JL. 2000. Lactic acidosis in the critical ill. Act Clinic Belgica, 55, 295-9.
- Dahlan MS. 2013. Menentukan rumus besar sampel. Dalam: Suslia A, penyunting. Besar sampel dan cara pengambilan sampel dalam penelitian kedokteran dan kesehatan. Jakarta: Salemba Medika, 19-23.
- Daniels R. 2011. Surviving the first hours in sepsis : getting the basics right (an intensivist's perspective). J Antimicrob Chemother, 66, 11-23.

- Dellinger R, Carlet J, Masur H, Gerlach H, Calandra T, Cohen J. 2008. Surviving Sepsis campaign: international guidelines for management of severe sepsis and septic shock. Crit Care Med, 36, 296-327.
- Duke T. 1999. Dysoxia and lactate. Arch Dis Child, 81, 343–50.
- Galetto-Lacour A, Zamora SA, Gervaix A. 2003. Bedside procalcitonin and C-Reactive Protein tests in children with fever without localizing signs of infection seen in a referral center. Pediatrics, 112, 1054-60.
- Gladden I. 2004. Lactate metabolism: a new paradigm for the third millennium. J Physiol, 558(1), 5-30.
- Glauser M. 2000. Pathophysiology basis of sepsis: considerations for future strategies of intervention. J Crit Care Med, 28, 4-8.
- Goldstein B, Grior B, Randolph A. 2005. International pediatric sepsis consensus conference : definitions for sepsis and organ dysfunction in pediatrics. Pediatr Crit Care Med, 6, 2-8.
- Guyton AC, Hall JE. 2016. Metabolism of carbohydrates and formation of adenosine triphosphate. In: Guyton AC, Hall JE, eds. Guyton and Hall Textbook of Medical Physiology. 13 ed. Philadelphia: Elsevier Saunders, 853-62.
- Hatherill M, McIntyre A, Wattie M, Murdoch I. 2000. Early hyperlactataemia in critical ill children. Intensive Care Med, 26, 314-8.
- Hotchkiss R, Karl I. 2003. The pathophysiology and treatment of sepsis. N Engl J Med, 348, 138-50.
- Husain F, Martin M, Mullenix P, Steele S, Elliot D. 2003. Serum lactate and base deficit as predictors of mortality and morbidity. Am J Surg, 185, 485-91.
- IDAI. 2010. Diagnosis dan tatalaksana sepsis pada anak. Dalam: Rekomendasi Ikatan Dokter Anak Indonesia UKK Pediatri Gawat Darurat, 1-21.
- Irwan I, Gaus S, Arif SK. 2012. Korelasi skor SOFA dengan kadar laktat darah dan *C-Reactive Protein* pada pasien sepsis. Majalah Kedokteran Terapi Intensif, 2, 183-90.
- Jones A, Shapiro N, Trzeciak S, Arnold R, Claremont H, Kline J. 2010. Lactate clearance vs central venous oxygen saturation as goal of early sepsis therapy. JAMA, 303(8), 739-46.
- Khairunnisa, Mayetti. 2011. Bacterial agent patern in pediatric intensive care unit. Paediatr Indones, 54, 89.

- Kruse O, Grunnet N, Barfod C. 2011. Blood lactate as a predictor for in-hospital mortality in patients admitted acutely to hospital: a systematic review. *Scand J Trauma Resusc Med*, 19, 1-12.
- Leclerc F, Creamer R, Noizet O. 2003. Procalcitonin as a diagnostic and prognostic biomarker of sepsis in critical ill children. *Pediatr Crit Care Med*, 4, 264-6.
- Lee W, Slutsky A. 2010. Sepsis and endothelial permeability. *N Engl J Med*, 363, 689-91.
- Levraut J, Ciebiera J, Chave S, Rabary O, Jambou P, Albert. 1998. Mild hyperlactatemia in stable septic patient is due to impaired lactate clearance rather than overproduction. *Am J Respir Crit Care Med*, 157, 1021-6.
- Lubis S. 2006. Asidosis laktat. *Majalah Kedokteran Nusantara*, 39(1), 53-8.
- Luft FC. 2001. Lactic Acidosis Update for Critical Care Clinicians. *J Am Soc Nephrol*, 12, 15-9.
- Madiyono B, Moeslichan S, Sastroasmoro S, Budiman I, Purwanto S. 2011. Perkiraan besar sampel. Dalam: Sastroasmoro S, Ismael S, penyunting. Dasar-dasar metodologi penelitian klinis. Jakarta: Sagung seto, 348-81.
- Mayes PA, Bender DA. 2003. Glycolysis and the oxidation of pyruvate. In: Murray RK, Granner DK, Mayes PA, Rodwell VW, eds. *Harper's Biochemistry* 26 ed. New York: McGraw Hill, 136-44.
- Nguyen H, Loomba M, Yang J, Jacobsen G, Shah K, Otero R. 2010. Early lactate clearance is associated with biomarkers of inflammation, coagulation, apoptosis, organ dysfunction and mortality in severe sepsis and septic shock. *J Inflamm*, 7(6), 1-11.
- Nguyen H, Rivers E, Abrahamian F, Moran G, Abraham E, Trzeciak S. 2006. Severe sepsis and septic shock: review of the literature and emergency department management guidelines. *Ann Emerg Med*, 48, 28-54.
- Nguyen H, Rivers E, Knoblich B, Jacobsen G, Muzzin A, Ressler J. 2004. Early lactate clearance is associated with improved outcome in severe sepsis and septic shock. *Crit Care Med*, 32(8), 1637-42.
- Nichol A, Bailey M, Egi M, Petilla V, French C. 2011. Dinamyc lactate indicates as predictor of outcome in critical ill patients. *Crit Care Med*, 15, 1-10.
- Nurnaningsih, Setyowireni D, Rusmawatiningtyas D. 2011. Microbial pattern in pediatrics septicaemia at pediatric intensive care unit Sardjito Hospital. *Paediatr Indones*, 51, 92.

Paterson R, Webster N. 2002. Sepsis and inflammatory response syndrome. *J R Coll Surg Edinb*, 45, 178-82.

Pavare J, Grope I, Gardovska D. 2009. Prevalence of systemic inflammatory response syndrome (SIRS) in hospitalized children: a point prevalence study. *BMC Pediatrics*, 9, 1-6.

Perez EH, Dawood H, Chetty U, Esterhuizen TM, Bizaare M. 2008. Validation of accutrend lactate meter for hyperlactatemia screening during antiretroviral therapy in a resource-poor setting. *Int J Infect Dis*, 4, 533-6.

Picard K, Donoghue S, Kershaw D, Russell K. 2006. Development and implementation of a multidisciplinary sepsis protocol. *Crit Care Nurs*, 26, 43-54.

Poll T, Opal S. 2008. Host pathogen interactions in sepsis. *Lancet Infect Dis*, 8, 32-43.

Prabhu K, Bhat S, Rao S. 2010. Bacteriological profile and antibiogram of blood culture isolates in a pediatric care unit. *J Lab Physicians*, 2, 85-8.

Reinhart K, Bloos F, Brunkhorst F. 2005. Pathophysiology of sepsis and multiple organ dysfunction. In: Textbook of critical care. fifth edition ed. Philadelphia: Elsevier Saunders, 1249-58.

Russell J. 2006. Management of sepsis. *N Engl J Med*, 355, 1699-713.

Scott A, Saleh M. 2007. The inflammatory caspases: guardians against infections and sepsis. *Cell Death Differ*, 14, 23-31.

Shapiro N, Howell M, Talmor D, Nathanson L, Lisbon A, Wolfe R. 2005. Serum lactate as a predictor of mortality in emergency department patients with infection. *Ann Emerg Med*, 45, 524-8.

Shimaoka M, Park E. 2008. Advances in understanding sepsis. *Eur J Anaesthesiol*, 42, 146-53.

Short M. 2004. Linking the sepsis triad of inflammation, coagulation, and suppressed fibrinolysis to infants. *Adv Neonatal Care*, 5, 258-73.

Silva E, Passos R, Ferri M, Figueiredo L. 2008. Sepsis: from bench to bedside. *Clinics*, 63, 109-20.

Soewondo P, Hendarto H. 2009. Asidosis laktat. Dalam: Sudoyo A, Setiyohadi B, Alwi I, Simadibrata M, Setiati S, penyunting. Buku ajar ilmu penyakit dalam. Jakarta: Interna publishing, 1917-21.

Thomas N, Tamburro R, Hall M, Rajasekaran S, Venglarcik J. 2002. Bacterial sepsis and mechanisms of microbial pathogenesis. In: Nichols D, ed. Rogers' textbook of pediatric intensive care. Philadelphia: Lippincott williams & wilkins, 1300-27.

Toussaint S, Gerlach H. 2009. Activates protein C for sepsis. *N Engl J Med*, 361, 2646-52.

Trzeciak S, Dellinger R, Chansky M, Arnold R, Schorr C, Milcarek B. 2007. Serum lactate as a predictor of mortality in patients with infection. *Intensive Care Med*, 33, 970-7.

Waldrop R, Felter R. 2009. The febrile or septic appearing infant or child. In: Strange G, Ahrens W, Schafermeyer R, Wiebe R, eds. Pediatric emergency medicine. 3 ed. New York: Mc Graw Hill, 15-20.

Watson RS, Carcillo JA. 2003. The epidemiology of severe sepsis in children in the United State. *Am J Respir Crit Care Med*, 167, 695-701.

Watts J, Kline J. 2003. Bench to bedside: the role of mitochondrial medicine in the pathogenesis and treatment of cellular injury. *Acad Emerg Med*, 10, 985-97.

Winn J, Cornell T, Wong H, Shanley T, Wheeler D. 2010. The host response to sepsis and developmental impact. *Pediatrics*, 125(5), 1031-8.

