

## DAFTAR PUSTAKA

- Abukhadra, M. R., Mostafa, M., El-Sherbeeny, A. M., Ahmed Soliman, A. T., & Abd Elgawad, A. E. E. (2020). Effective transformation of waste sunflower oil into biodiesel over novel K<sup>+</sup> trapped clay nanotubes (K<sup>+</sup>/KNTs) as a heterogeneous catalyst; response surface studies. *Microporous and Mesoporous Materials*, 306(May), 110465.
- Abukhadra, M. R., & Sayed, M. A. (2018). K<sup>+</sup> trapped kaolinite (Kaol/K<sup>+</sup>) as low cost and eco-friendly basic heterogeneous catalyst in the transesterification of commercial waste cooking oil into biodiesel. *Energy Conversion and Management*, 177(September), 468–476.
- Admi, A., Angellika, F. T., Rilda, Y., & Syukri, S. (2022). Pengaruh Modifikasi Fisika pada Komposisi, Struktur Kristal dan Sifat Katalitik Lempung Solok. *Jurnal Fisika Unand*, 11(4), 548–555.
- Admi, A., Ramadhani, F., & Syukri, S. (2020). Sintesis dan Karakterisasi Enkapsulat Katalis Nikel (II) pada Silika Mesopori Modifikasi. *Jurnal Riset Kimia*, 11(2), 89–96.
- Aghababaian, S., Beygzadeh, M., Dehghan, M., Halek, F.-S., & Aminy, M. (2023). Nano-sulfonated sepiolite for efficient biodiesel yield from waste oil: A versatile solid acid catalyst. *Fuel Communications*, 17(November), 1–7.
- Alqahtani, M. D., Nasser, N., Bin Jumah, M. N., AlZahrani, S. A., Allam, A. A., Abukhadra, M. R., & Bellucci, S. (2023). Insight into the Morphological Properties of Nano-Kaolinite (Nanoscrolls and Nanosheets) on Its Qualification as Delivery Structure of Oxaliplatin: Loading, Release, and Kinetic Studies. *Molecules*, 28(13), 1–23.
- Amenaghawon, A. N., Obahiagbon, K., Isesele, V., & Usman, F. (2022). Optimized biodiesel production from waste cooking oil using a functionalized bio-based heterogeneous catalyst. *Cleaner Engineering and Technology*, 8, 1–11.
- Awogbemi, O., Kallon, D. V. Von, & Aigbodion, V. S. (2021). Trends in the development and utilization of agricultural wastes as heterogeneous catalyst for biodiesel production. *Journal of the Energy Institute*, 98, 244–258.
- Bayat, A., Baghdadi, M., & Bidhendi, G. N. (2018). Tailored magnetic nano-alumina as an efficient catalyst for transesterification of waste cooking oil: Optimization of biodiesel production using response surface methodology. *Energy Conversion and Management*, 177, 395–405.
- Brevik, E. C., Pereg, L., Pereira, P., Steffan, J. J., Burgess, L. C., & Gedeon, C. I. (2019). Shelter, clothing, and fuel: Often overlooked links between soils,

- ecosystem services, and human health. *Science of the Total Environment*, 651, 134–142.
- Cai, X., Li, C., Tang, Q., Zhen, B., Xie, X., Zhu, W., Zhou, C., & Wang, L. (2019). Assembling kaolinite nanotube at water/oil interface for enhancing Pickering emulsion stability. *Applied Clay Science*, 172(March), 115–122.
- Chen, G., Liu, J., Yao, J., Qi, Y., & Yan, B. (2017). Biodiesel production from waste cooking oil in a magnetically fluidized bed reactor using whole-cell biocatalysts. *Energy Conversion and Management*, 138, 556–564.
- Cheng, H., Zhou, Y., & Liu, Q. (2019). Kaolinite nanomaterials: Preparation, properties and functional applications. In *Nanomaterials from Clay Minerals: A New Approach to Green Functional Materials*. Elsevier Inc.
- Cong, W. J., Wang, Y. T., Li, H., Fang, Z., Sun, J., Liu, H. T., Liu, J. T., Tang, S., & Xu, L. (2020). Direct production of biodiesel from waste oils with a strong solid base from alkalized industrial clay ash. *Applied Energy*, 264, 1–15.
- Darwanta, Suwito, & Fatimah, H. (2019). Karakterisasi Lempung Alam Asal Distrik Tanah Miring Kabupaten Merauke sebagai Adsorben Bleaching CPO (Crude Palm Oil). *AVOGADRO Jurnal Kimia*, 3(1), 35–42.
- Deska, A., Zulhadjri, Tetra, O. N., Efdi, M., & Syukri. (2022). Clay Enriched With  $\text{Ca}^{2+}$  And  $\text{Cu}^{2+}$  As The Catalyst For The Production Of Methyl Esters From Cpo On A Laboratory Scale. *Chemistry and Chemical Technology*, 16(4), 678–683.
- Devaraj Naik, B., & Udayakumar, M. (2019). Optimization studies on esterification of waste cooking oil using sulfated montmorillonite clay acidic catalyst. *Materials Today: Proceedings*, 46(xxxx), 9855–9861.
- Devaraj Naik, B., & Udayakumar, M. (2021). Optimization studies on esterification of waste cooking oil using sulfated montmorillonite clay acidic catalyst. *Materials Today: Proceedings*, 46, 9855–9861.
- Dhawane, S. H., Kumar, T., & Halder, G. (2018). Recent advancement and prospective of heterogeneous carbonaceous catalysts in chemical and enzymatic transformation of biodiesel. *Energy Conversion and Management*, 167(March), 176–202.
- Efri Mardawati, Mahdi Singgih Hidayat, Devi Maulida Rahmah, & SRosalinda. (2019). Produksi Biodiesel Dari Minyak Kelapa Sawit Kasar Off Grade Dengan Variasi Pengaruh Asam Sulfat Pada Proses Esterifikasi Terhadap Mutu Biodiesel Yang Dihasilkan. *Jurnal Industri Pertanian* – , 01, 46–60.
- Farias, A. F. F., Moura, K. F., Souza, J. K. D., Lima, R. O., Nascimento, J. D. S., Cutrim, A. A., Longo, E., Araujo, A. S., Carvalho-Filho, J. R., Souza, A.

- G., & Santos, I. M. G. (2015). Biodiesel obtained by ethylic transesterification using CuO, ZnO and CeO<sub>2</sub> supported on bentonite. *Fuel*, 160, 357–365.
- Febiola, F., Rahmayeni, Admi, & Syukri. (2023). Kaolinite and Illite Based Clay Supporting Nickel: Its Synthesis, Characterization, and Catalytic Optimazion in a Lab-Scale Fatty Acid Methyl Ester Production. *Herald of the Bauman Moscow State Technical University, Series Natural Sciences*, 109(4), 159–174.
- Ghosh, N., & Halder, G. (2022). Current progress and perspective of heterogeneous nanocatalytic transesterification towards biodiesel production from edible and inedible feedstock: A review. *Energy Conversion and Management*, 270, 116292.
- Hasan, N., & Ratnam, M. V. (2022). Biodiesel Production from Waste Animal Fat by Transesterification Using H<sub>2</sub>SO<sub>4</sub>and KOH Catalysts: A Study of Physiochemical Properties. *International Journal of Chemical Engineering*, 2022.
- Hasanudin, H., Asri, W. R., Zulaikha, I. S., Ayu, C., Rachmat, A., Riyanti, F., Hadiah, F., Zainul, R., & Maryana, R. (2022). Hydrocracking of crude palm oil to a biofuel using zirconium nitride and zirconium phosphide-modified bentonite. *RSC Advances*, 12(34), 21916–21925.
- Hiwot, T. (2018). Mango (*Magnifera indica*) seed oil grown in Dilla town as potential raw material for biodiesel production using NaOH-a homogeneous catalyst. *Chemistry International*, 4(4), 198–205.
- Inayat, A., Nassem, A. M., Rezk, H., Sayed, E. T., Abdelkareem, M. A., & Olabi, A. G. (2019). Fuzzy modeling and parameters optimization for the enhancement of biodiesel production from waste frying oil over montmorillonite clay K-30. *Science of the Total Environment*, 666, 821–827.
- Isalmi Aziz. (2017). Kinetika Reaksi Transesterifikasi Minyak Goreng Bekas. *Jurnal Kimia Valensi*, 1(1), 19–23.
- Joelianingsih, Alghifari, M. I., & Antika, F. M. (2016). Sintesis Biodiesel Dari Minyak Kemiri Sunan Dengan Katalis Homogen Melalui Reaksi Esterifikasi Dan Transesterifikasi Secara Bertahap. *Seminar Nasional Sains Dan Teknologi 2016*, 1(1), 1–11.
- Karelius, & Asi, N. B. (2018). Sintesis Dan Karakterisasi Komposit Magnetik Lempung Putih Asal Kalimantan Tengah Sebagai Adsorben Zat Warna Pada Limbah Cair. *Jurnal Ilmiah Kanderang Tingang*, 9(1), 51–66.
- Khan, I. W., Naeem, A., Farooq, M., Mahmood, T., Ahmad, B., Hamayun, M., Ahmad, Z., & Saeed, T. (2020). Catalytic conversion of spent frying oil into

- biodiesel over raw and 12-tungsto-phosphoric acid modified clay. *Renewable Energy*, 155, 181–188.
- Krivoshein, P. K., Volkov, D. S., Rogova, O. B., & Proskurnin, M. A. (2022). FTIR Photoacoustic and ATR Spectroscopies of Soils with Aggregate Size Fractionation by Dry Sieving. *ACS Omega*, 7(2), 2177–2197.
- Lani, N. S., Ngadi, N., Yahya, N. Y., & Rahman, R. A. (2016). Synthesis , characterization and performance of silica impregnated calcium oxide as heterogeneous catalyst in biodiesel production. *Journal of Cleaner Production*, 1–9.
- Li, Y., Hou, D., Ding, X., Kang, X., & Liu, Q. (2023a). Influence of coal-measure kaolinite with different types on the preparation of kaolinite nanotube. *Applied Clay Science*, 246(November), 107179.
- Li, Y., Hou, D., Ding, X., Kang, X., & Liu, Q. (2023b). Influence of coal-measure kaolinite with different types on the preparation of kaolinite nanotube. *Applied Clay Science*, 246(October), 107179.
- Li, Y., Liu, Q., Li, J., Hou, D., Zhang, J., & Li, J. (2022). The preparation of high-yield uniform nanotubes from coal-measure kaolinite. *Applied Clay Science*, 229, 106668.
- Loy, A. C. M., Quitain, A. T., Lam, M. K., Yusup, S., Sasaki, M., & Kida, T. (2019). Development of high microwave-absorptive bifunctional graphene oxide-based catalyst for biodiesel production. *Energy Conversion and Management*, 180(September 2018), 1013–1025.
- Martinez-Guerra, E., & Gude, V. G. (2016). Alcohol effect on microwave-ultrasound enhanced transesterification reaction. *Chemical Engineering and Processing: Process Intensification*, 101, 1–7.
- Mathew, G. M., Raina, D., Narisetty, V., Kumar, V., Saran, S., Pugazhendi, A., Sindhu, R., Pandey, A., & Binod, P. (2021). Recent advances in biodiesel production: Challenges and solutions. *Science of the Total Environment*, 794, 1–15.
- Mohadesi, M., Aghel, B., Maleki, M., & Ansari, A. (2019). Production of biodiesel from waste cooking oil using a homogeneous catalyst: Study of semi-industrial pilot of microreactor. *Renewable Energy*, 136, 677–682.
- Munir, M., Ahmad, M., Rehan, M., Saeed, M., Lam, S. S., Nizami, A. S., Waseem, A., Sultana, S., & Zafar, M. (2020). Production of high quality biodiesel from novel non-edible Raphnus raphanistrum L. seed oil using copper modified montmorillonite clay catalyst. *Environmental Research*, 193, 110398.

- Mustapha, S., Ndamitso, M. M., Abdulkareem, A. S., Tijani, J. O., Shuaib, D. T., Ajala, A. O., & Mohammed, A. K. (2020). Application of TiO<sub>2</sub> and ZnO nanoparticles immobilized on clay in wastewater treatment: a review. In *Applied Water Science* (Vol. 10, Issue 1). Springer International Publishing.
- Narasimhan, M., Chandrasekaran, M., Govindasamy, S., & Aravamudhan, A. (2021). Heterogeneous nanocatalysts for sustainable biodiesel production: A review. *Journal of Environmental Chemical Engineering*, 9(1), 1–41.
- Purbasari, A., & Walmiki, T. (2021). Kajian Dehidroksilasi Termal Kaolin menjadi Metakaolin menggunakan Analisis. *ALCHEMY Jurnal Penelitian Kimia*, 17(1), 105–112.
- Rahayu, Nengsih, Z. W., Arief, S., Rilda, Y., Alif, M. F., & Syukri. (2024). Separation of Kaolinite from Clay Minerals and Its Catalytic Activity in Transesterification Reactions. *Hydrogen Jurnal Kependidikan Kimia*, 12(February), 16–25.
- Ramos, M., Dias, A. P. S., Puna, J. F., Gomes, J., & Bordado, J. C. (2019). Biodiesel production processes and sustainable raw materials. *Energies*, 12(23), 1–30.
- Sarungu, S., Lukman, L., & Paelongan, S. L. P. (2020). Analisa Karakteristik Biodiesel Hasil Transesterifikasi Minyak Jelantah Menggunakan Katalis Koh. *PETROGAS: Journal of Energy and Technology*, 2(1), 57–76.
- Sasongko, M. N. (2018). Pengaruh Prosentase Minyak Goreng Bekas Terhadap Karakteristik Pembakaran Droplet Biodiesel. *Flywheel: Jurnal Teknik Mesin Untirta*, IV(2), 8–13.
- Singh, D., Sharma, D., Soni, S. L., Sharma, S., Kumar Sharma, P., & Jhalani, A. (2019). A review on feedstocks, production processes, and yield for different generations of biodiesel. *Fuel*, 262(October), 116553.
- Sisca, V., Deska, A., Syukri, Zilfa, & Jamarun, N. (2021). Synthesis and characterization of CaO limestone from lintau buo supported by TiO<sub>2</sub> as a heterogeneous catalyst in the production of biodiesel. *Indonesian Journal of Chemistry*, 21(4), 979–989.
- Suleman, N., Abas, & Paputungan, M. (2019). Esterifikasi dan Transesterifikasi Stearin Sawit untuk Pembuatan Biodiesel. *Jurnal Teknik*, 17(1), 66–77.
- Syukri, Fifi, F., Rahmayeni, Mai, E., Eka, P. Y., & Upita, S. (2022). Effect of Thermal Treatment and Nickel-Salt Modification on the Catalytic Performance of the Illite-Kaolinite Clay from Bukittinggi of West Sumatra in Palm Oil Transesterification. In *Herald of the Bauman Moscow State Technical University, Series Natural Sciences* (Issue 2, pp. 125–136).

- Syukri, S., Ferdian, F., Rilda, Y., Putri, Y. E., Efdi, M., & Septiani, U. (2021). Synthesis of graphene oxide enriched natural kaolinite clay and its application for biodiesel production. *International Journal of Renewable Energy Development*, 10(2), 307–315.
- Syukri, S., Septioga, K., Arief, S., Putri, Y. E., Efdi, M., & Septiani, U. (2020). Natural clay of pasaman barat enriched by cao of chicken eggshells as catalyst for biodiesel production. *Bulletin of Chemical Reaction Engineering and Catalysis*, 15(3), 662–673.
- Utami, D. N. (2018). Kajian Jenis Mineralogi Lempung Dan Implikasinya Dengan Gerakan Tanah. *Jurnal Alami : Jurnal Teknologi Reduksi Risiko Bencana*, 2(2), 89.
- Xu, H., Fan, E., Liu, J., Sun, S., Shao, G., Wang, H., Lu, H., & Liu, Q. (2019). Thermal stability and *E. coli* adsorption of kaolinite nanotubes. *Applied Clay Science*, 181(100), 105241.
- Xu, H., Jin, X., Chen, P., Shao, G., Wang, H., Chen, D., Lu, H., & Zhang, R. (2015). Preparation of kaolinite nanotubes by a solvothermal method. *Ceramics International*, 41(5), 6463–6469.
- Yuvenda, D., Sudarmanta, B., Jamaludin, Muraza, O., Putra, R. P., Lapisa, R., Krismadinata, Zainul, R., Asnil, Setiyo, M., & Primandari, S. R. P. (2022). Combustion and Emission Characteristics of CNG-Diesel Dual Fuel Engine with Variation of Air Fuel Ratio. *Automotive Experiences*, 5(3), 507–527.
- Zainul, R., Saputra, F. A., Krismadinata, K., Putra, H., Zikri, A., Iqbal, A., Abdullah, M., & Adeyi, A. A. (2024). Advancements in metal oxide redox cycles for solar-driven chemical processes: oxygen separation, fuel synthesis, ammonia generation, and thermochemical energy storage. *Journal of Medicinal and Pharmaceutical Chemistry Research*, 6(3), 266–280.
- Zhao, J., & Liu, X. (2023). Electron microscopic methods (TEM, SEM and energy dispersal spectroscopy). In *Encyclopedia of Soils in the Environment* (pp. 575–588).
- Zhao, Y., Wang, C., Zhang, L., Chang, Y., & Hao, Y. (2021). Converting waste cooking oil to biodiesel in China: Environmental impacts and economic feasibility. *Renewable and Sustainable Energy Reviews*, 140(December 2019), 110661.