

## DAFTAR PUSTAKA

- Abdelsalam, N. A., Hegazy, S. M., & Aziz, R. K. (2023). The curious case of Prevotella copri. *Gut Microbes*, 15(2). <https://doi.org/10.1080/19490976.2023.2249152>
- Alemu, B. K., Azeze, G. G., Wu, L., Lau, S. L., Wang, C. C., & Wang, Y. (2023). Effects of maternal probiotic supplementation on breast milk microbiome and infant gut microbiome health: a systematic review and meta-analysis of randomized controlled trials. *American Journal of Obstetrics & Gynecology MFM*, 5(11). <https://doi.org/10.1016/j.ajogmf.2023.101148>
- Amir, M., Brown, J. A., Rager, S. L., Sanidad, K. Z., Ananthanarayanan, A., & Zeng, M. Y. (2020). Maternal microbiome and infections in pregnancy. *Microorganisms*, 8(12), 1–21. <https://doi.org/10.3390/microorganisms8121996>
- Asnicar, F., Manara, S., Zolfo, M., Truong, D. T., Scholz, M., Armanini, F., et al. (2017). crossm Studying Vertical Microbiome Transmission from Mothers to Infants by. *MSystems*, 2(1), 1–13. <https://doi.org/10.1128/mSystems.00164-16>
- Berry, A. S. F., Pierdon, M. K., Misic, A. M., Sullivan, M. C., O'Brien, K., Chen, Y., et al. (2021). Remodeling of the maternal gut microbiome during pregnancy is shaped by parity. *Microbiome*, 9(1), 1–15. <https://doi.org/10.1186/s40168-021-01089-8>
- Bezrukova, A. A., Yarmolinskaya, M. I., Sazonova, O. V., Spiridonova, N. V., & Komarova, M. V. (2021). The relationship between breastfeeding and maternal education and family income. *Kazan Medical Journal*, 102(3), 355–361. <https://doi.org/10.17816/KMJ2021-355>
- Bianco, I., Ferrara, C., Romano, F., Loperfido, F., Sottotetti, F., El Masri, D., et al. (2024). The Influence of Maternal Lifestyle Factors on Human Breast Milk Microbial Composition: A Narrative Review. *Biomedicines*, 12(11), 1–27. <https://doi.org/10.3390/biomedicines12112423>
- Boix-Amorós, A., Collado, M. C., & Mira, A. (2016). Relationship between milk microbiota, bacterial load, macronutrients, and human cells during lactation. *Frontiers in Microbiology*, 7(APR), 1–9. <https://doi.org/10.3389/fmicb.2016.00492>
- Boix-Amorós, A., Puente-Sánchez, F., du Toit, E., Linderborg, K. M., Zhang, Y., Yang, B., et al. (2019). Mycobiome profiles in breast milk from healthy women depend on mode of delivery, geographic location, and interaction with bacteria. *Applied and Environmental Microbiology*, 85(9), 1–13. <https://doi.org/10.1128/AEM.02994-18>
- Butts, C. A., Paturi, G., Blatchford, P., Bentley-hewitt, K. L., Hedderley, D. I., Martell, S., et al. (2020). Microbiota Composition of Breast Milk from Women of Different Ethnicity from the Manawatu — Wanganui Region of New Zealand.

- Cabrera-Rubio, R., Collado, M. C., Laitinen, K., Salminen, S., Isolauri, E., & Mira, A. (2012). The human milk microbiome changes over lactation and is shaped by maternal weight and mode of delivery. *American Journal of Clinical Nutrition*, 96(3), 544–551. <https://doi.org/10.3945/ajcn.112.037382>
- Catassi, G., Aloisio, M., Giorgio, V., Gasbarrini, A., Cammarota, G., & Ianiro, G. (2024). The Role of Diet and Nutritional Interventions for the Infant Gut Microbiome. *Nutrients*, 16(3), 1–24. <https://doi.org/10.3390/nu16030400>
- Chen, J., Huang, Z. B., Fan, X. G., Hu, X. W., Qi, M., Liao, C. J., et al. (2020). Potential predictors for prognosis and postpartum recovery time of acute fatty liver of pregnancy. *BMC Pregnancy and Childbirth*, 20(1), 1–8. <https://doi.org/10.1186/s12884-020-03287-y>
- Chiu, C. Y., & Miller, S. A. (2019). Clinical metagenomics. *Nature Reviews Genetics*, 20(6), 341–355. <https://doi.org/10.1038/s41576-019-0113-7>
- Chu, D. M., Meyer, K. M., Prince, A. L., & Aagaard, K. M. (2016). Impact of maternal nutrition in pregnancy and lactation on offspring gut microbial composition and function. *Gut Microbes*, 7(6), 459–470. <https://doi.org/10.1080/19490976.2016.1241357>
- Cortes-Macías, E., Selma-Royo, M., García-Mantrana, I., Calatayud, M., González, S., Martínez-Costa, C., et al. (2021). Maternal Diet Shapes the Breast Milk Microbiota Composition and Diversity: Impact of Mode of Delivery and Antibiotic Exposure. *Journal of Nutrition*, 151(2), 330–340. <https://doi.org/10.1093/jn/nxaa310>
- Cronin, P., Joyce, S. A., O’toole, P. W., & O’connor, E. M. (2021). Dietary fibre modulates the gut microbiota. *Nutrients*, 13(5), 1–22. <https://doi.org/10.3390/nu13051655>
- Darabi, B., Rahmati, S., Hafeziahmadi, M. R., Badfar, G., & Azami, M. (2019). The association between caesarean section and childhood asthma: An updated systematic review and meta-analysis. *Allergy, Asthma and Clinical Immunology*, 15(1), 1–13. <https://doi.org/10.1186/s13223-019-0367-9>
- Dawson, S. L., O’Hely, M., Jacka, F. N., Ponsonby, A. L., Symeonides, C., Loughman, A., et al. (2021). Maternal prenatal gut microbiota composition predicts child behaviour. *EBioMedicine*, 68, 103400. <https://doi.org/10.1016/j.ebiom.2021.103400>
- Demmelmair, H., Jiménez, E., Collado, M. C., Salminen, S., & McGuire, M. K. (2020). Maternal and perinatal factors associated with the human milk microbiome. *Current Developments in Nutrition*, 4(4), 1–14. <https://doi.org/10.1093/cdn/nzaa027>
- Ding, M., Yang, B., Khine, W. W. T., Lee, Y. K., Rahayu, E. S., Ross, R. P., et al. (2021). The species-level composition of the fecal bifidobacterium and lactobacillus genera in Indonesian children differs from that of their mothers. *Microorganisms*, 9(9). <https://doi.org/10.3390/microorganisms9091995>

- Doare, K. Le, Holder, B., Bassett, A., & Pannaraj, P. S. (2018). Mother's Milk: A purposeful contribution to the development of the infant microbiota and immunity. *Frontiers in Immunology*, 9(FEB). <https://doi.org/10.3389/fimmu.2018.00361>
- Donnet-Hughes, A., Perez, P. F., Doré, J., Leclerc, M., Levenez, F., Benyacoub, J., et al. (2010). Potential role of the intestinal microbiota of the mother in neonatal immune education. *The Proceedings of the Nutrition Society*, 69(3), 407–415. <https://doi.org/10.1017/S0029665110001898>
- Zermiani, A. P., Soares, A. L. P. P., Moura, B. L., Miguel, E. R. A., Lopes, L. D. G., Santana, N., et al. (2021). Evidence of Lactobacillus reuteri to reduce colic in breastfed babies: Systematic review and meta-analysis. *Complementary Therapies in Medicine*, 63(August). <https://doi.org/10.1016/j.ctim.2021.102781>
- Du, Y., He, C., An, Y., Huang, Y., Zhang, H., Fu, W., et al. (2024). The Role of Short Chain Fatty Acids in Inflammation and Body Health. *International Journal of Molecular Sciences*, 25(13). <https://doi.org/10.3390/ijms25137379>
- Duranti, S., Lugli, G. A., Mancabelli, L., Armanini, F., Turroni, F., James, K., et al. (2017). Maternal inheritance of bifidobacterial communities and bifidophages in infants through vertical transmission. *Microbiome*, 5(1), 1–13. <https://doi.org/10.1186/s40168-017-0282-6>
- Enache, R. M., Profir, M., Roșu, O. A., Crețoiu, S. M., & Gaspar, B. S. (2024). The Role of Gut Microbiota in the Onset and Progression of Obesity and Associated Comorbidities. *International Journal of Molecular Sciences*, 25(22), 1–24. <https://doi.org/10.3390/ijms252212321>
- Farup, P. G., & Maseng, M. G. (2021). Are faecal microbiota analyses on species-level suitable clinical biomarkers? A pilot study in subjects with morbid obesity. *Microorganisms*, 9(3). <https://doi.org/10.3390/microorganisms9030664>
- Fehlner-Peach, H., Magnabosco, C., Raghavan, V., Scher, J. U., Tett, A., Cox, L. M., et al. (2019). Distinct Polysaccharide Utilization Profiles of Human Intestinal Prevotella copri Isolates. *Cell Host and Microbe*, 26(5), 680-690.e5. <https://doi.org/10.1016/j.chom.2019.10.013>
- Ferretti, P., Pasolli, E., Tett, A., Asnicar, F., Gorfer, V., Fedi, S., et al. (2018). Mother-to-Infant Microbial Transmission from Different Body Sites Shapes the Developing Infant Gut Microbiome. *Cell Host and Microbe*, 24(1), 133–145.e5. <https://doi.org/10.1016/j.chom.2018.06.005>
- Fitzstevens, J. L., Smith, K. C., Hagadorn, J. I., Caimano, M. J., Matson, A. P., & Brownell, E. A. (2017). Systematic review of the human milk microbiota. *Nutrition in Clinical Practice*, 32(3), 354–364. <https://doi.org/10.1177/0884533616670150>
- Fu, J., Zheng, Y., Gao, Y., & Xu, W. (2022). Dietary Fiber Intake and Gut

Microbiota in Human Health. In *Microorganisms* (Vol. 10, Issue 12).  
<https://doi.org/10.3390/microorganisms10122507>

García-Mantrana, I., Selma-Royo, M., González, S., Parra-Llorca, A., Martínez-Costa, C., & Collado, M. C. (2020). Distinct maternal microbiota clusters are associated with diet during pregnancy: impact on neonatal microbiota and infant growth during the first 18 months of life. *Gut Microbes*, 11(4), 962–978. <https://doi.org/10.1080/19490976.2020.1730294>

Gomaa, E. Z. (2020). Human gut microbiota/microbiome in health and diseases: a review. *Antonie van Leeuwenhoek, International Journal of General and Molecular Microbiology*, 113(12), 2019–2040. <https://doi.org/10.1007/s10482-020-01474-7>

Gómez-Gallego, C., Morales, J. M., Monleón, D., Toit, E., Kumar, H., Linderborg, K. M., et al. (2018). Human breast milk NMR metabolomic profile across specific geographical locations and its association with the milk microbiota. *Nutrients*, 10(10). <https://doi.org/10.3390/nu10101355>

Gonia, S., Heisel, T., Miller, N., Haapala, J., Harnack, L., Georgieff, M. K., et al. (2024). Maternal oral probiotic use is associated with decreased breastmilk inflammatory markers, infant fecal microbiome variation, and altered recognition memory responses in infants -a pilot observational study. *Frontiers in Nutrition*, 11(September), 1456111. <https://doi.org/10.3389/fnut.2024.1456111>

Gosalbes, M. J., Compte, J., Moriano-Gutierrez, S., Vallès, Y., Jiménez-Hernández, N., Pons, X., et al. (2019). Metabolic adaptation in the human gut microbiota during pregnancy and the first year of life. *EBioMedicine*, 39, 497–509. <https://doi.org/10.1016/j.ebiom.2018.10.071>

Groer, M. W., Morgan, K. H., Louis-Jacques, A., & Miller, E. M. (2020). A Scoping Review of Research on the Human Milk Microbiome. *Journal of Human Lactation : Official Journal of International Lactation Consultant Association*, 36(4), 628–643. <https://doi.org/10.1177/0890334420942768>

Haddad, E. N., Sugino, K. Y., Kerver, J. M., Paneth, N., & Comstock, S. S. (2021). The infant gut microbiota at 12 months of age is associated with human milk exposure but not with maternal pre-pregnancy body mass index or infant BMI-for-age z-scores. *Current Research in Physiology*, 4(October 2020), 94–102. <https://doi.org/10.1016/j.crphys.2021.03.004>

Hermansson, H., Kumar, H., Collado, M. C., Salminen, S., Isolauri, E., & Rautava, S. (2019). Breast milk microbiota is shaped by mode of delivery and intrapartum antibiotic exposure. *Frontiers in Nutrition*, 6(February). <https://doi.org/10.3389/fnut.2019.00004>

Hoque, M. N., Istiaq, A., Clement, R. A., Sultana, M., Crandall, K. A., Siddiki, A. Z., et al. (2019). Association of milk microbiome in bovine clinical mastitis and their functional implications in cows in Bangladesh. *BioRxiv, April*, 591982. <https://www.biorxiv.org/content/10.1101/591982v1>

- Ibrahim, S. H., Abd El -Ghany, S. M., El Shafie, T. M., & El Hady, M. (2019). Cognitive Functions in Breastfed versus Artificially Fed in Preschool Children. *The Egyptian Journal of Hospital Medicine*, 77(5), 5742–5751. <https://doi.org/10.21608/ejhm.2019.63230>
- Ji, C., Zhang, G., Xu, S., Xiang, Q., Huang, M., Zhao, M., et al. (2022). Antibiotic treatments to mothers during the perinatal period leaving hidden trouble on infants. *European Journal of Pediatrics*, 181(9), 3459–3471. <https://doi.org/10.1007/s00431-022-04516-6>
- Jiménez, E., De Andrés, J., Manrique, M., Pareja-Tobes, P., Tobes, R., Martínez-Blanch, J. F., et al. (2015). Metagenomic analysis of milk of healthy and mastitis-suffering women. *Journal of Human Lactation*, 31(3), 406–415. <https://doi.org/10.1177/0890334415585078>
- Jones, J., Reinke, S. N., Ali, A., Palmer, D. J., & Christphersen, C. T. (2021). Fecal sample collection methods and time of day impact microbiome composition and short chain fatty acid concentrations. *Scientific Reports*, 11(1), 1–13. <https://doi.org/10.1038/s41598-021-93031-z>
- Kim, H., Sitarik, A. R., Woodcroft, K., Johnson, C. C., & Zoratti, E. (2019). Birth Mode, Breastfeeding, Pet Exposure, and Antibiotic Use: Associations With the Gut Microbiome and Sensitization in Children. *Current Allergy and Asthma Reports*, 19(4). <https://doi.org/10.1007/s11882-019-0851-9>
- Kimura, I., Miyamoto, J., Ohue-Kitano, R., Watanabe, K., Yamada, T., Onuki, M., et al. (2020). Maternal gut microbiota in pregnancy influences offspring metabolic phenotype in mice. *Science*, 367(6481). <https://doi.org/10.1126/science.aaw8429>
- Kordy, K., Gaufin, T., Mwangi, M., Li, F., Cerini, C., Lee, D. J., et al. (2020). Contributions to human breast milk microbiome and enteromammary transfer of *Bifidobacterium breve*. *PLoS ONE*, 15(1), 1–10. <https://doi.org/10.1371/journal.pone.0219633>
- Lackey, K. A., Williams, J. E., Meehan, C. L., Zacheck, J. A., Benda, E. D., Price, W. J., et al. (2019). What's normal? Microbiomes in human milk and infant feces are related to each other but vary geographically: The inspire study. *Frontiers in Nutrition*, 6(April). <https://doi.org/10.3389/fnut.2019.00045>
- Lopez Leyva, L., Brereton, N. J. B., & Koski, K. G. (2021). Emerging frontiers in human milk microbiome research and suggested primers for 16S rRNA gene analysis. *Computational and Structural Biotechnology Journal*, 19, 121–133. <https://doi.org/10.1016/j.csbj.2020.11.057>
- Lyons, K. E., Ryan, C. A., Dempsey, E. M., Ross, R. P., & Stanton, C. (2020). Breast milk, a source of beneficial microbes and associated benefits for infant health. *Nutrients*, 12(4), 1–30. <https://doi.org/10.3390/nu12041039>
- Magne, F., Gotteland, M., Gauthier, L., Zazueta, A., Pesoa, S., Navarrete, P., et al. (2020). The firmicutes/bacteroidetes ratio: A relevant marker of gut dysbiosis

- in obese patients? *Nutrients*, 12(5). <https://doi.org/10.3390/nu12051474>
- Maheshwari, K., Musyuni, P., Moulick, A., Mishra, H., Ekielski, A., Mishra, P. K., *et al.* (2024). Unveiling the microbial symphony: Next-Gen sequencing and bioinformatics insights into the human gut microbiome. *Health Sciences Review*, 11(April), 100173. <https://doi.org/10.1016/j.hsr.2024.100173>
- Maldonado, J. (2019). Probiotics and Prebiotics in Infant Formulae. In E. Franco-Robles & J. Ramírez-Emiliano (Eds.), *Prebiotics and Probiotics*. IntechOpen. <https://doi.org/10.5772/intechopen.88609>
- Mardhika, A., Altas, R. I., Fadliyah, L., Sulpat, E., Tyas, A. P. M., & Medawati, R. (2022). Description of Knowledge in Exclusive Breastfeeding Mothers At Sukomulyo Community Health Center, Gresik. *Journal of Vocational Nursing*, 3(2), 110–115. <https://doi.org/10.20473/jovin.v3i2.39399>
- Martin, H., Thevenet-Morrison, K., & Dozier, A. (2020). Maternal pre-pregnancy body mass index, gestational weight gain and breastfeeding outcomes: A cross-sectional analysis. *BMC Pregnancy and Childbirth*, 20(1), 1–10. <https://doi.org/10.1186/s12884-020-03156-8>
- Meng, X., Dunsmore, G., Koleva, P., Elloumi, Y., Wu, R. Y., Sutton, R. T., *et al.* (2019). The Profile of Human Milk Metabolome, Cytokines, and Antibodies in Inflammatory Bowel Diseases Versus Healthy Mothers, and Potential Impact on the Newborn. *Journal of Crohn's and Colitis*, 13(4), 431–441. <https://doi.org/10.1093/ecco-jcc/jjy186>
- Moossavi, S., Atakora, F., Miliku, K., Sepehri, S., Robertson, B., Duan, Q. L., *et al.* (2019). Integrated analysis of human milk microbiota with oligosaccharides and fatty acids in the child cohort. *Frontiers in Nutrition*, 6(May), 1–16. <https://doi.org/10.3389/fnut.2019.00058>
- Moossavi, S., Sepehri, S., Robertson, B., Bode, L., Goruk, S., Field, C. J., *et al.* (2019). Composition and Variation of the Human Milk Microbiota Are Influenced by Maternal and Early-Life Factors. *Cell Host and Microbe*, 25(2), 324-335.e4. <https://doi.org/10.1016/j.chom.2019.01.011>
- Moubareck, C. A. (2021). Human milk microbiota and oligosaccharides: A glimpse into benefits, diversity and correlations. In *Nutrients* (Vol. 13, Issue 4). <https://doi.org/10.3390/nu13041123>
- Mu, Q., Tavella, V. J., & Luo, X. M. (2018). Role of Lactobacillus reuteri in human health and diseases. *Frontiers in Microbiology*, 9(APR), 1–17. <https://doi.org/10.3389/fmicb.2018.00757>
- Notarbartolo, V., Giuffre, M., Montante, C., Corsello, G., & Carta, M. (2022). Composition of Human Breast Milk Microbiota and Its Role in Children's Health. *Pediatric Gastroenterology, Hepatology and Nutrition*, 25(3), 194–210. <https://doi.org/10.5223/pghn.2022.25.3.194>
- Palladino, E., Van Mieghem, T., & Connor, K. L. (2021). Diet Alters Micronutrient

- Pathways in the Gut and Placenta that Regulate Fetal Growth and Development in Pregnant Mice. *Reproductive Sciences*, 28(2), 447–461. <https://doi.org/10.1007/s43032-020-00297-1>
- Pannaraj, P. S., Li, F., Cerini, C., Bender, J. M., Yang, S., Rollie, A., et al. (2017). Association between breast milk bacterial communities and establishment and development of the infant gut microbiome. *JAMA Pediatrics*, 171(7), 647–654. <https://doi.org/10.1001/jamapediatrics.2017.0378>
- Pannaraj, P. S., Ly, M., Cerini, C., Saavedra, M., Aldrovandi, G. M., Saboory, A. A., et al. (2018). Shared and distinct features of human milk and infant stool viromes. *Frontiers in Microbiology*, 9(JUN), 1–13. <https://doi.org/10.3389/fmicb.2018.01162>
- Perez, P. F., Doré, J., Leclerc, M., Levenez, F., Benyacoub, J., Serrant, P., et al. (2007). Bacterial imprinting of the neonatal immune system: Lessons from maternal cells? *Pediatrics*, 119(3). <https://doi.org/10.1542/peds.2006-1649>
- Prentice, P. M., Schoemaker, M. H., Vervoort, J., Hettinga, K., Lambers, T. T., Van Tol, E. A. F., et al. (2019). Human milk short-chain fatty acid composition is associated with adiposity outcomes in infants. *Journal of Nutrition*, 149(5), 716–722. <https://doi.org/10.1093/jn/nxy320>
- Rapingah, S., Muhamni, N., Besral, & Yuniar, P. (2021). Determinants of exclusive breastfeeding practices of female healthcare workers in Jakarta, Indonesia. *Kesmas*, 16(1), 59–65. <https://doi.org/10.21109/KESMAS.V16I1.2715>
- Riaz Rajoka, M. S., Mehwish, H. M., Siddiq, M., Haobin, Z., Zhu, J., Yan, L., et al. (2017). Identification, characterization, and probiotic potential of Lactobacillus rhamnosus isolated from human milk. *LWT*, 84, 271–280. <https://doi.org/https://doi.org/10.1016/j.lwt.2017.05.055>
- Rocha Martin, V. N., Schwab, C., Krych, L., Voney, E., Geirnaert, A., Braegger, C., et al. (2018). Colonization of *Cutibacterium avidum* during infant gut microbiota establishment. *FEMS Microbiology Ecology*, 95(1), 1–14. <https://doi.org/10.1093/femsec/fiy215>
- Rodríguez, J. M. (2014). The origin of human milk bacteria: Is there a bacterial entero-mammary pathway during late pregnancy and lactation? *Advances in Nutrition*, 5(6), 779–784. <https://doi.org/10.3945/an.114.007229>
- Rodríguez, J. M., Fernández, L., & Verhasselt, V. (2021). The gut–breast axis: Programming health for life. *Nutrients*, 13(2), 1–23. <https://doi.org/10.3390/nu13020606>
- Santillo, A., Figliola, L., Ciliberti, M. G., Caroprese, M., Marino, R., & Albenzio, M. (2018). Focusing on fatty acid profile in milk from different species after in vitro digestion. *Journal of Dairy Research*, 85(2), 257–262. <https://doi.org/10.1017/S0022029918000274>
- Sastroasmoro, S., & Ismael, S. (2011). *Dasar-dasar Metodologi Penelitian Klinis*

(Vol. 4). Sagung Seto.

- Selma-Royo, M., Calvo Lerma, J., Cortés-Macías, E., & Collado, M. C. (2021). Human milk microbiome: From actual knowledge to future perspective. *Seminars in Perinatology*, 45(6). <https://doi.org/10.1016/j.semperi.2021.151450>
- Sevelsted, A., Stokholm, J., Bønnelykke, K., & Bisgaard, H. (2015). Cesarean section chronic immune disorders. *Pediatrics*, 135(1), e92–e98. <https://doi.org/10.1542/peds.2014-0596>
- Shao, Y., Forster, S. C., Tsaliki, E., Vervier, K., Strang, A., Simpson, N., et al. (2019). Stunted microbiota and opportunistic pathogen colonization in caesarean-section birth. *Nature*, 574(7776), 117–121. <https://doi.org/10.1038/s41586-019-1560-1>
- Sindi, A. S., Geddes, D. T., Wlodek, M. E., Mühlhäusler, B. S., Payne, M. S., & Stinson, L. F. (2021). Can we modulate the breastfed infant gut microbiota through maternal diet? *FEMS Microbiology Reviews*, 45(5), 1–21. <https://doi.org/10.1093/femsre/fuab011>
- Singh, S. B., Madan, J., Coker, M., Hoen, A., Baker, E. R., Karagas, M. R., et al. (2020). Does birth mode modify associations of maternal pre-pregnancy BMI and gestational weight gain with the infant gut microbiome? *International Journal of Obesity*, 44(1), 23–32. <https://doi.org/10.1038/s41366-018-0273-0>
- Sinha, T., Brushett, S., Prins, J., & Zhernakova, A. (2023). The maternal gut microbiome during pregnancy and its role in maternal and infant health. *Current Opinion in Microbiology*, 74, 102309. <https://doi.org/10.1016/j.mib.2023.102309>
- Spreckels, J. E., Fernández-Pato, A., Kruk, M., Kurilshikov, A., Garmaeva, S., Sinha, T., et al. (2023). Analysis of microbial composition and sharing in low-biomass human milk samples: a comparison of DNA isolation and sequencing techniques. *ISME Communications*, 3(1), 1–13. <https://doi.org/10.1038/s43705-023-00325-6>
- Stinson, L. F., Gay, M. C. L., Koleva, P. T., Eggesbø, M., Johnson, C. C., Wegienka, G., et al. (2020). Human Milk From Atopic Mothers Has Lower Levels of Short Chain Fatty Acids. *Frontiers in Immunology*, 11(July), 1–9. <https://doi.org/10.3389/fimmu.2020.01427>
- Stinson, L. F., Sindi, A. S. M., Cheema, A. S., Lai, C. T., Mühlhäusler, B. S., Wlodek, M. E., et al. (2021). The human milk microbiome: Who, what, when, where, why, and how? *Nutrition Reviews*, 79(5), 529–543. <https://doi.org/10.1093/nutrit/nuaa029>
- Su, Y., Gan, X. P., Li, F. F., Zhang, D. Y., Chen, L., Cao, Y. N., et al. (2021). Effect of exposure to antibiotics on the gut microbiome and biochemical indexes of pregnant women. *BMJ Open Diabetes Research and Care*, 9(2), 1–11. <https://doi.org/10.1136/bmjdrc-2021-002321>

- Temples, H. S. (2019). Breastfeeding reduces risk of Type 2 Diabetes in the (PETS). *Nursing Outlook*, 67(1), 115. <https://doi.org/10.1016/j.outlook.2018.12.026>
- Thorburn, A. N., McKenzie, C. I., Shen, S., Stanley, D., MacIa, L., Mason, L. J., et al. (2015). Evidence that asthma is a developmental origin disease influenced by maternal diet and bacterial metabolites. *Nature Communications*, 6. <https://doi.org/10.1038/ncomms8320>
- Timm, C. M., Loomis, K., Stone, W., Mehoke, T., Brensinger, B., Pellicore, M., et al. (2020). Isolation and characterization of diverse microbial representatives from the human skin microbiome. *Microbiome*, 8(1), 1–12. <https://doi.org/10.1186/s40168-020-00831-y>
- Togo, A., Dufour, J.-C., Lagier, J.-C., Dubourg, G., Raoult, D., & Million, M. (2019). Repertoire of human breast and milk microbiota: a systematic review. *Future Microbiology*, 14, 623–641. <https://doi.org/10.2217/fmb-2018-0317>
- Toscano, M., Grandi, R. De, Grossi, E., & Drago, L. (2017). Role of the human breast milk-associated microbiota on the newborns' immune system: A mini review. *Frontiers in Microbiology*, 8(OCT), 1–5. <https://doi.org/10.3389/fmicb.2017.02100>
- Elsen, L. W. J., Garssen, J., Burcelin, R., & Verhasselt, V. (2019). Shaping the gut microbiota by breastfeeding: The gateway to allergy prevention? *Frontiers in Pediatrics*, 7(FEB), 1–10. <https://doi.org/10.3389/fped.2019.00047>
- Giessen, J., Binyamin, D., Belogolovski, A., Frishman, S., Tenenbaum-Gavish, K., Hadar, E., et al. (2019). Modulation of cytokine patterns and microbiome during pregnancy in IBD. *Gut*, 473–486. <https://doi.org/10.1136/gutjnl-2019-318263>
- Vila, A., Collij, V., Sanna, S., Sinha, T., Imhann, F., Bourgonje, A. R., et al. (2020). Impact of commonly used drugs on the composition and metabolic function of the gut microbiota. *Nature Communications*, 11(1), 1–11. <https://doi.org/10.1038/s41467-019-14177-z>
- Vuillermin, P. J., O'Hely, M., Collier, F., Allen, K. J., Tang, M. L. K., Harrison, L. C., et al. (2020). Maternal carriage of Prevotella during pregnancy associates with protection against food allergy in the offspring. *Nature Communications*, 11(1), 1–7. <https://doi.org/10.1038/s41467-020-14552-1>
- Vuong, H. E., Pronovost, G. N., Williams, D. W., Coley, E. J. L., Siegler, E. L., Qiu, A., et al. (2020). The maternal microbiome modulates fetal neurodevelopment in mice. *Nature*, 586(7828), 281–286. <https://doi.org/10.1038/s41586-020-2745-3>
- Walker, W. A., & Iyengar, R. S. (2015). Breast milk, microbiota, and intestinal immune homeostasis. *Pediatric Research*, 77(1), 220–228. <https://doi.org/10.1038/pr.2014.160>
- Wu, X. M., & Tan, R. X. (2019). Interaction Between Gut Microbiota and

- Ethnomedicine Constituents. *Natural Prod. Rep.*, 36(5), 788–809. <https://doi.org/10.1039/c8np00041g>
- Yan, W., Luo, B., Zhang, X., Ni, Y., & Tian, F. (2021). Association and Occurrence of Bifidobacterial Phylotypes Between Breast Milk and Fecal Microbiomes in Mother-Infant Dyads During the First 2 Years of Life. *Frontiers in Microbiology*, 12, 669442. <https://doi.org/10.3389/fmicb.2021.669442>
- Yang, H., Guo, R., Li, S., Liang, F., Tian, C., Zhao, X., et al. (2020). Systematic analysis of gut microbiota in pregnant women and its correlations with individual heterogeneity. *Npj Biofilms and Microbiomes*, 6(1), 1–12. <https://doi.org/10.1038/s41522-020-00142-y>
- Yao, Y., Cai, X., Fei, W., Ye, Y., Zhao, M., & Zheng, C. (2022). The role of short-chain fatty acids in immunity, inflammation and metabolism. *Critical Reviews in Food Science and Nutrition*, 62(1), 1–12. <https://doi.org/10.1080/10408398.2020.1854675>
- Yao, Y., Cai, X., Ye, Y., Wang, F., Chen, F., & Zheng, C. (2021). The Role of Microbiota in Infant Health: From Early Life to Adulthood. *Frontiers in Immunology*, 12(October), 1–21. <https://doi.org/10.3389/fimmu.2021.708472>
- Zhang, X., Mushajiang, S., Luo, B., Tian, F., Ni, Y., & Yan, W. (2020). The Composition and Concordance of Lactobacillus Populations of Infant Gut and the Corresponding Breast-Milk and Maternal Gut. *Frontiers in Microbiology*, 11(December). <https://doi.org/10.3389/fmicb.2020.597911>
- Zmora, N., Zilberman-Schapira, G., Suez, J., Mor, U., Dori-Bachash, M., Bashiardes, S., et al. (2018). Personalized Gut Mucosal Colonization Resistance to Empiric Probiotics Is Associated with Unique Host and Microbiome Features. *Cell*, 174(6), 1388–1405.e21. <https://doi.org/10.1016/j.cell.2018.08.041>
- Zubcevic, J., Watkins, J., Lin, C., Bautista, B., Hatch, H. M., Tevosian, S. G., et al. (2022). Nicotine Exposure during Rodent Pregnancy Alters the Composition of Maternal Gut Microbiota and Abundance of Maternal and Amniotic Short Chain Fatty Acids. *Metabolites*, 12(8). <https://doi.org/10.3390/metabo12080735>