

DAFTAR PUSTAKA

1. Marlina, Pradifta R, Lucida H, Sudji IR, Salsabila HN, Elida N, et al. Formulation of Mesenchymal Stem Cell Secretome As Antiaging Cream. *Int J Appl Pharm.* 2023;15(Special Issue 1):45–50.
2. Krasnodembskaya A, Song Y, Fang X, Gupta N, Serikov V, Lee JW, et al. Antibacterial effect of human mesenchymal stem cells is mediated in part from secretion of the antimicrobial peptide LL-37. *Stem Cells.* 2010;28(12):2229–38.
3. Fithriyana R. Hubungan Kejadian Acne Vulgaris Dengan Kepercayaan Diri Pada Siswi Kelas Xi Di Sman 2 Bangkinang Kota. *J Ners.* 2019;3(1):7–12.
4. Sifatullah N, Zulkarnain Z. Jerawat (Acne vulgaris): Review penyakit infeksi pada kulit. *Pros Semin Nas Biol.* 2021;(November):19–23.
5. Sari L, Jusuf NK, Putra IB. Bacterial identification of acne vulgaris. *Bali Med J.* 2020;9(3):753–6.
6. Sukertiasih NK, Megawati F, Meriyani H, Sanjaya DA. Studi Retrospektif Gambaran Resistensi Bakteri terhadap Antibiotik. *J Ilm Medicam.* 2021;7(2):108–11.
7. Halim D et al. (2010) SCDT& AKE. *Stem Cell: Dasar Teori & Aplikasi Klinis.* Erlangga; 2010. 136 p.
8. Pawitan JA. Prospect of stem cell conditioned medium in regenerative medicine. *2014;7–9.*
9. Hartono B. Sel Punca : Karakteristik , Potensi dan Aplikasinya. *J Kedokt Meditek.* 2016;22(60):72–5.
10. Kim HJ, Jung MS, Hur YK, Jung AH. A study on clinical effectiveness of cosmetics containing human stem cell conditioned media. *Biomed Dermatology.* 2020;4(1):1–11.
11. Sutton MT, Fletcher D, Ghosh SK, Weinberg A, van Heeckeren R, Kaur S,

- et al. Antimicrobial Properties of Mesenchymal Stem Cells: Therapeutic Potential for Cystic Fibrosis Infection, and Treatment. Pranke P, editor. *Stem Cells Int.* 2016;2016:5303048.
12. American Type Culture Collection. Animal Cell Culture Guide. ATCC. 2014;39(6):NP. Available from: www.atcc.org
 13. Sato C, Yamamoto Y, Funayama E, Furukawa H, Oyama A, Murao N, et al. Conditioned medium obtained from amnion-derived mesenchymal stem cell culture prevents activation of keloid fibroblasts. *Plast Reconstr Surg.* 2018;141(2):390–8.
 14. Walter MNM, Wright KT, Fuller HR, MacNeil S, Johnson WEB. Mesenchymal stem cell-conditioned medium accelerates skin wound healing: An in vitro study of fibroblast and keratinocyte scratch assays. *Exp Cell Res.* 2010;316(7):1271–81.
 15. González-González A, García-Sánchez D, Dotta M, Rodríguez-Rey JC PCF. Mesenchymal stem cells secretome: The cornerstone of cell-free regenerative medicine. *World J Stem Cells.* 2020;12(12):1529–52.
 16. Habibie DR, Aldo D. Sistem Pakar Untuk Identifikasi Jenis Jerawat Dengan Metode Certainty Factor. *JOINTECS (Journal Inf Technol Comput Sci.* 2019;4(3):79.
 17. Jawetz, E., Melnick, J. L., Adelberg EA. Mikrobiologi Kedokteran Edisi XXII. edisi XXII. diterjemahkan oleh Bagian Mikrobiologi Fakultas Kedokteran UA, editor. Jakarta: Penerbit Salemba Medika; 2001.
 18. Adhi Djuanda, Mochtar Hamzah Siti Aisah. Ilmu Penyakit Kulit dan Kelamin. kelima. mochtar hamzah siti aisah, editor. Jakarta: Balai Penerbit FKUI; 2007. 490 p.
 19. Mancini AJ. Incidence , Prevalence , And Pathophysiology Of Acne * —. In 2008.
 20. Budhi GS, Adipranata R, Gunawan A. Acne Segmentation and Classification using Region Growing and Self-Organizing Map. 2017;

- 
21. Hayashi N, Akamatsu H, Kawashima M, Ito M, Otsuki M, Kawashima M, et al. Establishment of grading criteria for acne severity. *J Dermatol*. 2008;35(5):255–60.
22. Cripps DJ. Current management of acne vulgaris. *Wis Med J*. 1973;72(9):189–91.
23. Jahns AC, Eilers H, Alexeyev OA. Transcriptomic analysis of *Propionibacterium acnes* biofilms in vitro. *Anaerobe*. 2016;42:111–8.
24. Geo F. Brooks, Janet S. Butel SAM. Mikrobiologi kedokteran (medical microbiology). 1st ed. Eddy Mudihardi H, editor. Jakarta: Salemba Medika; 2005.
25. Radji M. Buku Ajar Mikrobiologi Panduan Mahasiswa Farmasi & Kedokteran. Jakarta: EGC; 2011.
26. Pelczar Michael J. Dasar-Dasar Mikrobiologi Jilid 1. 1st ed. DEPOK: Universitas Indonesia (UI-Press); 2006. 443 hlm.
27. Ullah H, Ali S. Classification of Anti-Bacterial Agents and Their Functions. Antibact Agents. 2017;
28. Harti, Agnes Sri. Mikrobiologi Kesehatan. 1st ed. Erang Risanto, editor. Yogyakarta: ANDI; 2015. 274 hlm.
29. Susanto D S RR. Studi Kandungan Bahan Aktif Tumbuhan Miranti Merah (*Shorea leprosula* Miq) Sebagai Senyawa Antibakteri. *Mulawarma Scirntifie*. 2012;11(2):181–.
30. Teknologi J, Peternakan H, Nurhayati LS, Yahdiyani N, Hidayatulloh A, Peternakan F, et al. Perbandingan Pengujian Aktivitas Antibakteri Starter Yogurt Dengan Metode Difusi Sumuran Dan Metode Difusi Cakram. 2020;1(September):41–6.
31. Kusmiyati K, Agustini Nws. Antibacterial activity assay from *Porphyridium cruentum* microalgae. *Biodiversitas J Biol Divers*. 2006;8(1):48–53.
32. Ningsih A, Ibrahim A. Aktifitas Antimikroba Ekstrak Fraksi N-Heksan Daun

- Sungkai (Peronema Canescens. Jack) Terhadap Beberapa Bakteri Dengan Metode Klt-Bioautografi. *J Trop Pharm Chem.* 2013;2(2):76–82.
33. Anonim. Farmakope Indonesia Edisi VI. Edisi VI. Jakarta: Departemen Kesehatan Republik Indonesia; 2020.
34. Sharon N, Anam S, Yuliet. Formulasi Krim Antioksidan Ekstrak Etanol Bawang Hutan (*Eleutherine palmifolia* L. Merr). *Online J Nat Sci.* 2013;2(3):111–22.
35. Elmitra, M.Farm A. Dasar - Dasar Farmasetika Dan Sediaan Semi Solid. Cetakan Pe. Yogyakarta: Deepublish; 2017. 261 hlm.
36. Anief M. Sistem dispersi, Formulasi Suspensi Dan Emulsi. 1st ed. Yogyakarta: Gadjah Mada University Press; 1998.
37. Sjarif M. Wasitaatmadja. Penuntun ilmu kosmetik medik. Jakarta: UI-Press; 1997. ix, 219 p.; 23 cm.
38. Fatchiyah. Biologi Molekuler: Prinsip Dasar Analisis. Jakarta: erlangga; 2011.
39. Handoyo D, Rudiretna A. Prinsip umum dan pelaksanaan Polymerase Chain Reaction (PCR). *Unitas.* 2001;9(1):17–29.
40. Harahap MR. Elektroforesis: Analisis Elektronika Terhadap Biokimia Genetika. *CIRCUIT J Ilm Pendidik Tek Elektro.* 2018;2(1):21–6.
41. Green MR, Sambrook J. Analysis of DNA by agarose gel electrophoresis. *Cold Spring Harb Protoc.* 2019;2019(1):6–15.
42. Anam K, Cahyadi W, Azmi I, Senjarini K, Oktarianti R. Analisis Hasil Elektroforesis DNA dengan Image Processing Menggunakan Metode Gaussian Filter. *IJEIS (Indonesian J Electron Instrum Syst.* 2021;11(1):37.
43. Daeli IO, Ridho R. Formulasi dan Uji Aktivitas Antibakteri Krim Ekstrak Daun Johar (*Cassia siamea* L.) terhadap *Staphylococcus aureus*. *J Farm dan Farmakoinformatika.* 2023;1(2):88–103.
44. Tungadi R, Sy. Pakaya M, D.as’ali PW. Formulasi dan Evaluasi Stabilitas

- Fisik Sediaan Krim Senyawa Astaxanthin. Indones J Pharm Educ. 2023;3(1):117–24.
45. Hamsinah H, Darijanto SD, Mauluddin R. Uji Stabilitas Formulasi Krim Tabir Surya Serbuk Rumput Laut (*Eucheuma cottonii*. Doty). J Fitofarmaka Indones. 2016;3(2):155–8.
 46. Amin SS, Ghazali Z, Rusdiana M, Efendi S. Identifikasi Bakteri dari Telapak Tangan dengan Pewarnaan Gram. CHEMVIRO: Jurnal Kimiadan Ilmu Lingkungan.2023;1(1):30–5.
 47. Promega Corporation. Wizard Genomic DNA Purification Kit Protocol. Promega Quick Protoc. 2020;1–4.
 48. Nakamura M, Kametani I, Higaki S, Yamagishi T. Identification of *Propionibacterium acnes* by polymerase chain reaction for amplification of 16S ribosomal RNA and lipase genes. 2003;9:5–10.
 49. Marchesi JR, Sato T, Weightman AJ, Martin TA, Fry JC, Hiom SJ, et al. Design and evaluation of useful bacterium-specific PCR primers that amplify genes coding for bacterial 16S rRNA. Appl Environ Microbiol. 1998;64(2):795–9.
 50. Magvirah T, Marwati M, Ardhani F. Uji Daya Hambat Bakteri *Staphylococcus aureus* Menggunakan Ekstrak Daun Tahongai (*Kleinhovia hospita*L.). J Peternak Lingkung Trop. 2020;2(2):41.
 51. Rizki SA, Latief M, Rahman H. Uji Aktivitas Antibakteri Ekstrak N-Heksan, Etil Asetat Dan Etanol Daun Durian (*Durio zibethinus* Linn.) Terhadap Bakteri *Propionibacterium acnes* dan *Staphylococcus epidermidis*. J Mhs Farm. 2021;442–57.
 52. Azzahra F, Hayati M. Uji Aktivitas Ekstrak Daun Pegagan (*Centella Asiatica* (L. Urb) Terhadap Pertumbuhan *Streptococcus mutans*. B-Dent J Kedokt Gigi Univ Baiturrahmah. 2019;5(1):9–19.
 53. Hindritiani R, Soedarwoto A, Ruchiatan K, Suwarsa O, Umi Budiarti M, Husadani D, et al. Resistensi Antibiotik *Propionibacterium acnes* Dari

- Berbagai Lesi Kulit Akne Vularis Di Rumah Sakit Dr. Hasan Sadikin Bandung. Mdvi. 2017;44(1):15–9.
54. Sulastri E, Kartika Sari A. Uji Aktivitas Antibakteri Krim Asam Laurat Terhadap *Staphylococcus aureus* ATCC 25923 dan *Pseudomonas Aeruginosa* ATCC 27853. Galen J Pharm 59 J Pharm. 2016;2(2):59–67.
 55. Rawung FT, Karauwan FA, Pareta DN, Palandi RR. 8-16+Felicya. 2020;3(2):8–16.
 56. Davis WW and TRS. Disc Plate Antibiotic, Methods of Microbiological. Microbiol 22. 1971;4(Assay):659–65.
 57. Hallstar. Olivem ® 1000 The First Emulsifying Active Ingredient. 2002;1–10.
 58. Bos Jan D, Meinardi Marcus M H M. Experimental Dermatology The 500 Dalton rule for the skin penetration of chemical compounds and drugs Bos JD, Meinardi MMHM. The 500 Dalton rule for the skin penetration. Exp Dermatol. 2000;9(5):165–9.
 59. Herman A, Herman AP. Essential oils and their constituents as skin penetration enhancer for transdermal drug delivery: A review. J Pharm Pharmacol. 2015;67(4):473–85.
 60. Dréno B, Zuberbier T, Gelmetti C, Gontijo G, Marinovich M. Safety review of phenoxyethanol when used as a preservative in cosmetics. J Eur Acad Dermatology Venereol. 2019;33(S7):15–24.
 61. Van Dam A, Van Dam AJ. DMDM-Hydantoin: The Promising Result of a Search for an Alternative in Fluid Preservation of Biological Specimens. Collect Forum. 2023;18(2):104–15.
 62. Wahyu E, Bangkit K, Desy R, Irma A. Formulasi Sediaan Krim Dan Uji Aktivitas Antibakteri Ekstrak Daun Pepaya (Carica Papaya L .) Terhadap *Staphylococcus aureus* ATCC 25923 Dengan Variasi Konsentrasi Tween 80 Dan Span 80. 2023;3(1).

63. L. SNI 16-4399-1996: Sediaan Tabir Surya. Badan Stand Nas. 1996;16(4399):1–3.
64. Sinko PJM. Farmasi Fisika dan Ilmu Farmasetika. edisi 5. Jakarta: Penerbit Buku Kedokteran EGC; 2011.
65. Kale SN, Deore SL. Emulsion Microemulsion and Nanoemulsion. Syst Rev Pharm. 2017;8(1):39–47.
66. Yanto RB, Satriawan NE, Suryani A. Identifikasi Dan Uji Resistensi *Staphylococcus aureus* Terhadap Antibiotik (Chloramphenicol Dan Cefotaxime Sodium) Dari Pus Infeksi Piogenik Di Puskesmas ProppO. J Kim Ris. 2021;6(2):154.
67. Fenny Dwi Lestari¹, Rafika Sari¹ R. Identifikasi Bakteri *Propionibacterium acnes* yang Berasal dari Ulkus Diabetikum Derajat III dan IV Wagner. J Pharm Pharmacol Fak Kedokteran, Univ Tanjungpura.
68. Lin ZX, Steed LL, Marculescu CE, Slone HS WS. *Cutibacterium acnes* Infection in Orthopedics. Microbiol Clin Find Diagnostic Strateg Manag Orthop. 2020;43(1):52-6.
69. Jumaah N, Joshi SR, Sandai DA. Prevalence of bacterial contamination when using a diversion pouch during blood collection: A single center study in Malaysia. Malaysian J Med Sci. 2014;21(3):47–53.
70. Canene-Adams K. General PCR. Methods Enzymol. 2013;529:291–8.
71. Setyawati R, Zubaidah S. Optimasi Konsentrasi Primer dan Suhu Annealing dalam Mendeteksi Gen Leptin pada Sapi Peranakan Ongole (PO) Menggunakan Polymerase Chain Reaction (PCR). Indones J Lab. 2021;4(1):36.
72. Shahi SK, Kumar A. Isolation and genetic analysis of multidrug resistant bacteria from diabetic foot ulcers. Front Microbiol. 2016;6(JAN):1–13.
73. Weinstein MP, Lewis JS. The clinical and laboratory standards institute subcommittee on Antimicrobial susceptibility testing: Background,

- organization, functions, and processes. Vol. 58, Journal of Clinical Microbiology. 2020.
74. Zhu T, Zhu W, Wang Q, He L, Wu W, Liu J, et al. Antibiotic susceptibility of *Propionibacterium acnes* isolated from patients with acne in a public hospital in Southwest China: Prospective cross-sectional study. BMJ Open. 2019;9(2):1–7.
75. Keisuke Nakase¹, Hidemasa Nakaminami¹, Yuko Takenaka², Nobukazu Hayashi³ MK and NN. *Propionibacterium acnes* is developing gradual increase in resistance to oral tetracyclines. Microbiol Soc. 2017;
76. Fiana FM, Zukhruf N, Kiromah W, Purwanti E. Aktivitas Antibakteri Ekstrak Etanol Daun Sukun (*Artocarpus altilis*) terhadap Bakteri *Staphylococcus aureus* dan *Escherichia coli*. 2020;10–20.
77. Fransisca D, Kahanjak DN, Frethernet A. Uji aktivitas antibakteri ekstrak etanol daun sungkai (*Peronema canescens* Jack) terhadap pertumbuhan *Escherichia coli* dengan metode difusi cakram Kirby-Bauer. J Pengelolaan Lingkung Berkelanjutan (Journal Environ Sustain Manag. 2020;4(1):460–70.
78. Russell KA, Garbin LC, Wong JM, Koch TG. Mesenchymal Stromal Cells as Potential Antimicrobial for Veterinary Use A Comprehensive Review. Front Microbiol. 2020;11(September):1–14.
79. Méndez-Samperio P. The human cathelicidin hCAP18/LL-37: A multifunctional peptide involved in mycobacterial infections. Peptides. 2010;31(9):1791–8.
80. Vizoso FJ, Eiro N, Cid S, Schneider J, Perez-Fernandez R. Mesenchymal stem cell secretome: Toward cell-free therapeutic strategies in regenerative medicine. Int J Mol Sci. 2017;18(9).
81. Kusuma A, Fitriana Y, Malfadinata S. Uji Aktivitas Antibakteri Penyebab Jerawat *Staphylococcus epidermidis* Menggunakan Ekstrak Daun Ashitaba (Angelica keiskei). 2020;1(1):14–9.

