

DAFTAR PUSTAKA

1. Tang A, Shi Y, Dong Q, Wang S, Ge Y, Wang C, Dkk. Prognostic Differences In Sepsis Caused By Gram-Negative Bacteria and Gram-Positive Bacteria: A Systematic Review And Meta-Analysis. *Crit Care*. 2023;27(1):467.
2. Virzì Gm, Mattiotti M, De Cal M, Ronco C, Zanella M, De Rosa S. Endotoxin in sepsis: methods for LPS detection and the use of omics techniques. *Diagnostics*. 2022;13(1):79.
3. Siahaan SS, Putra NP, Sugiri YJ, Al-Rasyid H. Kadar prokalsitonin dan interleukin-6 sebagai penanda prognostik pada pasien pneumonia dengan sepsis. *Jurnal Kedokteran Brawijaya*. 2023;30(4), 267-271.
4. Simangunsong CSR. Korelasi parameter hematologi dan imunologi sebagai indikator penunjang diagnosis pada neonatus dengan sepsis (Doctoral dissertation). Jakarta : Universitas Nasional; 2020.
5. Ashan HR, Husni H, Alia E. Correlation between immature platetet fraction value and SOFA score in sepsis patient. *Indones J Clin Pathol Med Lab*. 2022;28(3):251–256.
6. Fataya E, Fadrian, Noer M, Elvira D, Syafrita Y, Suharti N. Characteristics Of Adult Sepsis Patients Admitted To Department Of Internal Medicine, Dr. M. Djamil General Hospital, Padang, Indonesia. *Biosci Med J*. 2023;7(3):3191–3198.
7. Ersyaputri N. Prognosis pasien sepsis berdasarkan nilai neutrophil-lymphocyte ratio, monocyte-lymphocyte ratio, dan thrombocyte-lymphocyte ratio: penelitian di ICU RSUD Raden Mattaher Jambi tahun 2023 (thesis). Jambi : Universitas Jambi; 2023.
8. Luhulima D. Biomarker sepsis bakterial (thesis). Jakarta : Universitas Kristen Indonesia; 2021
9. Younis FQ, Alwan AH, Zaki NH. Using of TLR2 and TLR4 as biomarker of sepsis severity detection. *Al-Mustansiriyah Journal of Science*. 2018, 29(2), 83-92.
10. Krivan S, Kapelouzou A, Vagios S, Tsilimigras Di, Katsimpoulas M, Moris D, et al. Increased expression of toll-like receptors 2, 3, 4 and 7 mRNA in the kidney and intestine of a septic mouse model. *Sci Rep*. 2019;9(1):4010.
11. Kasim VNA. Efek ekstrak kulit jeruk nipis (*Citrus aurantifolia*) terhadap ekspresi gen mRNA toll-like receptors 4 (TLR4) dan soluble interleukin 6 (IL-6) pada mencit yang diinduksi salmonella typhi (thesis). Makassar : Universitas Hasanuddin; 2020.

12. Lee EP, Lin MJ, Wu HP. Time-serial expression of toll-like receptor 4 signaling during polymicrobial sepsis in rats. *Int J Immunopathol Pharmacol.* 2022;36:3943-3946.
13. Kurnia D. Correlation between multidrug resistance infection with clinical outcomes of critically ill patients with COVID-19 admitted to an intensive care at RSUP Dr. M. Djamil in Indonesia. *Maced J Med Sci.* 2022;10:972–977.
14. Thon P, Rump K, Knorr A, Dyck B, Ziehe D, Unterberg M, et al. The distinctive activation of toll-like receptor 4 in human samples with sepsis. *Cells.* 2022;11(19):3020.
15. Xu X, Bu B, Tian H, Wu R, Yang J. MicroRNAs combined with the TLR4/TDAG8 mRNAs and proinflammatory cytokines are biomarkers for the rapid diagnosis of sepsis. *Mol Med Rep.* 2022;26(5):334.
16. Rohsiswatmo R, Azharry M, Sari TT, Bahasoan Y, Wulandari D. TLR2 and TLR4 expressions in late-onset neonatal sepsis: is it a potential novel biomarker. *J Neonatal-Perinat Med.* 2021;14(3):361.
17. Srzić I, Neseck Adam V, Tunjić Pejak D. Sepsis Definition: What's New In The Treatment Guidelines. *Acta Clin Croat.* 2022;61(Suppl 1):67–72
18. Gyawali B, Ramakrishna K, Dhamoon AS. Sepsis: the evolution in definition, pathophysiology, and management. *Sage Open Med.* 2019;7:205.
19. Wijaksana DS, Anggraeni N, Endriani R. Pola bakteri dan resistensi antibiotik pada pasien sepsis di intensive care unit (ICU) RSUD Arifin Achmad Provinsi Riau Periode 1 Januari – 31 Desember 2017. *J Ilmu Kedokt.* 2019;13(2):46.
20. Anggraini D, Hasni D, Amelia R. Pathogenesis of Sepsis. *Scientificj.* 2022;1(4):332–339.
21. Harberts E, Liang T, Yoon SH, Opene BN, Mcfarland MA, Goodlett DR, et al. TLR4-independent effects of LPS identified using longitudinal serum proteomics. *J Proteome Res.* 2020;19(3):1258–1266.
22. Kim MH, Choi JH. An update on sepsis biomarkers. *Infect Chemother.* 2020;52(1):1–18.
23. Jarczак D, Kluge S, Nierhaus A. Sepsis-Pathophysiology And Therapeutic Concepts. *Front Med.* 2021;8:628.
24. Hikmah N, Dewanti I. The role of toll like receptors to innate immunity. *Stomatognathic - J Kedokt Gigi.* 2015;8(1):35–39.

25. Jaramillo-Bustamante JC, Piñeres-Olave BE, González-Dambrauskas S. SIRS or not SIRS: is that the infection? a critical review of the sepsis definition criteria. *Bol Med Hosp Infant Mex.* 2020;77(6):293–302.
26. Rhodes A, Evans LE, Alhazzani W, Levy MM, Antonelli M, Ferrer R, et al. Surviving sepsis campaign: international guidelines for management of sepsis and septic shock. *Intensive Care Med.* 2017;43(3):304–377.
27. Lu YC, Yeh WC, Ohashi PS. LPS/TLR4 signal transduction pathway. *Cytokine.* 2008;42(2):145–51.
28. Kilinc Toker A, Kose S, Turken M. Comparison Of SOFA Score, SIRS, qSOFA, and qSOFA + L criteria in the diagnosis and prognosis of sepsis. *Eurasian J Med.* 2021;53(1):40–47.
29. Nuranisyah V. Pengaruh pemberian ramipril terhadap ekspresi endothelin-1 tikus wistar (*rattus norvegicus*) yang diinduksi infark miokard (Skripsi). Program Studi Kedokteran, Universitas Andalas, Padang, 2020.
30. Fataya E. Karakteristik pasien sepsis dewasa yang dirawat di bagian ilmu penyakit dalam RSUP Dr. M. Djamil padang tahun 2020 – 2021. Program Studi Kedokteran, Universitas Andalas, Padang; 2021.
31. Kaukonen KM, Bailey M, Suzuki S, Pilcher D, Bellomo R. Mortality related to severe sepsis and septic shock among critically ill patients in Australia and New Zealand, 2000-2012. *JAMA.* 2014;311(13):1308–16.
32. Ningsih PK, Subagijo PB. Analisis efektivitas biaya penggunaan antibiotik terhadap pasien sepsis di RSD dr. Soebandi tahun 2014-2015. *e-Jurnal Pustaka Kesehat.* 2017;5(1):151–6.
33. Rowe TA, McKoy JM. Sepsis in older adults. *Infect Dis Clin North Am.* 2017;31(4):731–42.
34. Esme M, Topeli A, Yavuz BB, Akova M. Infections in the elderly critically-ill patients. *Front Med.* 2019;6:1–9.
35. Nainggolan, Juniarty JP. Kumaat LT, Laihad ML. Gambaran sumber terjadinya infeksi pada penderita sepsis dan syok septik di ICU RSUP Prof. Dr. R. D. Kandou Manado. *J e-Clinic.* 2017;5:3–7.
36. Yessica P. Faktor Risiko Sepsis Pada Pasien Dewasa. *J Media Med Muda.* 2014;
37. Manapa AM. Karakteristik penderita sepsis yang dirawat di beberapa rumah sakit di Indonesia periode tahun 2003 sampai dengan tahun 2019 (skripsi). Makassar: Fakultas Kedokteran Universitas Bosowa; 2020.

38. Angele MK, Pratschke S, Hubbard WJ, Chaudry IH. Gender differences in sepsis: Cardiovascular and immunological aspects. *Virulence*. 2014;5(1):12–9.
39. Lephart ED. A review of the role of estrogen in dermal aging and facial attractiveness in women. *J Cosmet Dermatol*. 2018;17(3):282–8.
40. Nasir N, Jamil B, Siddiqui S, Talat N, Khan FA, Hussain R. Mortality in sepsis and its relationship with gender. *Pakistan J Med Sci*. 2015;31(5):1201–6.
41. Kang, C., Choi, S., Jang, E. J., Joo, S., Jeong, J. H., Oh, S. Y., Ryu, H. G., & Lee, H. (2024). Prevalence and outcomes of chronic comorbid conditions in patients with sepsis in Korea: a nationwide cohort study from 2011 to 2016. *BMC infectious diseases*, 24(1), 184.
42. Shawver L, Mazur N, O’Neil S, Reed B, Meram S, Paxton J. 39 The impact of comorbidities on mortality in pre-shock sepsis. *Ann Emerg Med*. 2021;78(4):S17.
43. Grylls A, et al. Link between microbiota and hypertension: Focus on LPS/TLR4 pathway in endothelial dysfunction and vascular inflammation, and therapeutic implication of probiotics. *Biomed Pharmacother*. 2021;137:111334.
44. Jiang L, Cheng M. Impact of diabetes mellitus on outcomes of patients with sepsis: an updated systematic review and meta-analysis. *Diabetol Metab Syndr*. 2022;14(1):39.
45. Rowe T, Araujo KLB, Ness PH Van, Pisani MA, Juthani-mehta M. Outcomes of older adults with sepsis at admission to an Intensive Care Unit. *Open Forum Infect Dis*. 2016;3(1):1–6.
46. Martin S, Perez A, Aldecoa C. Sepsis and immunosenescence in the elderly patient : a review. *Front Med*. 2017;4:20.
47. Marzuki MJ, Supriono S, Pratomo B, Mustika S. Perbandingan mortalitas antara pemberian albumin intravena dan tidak diberikan albumin intravena pada pasien sepsis dengan kondisi hipoalbuminemia dan faktor yang berpengaruh terhadap mortalitas pasien sepsis. *Jurnal Penyakit Dalam Indonesia*. 2019;6(4):196–203.
48. Abe T, Ogura H, Kushimoto S, Shiraishi A, Sugiyama T. Variations in infection sites and mortality rates among patients in intensive care units with severe sepsis and septic shock in Japan. *J Intensive Care*. 2019;7:28.
49. Kradin RL. Pulmonary infection. *Understanding Pulmonary Pathology*. 2017;157–242.

50. Pahal P, Rajasurya V, Sharma S. Typical bacterial pneumonia. In StatPearls. StatPearlsPublishing. 2022. <https://www.ncbi.nlm.nih.gov/books/NBK534295/> - Diakses Februari 2025
51. Ki V, Rotstein C. Bacterial skin and soft tissue infections in adults: a review of their epidemiology, pathogenesis, diagnosis, treatment and site of care. *Can J Infect Dis Med Microbiol.* 2008;19(2):173-184.
52. Park CH, Lee JW, Lee HJ, Oh DK, Park MH, Lim CM. Clinical outcomes and prognostic factors of patients with sepsis caused by intra-abdominal infection in the intensive care unit: a post-hoc analysis of a prospective cohort study in Korea. *BMC Infect Dis.* 2022;22(1):953.
53. Xiaoxiao Qu et al. Antimicrobial Susceptibility Characteristics and Risk Factors Associated with Adult Sepsis in Wenzhou, China. *Infection and Drug Resistance*, 15 2022: 915 - 924.
54. Philipp Hohlstein et al. Prognostic Relevance of Altered Lymphocyte Subpopulations in Critical Illness and Sepsis. *Journal of Clinical Medicine*, 8. 2019.
55. Farkas JD. The complete blood count to diagnose septic shock. *J Thorac Dis.* 2020;12(Suppl 1):S16-S21.
56. T. Rimmelé, D. Payen, V. Cantaluppi, J. Marshall, H. Gómez, A. Gómez, P. Murray and J. Kellum. Immune Cell Phenotype and Function in Sepsis. *Shock*, 45. 2016: 282–291.
57. Fawley J, Cuna A, Menden H, McElroy SJ, Umar S, Welak SR, et al. Single-Immunoglobulin Interleukin-1-Related Receptor regulates vulnerability to TLR4-mediated necrotizing enterocolitis in a mouse model. *Pediatric Research [Internet]*. 2018;83(1):164–74.
58. Zhou H. The Regulatory Role of Interleukin-1 Receptor Associated Kinase M in Toll-Like Receptor Signaling. 2016.
59. Wadowska M, Dobosz E, Golda A, Bryzek D, Lech M, Fu M, et al. MCP-Induced Protein 1 Participates in Macrophage-Dependent Endotoxin Tolerance. *Journal of Immunology.* 2022 Aug 31;209(7):1348–58.