

DAFTAR PUSTAKA

- Abdo, A.A., Al-Jarallah, B.M., Sanai, F.M., Hersi, A.S., Al-Swat, Khalid., Azzam, N.A. *et al.* (2006) ‘Hepatitis B genotypes: Relation to clinical outcome in patients with chronic hepatitis B in Saudi Arabia’, *World Journal of Gastroenterology*, 12(43), pp. 7019–7024. Available at: <https://doi.org/10.3748/wjg.v12.i43.7019>.
- Akuta, N., Suzuki, F., Kobayashi, M., Tsubota, A., Suzuki, Y., Hosaka, T. *et al.* (2003) ‘The influence of hepatitis B virus genotype on the development of lamivudine resistance during long-term treatment’, *Journal of Hepatology*, 38(3), pp. 315–321. Available at: [https://doi.org/10.1016/S0168-8278\(02\)00410-5](https://doi.org/10.1016/S0168-8278(02)00410-5).
- Ali, M.C., Soleha, T.U. and Wahyuni, A. (2023) ‘Hubungan Nilai CT dalam Pemeriksaan RT-PCR dengan Prognosis Pasien COVID-19: Tinjauan Pustaka The Correlation of Cycle Threshold Value in Reversed Transcriptase- Polymerase Chain Reaction (RT-PCR) Test with COVID-19 Patient Prognosis’, 9, pp. 55–59.
- Ave, A.R., Putra, A.E. and Miro, S. (2022) ‘Gene X Two Triple Mutations Predominance on Chronic Hepatitis B Virus in Padang, West Sumatra Indonesia’, *The Indonesian Journal of Gastroenterology, Hepatology, and Digestive Endoscopy*, 23(2), pp. 206–211. Available at: <https://doi.org/10.24871/2322022206-211>.
- Bhat, R.A., Ulrich, P.P. and Vyas, G.N. (1990) ‘Molecular characterization of a new variant of hepatitis b virus in a persistently infected homosexual man’, *Hepatology*, 11(2), pp. 271–276. Available at: <https://doi.org/10.1002/hep.1840110218>.
- Boglione, L, D'Avolio, A., Cariti, G., Milia, M. G., Simiele, M., De Nicolò, A. Ghisetti, V., Di Perri, G. *et al.* (2013) ‘Sequential therapy with entecavir and PEG-INF in patients affected by chronic hepatitis B and high levels of HBV-DNA with non-D genotypes’, *Journal of Viral Hepatitis*, 20(4). Available at: <https://doi.org/10.1111/jvh.12018>.
- Bowyer, S. M., & Sim, J.G. (2000) ‘Relationships within and between genotypes of hepatitis B virus at points across the genome: footprints of recombination in certain isolates’, *The Journal of general virology*, 81(2), pp. 379–392. Available at: <https://doi.org/https://doi.org/10.1099/0022-1317-81-2-379>.
- Bustin, S.A. (2024) ‘RT-qPCR Testing and Performance Metrics in the COVID-19 Era’, *International Journal of Molecular Sciences*, 25(17). Available at: <https://doi.org/10.3390/ijms25179326>.

- Buti, M., Cotrina, M., Valdes, A., Jardi, R., Rodriguez-Frias, F., Esteban, R. (2002) 'Is hepatitis B virus subtype testing useful in predicting virological response and resistance to lamivudine? [1]', *Journal of Hepatology*, 36(3), pp. 445–446. Available at: [https://doi.org/10.1016/S0168-8278\(01\)00283-5](https://doi.org/10.1016/S0168-8278(01)00283-5).
- Calin, R., Guiguet, M., Desire, N., Imbert-Bismut, F., Munteanu, M., Poynard, T., Valantin, M.A. et al. (2013) 'Role of genotype G hepatitis B virus mixed infection on the progression of hepatic fibrosis in HIV positive patients over 5 years of follow-up', *Journal of Clinical Virology*, 58(2), pp. 408–414. Available at: <https://doi.org/10.1016/j.jcv.2013.07.018>.
- Chan, H.L.Y., Hui, A. Y., Wong, M. L., Tse, A. M.L., Hung, L. C.T., Wong, V. W.S., Sung, J. J.Y. (2004) 'Genotype C hepatitis B virus infection is associated with an increased risk of hepatocellular carcinoma', *Gut*, 53(10), pp. 1494–1498. Available at: <https://doi.org/10.1136/gut.2003.033324>.
- Chen, J. D., Liu, C.J., Lee, P.H., Chen, P.J., Lai, M.Y., Kao, J.H., Chen, D.S. (2004) 'Hepatitis B genotypes correlate with tumor recurrence after curative resection of hepatocellular carcinoma', *Clinical Gastroenterology and Hepatology*, 2(1), pp. 64–71. Available at: [https://doi.org/10.1016/S1542-3565\(03\)00293-3](https://doi.org/10.1016/S1542-3565(03)00293-3).
- Chien, R.N., Yeh, C.T., Tsai, S.L., Chu, C.M. and Liaw, Y.F. (2003) 'Determinants for Sustained HBeAg Response to Lamivudine Therapy', *Hepatology*, 38(5), pp. 1267–1273. Available at: <https://doi.org/10.1053/jhep.2003.50458>.
- Cooksley, W.G.E., Piratvisuth, T., Lee, S. D., Mahachai, V., Chao, Y. C., Tanwandee, T., Chutaputti, A. et al. (2003) 'Peginterferon α-2a (40 kDa): An advance in the treatment of hepatitis B e antigen-positive chronic hepatitis B', *Journal of Viral Hepatitis*, 10(4), pp. 298–305. Available at: <https://doi.org/10.1046/j.1365-2893.2003.00450.x>.
- Cui, C., Shi, J., Hui, L., Xi, H., Zhuoma, Q.T., Hu, G. (2002) 'The dominant hepatitis B virus genotype identified in Tibet is a C/D hybrid', *The Journal of general virology*, 83(1), pp. 2773–2777. Available at: <https://doi.org/https://doi.org/10.1099/0022-1317-83-11-2773>.
- Darsin, D. and Sesunan, M.F. (2019) 'Perancangan Sistem Pendiagnosa Penyakit Hepatitis Dengan Metode Case Based Reasoning (Cbr)', *Jurnal Sistem Informasi dan Sains Teknologi*, 1(2), pp. 1–7. Available at: <https://doi.org/10.31326/sistek.v1i2.471>.
- Dienstag, J. (2008) 'Hepatitis B Virus Infection', *The New England journal of medicine*, 359, pp. 1486–500. Available at: <https://doi.org/10.1056/NEJMra0801644>.

- Elizalde, M.M., Tadey, L., Mammana, L., Quarleri, J.F., Campos, R.H., Flichman, D.M. (2021) ‘Biological Characterization of Hepatitis B virus Genotypes: Their Role in Viral Replication and Antigen Expression’, *Frontiers in Microbiology*, 12(November), pp. 1–13. Available at: <https://doi.org/10.3389/fmicb.2021.758613>.
- Ferrell, L. (2000) ‘Liver pathology: Cirrhosis, hepatitis, and primary liver tumors. Update and diagnostic problems’, *Modern Pathology*, 13(6), pp. 679–704. Available at: <https://doi.org/10.1038/modpathol.3880119>.
- Fix OK, Locarnini SA, P.M. (2007) ‘Virology and Clinical Management of Hepatitis B and HIV Coinfection’, *The Physicians Notebook*, 11(4), pp. 20–27.
- Fried, M.W., Piratvisuth, T., Lau, George K.K., Marcellin, P., Chow, W.C., Cooksley, G., Luo, K.X. et al. (2008) ‘HBeAg and hepatitis B Virus DNA as outcome predictors during therapy with peginterferon alfa-2a for HBeAg-positive chronic hepatitis B’, *Hepatology*, 47(2), pp. 428–434. Available at: <https://doi.org/10.1002/hep.22065>.
- Ganji, A., Esmaeilzadeh, A., Ghafarzadegan, K., Helalat, H., Rafatpanah, H., Mokhtarifar, A. (2011) ‘Correlation between HBsAG quantitative assay results and HBV DNA levels in chronic HBV’, *Hepatitis Monthly*, 11(5), pp. 342–345.
- Gerald C. Kimbi, Michael C. Kew, A.K. (2012) ‘The effect of the G1888A mutation of subgenotype A1 of hepatitis B virus on the translation of the core protein’, *Virus Research*, 163(1), pp. 334–340. Available at: <https://doi.org/https://doi.org/10.1016/j.virusres.2011.10.024>.
- Green, M. R., & Sambrook, J. (2019) ‘Nested Polymerase Chain Reaction (PCR)’, *Cold Spring Harbor protocols* [Preprint].
- Guirgis, B.S.S., Abbas, R.O. and Azzazy, H.M.E. (2010) ‘Hepatitis B virus genotyping: Current methods and clinical implications’, *International Journal of Infectious Diseases*, 14(11), pp. e941–e953. Available at: <https://doi.org/10.1016/j.ijid.2010.03.020>.
- Haryanto, A., Mulyani, N.S., Widowati, T., Wijayanti, N. and Hadi, P. (2008) ‘Molecular Genotyping of HBV by using Nested PCR-RFLP among Hepatitis B Patients in Daerah Istimewa Yogyakarta Province and Surrounding Area’, *1098 Indonesian Journal of Biotechnology*, 13(2), pp. 1098–1104.
- Hebeler-Barbosa, F., Wolf, I.R., Valente, G.T., Mello, F.C.D.A., Lampe, E., Pardini, M.I.de M.C., Grotto, R.M.T. et al. (2020) ‘A new method for next-generation sequencing of the full hepatitis b virus genome from a clinical specimen:

- Impact for virus genotyping’, *Microorganisms*, 8(9), pp. 1–12. Available at: <https://doi.org/10.3390/microorganisms8091391>.
- hoola, N. H., Kramvis, A. (2017) ‘xpression of wild-type or G1862T mutant HBe antigen of subgenotype A1 of hepatitis B virus and the unfolded protein response in Huh7 cells’, *The Journal of general virology*, 98(6), pp. 1422–1433. Available at: [https://doi.org/https://doi.org/10.1099/jgv.0.000793](https://doi.org/10.1099/jgv.0.000793).
- Hou J, Schilling R, J.H.L.A. (2001) ‘Molecular characteristics of hepatitis B virus genotype A confer a higher response to interferon treatment’, *J Hepatol*, 34(1), p. 15.
- Huy, T.T.T., Ngoc, T.T. and Abe, K. (2008) ‘New Complex Recombinant Genotype of Hepatitis B Virus Identified in Vietnam’, *Journal of Virology*, 82(11), pp. 5657–5663. Available at: <https://doi.org/10.1128/jvi.02556-07>.
- Ingasia, L.A.O., Kramvis, A. and Kinge, C.W. (2021) ‘Genotype E: The neglected genotype of hepatitis B virus’, *World Journal of Hepatology*, 13(12), pp. 1875–1891. Available at: <https://doi.org/10.4254/wjh.v13.i12.1875>.
- Inoue, T. and Tanaka, Y. (2016) ‘Hepatitis B virus and its sexually transmitted infection – An update’, *Microbial Cell*, 3(9), pp. 420–437. Available at: <https://doi.org/10.15698/mic2016.09.527>.
- Ismail, A.M., Puhazhenthil, K.S., Sivakumar, J., Eapen, C.E., Kannangai, R., Abraham, P. (2014) ‘Molecular epidemiology and genetic characterization of hepatitis B virus in the Indian subcontinent’, *International Journal of Infectious Diseases*, 20(1), pp. 1–10. Available at: <https://doi.org/10.1016/j.ijid.2013.12.007>.
- Jameel, M.H.M. and Z.J. (2023) ‘Detection of Hepatitis B Virus (HBV) Genotypes by Nested Polymerase Chain Reaction (PCR) Technique in Diyala Province’, *Academic Science Journal*, 1(4). Available at: <https://doi.org/10.1017/cbo9780511541391.004>.
- Janssen, H.L.A., Van Zonneveld, M., Senturk, H., Zeuzem, S., Akarca, U.S., Cakaloglu, Y., Simon, C. et al. (2005) ‘Pegylated interferon alfa-2b alone or in combination with lamivudine for HBeAg-positive chronic hepatitis B: A randomised trial’, *Lancet*, 365(9454), pp. 123–129. Available at: [https://doi.org/10.1016/S0140-6736\(05\)17701-0](https://doi.org/10.1016/S0140-6736(05)17701-0).
- Jayaraman, S., Chalabi, Z., Perel, P., Guerriero, C. and Roberts, I. (2010) ‘The risk of transfusion-transmitted infections in sub-Saharan Africa’, *Transfusion*, 50(2), pp. 433–442. Available at: <https://doi.org/10.1111/j.1537-2995.2009.002402.x>.

- Kay, A. and Zoulim, F. (2007) ‘Hepatitis B virus genetic variability and evolution’, *Virus Research*, 127(2), pp. 164–176. Available at: <https://doi.org/10.1016/j.virusres.2007.02.021>.
- Kemenkes (2023) *Mediakom 156*, Kemenkes. Available at: <https://sehatnegeriku.kemkes.go.id/baca/mediakom/20231002/5343999/me diakom-156/>.
- Khan, A.U., Rehman, M.U., Ikram, M., Zahoor, M., Hayat, A., Blundell, R. (2024) ‘Hepatitis B viral infection and its common genotype circulation: A molecular approach’, *Microbe (Netherlands)*, 5(September), p. 100193. Available at: <https://doi.org/10.1016/j.microb.2024.100193>.
- Kockum, I., Huang, J. and Stridh, P. (2023) ‘Overview of Genotyping Technologies and Methods’, *Current Protocols*, 3(4), pp. 1–18. Available at: <https://doi.org/10.1002/cpz1.727>.
- Kramvis, A. (2014) ‘Genotypes and genetic variability of hepatitis B virus’, *Intervirology*, 57(3–4), pp. 141–150. Available at: <https://doi.org/10.1159/000360947>.
- Kramvis, A., Kew, M. and François, G. (2005) ‘Hepatitis B virus genotypes’, *Vaccine*, 23(19), pp. 2409–2423. Available at: <https://doi.org/10.1016/j.vaccine.2004.10.045>.
- Lampertico, P., Agarwal, K., Berg, T., Buti, M., Janssen, H.L.A., Papatheodoridis, G., Zoulim, F. et al. (2017) ‘EASL 2017 Clinical Practice Guidelines on the management of hepatitis B virus infection’, *Journal of Hepatology*, 67(2), pp. 370–398. Available at: <https://doi.org/10.1016/j.jhep.2017.03.021>.
- Liaw, Y.F., Leung, N., Kao, J.H., Piratvisuth, T., Gane, E., Han, K.H., Guan, R. et al. (2008) ‘Asian-Pacific consensus statement on the management of chronic hepatitis B: A 2008 update’, *Hepatology International*, 2(3), pp. 263–283. Available at: <https://doi.org/10.1007/s12072-008-9080-3>.
- Lin, C.L. and Kao, J.H. (2011) ‘The clinical implications of hepatitis B virus genotype: Recent advances’, *Journal of Gastroenterology and Hepatology (Australia)*, 26(SUPPL. 1), pp. 123–130. Available at: <https://doi.org/10.1111/j.1440-1746.2010.06541.x>.
- Lin, C.L. and Kao, J.H. (2015) ‘Hepatitis B virus genotypes and variants’, *Cold Spring Harbor Perspectives in Medicine*, 5(5), pp. 1–19. Available at: <https://doi.org/10.1101/cshperspect.a021436>.
- Lin C, K.J. (2017) ‘Natural history of acute and chronic hepatitis B: the role of HBV genotypes and mutants’, *Best Practice & Research Clinical*

- Gastroenterology*, 31, pp. 249–255. Available at: <https://doi.org/10.1016/j.bpg.2017.04.010>.
- Littlejohn, M., Locarnini, S. and Yuen, L. (2016) ‘virus and hepatitis D virus’, *Cold Spring Harbor Perspectives in Medicine*, 6(1), p. a021360. Available at: <http://perspectivesinmedicine.cshlp.org/lookup/doi/10.1101/cshperspect.a021360>.
- Liu, C.J. and Kao, J.H. (2013) ‘Global perspective on the natural history of chronic hepatitis B: Role of hepatitis B virus genotypes A to J’, *Seminars in Liver Disease*, 33(2), pp. 97–102. Available at: <https://doi.org/10.1055/s-0033-1345716>.
- Liu, C.J., Kao, J.H. and Chen, D.S. (2005) ‘Therapeutic implications of hepatitis B virus genotypes’, *Liver International*, 25(6), pp. 1097–1107. Available at: <https://doi.org/10.1111/j.1478-3231.2005.01177.x>.
- Liu, Z., Zhang, Y., Xu, M., Li, X. and Zhang, Z. (2021) ‘Distribution of hepatitis B virus genotypes and subgenotypes’, *Medicine (United States)*, 100(50), p. E27941. Available at: <https://doi.org/10.1097/MD.00000000000027941>.
- Lok, A.S.F. and McMahon, B.J. (2004) ‘Chronic Hepatitis B: Update of Recommendations’, *Hepatology*, 39(3), pp. 857–861. Available at: <https://doi.org/10.1002/hep.20110>.
- Mach, T., Akarca, U.S., Schutten, M., Tielemans, W., Vuuren, A.J., Hansen, B. et al. (2008) ‘Sustained HBeAg and HBsAg Loss After Long-term Follow-up of HBeAg-Positive Patients Treated With Peginterferon -2b’, pp. 459–467. Available at: <https://doi.org/10.1053/j.gastro.2008.05.031>.
- Mahmood, M., Anwar, M.A., Khanum, A., Zaman, N. and Raza, A. (2016) ‘Distribution and clinical significance of hepatitis B virus genotypes in Pakistan’, *BMC Gastroenterology*, pp. 1–9. Available at: <https://doi.org/10.1186/s12876-016-0513-5>.
- Malagnino, V., Bottero, J., Mialhes, P., Lascoux-Combe, C., Girard, P.M., Zoulim, F., Lacombe, K. et al. (2019) ‘Hepatitis B virus genotype G and liver fibrosis progression in chronic hepatitis B and human immunodeficiency virus coinfection’, *Journal of Medical Virology*, 91(4), pp. 630–641. Available at: <https://doi.org/10.1002/jmv.25360>.
- Mani, H. and Kleiner, D.E. (2009) ‘Liver biopsy findings in chronic hepatitis B’, *Hepatology*, 49(SUPPL. 5). Available at: <https://doi.org/10.1002/hep.22930>.
- Manne, V., Allen, R.M. and Saab, S. (2014) ‘Strategies for the prevention of recurrent

- hepatitis B virus infection after liver transplantation’, *Gastroenterology and Hepatology*, 10(3), pp. 175–179.
- Marcellin, P., Lau, G.K.K., Bonino, F., Farci, P., Hadziyannis, S., Jin, R., Lu, Zhi-M. et al. (2004) ‘Peginterferon Alfa-2a Alone, Lamivudine Alone, and the Two in Combination in Patients with HBeAg-Negative Chronic Hepatitis B’, *New England Journal of Medicine*, 351(12), pp. 1206–1217. Available at: <https://doi.org/10.1056/nejmoa040431>.
- McMahon, B.J. (2009) ‘The influence of hepatitis B virus genotype and subgenotype on the natural history of chronic hepatitis B’, *Hepatology International*, 3(2), pp. 334–342. Available at: <https://doi.org/10.1007/s12072-008-9112-z>.
- McMahon, B.J., Nolen, L.D., Snowball, M., Homan, C., Negus, S., Roik, E., Spradling, P. R. et al. (2021) ‘HBV genotype: a significant risk factor in determining which patients with chronic HBV infection should undergo surveillance for HCC: the hepatitis B Alaska study’, *Hepatology*, 74(6), pp. 2965–2973. Available at: <https://doi.org/10.1002/hep.32065>.
- McNaughton, A.L., Revill, P.A., Littlejohn, M., Matthews, P.C. and Azim Ansari, M. (2020) ‘Analysis of genomic-length HBV sequences to determine genotype and subgenotype reference sequences’, *Journal of General Virology*, 101(3), pp. 271–283. Available at: <https://doi.org/10.1099/jgv.0.001387>.
- McNaughton AL, D'Arienzo V, Ansari MA, Lumley SF, L.M. et al (2019) ‘Insights from deep sequencing of the HBV genome—unique, tiny, and misunderstood’, *Gastroenterology*, 156(February), pp. 384–399.
- Meyerhans, A., Vartanian, J.P., Simon Wain-hobson. (2022) ‘Srand specific PCR amplification of low copy number To cite this version : HAL Id : pasteur-03520147’.
- Mindie H. Nguyen, Grace Wong, Edward Gane, J.-H.K. and Dusheikoh, G. (2020) ‘Hepatitis B Virus: Advances in Prevention, Diagnosis, and Therapy’, *American Society For Microbiology*, 33(2), pp. 1–38.
- Muhammad, P., Rashid, A. and Salih, G.F. (2014) ‘IDENTIFICATION AND GENOTYPING OF HEPATITIS B VIRUS BY PCR ASSAY USING GENOTYPE SPECIFIC PRIMERS’, *European Scientific Journal*, 10(9), pp. 424–433.
- Mulyanto et al. (2009) ‘A nationwide molecular epidemiological study on hepatitis B virus in Indonesia: Identification of two novel subgenotypes, B8 and C7’, *Archives of Virology*, 154(7), pp. 1047–1059. Available at: <https://doi.org/10.1007/s00705-009-0406-9>.

- Naito, H., Hayashi, S. and Abe, K. (2001) ‘Rapid and specific genotyping system for hepatitis B virus corresponding to six major genotypes by PCR using type-specific primers’, *Journal of Clinical Microbiology*, 39(1), pp. 362–364. Available at: <https://doi.org/10.1128/JCM.39.1.362-364.2001>.
- Narita, V., Rosyadi, I. and Ripmiatin, E. (2013) ‘Analisa Genotype dan Serotype Virus Hepatitis B Potensial sebagai Kandidat Sekuens Vaksin Hepatitis B secara Bioinformatika Berbasis Web’, *Jurnal AL-AZHAR INDONESIA SERI SAINS DAN TEKNOLOGI*, 4(2), pp. 111–119.
- Neni, N.A. (2005) Keanekaragaman molekul virus hepatitis B dan kaitannya dengan latar belakang populasi manusia di Indonesia. Universitas Indonesia. Available at: <https://lib.ui.ac.id>.
- Ni, Y.H., Chang, M.H., Wang, K.J., Hsu, H.Y., Chen, H.L., Kao, J.H., Yeh, S.H. et al. (2004) ‘Clinical relevance of hepatitis B virus genotype in children with chronic infection and hepatocellular carcinoma’, *Gastroenterology*, 127(6), pp. 1733–1738. Available at: <https://doi.org/10.1053/j.gastro.2004.09.048>.
- Nie, J.J., Sun, K.X., Li, J., Wang, J., Jin, H., Wang, L., Lu, F.M. et al. (2012) ‘A type-specific nested PCR assay established and applied for investigation of HBV genotype and subgenotype in Chinese patients with chronic HBV infection’, *Virology Journal*, 9, pp. 1–9. Available at: <https://doi.org/10.1186/1743-422X-9-121>.
- Norder, H., Hammas, B., Lofdahl, S., Courouce, A.M. and Magnus, L.O. (1992) ‘Comparison of the amino acid sequences of nine different serotypes of hepatitis B surface antigen and genomic classification of the corresponding hepatitis B virus strains’, *Journal of General Virology*, 73(5), pp. 1201–1208. Available at: <https://doi.org/10.1099/0022-1317-73-5-1201>.
- Okamoto, H., Tsuda, F., Sakugawa, H., Sastrosoewignjo, R. I., Imai, M., Miyakawa, Y., Mayumi, M. (1988) ‘Typing hepatitis B virus by homology in nucleotide sequence: Comparison of surface antigen subtypes’, *Journal of General Virology*, 69(10), pp. 2575–2583. Available at: <https://doi.org/10.1099/0022-1317-69-10-2575>.
- Owiredu, W.K.B.A., Kramvis, A. and Kew, M.C. (2001) ‘Hepatitis B virus DNA in serum of healthy black African adults positive for hepatitis B surface antibody alone: Possible association with recombination between genotypes A and D’, *Journal of Medical Virology*, 64(4), pp. 441–454. Available at: <https://doi.org/10.1002/jmv.1070>.
- Park, E.S., Lee, A.R., Kim, D. H., Lee, J.H., Yoo, J.J., Ahn, S.H., Sim, H. et al. (2019) ‘Identification of a quadruple mutation that confers tenofovir resistance in chronic hepatitis B patients’, *Journal of Hepatology*, 70(6), pp. 1093–1102.

Available at: <https://doi.org/10.1016/j.jhep.2019.02.006>.

- Pas, S.D., Tran, N., De Man, R.A., Burghoorn-Maas, C., Vernet, G., Niesters, H.G.M. (2008) ‘Comparison of reverse hybridization, microarray, and sequence analysis for genotyping hepatitis B virus’, *Journal of Clinical Microbiology*, 46(4), pp. 1268–1273. Available at: <https://doi.org/10.1128/JCM.01519-07>.
- Petrillo, S., Carrà, G., Bottino, P., Zanotto, E., De Santis, M.C., Margaria, J.P., Giorgio, A. et al. (2020) ‘A novel multiplex qrt-pcr assay to detect sars-cov-2 infection: High sensitivity and increased testing capacity’, *Microorganisms*, 8(7), pp. 1–10. Available at: <https://doi.org/10.3390/microorganisms8071064>.
- Phung, T. B., Alestig, E., Nguyen, T. L., Hannoun, C., & Lindh, M. (2010) ‘Genotype X/C recombinant (putative genotype I) of hepatitis B virus is rare in Hanoi, Vietnam--genotypes B4 and C1 predominate’, *Journal of medical virology*, 82(8), pp. 1327–1333. Available at: <https://doi.org/https://doi.org/10.1002/jmv.21775>.
- Pourkarim, M.R., Amini-Bavil-Olyaee, S., Lemey, P., Maes, P. and Van Ranst, M. (2010) ‘Are hepatitis B virus “subgenotypes” defined accurately?’, *Journal of Clinical Virology*, 47(4), pp. 356–360. Available at: <https://doi.org/10.1016/j.jcv.2010.01.015>.
- Prediger, E. (2023) *Genotyping: Terms to know, Integrated DNA Technologies*. Available at: <https://www.idtdna.com/pages/education/decoded/article/genotyping-terms-to-know>.
- Pujol, F., Jaspe, R.C., Loureiro, C.L. and Chemin, I. (2020) ‘Hepatitis B virus American genotypes: Pathogenic variants?’, *Clinics and Research in Hepatology and Gastroenterology*, 44(6), pp. 825–835. Available at: <https://doi.org/10.1016/j.clinre.2020.04.018>.
- Res, M. (2018) ‘Detection & characterization of genotype A1 of hepatitis B virus from central India’, (May), pp. 517–520. Available at: <https://doi.org/10.4103/ijmr.IJMR>.
- Roman, S. and Panduro, A. (2013) ‘HBV endemicity in Mexico is associated with HBV genotypes H and G’, *World Journal of Gastroenterology*, 19(33), pp. 5446–5453. Available at: <https://doi.org/10.3748/wjg.v19.i33.5446>.
- Rulistiana, Darmawanti, S. and Santosa, B. (2008) ‘ANTI HBsAG PADA STAF FAKULTAS ILMU KEPERAWATAN DAN KESEHATAN UNIVERSITAS MUHAMMADIYAH SEMARANG SETELAH SEPULUH TAHUN VAKSINASI HEPATITIS B’, *Jurnal Kesehatan*, 1(I), pp. 29–33.

- Sánchez-Tapias, J.M., Costa, J., Mas, A., Bruguera, M. and Rodés, J. (2002) ‘Influence of hepatitis B virus genotype on the long-term outcome of chronic hepatitis B in western patients’, *Gastroenterology*, 123(6), pp. 1848–1856. Available at: <https://doi.org/10.1053/gast.2002.37041>.
- Setiaputri, A.A., Barokah, G.R., Arbajayanti, R.D., Fabella, N., Pertiwi, R.M., Nurilmala, M., Nugraha, R. et al. (2020) ‘Perbandingan metode isolasi DNA pada produk perikanan segar dan olahan’, *Jurnal Pengolahan Hasil Perikanan Indonesia*, 23(3), pp. 447–458.
- Sheena, B.S., Hiebert, L., Han, H., Ippolito, H., Abbasi-Kangevari, M., Abbasi-Kangevari, Z., Abbastabar, H. et al. (2022) ‘Global, regional, and national burden of hepatitis B, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019’, *The Lancet Gastroenterology and Hepatology*, 7(9), pp. 796–829. Available at: [https://doi.org/10.1016/S2468-1253\(22\)00124-8](https://doi.org/10.1016/S2468-1253(22)00124-8).
- Shi, W., Zhu, C., Zheng, W., Carr, M.J., Higgins, D.G., Zhang, Z. et al. (2012) ‘Subgenotype reclassification of genotype B hepatitis B virus’, *BMC Gastroenterology*, 12, pp. 2–7. Available at: <https://doi.org/10.1186/1471-230X-12-116>.
- Shi, W., Zhu, C., Zheng, W., Ling, Cheng., Carr, M.J., Higgins, D.G. et al. (2012) ‘Subgenotyping of Genotype C Hepatitis B Virus: Correcting Misclassifications and Identifying a Novel Subgenotype’, *PLoS ONE*, 7(10), pp. 1–8. Available at: <https://doi.org/10.1371/journal.pone.0047271>.
- Sibnarayan Datta, Soumya Chatterjee, Vijay Veer, R.C. (2012) ‘Molecular Biology of the Hepatitis B Virus for Clinicians’, *Journal of Clinical and Experimental Hepatology*, 2(4), pp. 353–365. Available at: <https://doi.org/https://doi.org/10.1016/j.jceh.2012.10.003>.
- Singh, Jagtar & Sinha, S. (2015) ‘Volume-6, Issue-3, July-Sept-2015 Coden IJABFP-CAS-USA st st Received: 21 May-2015 Revised: 31 May-2015’, *International Journal of Applied Biology and Pharmaceutical Technology*, 6(3).
- Soemohardjo S (1996) ‘Penatalaksanaan pengidap virus hepatitis B dan pencegahannya’, in *Buku Ajar Ilmu Penyakit Dalam Jilid 1*. Balai Penerbit FKUI, pp. 322–5.
- Stuyver, L., De Gendt, S., Van Geyt, C., Zoulim, F., Fried, M., Schinazi, R.F., Rossau, R. (2000) ‘A new genotype of hepatitis B virus: Complete genome and phylogenetic relatedness’, *Journal of General Virology*, 81(1), pp. 67–74. Available at: <https://doi.org/10.1099/0022-1317-81-1-67>.

- Su, I.J., Wang, H.C., Wu, H.C. and Huang, W.Y. (2008) ‘Ground glass hepatocytes contain pre-S mutants and represent preneoplastic lesions in chronic hepatitis B virus infection’, *Journal of Gastroenterology and Hepatology (Australia)*, 23(8 PART1), pp. 1169–1174. Available at: <https://doi.org/10.1111/j.1440-1746.2008.05348.x>.
- Sugauchi, F., Orito, E., Ichida, T., Kato, H., Sakugawa, H., Kakumu, S., Ishida, T. et al. (2002) ‘Hepatitis B Virus of Genotype B with or without Recombination with Genotype C over the Precore Region plus the Core Gene’, *Journal of Virology*, 76(12), pp. 5985–5992. Available at: <https://doi.org/10.1128/jvi.76.12.5985-5992.2002>.
- Sugauchi, F., Orito, E., Ichida, T., Kato, H., Sakugawa, H., Kakumu, S., Ishida, T. et al. (2003) ‘Epidemiologic and virologic characteristics of hepatitis B virus genotype B having the recombination with genotype C’, *Gastroenterology*, 124(4), pp. 925–932. Available at: <https://doi.org/10.1053/gast.2003.50140>.
- Sunbul, M. (2014) ‘Hepatitis B virus genotypes: Global distribution and clinical importance’, *World Journal of Gastroenterology*, 20(18), pp. 5427–5434. Available at: <https://doi.org/10.3748/wjg.v20.i18.5427>.
- Tahir, E.S. and Santoso, A.P.A. (2022) ‘Perlindungan Hukum Dokter Gigi Terhadap Ancaman Transmisi Virus Hepatitis Misterius’, *JISIP (Jurnal Ilmu Sosial dan Pendidikan)*, 6(3), pp. 10154–10161. Available at: <https://doi.org/10.58258/jisip.v6i3.3367>.
- Tatematsu, K., Tanaka, Y., Kurbanov, F., Sugauchi, F., Mano, S., Maeshiro, T., Nakayoshi, T. et al. (2009) ‘A Genetic Variant of Hepatitis B Virus Divergent from Known Human and Ape Genotypes Isolated from a Japanese Patient and Provisionally Assigned to New Genotype J’, *Journal of Virology*, 83(20), pp. 10538–10547. Available at: <https://doi.org/10.1128/jvi.00462-09>.
- Thedja, M.D., Muljono, D.H., Nurainy, N., Sukowati, C.H.C., Verhoef, J., Marzuki, S. et al. (2011) ‘Ethnogeographical structure of hepatitis B virus genotype distribution in Indonesia and discovery of a new subgenotype, B9’, *Archives of Virology*, 156(5), pp. 855–868. Available at: <https://doi.org/10.1007/s00705-011-0926-y>.
- Theise, N.D. (2007) ‘Liver biopsy assessment in chronic viral hepatitis: A personal, practical approach’, *Modern Pathology*, 20(1 SUPPL.), pp. S3–S14. Available at: <https://doi.org/10.1038/modpathol.3800693>.
- Toan, N.L., Song, L.H., Kremsner, P.G., Duy, D.N., Binh, V.Q., Koeberlein, B., Kaiser, S. et al. (2006) ‘Impact of the hepatitis B virus genotype and genotype mixtures on the course of liver disease in Vietnam’, *Hepatology*, 43(6), pp. 1375–1384. Available at: <https://doi.org/10.1002/hep.21188>.

- Toyé, R.M., Loureiro, C.L., Jaspe, R.C., Zoulim, F., Pujol, F.H., Chemin, I. (2023) 'The Hepatitis B Virus Genotypes E to J: The Overlooked Genotypes', *Microorganisms*, 11(8), pp. 1–17. Available at: <https://doi.org/10.3390/microorganisms11081908>.
- Velkov, S., Ott, J.J., Protzer, U. and Michler, T. (2018) 'The global hepatitis B virus genotype distribution approximated from available genotyping data', *Genes*, 9(10). Available at: <https://doi.org/10.3390/genes9100495>.
- Wai, C.T., Chu, C., Hussain, M. and Lok, F. (2002) 'HBV Genotype B Is Associated With Better Response', *Hepatology*, 36(6), pp. 1425–1430.
- Wang, B., Han, S.S., Cho, C., Han, J.H., Cheng, Y., Lee, S.K., Galappaththy, G.N.L. et al. (2014) 'Comparison of microscopy, Nested-PCR, and real-time-PCR assays using high-throughput screening of pooled samples for diagnosis of malaria in asymptomatic carriers from areas of endemicity in myanmar', *Journal of Clinical Microbiology*, 52(6), pp. 1838–1845. Available at: <https://doi.org/10.1128/JCM.03615-13>.
- Wang, Y.Z., Wu, G.X., Luo, L.B., Chen, M. and Ruan, L.H. (2007) 'Oligonucleotide chip, real-time PCR and sequencing for genotyping of hepatitis B virus', *World Journal of Gastroenterology*, 13(31), pp. 4260–4263. Available at: <https://doi.org/10.3748/wjg.v13.i31.4260>.
- WHO (2017) *Guidelines on Hepatitis B and C testing*, WHO.
- WHO (2023) *World Hepatitis Day*, World Health Organization. Available at: <https://doi.org/10.1097/01.npr.0000466504.31747.ea>.
- WHO (2024) *Global hepatitis report 2024*, WHO. Available at: <https://www.who.int/news-room/fact-sheets/detail/hepatitis-b>.
- Wolf, J.M., De Carli, S., Pereira, V.R.Z.B., Simon, D. and Lunge, V.R. (2021) 'Temporal evolution and global spread of hepatitis B virus genotype G', *Journal of Viral Hepatitis*, 28(2), pp. 393–399. Available at: <https://doi.org/10.1111/jvh.13431>.
- Wungu, C.D.K., Amin, M., Kholili, U., Prabowo, G.I., Setiawan, P.B., Soetjipto Handajani, R. (2019) 'Distribution of Hepatitis B Virus Genotypes Among Patients at Internal Medicine Unit, Dr. Soetomo General Hospital, Surabaya', *Warmadewa Medical Journal*, 4(1), pp. 6–13. Available at: <https://doi.org/http://dx.doi.org/10.22225/wmj.4.1.1032.6-13>.
- Ye, J. and Chen, J. (2021) 'Interferon and Hepatitis B: Current and Future Perspectives', *Frontiers in Immunology*, 12(September), pp. 1–11. Available

at: <https://doi.org/10.3389/fimmu.2021.733364>.

Yulia, D. (2020) ‘Virus Hepatitis B Ditinjau dari Aspek Laboratorium’, *Jurnal Kesehatan Andalas*, 8(4), pp. 247–254. Available at: <https://doi.org/10.25077/jka.v8i4.1108>.

Yuni, A., Ilva, R.M. and Putri, D.H. (2012) ‘KUALITAS DNA HASIL ISOLASI DARI BEBERAPA BAGIAN BATANG RAMBUT UNTUK BAHAN ANALISIS DNA FORENSIK Yuni Ahda, Ilva Rozi Muharni, Dwi Hilda Putri Staf Pengajar Kimia di Jurusan Biologi Universitas Negeri Padang’, pp. 87–93.

Zafar, H. (2020) ‘The Microbiology of Coronaviruses’, *The Journal of the Pakistan Medical Association*, 70(3), pp. S44–S47. Available at: <https://doi.org/https://doi.org/10.5455/JPMA.08>.

Zhang Y, Wu Y, Ye S, Wang T, Zhao R, Chen F, Abe K, J.X. (2013) ‘The response to interferon is influenced by hepatitis B virus genotype in vitro and in vivo’, *Virus Research*, 171(1), pp. 65–70. Available at: <https://doi.org/https://doi.org/10.1016/j.virusres.2012.10.027>.

Zhang, Z.H., Wu, C.C., Chen, X.W., Li, X., Li, J., Lu, M.J. (2016) ‘Genetic variation of hepatitis B virus and its significance for pathogenesis’, *World Journal of Gastroenterology*, 22(1), pp. 126–144. Available at: <https://doi.org/10.3748/wjg.v22.i1.126>.