

DAFTAR PUSTAKA

1. Holden BA, Fricke TR, Wilson DA, Jong M, Naidoo KS, Sankaridurg P, et al. Global Prevalence of Myopia and High Myopia and Temporal Trends from 2000 through 2050. *Ophthalmology*. 2016 May;123(5):1036–42.
2. Chan PP, Zhang Y, Pang CP. Myopic tilted disc: Mechanism, clinical significance, and public health implication. Vol. 10, *Frontiers in Medicine*. Frontiers Media SA; 2023.
3. Pan C, Ramamurthy D, Saw S. Worldwide prevalence and risk factors for myopia. *Ophthalmic and Physiological Optics*. 2012 Jan 12;32(1):3–16.
4. Curtin BJ. Physiologic vs Pathologic Myopia: Genetics vs Environment. *Ophthalmology*. 1979 May;86(5):681–91.
5. How ACS, Gavin J, Tan SW, Chan YH, Wong TTL, Seah SK, et al. Population Prevalence of Tilted and Torted Optic Discs Among an Adult Chinese Population in Singapore The Tanjong Pagar Study. Vol. 127, *Arch Ophthalmol*. 2009.
6. Tay E, Seah SK, Chan SP, Lim ATH, Chew SJ, Foster PJ, et al. Optic disk ovality as an index of tilt and its relationship to myopia and perimetry. *Am J Ophthalmol*. 2005;139(2):247–52.
7. Xu L, Wang Y, Wang S, Wang Y, Jonas JB. High Myopia and Glaucoma Susceptibility. The Beijing Eye Study. *Ophthalmology*. 2007 Feb;114(2):216–20.
8. Lee KS, Lee JR, Kook MS. Optic disc torsion presenting as unilateral glaucomatous-appearing visual field defect in young myopic korean eyes. *Ophthalmology*. 2014;121(5):1013–9.
9. Hung CH, Lee SH, Lin SY, Lin SL, Chen YC. The relationship between optic nerve head deformation and visual field defects in myopic eyes with primary open-angle glaucoma. *PLoS One*. 2018 Dec 1;13(12).
10. Aung T, Foster PJ, Seah SK, Chan SP, Lim WK, Wu HM, et al. Automated Static Perimetry: The Influence of Myopia and Its Method of Correction. 2001.

11. Barton J, Benatar M. Automated Perimetry (Humphrey Field Analyzer). In: Field of Vision: A Manual and Atlas of Perimetry. New Jersey: Humana Press; 2003. p. 45–56.
12. Curtin BJ, Whitmore WG. The Optics Of Myopia. In: Duane's Foundation of Clinical Ophthalmology. Northwestern University: Philadelphia Harper & Row. 2009; 2009. p. 1–11.
13. Benjamin WJ. Refractive Status of the Eye. In: Borish Clinical Refraction. Missouri: Elsevier; 2006. p. 4–9.
14. Saw SM, Gazzard G. Prevalence Rates of Refractive Errors in Sumatra, Indonesia. Investigative ophthalmology & visual science. 2002;43(10):3174– 80.
15. Matamoros E, Ingrand P, Pelen F, Bentaleb Y, Weber M, Korobelnik JF, et al. Prevalence of Myopia in France. Medicine. 2015 Nov;94(45):e1976.
16. Spaide RF, Matsui KO. Definition of Pathologic Myopia. In 2021. p. 13–5.
17. Vongphanit J, Mitchell P, Wang J. Prevalence and Progression of Myopic Retinopathy in an Older Population. Vol. 109, Ophthalmology. 2002.
18. Cantor LB, Rapuano CJ, Cioffi GA. Optics of the Human Eye. In: Clinical Optics. San Francisco: American Academy of Ophthalmology; 2023. p. 161–81.
19. Németh J, Tapasztó B, Aclimandos WA, Kestelyn P, Jonas JB, De Faber JTHN, et al. Update and guidance on management of myopia. European Society of Ophthalmology in cooperation with International Myopia Institute. Eur J Ophthalmol. 2021 May 5;31(3):853–83.
20. Beuerman R. Genetics of Myopia. In: Myopia: Animal Models to Clinical Trials. 1st ed. Singapore: World Scientific Publishing; 2014. p. 201–15.
21. Jonas JB, Ohno-Matsui K, Jiang WJ, Panda-Jonas S. BRUCH MEMBRANE AND THE MECHANISM OF MYOPIZATION. Retina. 2017 Aug;37(8):1428–40.
22. Wang YX, Panda-Jonas S, Jonas JB. Optic nerve head anatomy in myopia and glaucoma, including parapapillary zones alpha, beta, gamma and delta: Histology and clinical features. Prog Retin Eye Res. 2021 Jul;83:100933.

23. Jonas JB, Wang YX, Dong L, Panda-Jonas S. High Myopia and Glaucoma-Like Optic Neuropathy. *Asia-Pacific Journal of Ophthalmology*. 2020 May;9(3):234–8.
24. Stamper R, Lieberman M, Drake M. Optic Nerve Anatomy and Pathophysiology. In: Becker-Shaffer's Diagnosis and Therapy of the Glaucomas. UK: Mosby Elsevier; 2009. p. 143–8.
25. Pineles S, Balcer L. Visual Loss: Optic Neuropathies. In: Liu, Volpe and Galetta's Neuro-ophthalmology. Sixth edition. China: Elsevier; 2019. p. 101–3.
26. Schiefer U, Wilhem H. Optic Disc Signs and Optic Neuropathies. In: Clinical Neuro Ophthalmology a Practical Guide. Berlin: Springer; 2007. p. 101–4.
27. Cantor L, Rapuano C, McCannel C. Cranial Nerves. In: Fundamental and Principles of Ophthalmology. San Fransisco: American Academy of Ophthalmology; 2023-2024; p. 83–93.
28. Sugiyama K, Nitta K. Clinical Features in Myopic Glaucoma. In: Myopia and Glaucoma. Tokyo: Springer; 2015. p. 15–23.
29. Cheng D, Ruan K, Wu M, Qiao Y, Gao W, Lian H, et al. Characteristics of the Optic Nerve Head in Myopic Eyes Using Swept-Source Optical Coherence Tomography. *Invest Ophthalmol Vis Sci*. 2022 Jun 1;63(6):20.
30. Jonas JB, Ohno-Matsui K, Holbach L, Panda-Jonas S. Association between axial length and horizontal and vertical globe diameters. *Graefe's Archive for Clinical and Experimental Ophthalmology*. 2017 Feb 29;255(2):237–42.
31. Rapuano C, Tout J, McCannel C. Myopia and Pathologic Myopia. In: Retina Basic Science and Clinical Course. San Fransisco: American Academy of Ophthalmology; 2024. p. 235–45.
32. Jonas JB, Wang YX, Dong L, Panda-Jonas S. High Myopia and Glaucoma-Like Optic Neuropathy. *Asia-Pacific Journal of Ophthalmology*. 2020 May;9(3):234–8.
33. Choi JA, Park HYL, Shin HY, Park CK. Optic disc tilt direction determines the location of initial glaucomatous damage. *Invest Ophthalmol Vis Sci*. 2014 Jul 1;55(8):4991–8.

34. Lee KM, Lee EJ, Kim TW. Lamina cribrosa configuration in tilted optic discs with different tilt axes: A new hypothesis regarding optic disc tilt and torsion. *Invest Ophthalmol Vis Sci*. 2015;56(5):2958–67.
35. Rezapour J, Tran AQ, Bowd C, El-Nimri NW, Belghith A, Christopher M, et al. Comparison of Optic Disc Ovality Index and Rotation Angle Measurements in Myopic Eyes Using Photography and OCT Based Techniques. *Front Med (Lausanne)*. 2022 Jun 24;9.
36. Cantor LB, Rapuano CJ, Cioffi GA. Clinical Evaluation. In: *Glaucoma*. 2023. p. 78–99.
37. Wild JM. Short wavelength automated perimetry. *Acta Ophthalmol Scand*. 2001 Dec 5;79(6):546–59.
38. Gupta A, Choudhry R, Tandon C. Humphrey Field Analyzer. In: *Step by Step Visual Field Examination*. New Delhi: Jaypee Brothers; 2007. p. 133–56.
39. Heijl A, Patella V, Bengtsson B. STATPAC Analysis of Single Field. In: *The Field Analyzer Primer: Effective Perimetry*. California: Carl Zeiss Meditec; 2012. p. 45–59.
40. Kuzhuppilly N, Patil S, Dev S, Deo A. Reliability of Visual Field Index in Staging Glaucomatous Visual Field Damage. *JOURNAL OF CLINICAL AND DIAGNOSTIC RESEARCH*. 2018;
41. Cantor LB, Rapuano CJ, Cioffi GA. Diagnostic Approach to Retinal Disease. In: *Retina and Vitreous*. San Fransisco: American Academy of Ophthalmology; 2023. p. 51–5.
42. Susanna Jr. R, Vessani RM. Staging Glaucoma Patient: Why and How? *Open Ophthalmol J*. 2009 Sep 28;3(2):59–64.
43. Sankar PS, Keefe LO, Choi D, Salowe R, Miller Ellis E, Lehman A, et al. The SCHEIE Visual Field Grading System. *J Clin Exp Ophthalmol*. 2017;08(03).
44. Lin F, Chen S, Song Y, Li F, Wang W, Zhao Z, et al. Classification of Visual Field Abnormalities in Highly Myopic Eyes without Pathologic Change. *Ophthalmology*. 2022 Jul;129(7):803–12.

45. Rapuano C, Stout J, McCannel C. Clinical Evaluation and Imaging of the Posterior Segment: Optic Nerve, Retinal Nerve Fiber Layer, and Macula in Glaucoma. In: Glaucoma Basic Science and Clinical Course. San Fransisco: American Academy of Ophthalmology; 2024. p. 66–72.
46. Li Z, Guo X, Xiao O, Lee PY, Liu R, Wang D, et al. Optic Disc Features in Highly Myopic Eyes: The ZOC-BHVI High Myopia Cohort Study. *Optometry and Vision Science*. 2018 Apr 1;95(4):318–22.
47. Li C, Chen Y, Yang S, Xiong R, Liu R, Zhu Z, et al. Long-Term Prediction and Risk Factors for Incident Visual Field Defect in Nonpathologic High Myopia. *Invest Ophthalmol Vis Sci*. 2024 Aug 28;65(10):43.
48. Jones-Jordan LA, Sinnott LT, Chu RH, Cotter SA, Kleinstein RN, Manny RE, et al. Myopia Progression as a Function of Sex, Age, and Ethnicity. *Investigative Ophthalmology & Visual Science*. 2021 Aug 31;62(10):36.
49. Lee SSY, Lingham G, Sanfilippo PG, Hammond CJ, Saw SM, Guggenheim JA, et al. Incidence and Progression of Myopia in Early Adulthood. *JAMA Ophthalmol*. 2022 Feb 1;140(2):162.
50. Enthoven CA, Haarman AEG, Swierkowska-Janc J, Tideman JWL, Polling JR, Raat H, et al. Gender issues in myopia: a changing paradigm in generations. *Eur J Epidemiol*. 2024 Dec 11;39(12):1315–24.
51. Patyal S, Gandhi M. Visual Field Defects with Tilted and Torted Optic Discs. In: Resolving Dilemmas in Perimetry. Singapore: Springer; 2021. p. 179–83.
52. Kim M, Hong E, Lee EJ. Optic Disc Morphology and Paracentral Scotoma in Patients with Open-Angle Glaucoma and Myopia. *J Clin Med*. 2023 May 1;12(9).
53. Keltner JL, Johnson CA, Cello KE, Edwards MA, Bandermann SE, Kass MA, et al. Classification of Visual Field Abnormalities in the Ocular Hypertension Treatment Study [Internet]. Available from: www.archophthalmol.com
54. Lee J, Park CK, Jung KI. Characteristics of progressive temporal visual field defects in patients with myopia. *Sci Rep*. 2021 Apr 30;11(1):9385.

55. Akagi T, Hangai M, Kimura Y, Ikeda HO, Nonaka A, Matsumoto A, et al. Peripapillary scleral deformation and retinal nerve fiber damage in high myopia assessed with swept-source optical coherence tomography. *Am J Ophthalmol*. 2013;155(5):927–36.
56. Lan YW, Chang SY, Sun FJ, Hsieh JW. Different Disc Characteristics Associated With High Myopia and the Location of Glaucomatous Damage in Primary Open-Angle Glaucoma and Normal-Tension Glaucoma. *J Glaucoma*. 2019 Jun;28(6):519–28.
57. Samarawickrama C, Mitchell P, Tong L, Gazzard G, Lim L, Wong TY, et al. Myopia-related optic disc and retinal changes in adolescent children from Singapore. *Ophthalmology*. 2011 Oct;118(10):2050–7.
58. Chen Y, Rong H, Liu Y, Gao H, Sun Z, Dang W, et al. Analysis of the relationship between axial length, optic disc morphology, and regional variations in retinal vessel density in young adults with healthy eyes. *Front Med (Lausanne)*. 2023;10.
59. Sung MS, Kang YS, Heo H, Park SW. Characteristics of Optic Disc Rotation in Myopic Eyes. *Ophthalmology*. 2016 Feb;123(2):400–7.
60. Park HYL, Lee K Il, Lee K, Shin HY, Park CK. Torsion of the optic nerve head is a prominent feature of normal-tension glaucoma. *Invest Ophthalmol Vis Sci*. 2015 Nov 25;56(1):156–63.
61. Ie Rusdi R', Zaki M, Isa A. Patterns of Visual Field Defects in Malay Population with Myopic Eyes. Vol. 16, *Malaysian Journal of Medicine and Health Sciences*. 2020.
62. Vongphanit J, Mitchell P, Wang JJ. Population Prevalence of Tilted Optic Disks and the Relationship of This Sign to Refractive Error. 2002.
63. Ohno-Matsui K, Shimada N, Yasuzumi K, Hayashi K, Yoshida T, Kojima A, et al. Long-term development of significant visual field defects in highly myopic eyes. *Am J Ophthalmol*. 2011;152(2).

64. Shoeibi N, Moghadas Sharif N, Daneshvar R, Ehsaei A. Visual field assessment in high myopia with and without tilted optic disc. Clin Exp Optom. 2017 Nov 1;100(6):690–4.
65. Saw SM, Gazzard G, Chan Shih-Yen E, Chua WH. Myopia and associated pathological complications.
66. Ehongo A, Dugauquier A, Kisma N, De Maertelaer V, Wandji BN, Tomy WT, et al. Myopic (Peri)papillary Changes and Visual Field Defects. Clinical Ophthalmology. 2023;17:3295–306.
67. Ha A, Baek SU, Kim JS, Jeoung JW, Park KH, Kim YK. Association of progressive optic disc tilt with development of retinal nerve fibre layer defect in children with large cup-to-disc ratio. British Journal of Ophthalmology. 2023 Jun;107(6):869–75.
68. Kim EK, Park HYL, Park CK. Posterior scleral deformations around optic disc are associated with visual field damage in open-angle glaucoma patients with myopia. PLoS One. 2019 Mar 1;14(3).

