

## DAFTAR PUSTAKA

1. Alodeani EA, Arshad M, Izhari MA. Drug Likeness and Physicochemical Properties Evaluation of The Alkaloids Found in Black Pepper : Piperine, Piperidine, Piperettine, and Piperanine. European Journal of Pharmaceutical and Medical Research. 2015;2(6), 296-301.
2. S.I.H. T, A.J. S, A.H. G. Blood pressure lowering and vasomodulator effects of piperine. J Cardiovasc Pharmacol. 2008;52(5):452–8.
3. Gorgani L, Mohammadi M, Najafpour GD, Nikzad M. Piperine—The Bioactive Compound of Black Pepper: From Isolation to Medicinal Formulations. Compr Rev Food Sci Food Saf. 2017;16.
4. Chonpathompikunlert P, Wattanathorn J, Muchimapura S. Piperine, the main alkaloid of Thai black pepper, protects against neurodegeneration and cognitive impairment in animal model of cognitive deficit like condition of Alzheimer's disease. Food Chem Toxicol. 2010;48(3):798–802.
5. Kalyanasundaram R, Chen A, Johnson GL, Zheng G, Bartik MM, Munirathinam G, et al. Piperine, a Bioactive Component of Pepper Spice Exerts Therapeutic Effects on Androgen Dependent and Androgen Independent Prostate Cancer Cells. PLoS One. 2013;8(6):e65889.
6. Greenshields AL, Doucette CD, Sutton KM, Madera L, Annan H, Yaffe PB, et al. Piperine inhibits the growth and motility of triple-negative breast cancer cells. Cancer Lett. 2015.
7. Panahi Y, Ghanei M, Hajhashemi A, Sahebkar A. Effects of Curcuminoids-Piperine Combination on Systemic Oxidative Stress, Clinical Symptoms and Quality of Life in Subjects with Chronic Pulmonary Complications Due to Sulfur Mustard: A Randomized Controlled Trial. J Diet Suppl. 2016.
8. Pfund LY, Chamberlin BL, Matzger AJ. The bioenhancer piperine is at least trimorphic. Cryst Growth Des. 2015;15(5):2047–51.
9. Saputra,Alfauzan. Karakterisasi Dispersi Padat Piperin dan Gelucire 44/14 Dengan Metode Peleburan. FAKULTAS FARMASI UNIVERSITAS ANDALAS. Padang. 2018.
10. Takao K, Ezawa T, Murata I, Kanamoto I, Inoue Y, Sugita Y. Characterization of the Dissolution Behavior of Piperine/Cyclodextrins Inclusion Complexes. AAPS PharmSciTech. 2017;19(2):923–33.
11. Ashour EA, Majumdar S, Alsheteli A, Alshehri S, Alsulays B, Feng X, et al. Hot melt extrusion as an approach to improve solubility, permeability and oral absorption of a psychoactive natural product, piperine. J Pharm Pharmacol. 2016;989–98.

12. Grothe E, Meekes H, Vlieg E, Ter Horst JH, De Gelder R. Solvates, Salts, and Cocrystals: A Proposal for a Feasible Classification System. *Cryst Growth Des.* 2016;16(6):3237–43.
13. Berry DJ, Steed JW. Pharmaceutical cocrystals, salts and multicomponent systems; intermolecular interactions and property based design. *Adv Drug Deliv Rev.* 2017;117:3–24.
14. Thipparaboina R, Mittapalli S, Thatikonda S, Nangia A, Naidu VGM, Shastri NR. Syringic Acid: Structural Elucidation and Co-Crystallization. *Cryst Growth Des.* 2016.
15. Karimi-Jafari M, Padrela L, Walker GM, Croker DM. Creating Cocrystals: A review of Pharmaceutical Cocrystal Preparation Routes and Applications. *Cryst Growth Des.* 2018.
16. Sathisaran I, Dalvi SV. Engineering cocrystals of poorlywater-soluble drugs to enhance dissolution in aqueous medium. *Pharmaceutics.* 2018;10(3).
17. He G, Chow PS, Tan RBH. Predicting multicomponent crystal formation: The interplay between homomeric and heteromeric interactions. *Cryst Growth Des.* 2009;9(10):4529–32.
18. Shailendra W, Sarita S, Swati R. Bioavailability Enhancement by Piperine: A Review. *Asian J Biomed Pharm Sci.* 2014;4(36):1–8.
19. Tilborg A, Norberg B, Wouters J. Pharmaceutical salts and cocrystals involving amino acids: A brief structural overview of the state-of-art. *Eur J Med Chem.* 2014;74:411–426.
20. Noubigh A, Akermi A. Solubility and Thermodynamic Behavior of Syringic Acid in Eight Pure and Water + Methanol Mixed Solvents. *J Chem Eng Data.* 2017;62:3274–3283.
21. Srinivasulu C, Ramgopal M, Ramanjaneyulu G, Anuradha CM, Suresh Kumar C. Syringic acid (SA) – A Review of Its Occurrence, Biosynthesis, Pharmacological and Industrial Importance. *Biomedicine and Pharmacotherapy.* 2018;108:547–557.
22. Yan S lei, Wang Z hong, Yen H fang, Lee Y ju, Yin M chin. Reversal of ethanol-induced hepatotoxicity by cinnamic and syringic acids in mice. *Food Chem Toxicol.* 2016;
23. Kakkar S, Narasimhan B. A comprehensive review on biological activities of oxazole derivatives. *BMC Chem.* 2019;13(1).

24. Srinivasan S, Muthukumaran J, Muruganathan U, Venkatesan RS, Jalaludeen AM. Antihyperglycemic effect of syringic acid on attenuating the key enzymes of carbohydrate metabolism in experimental diabetic rats. *Biomed Prev Nutr.* 2014;4(4):595–602.
25. Sweetman Sean C. *Martindale The Complete Drug Reference* Thirty-sixth Edition. Chicago: Pharmaceutical Press; 2009.
26. Stärtzel P. Arginine as an Excipient for Protein Freeze-Drying: A Mini Review. *Journal of Pharmaceutical Sciences.* 2018;1-8.
27. Meininger CJ, Wilborn CD, McNeal CJ, Wu G, Reddy D. Safety and Effectiveness of Arginine in Adults. *J Nutr.* 2016;146(12):2587S–2593S.
28. Viana ML, Generoso SDV, Carvalho G. L-Arginine in Clinical Nutrition. *L-Arginine Clin Nutr.* 2016;589–602.
29. Tan B, Xiao H, Xiong X, Wang J, Li G, Yin Y, et al. L-Arginine improves DNA synthesis in LPS-challenged enterocytes and effects of Arginine on DNA Sythesis and Cell-Cycle Progression of LPS-Treated Porcine Enterocytes. *2015;(15):989–1003.*
30. Infantes L, Fábián L, Motherwell WDS. Organic crystal hydrates: What are the important factors for formation. *CrystEngComm.* 2007;9(1):65–71.
31. Desiraju GR. Hydration in organic crystals: Prediction from molecular structure. *J Chem Soc Chem Commun.* 1991;(6):426–8.
32. Dawn H, Clarke M. Crystal Engineering of Multi-Component Crystal Forms : The Opportunities and Challenges in Design. Phd Theses, Univ South Florida, USA. 2012.
33. Zu'aimah Barikah K. Traditional and novel methods for cocrystal formation: A mini review. *Syst Rev Pharm.* 2018;9(1):79–82.
34. Patole T, Deshpande A. Co-Crystallization A Technique For Solubility Enhancement. *Int J Pharm Sci Res.* 2014;5(9):3566.
35. Korotkova EI, Kratochvíl B. Pharmaceutical Cocrystals. *Procedia Chem.* 2014;10(3822):473–6.
36. Rodrigues M, Baptista B, Lopes JA, Saraguça MC. Pharmaceutical cocrystallization techniques. Advances and challenges. *Int J Pharm.* 2018;547(1–2):404–20.
37. Zaini E, Sumirtapura YC, Soewandhi SN, Halim A, Uekusa H, Fujii K. Cocrystalline phase transformation of binary mixture of trimethoprim and sulfamethoxazole by slurry technique. *Asian J Pharm Clin Res.* 2010;3(4):26–9.

38. Chandra Gupta P, Yadav S, Sharma N, Kumar J. Cocrystals: an Alternative Approach To Modify Physicochemical Properties of Drugs. *Ijpcbs* 2015; 2015;5(2):427–36.
39. Bunaciu AA, Udriștioiu E gabriela, Aboul-Enein HY. X-Ray Diffraction: Instrumentation and Applications. *Crit Rev Anal Chem.* 2015;45(4):289–99.
40. Zaini E, Halim A, Soewandhi SN, Setyawan D, Farmasetika D, Farmasi F, et al. Peningkatan Laju Pelarutan Trimetoprim Melalui Metode Ko-Kristalisasi Dengan. *J Farm Indones.* 2011;5(4):205–12.
41. Luo S, Lutkenhaus JL, Nasrabadi H. Use of differential scanning calorimetry to study phase behavior of hydrocarbon mixtures in nano-scale porous media. *J Pet Sci Eng.* 2018;163:731–8.
42. Departemen Kesehatan RI. Farmakope Indonesia. Kelima. Jakarta: Departemen Kesehatan RI; 2014.
43. Zaini E, Azhari D, Fitriani L. Identification and characterization of solid binary system of quercetin-nicotinamide. *Orient J Chem.* 2016;32(3):1545–50.
44. Thiruvengadam E, Vellaisamy G. Polymorphism in Pharmaceutical Ingredients. *World J Pharm Pharm Sci.* 2014;3(3):621–33.
45. Klang V, Valenta C, Matsko NB. Electron microscopy of pharmaceutical systems. *Micron.* 2013;44(1):45–74.
46. Martin, Alfred, James Swarbrick AC. Farmasi Fisik Dasar Dasar Farmasi Fisik Dalam Ilmu Farmasetik. Yoshita, editor. Depok: UI Press; 1990.
47. Susanti M, Dachriyanus. Kromatografi Cair Kinerja Tinggi. Padang: Lembaga Pengembangan Teknologi Informasi dan Komunikasi (LPTIK ) Universitas Andalas; 2013.
48. Malviya R, Pal O P, Sharma P K. High Performance Liquid Chromatography. *Journal of Global Pharma Technology.* 2014;2(5):22-26
49. Chadha R, Bhandari S, Haneef J, Khullar S, Mandal S. Cocrystals of telmisartan: Characterization, structure elucidation, *in vivo* and toxicity studies. *CrystEngComm.* 2014;16(36):8375–89.
50. Zaini E, Agnesia Sherry Witarsah, Agustin R. Enhancement of Dissolution Rate of Meloxicam by Co-grinding Technique Using Hydroxypropyl methylcellulose. *J Chem Pharm Res.* 2014;6(11):263–7.
51. Alatas F, Ratih H, Soewandhi SN. Enhancement of solubility and dissolution rate of telmisartan by telmisartan-oxalic acid co-crystal formation. *Int J Pharm Pharm Sci.* 2015;7(3):423–6.

52. Reshma SK, Sathya E, Devi PS. Isolation of piperidine from *Piper nigrum* and its antiproliferative activity. 2010;4(August):562–73.
53. Hussain Z, Chaudhri VK, Pandey A, Srivastava AK, Maurya R, Prades U. Isolation and Evaluation of Piperine From Black Pepper and White Pepper. 2017;6(8):1424–30.
54. Budavari S, O’Neil MJ, Heckelman PE, Kinneary JF. The Merck Index. Twelfth Ed. New Jersey: Merck Research Laboratories; 1996.
55. Korotkova EI, Kratochvíl B. Pharmaceutical Cocrystals. Procedia Chem. 2014;10(3822):473–6.
56. Zaini E, Fitriani L, Sari RY, Rosaini H, Horikawa A, Uekusa H. Multicomponent Crystal of Mefenamic Acid and N-Methyl- D -Glucamine : Crystal Structures and Dissolution Study. J Pharm Sci. 2019;1–8. 3.
57. Dachriyanus. Analisis Struktur Senyawa Organik Secara Spektroskopi. Padang: Lembaga Pengembangan Teknologi Informasi dan Komunikasi (LPTIK ) Universitas Andalas; 2004.
58. Dan M, Perhitungannya C. Petunjuk Pelaksanaan Validasi. 2004;I(3):117–35.
59. Garg C, Thakur S, Satija S, Mehta M, Garg M. Stability indicating HPTLC studies of piperine through method development and analysis. 2016;1(7):24–9.