

DAFTAR PUSTAKA

- [1] L. A. Zadeh, “Fuzzy sets,” *Information and Control*, vol. 8, no. 3, pp. 338–353, 1965.
- [2] K. T. Atanassov, “Intuitionistic fuzzy sets,” *Fuzzy Sets and Systems*, vol. 20, no. 1, pp. 87–96, 1986.
- [3] R. R. Yager, “Pythagorean membership grades in multicriteria decision making,” *IEEE TRANSACTIONS ON FUZZY SYSTEMS*, vol. 22, no. 4, pp. 958–965, 2014.
- [4] T. Senapati and R. R. Yager, “Fermatean fuzzy sets,” *Journal of Ambient Intelligence and Humanized Computing*, vol. 10, no. 11, pp. 4519–4532, 2019.
- [5] H. Zhang, W. Zhang, and C. Mei, “Entropy of interval-valued fuzzy sets based on distance and its relationship with similarity measure,” *Knowledge-Based Systems*, vol. 22, no. 6, pp. 449–454, 2009.
- [6] K. Atanassov and G. Garvov, “Interval-valued intuitionistic fuzzy sets,” *Fuzzy Sets and Systems*, vol. 31, no. 1, pp. 343–349, 1989.
- [7] X. Peng and Y. Yang, “Fundamental properties of interval-valued pythagorean fuzzy aggregation operators,” *INTERNATIONAL JOURNAL OF INTELLIGENT SYSTEMS*, vol. 31, no. 1, pp. 444–487, 2016.

- [8] S. Jeevaraj, “Ordering of interval-valued fermatean fuzzy sets and its applications,” *Expert Systems with Applications*, vol. 185, no. 1, p. 115613, 2021.
- [9] Z. Liu, “A distance measure of fermatean fuzzy sets based on triangular divergence and its application in medical diagnosis,” *Journal of Operations Intelligence*, vol. 2, no. 1, pp. 167–178, 2024.
- [10] M. Dugenci, “A new distance measure for interval valued intuitionistic fuzzy sets and its application to group decision making problems with incomplete weights information,” *Applied Soft Computing*, vol. 41, no. 1, pp. 120–134, 2016.
- [11] R. G. Bartle and D. R. Sherbert, *Introduction to Real Analysis*. Wiley, 2011, vol. 4.

