

DAFTAR PUSTAKA

- Adams, C.I.M., Knapp, M., Gemmell, N.J., Jeunen, G.J., Bunce, M., Lamare, M.D., and Taylor, H.R., 2019. Beyond biodiversity: Can environmental DNA (eDNA) cut it as a population genetics tool? *Genes*, 10(3), p.192.
- Alves, P., Ferrand, N., and Hackländer, K. 2008. *Lagomorph biology: Evolution, ecology, and conservation*. Springer. Available at: <https://doi.org/10.1007/978-3-540-72446-9>.
- Arnason, U., J. A. Adegoke., K. Bodin., E. W. Born., Y. B. Esa., A. Gullberg., M. Nilsson., R. V. Short., X. Xu and A. Janke. 2002. Mammalian Mitogenomic Relationship and The Root of the Eutherian Tree. *PNAS* 99(12): 8151-8156.
- Aurora, D. A. 2023. *Karakteristik DNA Barcoding Kelinci Sumatra (Nesolagus netscheri, Schlegel 1880)*. Skripsi Sarjana Biologi FMIPA Universitas Andalas. Padang.
- Baksir, A., Akbar, N., and Ismail, F. 2022. Keragaman Genetik dan Filogenetik Kepiting Biola (Uca Spp.) di Pesisir Pantai Jailolo, Kabupaten Halmahera Barat. *Jurnal Kelautan Tropis*, 25(1), 57-69. Available at: <https://doi.org/10.14710/jkt.v25i1.12185>
- Bandelt, H. J., Forster, P., and Röhl, A. 1999. *Median-joining networks for inferring intraspecific phylogenies*. Molecular Biology and Evolution, 16(1), 37–48.
- Bradley, R. D., and Baker, R. J. 2001. A Test of the Genetic Species Concept: Cytochrome-b Sequences and Mammals. *Journal of Mammalogy*, 82(4), 960–973. Available at: <http://www.jstor.org/stable/1383474>
- Burger, G., Gray, M.W. & Lang, B.F. (2003) ‘Mitochondrial genomes: anything goes’, *Trends in Genetics*, 19(12), pp. 709–716. doi:10.1016/j.tig.2003.10.012.
- Burgin, C. J., Colella, J. P., Kahn, P. L., and Upham, N. S. 2018. How many species of mammals are there? *Journal of Mammalogy*, 99(1), 1–14. Available at: <https://doi.org/10.1093/jmammal/gyx147>
- Brown, T.A., 2002. *Genome*. 2nd ed. Oxford: Wiley-Liss.
- Can, D., A. Abramov, A. Tikhonov, A. Averianov. 2001. Annamite striped rabbit Nesolagus timminsi in Vietnam. *Acta Theriologica*, 46(4): 437-440.

- Castresana, J. 2001. Cytochrome b phylogeny and the taxonomy of great apes and mammals. *Molecular Biology and Evolution*, 18(4), 465–471. Available at: <https://doi.org/10.1093/oxfordjournals.molbev.a003825>.
- Chuang, L. Y., Cheng, Y. H., Yang, C. H. 2013. Spesific primer design for the Polymerase Chain Reaction. *Biotechnol Lett* 35(10):1541-1549. DOI: 10.1007/s10529-013-1249-8.
- Cracraft, J. and Helm-Bychowski, K. (1991) ‘Parsimony and phylogenetic inference using DNA sequences: some methodological strategies’, in Miyamoto, M.M. and Cracraft, J. (eds) *Phylogenetic analysis of DNA sequences*. New York, NY: Oxford Academic. Available at: <https://doi.org/10.1093/oso/9780195066982.003.0010>
- Desler, C., M.L. Marcker, K.K. Singh, dan L.J. Rasmussen. 2011. The Importance of Mitochondrial DNA in Aging dan Cancer. *Journal of Aging Research*. doi:10.4061/2011/407536.
- Dieffenbach, C. W., Lowe, T. M., and Dveksler, G. S. 1993. *General concepts for PCR primer design*. PCR Methods and Applications, 3(3), S30–S37.
- Dieffenbach, C. W., and Dveksler, G. S. 1995. *PCR Primer: A Laboratory Manual*.
- Diss, T. 2003. *The Polymerase Chain Reaction*. In Crocker, J. dan Paul, G.M. editors. Molecular Biology in Cellular Pathology. United Kingdom: John Wiley and Sons, Ltd. P. 193-210
- Espoti D. M, S. De Vries, M. Crimi, A. Gheli, T. Patarnello and A. Meyer. 1993. Mitochondrial Cytochrome b: Evolution and Structure of the Protein. *Biochim Biophys Acta*. 1143:243-247.
- Esteves, P. J. de C. 2003. *Molecular and population genetic analysis of polymorphism at the antibody loci IgGCH2 and IgVH in lagomorphs*. Disertasi PhD, Universidade do Porto.
- Excoffier, L. and H.E. L. Lischer. 2010. Arlequin suite ver 3.5: A new series of programs to perform population genetics analyses under Linux and Windows. *Molecular Ecology Resources*. 10: 564-567.
- Falush, D., M. Stephens and J.K. Prichard. 2003. Inference of Population Structure Using Multilocus Genotype Data: Linked Loci and Correlated Allele Frequencies. *Genetics*, volume 154, 1567-1587.
- Fauna & Flora International, n.d., 'Asia's Amazon: Behold the bewildering biodiversity of the Annamites', *Fauna & Flora International*, accessed 15 January 2025, <https://www.fauna-flora.org/news/asias-amazon-behold-the-bewildering-biodiversity-of-the-annamites/>.

- Frankham, R., J. D. Ballou and D. A. Briscoe. 2010. *Introduction to conservation genetics*, Second edition. United States: Cambridge University Press. New York. 96-122.
- Galtier, N., Nabholz, B., Glémin, S., and Hurst, G. D. D. 2009. Mitochondrial DNA as a marker of molecular diversity: a reappraisal. *Molecular ecology*, 18(22), 4541-4550. <https://doi.org/10.1111/j.1365-294X.2009.04380.x>
- Ge, D., Wen, Z., Xia, L., Zhang, Z., Erbajeva, M. and Huang, C., 2013. Evolutionary history of lagomorphs in response to global environmental change. *PloS One*, 8(4), p.e59668. doi: 10.1371/journal.pone.0059668.
- Ge, D., Feijó, A., Wen, Z., Lissovsky, A., Zhang, D., Cheng, J., Yan, C., Mu, D., Wu, X., Xia, L., & Yang, Q. 2022. Ancient introgression underlying the unusual mito-nuclear discordance and coat phenotypic variation in the Moupin pika. *Diversity and Distributions*, 28, 2593–2609. Available at: <https://doi.org/10.1111/ddi.13479>
- Gissi, C., Gullberg, A., & Arnason, U. 1998. The complete mitochondrial DNA sequence of the rabbit, *Oryctolagus cuniculus*. *Genomics*, 50(2), 161-169. Available at: <https://doi.org/10.1006/geno.1998.5282>
- Goodall-Copestake, W. P., Tarling, G. A., and Murphy, E. 2012. On the comparison of population-level estimates of haplotype and nucleotide diversity: a case study using the gene cox1 in animals. *Heredity*, 109(1), 50-56. Available at: <https://doi.org/10.1038/hdy.2012.12>
- Hall, T. A. 1999. *BioEdit: a user-friendly biological sequence alignment editor and analysis program for Windows 95/98/NT*. Nucleic Acids Symposium Series, 41, 95–98.
- Hebert, P.D., Ratnasingham, S. and Ward, J.R., 2003. Barcoding animal life: cytochrome c oxidase subunit 1 divergences among closely related species. *Proceedings of the Royal Society B: Biological Sciences*, 270(Suppl 1), pp.S96–S99. doi: 10.1098/rsbl.2003.0025.
- Hewitt, G. M. 2004. Genetic Consequences of Climatic Oscillations in the Quaternary. *Philosophical Transactions: Biological Sciences*, 359(1442), 183–195. <http://www.jstor.org/stable/4142171>.
- Hillis, D.M., Mable, B.K. and Moritz, C. (1996) Applications of molecular systematics: The state of the field and a look to the future. In: Hillis, D.M., Moritz, C. and Mable, B.K. Eds., Molecular systematics, Sinauer Associates, Massachusetts, 515-543.

- Hoffmann RS., Smith A.T. 2005. Order Lagomorpha. In mammal species of the world: A taxonomic and geographic reference. In: Wilson DE and Reeder DM eds. Johns Hopkins University Press, London.
- Hubert, N., R. Hanner, E. Holm, N. Mandrak, E. Taylor. 2008. Identifying Canadian Freshwater Fishes through DNA Barcodes. *PLoS One* 3 : e2490. DOI: 10.1371/journal.pone.0002490.
- IUCN (International Union for Conservation of Nature). 2008. *Nesolagus netscheri*. The IUCN Red List of Threatened Species. Version 2024-2
- Iraçabal L, Barbosa MR, Selvatti AP, Russo CAdM. 2024. Molecular time estimates for the Lagomorpha diversification. PLOS ONE 19(9): e0307380. Available at: <https://doi.org/10.1371/journal.pone.0307380>
- Jin, J.Q., and Sun, Y.B. 2018. AutoSeqMan : Batch Assembly of Contigs for Sanger Sequences. *ZR Zoological Research* 39(2): 123-126
- Karp, A., Peter, G.I and David, S.I. 1998. Molecular Tools for Screening Biodiversity. Pub. Chapman & Hall, London. 112-113.
- Kartavtsev, Y.P., 2013. Sequence diversity at Cyt-b and Co-1 mtDNA genes in animal taxa proved Neo-Darwinism. *Journal of Phylogenetics & Evolutionary Biology*, 1, p.120. doi:10.4172/2329-9002.1000120.
- Kartavtsev, Y. Ph. (2011). Divergence at Cyt-b and Co-1 mtDNA genes on different taxonomic levels and genetics of speciation in animals. *Mitochondrial DNA*, 22(3), pp. 55–65. doi: 10.3109/19401736.2011.588215.
- Kartavtsev, Y., and Lee, J. S. 2006. Analysis of nucleotide diversity at the cytochrome b and cytochrome oxidase 1 genes at the population, species, and genus levels. *Russian Journal of Genetics*, 42(4), 341–362. Available at: <https://doi.org/10.1134/S1022795406040093>
- Koju, N. P., He, K., Chalise, M. K., Ray, C., Chen, Z., Zhang, B., Wan, T., Chen, S., & Jiang, X. 2017. Multilocus approaches reveal underestimated species diversity and inter-specific gene flow in pikas (*Ochotona*) from southwestern China. *Molecular Phylogenetics and Evolution*, 107, 239–245. Available at: <https://doi.org/10.1016/j.ympev.2016.11.005>
- Koressaar, T., and Remm, M. 2007. *Enhancements and modifications of primer design program Primer3*. Nucleic Acids Research, 35(10), 3865–3868.
- Kraatz, B., Belabbas, R., Fostowicz-Frelik, Ł., Ge, D.-Y., Kuznetsov, A.N., Lang, M.M., López-Torres, S., Mohammadi, Z., Racicot, R.A., Ravosa, M.J., Sharp, A.C., Sherratt, E., Silcox, M.T., Słowiak, J., Winkler, A.J. and Ruf,

- I., 2021. Lagomorpha as a model morphological system. *Frontiers in Ecology and Evolution*, 9, p.636402. doi: 10.3389/fevo.2021.636402.
- Ladoukakis, E. D dan E. Zouros. 2017. Evolution and inheritance of animal mitochondrial DNA: rules and exceptions. *Journal of Biological Research Thessaloniki* 24: 2
- Lanier, H. C., and Olson, L. E. 2013. Deep barriers, shallow divergences: reduced phylogeographical structure in the collared pika (Mammalia: Lagomorpha:Ochotona collaris). *Journal of Biogeography*, 40(3), 466–478. doi:10.1111/jbi.12035.
- Larsson, A., 2014. AliView: a fast and lightweight alignment viewer and editor for large datasets. *Bioinformatics*, 30(22), pp.3276–3278. doi: 10.1093/bioinformatics/btu531.
- Leigh, J. W., and D. Bryant. 2015. PopART: full-feature software for haplotype network construction. *Methods in Ecology and Evolution* 6:1110–1116.
- Lemey, P., M. Salemy, and A.M. Vandamme. 2009. The Phylogenetic Handbook: A radical Approach to Phylogenetic Analysis and Hypothesis Testing, Second Edition. Cambridge University Press.
- Lissovsky, A. A., McDonough, M., Dahal, N., Jin, W., Liu, S., and Ruedas, L. A. (2017). A new subspecies of large-eared pika, *Ochotona macrotis* (Lagomorpha: Ochotonidae), from the Eastern Himalaya. *Russian Journal of Theriology*, 16(1), 30–42. Available at: <https://doi.org/10.15298/rusjtheriol.16.1.03>
- Lissovsky, A. A., Yatsentyuk, S. P., Obolenskaya, E. V., Koju, N. P., and Ge, D. 2022. Diversification in highlands: phylogeny and taxonomy of pikas of the subgenus *Conothoa* (Lagomorpha, Ochotonidae). *Zoologica Scripta*, 51, 267–287. Available at: <https://doi.org/10.1111/zsc.12538>
- Liu, J., Yu, L., Arnold, M.L., Wu, C.H., Wu, S.F., Lu, X. and Zhang, Y.P. 2011. Reticulate evolution: frequent introgressive hybridization among Chinese hares (genus *Lepus*) revealed by analyses of multiple mitochondrial and nuclear DNA loci. *BMC Evolutionary Biology*, 11, p.223. doi: 10.1186/1471-2148-11-223.
- Lodish, H.A., S.L. Berk, P. Zipursky, D. Matdusaira, Baltimore and J. Darnell. 2000. Molecular Cell Biology, 4thEdition. W.H Freeman and Company. New York.
- Mamat, M., Shan, W., Dong, P., Zhou, S., Liu, P., Meng, Y., Nie, W., Teng, P. and Zhang, Y. 2023. Population genetics analysis of Tolai hares (*Lepus tolai*) in Xinjiang, China using genome-wide SNPs from SLAF-seq and

- mitochondrial markers. *Frontiers in Genetics*, 13, p.1018632. Available at: <https://doi.org/10.3389/fgene.2022.1018632>
- Matthee, C. A., Jansen Van Vuuren, B., Bell, D., and Robinson, T. J. 2004. A molecular supermatrix of the rabbits and hares (Leporidae) allows for the identification of five intercontinental exchanges during the Miocene. *Systematic Biology*, 53 (3), 433 – 447. Available at: <https://doi.org/10.1080/10635150490445715>
- McCarthy, J. L., McCarthy., T. D. Fuller., K. P. McCarthy., H. T. Wibisono and M. L. Livosi. 2012. Using Camera Trap photo and direct sightings to Identify Possible refugia for the Vurnerable Sumatra striped rabbit *Nesolagus netscheri*. Cambridge journals: 1-4.
- McCarthy J., J. Holden, D. Martyr, K. McCarthy. 2019. *Nesolagus netscheri*. The IUCN Red List of Threatened Species 2019: e.T14662A45178557. <http://dx.doi.org/10.2305/IUCN.UK.2019-2.RLTS.T14662A45178557.en>. (Accessed: 29 Desember 2022).
- Mohammadi, Z., Aliabadian, M., Ghorbani, F., Moghaddam, F.Y., Lissovsky, A.A., Obst, M. and Olsson, U., 2020. Unidirectional introgression and evidence of hybrid superiority over parental populations in Eastern Iranian Plateau population of hares (Mammalia: *Lepus* Linnaeus, 1758). *Journal of Mammalian Evolution*, 27, pp.723–743. Available at: <https://doi.org/10.1007/s10914-019-09478-5>
- Mohammadi, Z., Darvish, J., Aliabadian, M., Yazdani Moghaddam, F., Lissovsky, A. A., and Olsson, U. 2018. *Pleistocene diversification of Afghan pikas Ochotona rufescens* (Gray, 1842) (Lagomorpha; Ochotonidae) in Western Asia. *Mammalian Biology*, 91, 10–22. doi:10.1016/j.mambio.2018.03.004
- Monalisa, E., Mantiri, F. R., dan Lengkong, H. J. 2019. Kajian Variasi Sekuens Interspesies dan Filogeni Kelelawar *Pteropus* Sp. Menggunakan Gen COI. *Jurnal MIPA*, 8(2), 71-77. Available at: <https://doi.org/10.35799/jmuo.8.2.2019.24277>
- Munjal. G., S. Srivastava., and M. Hanmandlu. 2018. Phylogenetic Methods andits Applications. Open Access Biostatistics and Bioinformatics. 1(1).
- Murphy, W. J., E. Eizirik, W. E. Johnson, and Y. P. Zhang. 2001. Molecular phylogenetics and the origins of placental mammals. *Nature*, 409:614–618.
- [NCBI] National Center for Biotechnology Information. 2024. *GenBank*. Tersedia di https://www.ncbi.nlm.nih.gov/nuccore/NC_063946.1/ [diakses 20 Agustus 2024].

- Nguyen, L.-T., Schmidt, H.A., von Haeseler, A. and Minh, B.Q., 2015. IQ-TREE: A fast and effective stochastic algorithm for estimating maximum-likelihood phylogenies. *Molecular Biology and Evolution*, 32(1), pp.268–274. Available at: <https://doi.org/10.1093/molbev/msu300>
- Paradis, E. 2018. Analysis of haplotype networks: The randomized minimum spanning tree method. *Methods in Ecology and Evolution*.
- Peraturan Menteri Lingkungan Hidup dan Kehutanan Republik Indonesia Nomor P.20/MENLHK/SETJEN/KUM.1/6/2018.
- Patwardhan, A., S. Ray and A. Roy. 2014. Molecular Markers in Phylogenetic Studies-A Review. *J Phylogen Evolution Biol* 2(2): 131.
- Phillips, J. D., Gillis, D. J., and Hanner, R. H. 2019. Incomplete estimates of genetic diversity within species: Implications for DNA barcoding. *Ecology and Evolution*, 9(5), 2996-3010. Available at: <https://doi.org/10.1002/ece3.4757>
- Pierpaoli, M., Riga, F., Trocchi, V. and Randi, E., 1999. Species distinction and evolutionary relationships of the Italian hare (*Lepus corsicanus*) as described by mitochondrial DNA sequencing. *Molecular Ecology*, 8(11), pp.1805–1817. Available at: <https://doi.org/10.1046/j.1365-294x.1999.00766.x>
- Pinheiro, A., Neves, F., Lemos de Matos, A., Abrantes, J., van der Loo, W. and Mage, R., 2016. An overview of the lagomorph immune system and its genetic diversity. *Immunogenetics*, 68(2), pp.83–107. Available at: <https://doi.org/10.1007/s00251-015-0868-8>
- Priyono, D.S., Rafina, N., Arisuryanti, T., Lesmana, I., Yustian, I. and Setiawan, A., 2025. The first complete mitochondrial genome of Sumatran striped rabbit *Nesolagus netscheri* (Schlegel, 1880), and its phylogenetic relationship with other Leporidae. *Scientific Reports*, 15, p.2002. Available at: <https://doi.org/10.1038/s41598-025-85212-x>
- Ramírez-Silva, J. P., González-Cózatl, F. X., Vázquez-Domínguez, E., and Cervantes, A. 2010. Phylogenetic position of Mexican jackrabbits within the genus *Lepus* (Mammalia: Lagomorpha): A molecular perspective. *Revista Mexicana de Biodiversidad*, 81(3), 721-731.
- Ridley, M. 2004. Evolution. Wiley-Blackwell. Maldem. USA.
- Roux, K.H., 2009. Optimization and troubleshooting in PCR. *Cold Spring Harbor Protocols*, 2009(4), p.pdb.ip66. <https://doi.org/10.1101/pdb.ip66>.

- Rozas, J., J.C. Sanchez-DelBarrio., X. Messeguer., and R. Rozas. 2003. DnaSP, DNA Polymorphism Analyses by the Coalescent and Other Methods. Bioinformatic 19: 2496-2497.
- Ruedas, L. A., Silva, M. S., French, J. H., Platt II, R. N., Bravo, J. S., Mora, J. M., Thompson, C. W.. 2017. A prolegomenon to the systematics of the South American cottontail rabbits (Mammalia, Lagomorpha, Leporidae: Sylvilagus): designation of a neotype for *S. brasiliensis* (Linnaeus, 1758), and restoration of *S. andinus* (Thomas, 1897) and *S. tapetillus* Thomas, 1913. Miscellaneous Publication, Museum of Zoology, University of Michigan 205:i–iv+1–67 pp.
- Ruedi, M., Manzinalli, J., Dietrich, A., Vinciguerra, L. 2023. Shortcomings of DNA barcodes: a perspective from the mammal fauna of Switzerland. *Hystrix, the Italian Journal of Mammalogy*, 34(1), 54-61. Available at: <https://doi.org/10.4404/hystrix-00628-2023>.
- Rychlik, W., Spencer, W. J., & Rhoads, R. E. (1990). *Optimization of the annealing temperature for DNA amplification in vitro; Nucleic Acids Research*, 18(21), 6409–6412. doi:10.1093/nar/18.21.6409
- Saccone, C., C. de Giorgi, C. Gissi, G. Pesole dan A. Reyes. 1999. Evolutionary Genomics in Metazoa: the Mitochondrial DNA as a Model System. *Gene*. 238:195- 209
- Sambrook, J and D.W. Russell. 2001. Molecular Cloning, A laboratory Manual. 3nd edition. Cold Spring Harbor Laboratory Press. New York.
- Sambrook, J., Russel, D.W. 1989. Molecular cloning, A Laboratory manual 2nd Edition. New York: Cold-spring Harbour Laboratory Press.
- Saputra, R. F., Setiawan, A., Yustian, I., & Patriono, E. (2019). DNA Extraction of Sumatran Striped Rabbit from Tissue Samples. *BIOVALENTIA: Biological Research Journal*, 5(2), 46–49. Available at: <https://doi.org/10.24233/BIOV.5.2.2019.148>
- Schai-Braun, S, C. and Hackländer, K. 2016. Family Leporidae (Hares and rabbits). In: Wilson, D.E., Lacher, T.E. & Mittermeier, R.A. (Eds.) Handbook of the Mammals of the World. Vol. 6. Lagomorphs and Rodents I. Lynx Edicions, Barelona, pp. 62–148.
- Schlegel, Hermann. 1880. On an anomalous species of hare discovered in the Isle of Sumatra: *Lepus netscheri*. Notes from the Leyden Museum 2(2): 59-65.
- Setiawan A, Iqbal M, Susilowat O, Setiawan D, Yustian I. Status of the Sumatran Striped Rabbit *Nesolagus netscheri* in Isau-Isau Wildlife Reserve, South Sumatra Province, Indonesia. *Journal of Threatened Taxa*.

- 2023;15(2):22746-22748. Available at: <https://doi.org/10.11609/jot.8113.15.2.22746-22748>.
- Setiawan A., M. Iqbal, A. Halim, R.F. Saputra, D. Setiawan, I. Yustian. 2019. First Description of Immature Sumatran stripped rabbit (*Nesolagus netscheri*), with special reference to the wildlife trade in South Sumatra. *Mammalia*, Volume 84 (3). Available at: <https://doi.org/10.1515/mammalia-2018-0217>.
- Setiawan, A., Iqbal, M., Komarudin, Saputra, F. S., Setiawan, D., dan Yustian, I. 2018. New reports of the presence and ecology of the Sumatran Striped Rabbit (*Nesolagus netscheri*) in South Sumatra. *Mammalia*, 82(6): 589-591. Retrieved 16 Nov. 2018, doi:10.1515/mammalia-2017-0064.
- Silva S. M., Ruedas, L. A., Hasnah Santos, L., de Sousa e Silva, J., and Aleixo, A. 2019. Illuminating the obscured phylogenetic radiation of South American *Sylvilagus* Gray, 1867 (Lagomorpha: Leporidae). *Journal of Mammalogy*, 100(1), 31–44. Available at: <https://doi.org/10.1093/jmammal/gyy186>
- Smith, A.T., 2008. The world of pikas. In: Alves, P.C., Ferrand, N., and Hackländer, K., editors. *Lagomorph biology: evolution, ecology, and conservation*. Berlin, Heidelberg: Springer Berlin Heidelberg, pp. 89–102.
- Spradling, T. A., Hafner, M. S., and Demastes, J. W. 2001. Differences in rate of cytochrome-b evolution among species of rodents. *Journal of Mammalogy*, 82(1), 65–80. Available at: [https://doi.org/10.1644/1545-1542\(2001\)082<0065:DIROCB>2.0.CO;2](https://doi.org/10.1644/1545-1542(2001)082<0065:DIROCB>2.0.CO;2)
- Surridge, A. K., Timmins, R. J., Hewitt, G. M., and Bell, D. J. 1999. Striped rabbits in Southeast Asia. *Nature*, 400(6746), 726–726. doi:10.1038/23393
- Tamura, K., G. Stecher., and S. Kumar, 2021. MEGA 11: Molecular Evolutionary Genetics Analysis Version 11. *Molecular Biology and Evolution* 38(7): 3022–302
- Templeton, A. R. 1998. Human Races: A Genetic and Evolutionary Perspective. *American Anthropologist*, 100(3), 632–650. Available at: <http://www.jstor.org/stable/682042>
- Thornton, B., and Basu, C. 2011. *Real-time PCR (qPCR) primer design using free online software*. Biochemistry and Molecular Biology Education.
- Tobe, S. S., Kitchener, A.C., and Linacre A .M. T. 2010. Reconstructing Mammalian Phylogenies: A Detailed Comparison of the Cytochrome b and Cytochrome Oxidase Subunit I Mitochondrial Genes.

- PLOS ONE 5(11): e14156. Available at: <https://doi.org/10.1371/journal.pone.0014156>
- Tobe, S. S., and Linacre, A. M. . 2008. A Multiplex Assay to Identify 18 European Mammal Species From Mixtures Using the Mitochondrial Cytochrome b Gene. *Fast Track* 29: 340-347.
- Tursi, R. M., Hughes, P. T., and Hoffman, E. A. 2013. Taxonomy versus phylogeny: evolutionary history of marsh rabbits without hopping to conclusions. *Diversity Distrib.*, 19: 120-133. Available at: <https://doi.org/10.1111/j.1472-4642.2012.00915.x>
- Upham N. S, Esselstyn J. A, Jetz W. 2019. Inferring the mammal tree: Species-level sets of phylogenies for questions in ecology, evolution, and conservation. *PLoS Biol* 17(12): e3000494. Available at: <https://doi.org/10.1371/journal.pbio.3000494>
- Vandersteen, W. J dan W. Boontje. 1973. Phylogenetic Versus Phenetic Taxonomy: A Reappraisal. *Systematic Zoology*. Vol 22 (1): 55-63.
- Wang C. 2016. Primer Design. Centre for Medical Parasitology University of Copenhagen. Health Science, Denmark.
- Wei, L., Wu, X., Zhu, L., and Jiang, Z. 2011. Mitogenomic analysis of the genus *Panthera*. *Science China. Life sciences*, 54(10), 917–930. Available at: <https://doi.org/10.1007/s11427-011-4219-1>
- Yamada, F., Takaki, M. and Suzuki, H., 2002. Molecular phylogeny of Japanese Leporidae, the Amami rabbit *Pentalagus furnessi*, the Japanese hare *Lepus brachyurus*, and the mountain hare *Lepus timidus*, inferred from mitochondrial DNA sequences. *Genes & Genet. Syst.*, 77(2), pp.107-116. doi: 10.1266/ggs.77.107
- Yang, X., Ao, W., Xu, D., Feng, S., Sun, G., Dou, H., Zhang, H. (2019). The complete mitochondrial genome of Daurian pika (*Ochotona daurica*). *Mitochondrial DNA Part B*, 4(1), 519–520. Available at: <https://doi.org/10.1080/23802359.2018.1551087>.
- Ye, J., G. Coulouris., I. Zaretskaya., I. Cutcutache., S. Rozen., and Madden, T. L. 2012. Primer-BLAST: A tool to design target-specific primers for polymerase chain reaction. *BMC Bioinformatics* 13:134-144.
- Yu, N., Zheng, C., Zhang, Y., P., and Li, W, H. 2000. Molecular Systematics of Pikas (Genus *Ochotona*) Inferred from Mitochondrial DNA Sequences. *Molecular Phylogenetics and Evolution*, 16(1), 85–95. doi:10.1006/mpev.2000.0776

Zardoya, Rafael dan A. Meyer. 1996. Phylogenetic Performance of Mitochondrial Protein-Coding Genes in Resolving Relationship Among Vertebrates. *First publ. In : Molecular Biology and Evolution.* 13(7) : 933-9

