

DAFTAR PUSTAKA

- Abdulla, G. A., Saleh, H. M., & Al-Hakeem, A. M. (2023). Effects of *Trichoderma Harzianum* and *Trichoderma Asperellum* Against Egg of *Meloidogyne Incognita* under Laboratory Condition. In *IOP Conference Series: Earth and Environmental Science* 1213 (1), 012011. IOP Publishing.
- Adriansyah, A., Arri, M., Hamawi, M., & Ikhwan, A. (2015). Uji Metabolit Sekunder *Trichoderma* sp. sebagai Antimikrobia Patogen Tanaman *Pseudomonas solanacearum* secara *in vitro*. *Jurnal Ilmiah Gontor Agrotech*, 2(1), 19-30.
- Aglave, B. (2018). Handbook of Plant Disease Identification and Management. In B. Aglave (Ed.), *Handbook of Plant Disease Identification and Management* (1st ed.). CRC Press Taylor & Francis Group.
- Alexopoulos, C. J., M. Blacwell, & C. W. Mims. (1996). *Introductory Mycology. Fourth edition*. New York.
- Alexopoulos, C.Y & Mims, C.W. 1979. *Introductory Mycology*. New York : Fourth Edition John Wiley and Sons.
- Amaria, W., Harni, R., & Samsudin. (2015). Evaluasi Jamur Antagonis dalam Menghambat Pertumbuhan *Rigidoporus microporum* Penyebab Penyakit Jamur Akar Putih Pada Tanaman Karet. *J. TIDP*, 2(1), 51–60.
- Azwar, M. S. (2016). Karakterisasi Morfologi dan Fragmen rDNA *Trichoderma* sp. Asal Perkebunan Kakao (*Theobromae cacao* L.) Konawe. [Skripsi]. Universitas Andalas.
- Bazioli, J. M., Belinato, J. R., Costa, J. H., Akiyama, D. Y., Pontes, J. G. de M., Kupper, K. C., Augusto, F., de Carvalho, J. E., & Fill, T. P. (2019). Biological Control of Citrus Postharvest Phytopathogens. *Toxins*, 11(8), 1–22.
- Bocianowski, J., Tratwal, A., & Nowosad, K. (2020). Genotype by environment interaction for area under the disease-progress curve (AUDPC) value in spring barley using additive main effects and multiplicative interaction model. *Australasian Plant Pathology*, 49(5), 525-529.
- Chen, J., Shen, Y., Chen, C., & Wan, C. (2019). Inhibition of key citrus postharvest fungal strains by plant extracts *in vitro* and *in vivo*: A review. *Plants*, 8(2), 1-9.
- Dantas, A. M. de M., Nascimento, S. R. de C., Cruz, B. L. S. da, Silva, F. H. A. da, Ambrósio, M. M. de Q., & Senhor, R. F. (2018). Alternative Control of Post-Harvest Diseases in Tainung 1 Papaya. *Pesquisa Agropecuaria Tropical*, 48(1), 29-35.
- Deciana, Nurdin, M., Maryono, T., & D. Suskandini Ratih. (2014). Inventarisasi Jamur-jamur Patogen Pada Buah Jeruk (*Citrus* sp.) Di Beberapa Pasar Di Bandar Lampung. 2(2), 193–196.
- Eckert, J. W., & Ogawa, J. M. (1985). The chemical control of postharvest diseases: subtropical and tropical fruits. *Annual review of phytopathology*, 23(1), 421-454.

- Ferreira, F. V., & Musumeci, M. A. (2021). *Trichoderma* as Biological Control Agent: Scope and Prospects to Improve Efficacy. *World Journal of Microbiology and Biotechnology*, 37(5), 1–17.
- Ferreira, Flavia. V., Herrmann, Andrade. M., Calabrese, Carla. D., Bello, F., Vázquez, Daniel., & Musumeci, Musumeci. A. (2020). Effectiveness of *Trichoderma* Strains Isolated From the Rhizosphere of Citrus Tree to Control *Alternaria alternata*, *Colletotrichum gloeosporioides* and *Penicillium digitatum* A21 Resistant to Pyrimethanil in Post-harvest Oranges (*Citrus sinensis* L.) (Osbeck)). *Journal of Applied Microbiology*, 129(3), 712–727.
- Fiantara, Y. O. (2021). Analisis Mutu Fisik Jeruk Siam (*Citrus nobilis* Lour) Asal Kuok Dengan Lama Penyimpanan Berbeda Pada Suhu Ruang. [Skripsi]. UIN Sultan Syarif Kasim Riau.
- Fitria, E., Kesumawaty, E., Basyah, B., & Asis. (2021). Peran *Trichoderma harzianum* sebagai Penghasil Zat Pengatur Tumbuh terhadap Pertumbuhan dan Produktivitas Varietas Cabai (*Capsicum annuum* L.). *Jurnal Agronomi Indonesia (Indonesian Journal of Agronomy)*, 49(1), 45–52.
- Gusnawaty, H., Taufik, M., Triana, L., & Asniah. (2014). Karakterisasi Morfologis *Trichoderma* spp. Indigenus Sulawesi Tenggara. *Jurnal Agroteknos*, 4(2), 88–94.
- Handayani, N., Akhiriani, S., & Rahmawati, A. (2023). Peningkatan Mutu Buah Jeruk Siem Berdasarkan Masa Panen Basis Kalender dan Karakteristik Fisik dan Sensorisnya. *Jurnal Agroteknologi*, 17(2), 84–93.
- Handoko, D. D., Napitupulu, B., & Sembiring, H. (2005). Penanganan Pascapanen Buah Jeruk. *Prosiding Seminar Nasional Teknologi Inovatif Untuk Pengembangan Industri Berbasis Pertanian*, 486–497.
- Harman, G. E., Howell, C. R., Viterbo, A., Chet, I., & Lorito, M. (2004). *Trichoderma* species- Opportunistic, avirulent plant symbionts. In *Nature Reviews Microbiology*, 2 (1), 43-53.
- Hartati, S., Utari, E. D., Rasiska, S., & Istifadah, N. (2022). Capability of Three Yeast Species in Suppressing *Green Mold* (*Penicillium digitatum*) on Siam Citrus Fruit (*Citrus nobilis*). *CROPSAVER - Journal of Plant Protection*, 5(2), 61–70.
- Hersanti, H., Rupendi, R. T., Purnama, A., Hanudin, H., Marwoto, B., & Gunawan, O. S. (2009). Penapisan beberapa isolat *Pseudomonas fluorescens*, *Bacillus subtilis* dan *Trichoderma harzianum* yang bersifat antagonistik terhadap *Ralstonia solanacearum* pada tanaman kentang. *Agrikultura*, 20(3), 198-203.
- Hilares, R. T., de Souza, R. A., Marcelino, P. F., da Silva, S. S., Dragone, G., Mussatto, S. I., & Santos, J. C. (2018). Sugarcane bagasse hydrolysate as a potential feedstock for red pigment production by *Monascus ruber*. *Food chemistry*, 245, 786-791.
- Ladanyia, M. (2010). *Citrus Fruit: Biology, Technology and Evaluation*; Academic Press: San Diego, CA, USA.

- Liana, D., & Sayuthi, M. (2023). Keefektifan agens hayati (*Trichoderma harzianum*, *Trichoderma viridae*, *Pseudomonas aeruginosa*, dan *Bacillus* sp.) untuk mengendalikan penyakit budok pada tanaman nilam. *Jurnal Ilmiah Mahasiswa Pertanian*, 8(2), 503-512.
- Li, Y., Xia, M., He, P., Yang, Q., Wu, Y., He, P., Ahmed, A., Li, X., Wang, Y., Munir, S., & He, Y. (2022). Developing *Penicillium digitatum* Management Strategies on Post-Harvest Citrus Fruits with Metabolic Components and Colonization of *Bacillus subtilis* L1-21. *Journal of Fungi*, 8(1), 1–17.
- Lin, Y., Fan, L., Xia, X., Wang, Z., Yin, Y., Cheng, Y., & Li, Z. (2019). Melatonin decreases resistance to postharvest green mold on citrus fruit by scavenging defense-related reactive oxygen species. *Postharvest Biology and Technology*, 153, 21–30.
- Maketon, M, A Jirasak, & S Chatchai. (2008). Green house evaluation of *Bacillus subtilis* Ap-01 and *Trichoderma harzianum* Ap-001 in controlling tobacco diseases. *Brazilian Journal of Microbiology*, 39, 296-300.
- Martoredjo, T. 2009. *Ilmu Penyakit Pascapanen*. Bumi Aksara. Jakarta.
- Melta, R.C. (2020). Efektivitas Lama Perendaman Benih Cabai (*Capsicum annum* L.) dengan *Trichoderma asperellum* Untuk Pengendalian Jamur Patogen Tular Benih. [Skripsi]. Universitas Andalas.
- Muhibbudin, A., Salsabila, S., & Sektiono, A. W. (2021). Kemampuan Antagonis *Trichoderma harzianum* Terhadap Beberapa Jamur Patogen Penyakit Tanaman. *Agrosaintifika : Jurnal Ilmu-Ilmu Pertanian*, 4(1), 225-233.
- Muliani, Y., Adviany, I., & Sangga, A. M. A. (2022). Aplikasi *Trichoderma harzianum* Rifai. terhadap *Xanthomonas axonopodis* pv. *allii* pada Tanaman Bawang Daun (*Allium fistulosum* L.). *Agroscript: Journal of Applied Agricultural Sciences*, 4(2), 83-93.
- Mutia, R. (2020). Kemampuan Antagonis Isolat *Trichoderma* spp. Terhadap *Pythium aphanidermatum* (Edson) Penyebab Busuk Buah Pada Tanaman Mentimun (*Cucumis sativus* L.) secara *In vitro*. [Skripsi]. Universitas Andalas.
- Nasahi, C., & Clonelin, R. A. (2021). Effect of Betel Leaf (*Piper* sp.) Water Extracts to Control *Penicillium digitatum* Causes of Green Mold in Dekopon Citrus (*Citrus reticulata*). *Cropsaver*, 4(1), 37–45.
- Nofri, D. (2018). Kemampuan Antagonis Beberapa Isolat *Trichoderma* sp. Terhadap Jamur *Phytophthora palmivora* Butl. Penyebab Busuk Buah Pada Tanaman Kakao (*Theobroma cacao* L.) Secara *In vitro*. [Skripsi]. Universitas Andalas.
- Nofriatri, D., & Asni, N. (2015). Pengaruh Jenis Kemasan dan Tingkat Kematangan Terhadap Kualitas Buah Jeruk Selama Penyimpanan. *Jurnal Penelitian Pasca Panen Pertanian*, 12(2), 37–42.
- Palou, L. (2016). Non-Polluting Chemical Approaches to Control Citrus Postharvest Diseases. *Journal of bacteriology & mycology: Open Access*, 2 (2), 40-41.

- Papoutsis, K., Mathioudakis, M. M., Hasperué, J. H., & Ziogas, V. (2019). Non-chemical Treatments for Preventing the Postharvest Fungal Rotting of Citrus Caused by *Penicillium digitatum* (Green mold) and *Penicillium italicum* (Blue mold). In *Trends in Food Science and Technology*, 86, 479–491.
- Parmar, H., Bodar, N., Lakhani, H., Patel, S., Umrana, V. & Hassan, M. (2015) Production of lytic enzymes by *Trichoderma* strains during in vitro antagonism with *Sclerotium rolfsii*, the causal agent of stem rot of groundnut. *Afr J Microbiol Res* 9, 365–372.
- Prabowo, A. K. E., Prihatiningsih, N., & Soesanto, L. (2006). Potensi *Trichoderma harzianum* dalam mengendalikan sembilan isolat *Fusarium oxysporum* Schlecht. f. sp. *zingiberi* Trujillo pada kencur. *Jurnal Ilmu-Ilmu Pertanian Indonesia*, 8(2), 76–84.
- Prayuginingsih, M. C. I. H. (2015). Pengembangan model peningkatan daya saing jeruk lokal untuk memperkokoh ekonomi masyarakat pedesaan. *Agritrop: Jurnal Ilmu-Ilmu Pertanian (Journal of Agricultural Science)*, 13(2), 144–153.
- Purba, E. C., & Purwoko, B. (2019). Penanganan Pascapanen Jeruk Siam (*Citrus nobilis* var. *microcarpa*) Tujuan Pasar Swalayan. *Jurnal Pro-Life*, 6(3), 203–213.
- Purwantisari, S., & Hastuti, R. B. (2009). Isolasi dan Identifikasi Jamur Indigenous Rhizosfer Tanaman Kentang Organik di Desa Pakis, Magelang. *Jurnal Bioma.*, 11(2), 45–53.
- Rahmadanty, H. N., Darmayasa, G. B. I., & Parwanayoni, S. N. M. (2023). Potensi Filtrat *Trichoderma asperellum* TKD dalam Mengambat Kontaminasi *Aspergillus parasiticus* Pada Biji Kacang Tanah (*Arachis hypogea* L.). *Simbiosis*, 11(1), 15–30.
- Rahmawati, I., Sri Hastuti, U., Sundari, S., & Mastika, L. M. K. (2016). Isolasi dan Identifikasi Kapang Kontaminan Pada Jenang yang Dijual di Trenggalek. *Seminar Nasional Pendidikan Dan Saintek*, 131–135.
- Ratnawati, R., Sjam, S., Rosmana, A., & Tresnapura, U. S. (2020). Endophytic *Trichoderma* Species of Palu Valley Shallot Origin With Potential for Controlling Purple Blotch Pathogen *Alternaria porri*. *International Journal of Agriculture and Biology*, 23(5), 977–982.
- Rosmana, A., Nasaruddin, N., Hendarto, H., Hakkar, A. A., & Agriansyah, N. (2016). Endophytic association of *Trichoderma asperellum* within *Theobroma cacao* suppresses vascular streak dieback incidence and promotes side graft growth. *Mycobiology*, 44(3), 180–186.
- Saharan, R., Patil, J. A., Yadav, S., Kumar, A., & Goyal, V. (2023). The nematocidal potential of novel fungus, *Trichoderma asperellum* FbMi6 against *Meloidogyne incognita*. *Scientific Reports*, 13(1), 1–9.
- Sari, D. P. (2017). Kemampuan Antagonis Beberapa Isolat *Trichoderma* spp. Terhadap Jamur *Colletotrichum gloeosporioides* Penyebab Antraknosa Pada Tanaman Cabai (*Capsicum annum*) Secara *In vitro*. [Skripsi]. Universitas Andalas.

- Sari, A. R., Prasetyawati, E. T., & Wiyatiningsih, S. (2022). Potensi *Trichoderma* spp. sebagai Antagonis Penyakit Layu Bakteri (*Ralstonia solanacearum*) secara *in vitro*. *Jurnal AGROHITA: Jurnal Agroteknologi Fakultas Pertanian Universitas Muhammadiyah Tapanuli Selatan*, 7(3), 524-532.
- Sivakumar, D., & Bautista-Baños, S. (2014). A Review on the Use of Essential Oils for Phostharvest Decay Control and Maintenance of Fruit Quality During Storage. *Crop Protection*, 64, 27–37.
- Suryanur, K. (2021). Kemampuan Antagonis *Trichoderma* Terhadap *Rhizoctonia solani* Kuehn Penyebab Penyakit Hawar Pelepah Pada Tanaman Padi Secara *In Vitro*. [Skripsi]. Universitas Andalas.
- Tasik, S., & Widyastuti, S. M. (2015). Mekanisme parasitisme *Trichoderma harzianum* terhadap *Fusarium oxysporum* pada semai acacia mangium. *Jurnal Hama dan Penyakit Tumbuhan Tropika*, 15(1), 72-80.
- Trizelia, Rahma, H., Martinius, Rahman, E., & Marhamah, S. (2023). Diversity of endophytic fungi from shallots as a *Fusarium oxysporum* biological control agent. *Journal of Biopesticides*, 16(2), 115–123.
- Ttacca, B. L., Cantoral, Y. A., Gutierrez, B. T., Cornejo, C. O., Vilcamiza, J. L., & Pelaez, P. F. (2024). Biocontrol of *Penicillium digitatum* with secondary metabolites of endophytic fungi in mandarin fruits. *Agronomía Mesoamericana*, 35(1), 1-12.
- Verheij, E.W.M. & R.E. Coroner (Ed.). (1992). Plant Resources of South-East Asia No 2 : Edible Fruits and Nut. Prosea, Bogor.
- Vu, T. X., Tran, T. B., Hoang, C. Q., Nguyen, H. T., Do, L. M., Dinh, M. T., Thai, D. H., & Tran, T. V. (2021). Potential of *Trichoderma asperellum* As a Bio-control Agent Against Citrus Diseases Caused by *Penicillium digitatum* and *Colletotrichum gloeosporioides*. *International Journal of Agricultural Technology*, 17(5), 2005–2020.
- Widiastuti, A., Ningtyas, O. H., & Priyatmojo, A. (2015). Identifikasi Jamur Penyebab Penyakit Pascapanen pada Beberapa Buah di Yogyakarta. *Jurnal Fitopatologi Indonesia*, 11(3), 91–96.
- Win T, Przemyslaw Malec BB, Khan S, & FuP. (2021). Newly isolated strain of *Trichoderma asperellum* from disease-suppressivesoil is a potential biocontrol agent to suppress *Fusarium* soil-bornefungal phytopathoens. *Journal of Plant Pathology*. 103(2), 549–561.
- Yadav, M., Dubey, M. K., & Upadhyay, R. S. (2021). Systemic resistance in chilli pepper against anthracnose (caused by *Colletotrichum truncatum*) induced by *Trichoderma harzianum*, *Trichoderma asperellum* and *Paenibacillus dendritiformis*. *Journal of Fungi*, 7(4), 1-27.
- Yan, L., & Khan, R. A. A. (2021). Biological control of bacterial wilt in tomato through the metabolites produced by the biocontrol fungus, *Trichoderma harzianum*. *Egyptian Journal of Biological Pest Control*, 31(1), 1-9.

- Yanty, D. P., & Wahyuni, S. H. (2019). Pengaruh Lama Perendaman *Trichoderma harzianum* terhadap Pertumbuhan Cabai Lokal. *Jurnal Pertanian Tropik*, 6(3), 477–481.
- Zahani, F. H., & Khaledi, N. (2018). Biological Effects of Various Essential Oils on Citrus Decay Pathogens. *International Journal of New Technology and Research*, 4(4), 129–139.

