

DAFTAR PUSTAKA

- Ajambang, W., Sudarsono, D. Asmono, N. Toruan. (2012). Microsatellite markers reveal Cameroon's wild oil palm population as a possible solution to broaden the genetic base in the Indonesia-Malaysia oil palm breeding programs. *African Journal of Biotechnology*. 11 (69): 13244-13249.
- Akshitha, HJ., Prasath, D., Umesha, K., Faisal, P.M., Venkataravanappa, V. (2022). Molecular characterization of ginger genotypes using RAPD and SSR markers. *Journal of Hortikultural Sciences*, (17) : 95-106.
- Alamsjah, F., Agustien, A., & Alam, T. W. N. (2023). Uji Antibakteri Ekstrak Rimpang Koenih Rimbo (*Curcuma sumatrana* Miq.) Tumbuhan Endemik Sumatra Barat terhadap Bakteri Gram Positif. *Bioscientist: Jurnal Ilmiah Biologi*, 11(1), 561-570.
- Allendorf, F. W. and G. Luikart. (2007). *Conservation and the Genetics of Populations*. Blackwell Publishing Ltd, Malden, MA.
- Anderson, J.T, J.H. Willis, dan T. Mitchell-Olds. (2011). Evolutionary genetics of plant adaptation. *Trends Genet*. 27(7): 258–266.
- Angel, G. R., Makesh Kumar, T., Mohan, C., Vimala, B., & Nambisan, B. (2008). Genetic diversity analysis of starchy *Curcuma* species using RAPD markers. *Journal of Plant Biochemistry and Biotechnology*, 17, 173-176.
- Ardiyani, M., Anggara, A., & Leong-Korníčková, J. (2011). Rediscovery of *Curcuma sumatrana* (Zingiberaceae) endemic to West Sumatra. *Blumea-Biodiversity, Evolution and Biogeography of Plants*, 56(1), 6-9.
- Ashraf, K., Ahmad, A., Adnan Ali Shah, S., & Mujeeb, M. (2017). Genetic diversity in accessions of Indian turmeric (*Curcuma longa* L.) using RAPD markers. *International Journal of Pharmacy and Pharmaceutical Sciences*, 9(10), 288-291.
- Asra, R. Syamsuardi, Mansyurdin, Witono, J. R. (2014). The study of genetic diversity of *Daemonorops draco* (palmae) using ISSR markers. *Biodiversitas* 15(2): 109-114.
- Asril, M., Simamarta, M.MT, Sari, P.S, Indarwati, Arsi, R, B, S., Afriansyah, Junairiah. (2022). *Keanekaragaman Hayati*. Yayasan Kita Menulis: Medan.

- Basak, S., Chakrabartty, I., Hedao, V., Shelke, R. G., & Rangan, L. (2019). Assessment of genetic variation among wild *Alpinia nigra* (Zingiberaceae) population: an approach based on molecular phylogeny. *Molecular biology reports*, 46, 177-189.
- Bhandari, H. R., Bhanu, A. N., Srivastava, K., Singh, M. N., & Shreya, H. A. (2017). Assessment of genetic diversity in crop plants-an overview. *Adv. Plants Agric. Res*, 7(3), 279-286.
- Brown NE. (1882). The Gardeners' Chronicle: A Weekly Illustrated Journal. *Horticulture and Allied Subject*, Vol (18): 393.
- Caughley, G. (1994). Directions in conservation biology. *Journal of Animal Ecology* 63:215–244.
- Chang, J. T., Wherry, E. J., & Goldrath, A. W. (2014). Molecular regulation of effector and memory T cell differentiation. *Nature immunology*, 15(12), 1104–1115.
- Chen, Z. Y., Chen, S. J., Huang, X. X., and Huang, S. F. (1989). "The reports of chromosome numbers in Zingiberaceae (1-5)." *Acta Bot. Austro Sin.* 3, 57-61.
- Chen, Z. Y., Holm-Nielsen, H., Nielsen, I., & Balslev, H. (1989). Evolutionary patterns in cytology and pollen structure of Asian Zingiberaceae. *Tropical forests. Botanical dynamics, speciation and diversity*, 185-191.
- Cheng, Z., Lu, B., Baldwin, B. S., Sameshima, K. and Chen, J. (2001). Comparative studies of genetic diversity in kenaf (*Hibiscus cannabinus* L.) varieties based on analysis of agronomic and RAPD data. *Hereditas* 136: 231-232.
- Collard, B. C. Y., M. Z. Z. Jahufer, J. B. Brouwer, and E. C. K. Pang. (2005). An introduction to markers, quantitative trait loci (QTL) mapping and marker-assisted selection for crop improvement : The basic concepts. *Euphytica*. 142: 169-196.
- Corcolon, E. A., Laurena, A. C., & Dionisio-Sese, M. L. (2015). Genotypic Characterization Of Turmeric (*Curcuma longa* L.) Accessions From Mindanao, Philippines using RAPD markers. *Procedia Chemistry*, 14, 157-163.
- Damayanti, F. (2021). Potensi pemuliaan mutasi radiasi sebagai upaya peningkatan variasi genetik pada tanaman hias. *EduBiologia: Biological Science and Education Journal*, 1(2), 78-84.

- Dewanata, P. A., & Mushlih, M. (2021). Differences in DNA purity test using UV-Vis Spectrophotometer And Nanodrop Spectrophotometer In Type 2 Diabetes Mellitus Patients. *Indonesian Journal of Innovation Studies*, 15, 10-21070.
- Dharmayanti, N. L. P. I. (2011). Filogenetika Molekuler: Metode Taksonomi Organisme Berdasarkan Sejarah Evolusi. *Wartazoa*, 21(1), 1-10.
- Dias, E.F., M. Moura, H. Schaefer, L. Silva. (2016). Geographical distance and barriers explain population genetic patterns in an endangered island perennial. *AoB Plants*, 8:plw072.
- Doyle, J. J. and Doyle, J. L. (1987). A rapid DNA isolation procedure for small quantities of fresh leaf tissue. *Phytochemical Bulletin* 19: 11-15.
- Elfianis, R., Warino, J., Rosmaina, R., Suherman, S., & Zulfahmi, Z. (2021). Analisis Kekerabatan Genetik Tanaman Padi (*Oryza Sativa* L.) Di Kabupaten Kampar Dengan Menggunakan Penanda Random Amplified Polymorphic DNA (RAPD). *Jurnal Agroteknologi*, 11(2), 75-84.
- Esfandani-Bozchaloyi, S., Sheidai, M., & Kalalegh, M. H. (2019). Comparison of DNA extraction methods from Geranium (Geraniaceae). *Acta Botanica Hungarica*, 61(3-4), 251-266.
- Fadillah, Jihan. (2021). Diversitas Genetik Tanaman Rukam (*Flacourtia rukam*, Zoll. & Moritzi) Menggunakan Penanda Molekuler Random Amplified Polymorphic DNA (RAPD). *Skripsi*. Padang: Universitas Andalas.
- Fatchiyah, Arumningtyas, E.L., Widyarti, S., Rahayu, S. (2011). *Biologi Molekular – Prinsip Dasar Analisis*. Penerbit Erlangga: Jakarta.
- Finkeldey, R. (2005). *An Introduction to Tropical Forest Genetics: Molecular Basic the Gene as A Function Unit*. Institute of Forest Genetics and Forest Tree Breeding. Germany.
- Finkeldey, R., & Hattemer, H. H. (2006). *Tropical forest genetics* (p. 315). Berlin: Springer.
- Frankham, R.J.D. Ballou, and D.A. Briscoe. (2004). *Introduction to Conservation Genetics*. UK: Cambridge University Press.
- Frianto, D., Rasyad, A., & Roslim, D. I. (2018). Keanekaragaman genetik *Scorodocarpus borneensis* di Riau berdasarkan penanda molekuler RAPD. *Jurnal Penelitian Kehutanan Sumatera*, 2(1), 27-38.

- Furlan, E. J. Stoklosa, J. Griffith, N. Gust, R. Ellis, R. M., Huggins, and A. R. Weeks. (2011). Small population size and extremely low levels of genetic diversity in island populations of the platypus, *Ornithorhynchus anatinus*. *Ecology and Evolution*. 844-857.
- GBIF. (2021). *Curcuma sumatrana* Miq. <https://www.gbif.org/species/2757531>. Accessed on 10 November 2023.
- Grattapaglia, D. (2007). Marker-assisted selection in eucalyptus. In: *Current Status and Future Perspectives in Crops, Livestock, Forestry, and Fish*. Eds: Guimaraes EP, Ruane J, Scherd BD, Sonnino A, Dargie JD. *Food and Agriculture Organization of the United Nations. Rome*. 252-281.
- Hamilton, M. B. (2009). *Population genetics*. Wiley-Blackwell. Hoboken, US.
- Haryjanto, L., Prastyono, dan B. Ismail. (2011). Keragaman genetik empat populasi *Arenga pinnata* berdasarkan penanda isozim. *J. Pemuliaan Tanaman Hutan*. 5 (1): 13-21.
- Hedrick, P. W., and R. Fredrickson. (2010). Genetic rescue guidelines with examples from mexican wolves and florida panthers. *Conserv. Genet*. 11: 615-626.
- Hefzi, Fadilla. (2022). Variasi Genetik Tiga Populasi Kapuk Randu (*Ceiba pentandra* (L.) Gaertn di Sumatera Barat dengan Menggunakan Penanda RAPD. *Skripsi*. Padang: Universitas Andalas.
- Hu, L., J. Wang, X. Wang, D. Zhang, Y. Sun, T. Lu and W. Shi. (2024). Development of SSR markers and evaluation of genetic diversity of endangered plant *Saussurea involucreata*. *Biomolecules*, 14(8): 1010.
- Inger, R. F and H. K. Voris. (2001). Biogeographical Relations of The Frog and Snake of Sundaland. *Journal of Biogeography* 28: 863-891.
- IUCN. (2018). *The IUCN Red List of Threatened Species. Version 2018-2*. <https://www.iucnredlist.org>. Accessed on 10 November 2023.
- James, J. W. (1971). The founder effect and response to artificial selection. *Genetical Research*: 12:249–266.
- Jan, H. U., Rabbani, M. A., & Shinwari, Z. K. (2011). Assessment of genetic diversity of indigenous turmeric (*Curcuma longa* L.) germplasm from Pakistan using RAPD markers. *J. Med. Plants Res*, 5(5), 823-830.

- Jupriadi, J. (2022). Analisis Keragaman Genetik Tanaman Sagu (*Metroxylon sago*) Menggunakan Penanda RAPD Berdasarkan Isolasi Geografis di Sumatera. *Skripsi*. Padang: Universitas Andalas.
- Kairupan, C. F., Pelealu, J., & Mamahit, J. M. (2019). Variasi Genetik *Plutella xylostella* L.(Lepidoptera: Plutellidae) berdasarkan Gen Cytochrome C Oxidase I. *Jurnal MIPA*, 8(1), 1-6.
- Kalle, E., Kubista, M., & Rensing, C. (2014). Multi-template polymerase chain reaction. *Biomolecular Detection and Quantification*, 2, 11-29.
- Kartiningrum, S., Hermiati, N., Baihaki, A., Karmana, M. H., & Toruan-Mathius, N. (2003). Kekerabatan 13 Genotip Anggrek Subtribe Sarcanthinae Berdasarkan Karakter Morfologi dan Pola Pita DNA. *Jurnal Hortikultura*, 13(1), 7-15.
- Kato, M., Itino, T and Nagamitsu, T. (1993). Melittophily and ornithophily of long-tubed flowers in Zingiberaceae and Gesneriaceae in West Sumatra. *Tropics* 2: 129-142.
- Keller, L. F., Waller D. M. (2002) Inbreeding effects in wild populations. *Trends Ecol Evol* 17:230–241.
- Khikmah, U. N., & Yulianti, E. (2018). Analisis Variasi Genetik Anggrek *Rhynchostylis retusa* (L.) Blume dengan Marka Molekuler RAPD. *Kingdom (The Journal of Biological Studies)*, 7(6), 410-415.
- Kumar, N. S. & Gurusubramanian, G. (2011). Random Amplified Polymorphic DNA (RAPD) markers and its application. *Science Vision* 11: 116-124.
- Kumari, N. & Thakur, S. K. (2014). Randomly amplified polymorphic DNA-a brief review. *American Journal of Animal and Veterinary Sciences* 9: 6-13.
- Kusuma, A. B., Bengen, D. G., Madduppa, H., Subhan, B., & Arafat, D. (2016). Keanekaragaman Genetik Karang Lunak (*Sarcophyton trocheliophorum*) pada populasi laut Jawa, Nusa Tenggara dan Sulawesi. *Jurnal Enggano*, 1(1), 89-96.
- Leatemia, S.O.P., Manumpil, A.W., Saleky, D., & Dailami, M. (2018). DNA Barcode dan Molekuler Filogeni Turbo sp di Perairan. *Prosiding Seminar Nasional MIPA UNIPA ke 03*. 3:103-114.
- Leong-Škornicková J, Šída O, Marhold K. (2010). Back to types! Towards stability of names in Indian *Curcuma* L. (Zingiberaceae). *Taxon* 59: 269–282.

- Li, Y.C., A.B. Korol, T. Fahima, A. Beiles, E. Nevo. (2002). Microsatellite: genomic distribution, putative and mutational mechanisms: a review. *Mol. Ecol.* 11:2453-2465.
- Lizawati, Nusifera, S., Neliyati, Alia, Y., Antony. (2019). RAPD-PCR primer selection to analyze genetic diversity of cinnamon plan. *Earth and Enviromental Science* 391: 1-7.
- Martida, V., & Pharmawati, M. (2016). Pemilihan Primer RAPD (Random Amplified Polymorphic DNA) pada PCR (Polymerase Chain Reaction) Tanaman Kamboja (*Plumeria* sp.). *Simbiosis* 4: 132-134.
- Melati, Palupi, E.R., Bermawi, N. (2015). Floral Biology of Ginger (*Zingiber officinale* Rosc.). *Int. J. Curr. Res. Biosci. Plant Biol.*, 2(4): 1-10.
- Miquel, F.A.W. (1861). *Flora van Nederlandsch Indië, Eerste Bijvoegsel*. Amsterdam, The Netherlands.
- Mohanty, S., Panda, M. K., Acharya, L., & Nayak, S. (2014). Genetic diversity and gene differentiation among ten species of Zingiberaceae from Eastern India. 3 *Biotech*, 4, 383-390.
- Mollah, A., Ashan, M. A., & Khatimah, A. H. (2022). Uji Kualitas dan Kuantitas DNA Porang (*Amorphophallus Muelleri* Blume) pada Beberapa Kawasan di Sulawesi Selatan. *Jurnal Agritechno*, 1-7.
- Mulyaningsih, E.S., dan Sri, Indrayani. (2014). Keragaman Morfologi dan Genetik Padi Gogo Lokal Asal Banten. *Jurnal Biologi Indonesia* 10(1): 119-128.
- Myers, N. D. (1993). Tropical Forests: The Main Deforestation Fronts. *Environmental Conservation* 20: 9.
- Na'iem, M. (2000). *Training course on basic forest genetics: Charecteristic of forest genetic variation*. Fakultas Kehutanan Universitas Gadjah Mada. Yogyakarta
- Nawawi, Jihan A. (2021). Efek Pemberian Ekstrak Etanol Rimpang Kunyit Liar Endemik Sumatera (*Curcuma sumatrana*, Zingiberaceae) terhadap Tingkat Kecerdasan, Struktur Histologi Otak dan Konsentrasi Malondialdehid Mencit Yang Diinduksi Monosodium Glutamat. *Skripsi*. Padang: Universitas Andalas.
- Nazareno, A. G., Knowles, L. L., Dick, C. W., & Lohmann, L. G. (2021). By animal, water, or wind: can dispersal mode predict genetic connectivity in riverine plant species?. *Frontiers in Plant Science*, 12, 626405.

- Nei, M. (1978). Estimation of average heterozygosity and genetic distance from a small number of individuals. *Genetics* 89(3): 583-590.
- Nybom, H. and I.V. Bartish. (2000). Effects of life history traits and sampling strategies on genetic diversity estimates obtained with RAPD markers in plants. *Urban & Fischer Verlag*. 3 (2): 93-114.
- Pasaribu, A., & Putri, L. A. P. (2018). Pengamatan Tingkat Variasi Genetik dengan Menggunakan Teknik DNA Profilling pada Tanaman Kelapa Sawit (*Elaeis guineensis* Jacq.) Berdasarkan Marka Random Amplified Polymorphism DNA (RAPD). In *Talanta Conference Series: Agricultural and Natural Resources (ANR)* (Vol. 1, No. 1, pp. 77-81).
- Pasaribu, A., L.A.P. Putri, Suryanto. (2017). Analisis awal keragaman molekuler kelapa sawit (*Elaeis guineensis* Jacq.) menggunakan lima primer SSR (Simple Sequences Repeat). *Jurnal Pertanian Tropik*. 4(1): 47-56.
- Perwitasari, D. A., Faridah, I. N., Dania, H., Irham, L. M., Salsabila, F. V., & Maliza, R. (2020). Genotype of Potassium Inwardly Rectifying Channel, Subfamily J, Member 11 (KCNJ 11) Gene and Glycaemia Control in Diabetic Patients: A Narrative Review. *Systematic Reviews in Pharmacy*, 11(9), 627-631.
- Phadnis, S., & Anitha, P. (2017) Morphological Studies and Genetic Diversity Analysis of Cardamom (*Elettaria cardamomum* Maton.) Genotypes and Hedychium coronarium Using RAPD Markers. *Trends in Biosciences* 10(27): 5737-5745.
- Poerba, Y. S., & Martanti, D. (2009). Induksi Mutasi *Curcuma zedoaria* (Christm) Roscoe dengan Irradiasi Sinar Gamma. *Biota: Jurnal Ilmiah Ilmu-Ilmu Hayati*, 87-93.
- Poulsen, A. D. (2007). *Etlingera Giseke* of Java. *Garden's Bulletin Singapore*, 59(1&2), 145-172.
- Prashanth, Y., Prasanna, K. P. R., Rajendra Prasad, S., Narayanaswamy, S., Mohanrao, A., & Murthy, N. (2011). Utilization of RAPD markers for identification of chili cultivars. *JNKVV*, 43.
- Probojati, R. T., Wahyudi, D., Hapsari, L. (2019). Clustering analysis and genome inference of pisang raja local cultivars (*Musa* spp.) from java island by random amplified polymorphic DNA (RAPD) marker. *Journal of Tropical Biodiversity and Biotechnology* 4(2): 42-53.

- Rahman, A. T., Jethro, A., Santoso, P., Kharisma, V. D., Murtadlo, A. A. A., Purnamasari, D., & Sari, D. A. P. (2022). In Silico Study of the Potential of Endemic Sumatra Wild Turmeric Rhizomes (*Curcuma sumatrana*: Zingiberaceae) As Anti-Cancer. *Pharmacognosy Journal*, 14(6).
- Randriani, E., Tresniawati, C., & Syafaruddin, S. (2012). Pemanfaatan teknik random amplified polymorphic DNA (RAPD) untuk pengelompokan secara genetik plasma nutfah jambu mete (*Anacardium occidentale* L.). *Journal of Industrial and Beverage Crops*, 3(1), 1-6.
- Rivers, M. C., Brummitt, N. A., Lughadha, E. N., & Meagher, T. R. (2011). Genetic variation in *Delonix* sl (Leguminosae) in Madagascar revealed by AFLPs: fragmentation, conservation status and taxonomy. *Conservation Genetics*, 12, 1333-1344.
- Sakai, S., Kato, M., dan Inoue, T., (1999). Three pollination guilds and variation in floral characteristics of bornean gingers (Zingiberaceae and Costaceae). *Am. J. Bot.* 86(5), 646-658.
- Sen, S., Skaria, R., & Muneer, P. A. (2010). Genetic diversity analysis in *Piper* species (Piperaceae) using RAPD markers. *Molecular biotechnology*, 46(1), 72-79.
- Sherwin, W. B., Chao, A., Jost, L., Smouse, P. E. (2017). Information theory broaden the spectrum of molecular ecology and evolution. *Trends in Ecology and Evolution* 32: 948-963.
- Sitepu, A. F., Bayu, E. S., & Siregar, L. A. M. (2015). Analisis pola pita beberapa genotipe kurma (*Phoenix dactylifera* L.) menggunakan primer RAPD. *Jurnal online Agroekoteknologi*, 7(3), 502-507.
- Škorničková, J. (2008). *Taxonomic Studies in Indian Curcuma* L. Aleesha Publisher: India.
- Slatkin, M. & Maddison, W. P. (1989). A cladistic measure of gene flow inferred from the phylogenies of alleles. *Genetics* 123: 603-613.
- Subositi, D., & Mujahid, R. (2013). Karakterisasi genetik tempuyung (*Sonchus arvensis* L.) berdasarkan penanda molekuler sequence-related amplified polymorphism. *Jurnal Biologi Indonesia*, 9(2).
- Suharta, I. G. Y., Junitha, I. K., & Sukmaningsih, A. A. S. A. (2021). DNA Hasil Ekstraksi Dari Bercak Sperma Pada Kain Katun Dan Poliester Yang Disimpan Hingga 40 Hari. *Simbiosis IX*, 2, 94-104.

- Suparningtyas, J. F., Pramudyawardhani, O. D., Purwoko, D., Tajuddin, T. (2018). Analisis Filogenetik Beberapa Klon Karet Dengan Marka AFLP (*Amplified Fragment Length Polymorphism*). *Jurnal Bioteknologi & Biosains Indonesia* 5(1): 8-19.
- Syafira, F., Nurainas, N., & Syamsuardi, S. (2024). New record and potential spatial distribution of *Curcuma sumatrana* (Zingiberaceae): An endemic wild turmeric in Sumatra, Indonesia. *Biodiversitas Journal of Biological Diversity*, 25(11).
- Tumewu, D., Mandang, J. P., & Pinaria, A. (2008). Variasi Genetik dan Heritabilitas Sepuluh Genotipe Padi. *Eugenia*, 19(1), 70-76.
- Uzoobo, Chiebuka. (2023). *Revolution in Plant Genetic Resources*. Nigeria: University of Ibadan.
- Vijayalatha, K. R., & Chezhiyan, N. (2008). Multivariate based marker analysis in turmeric (*Curcuma longa* L.). *Journal of Horticultural sciences*, 3(2), 107-111.
- Wang, F., H. Tian, H. Yi, H. Zhao, Y. Huo, M. Kuang, L. Zhang, Y. Lv, M. Ding and J. Zhao. (2019). Principle and Strategy of DNA Fingerprint Identification of Plant Variety. *Mol. Plant Breed.* 10.
- Widyastuti, DE. (2007). Keragaman Genetik dengan Penanda RAPD, Fenotipa Pertumbuhan dan Pendugaan Heritabilitas Pada Sengon (*Paraserianthes falcataria* (L) Nielsen). *Tesis*. Bogor: Sekolah Pasca Sarjana IPB.
- Williams, J. G., Kubelik, A. R., Livak, K. J., Rafalski, K. J., & Tingey, S. V. (1990). DNA polymorphisms amplified by arbitrary primers are useful as genetic markers. *Nucleic Acid Research* 18(22): 6531-6535.
- Wright, S. (1984). *Evolution and the genetics of populations, volume 4: variability within and among natural populations* (Vol. 4). University of Chicago press.
- Xu, L., Xue, H., Song, M., Zhao, Q., Dong, J., Liu, J., & Zhang, Z. (2013). Variation of genetic diversity in a rapidly expanding population of the greater long-tailed hamster (*Tscherskia triton*) as revealed by microsatellites. *PLoS One*, 8(1), e54171.
- Yeh, F. C., Yang, R. C., and Boyle, T. (1999). *POPGENE version 1.32: Microsoft window-based freeware for population genetic analysis*. Edmonton: University of Alberta.
- Yulita, K.S. dan T. Partomihardjo. (2011). Keragaman genetika populasi pelahlar (*Dipterocarpus littoralis* (Bl.) Kurz) di Pulau Nusakambangan berdasarkan

profil Enhanced *Random Amplified Polymorphic DNA*. *Berita Biologi*. 10(4): 541-548.

Zhang, L., Li, Q. J., Deng, X. B., Ren, P. Y., & Gao, J. Y. (2003). Reproductive biology of *Alpinia blepharocalyx* (Zingiberaceae): another example of flexistylis. *Plant Systematics and Evolution*, 241, 67-76.

Zhao, W. X. Wang, L. Li, J. Li, H. Yin, Y. Zhao, X. Chen. (2021). Evaluation of environmental factors affecting the genetic diversity, genetic structure, and the potential distribution of *Rhododendron aureum* Georgi under changing climate. *Ecology and Evolution*.11: 12294–12306.

Zulfahmi. (2013). Penanda molekuler untuk analisis genetik pada tanaman. *Jurnal Agroteknologi*, 3(2), Fakultas Pertanian dan Peternakan, Universitas Islam Negeri Sultan Syarif Kasim Riau.

