

DAFTAR PUSTAKA

1. Suirta IW. Preparasi Biodiesel dari Minyak Jelantah Kelapa Sawit. *J Kim.* 2009;3(1):1–6.
2. Mohadesi M, Aghel B, Gouran A, Razmehgir MH. Transesterification of waste cooking oil using Clay/CaO as a solid base catalyst. *Energy.* 2022;242:122536. doi:10.1016/j.energy.2021.122536
3. Utami M, Setiawan P, Falah IZ, Suheriyanto, Shidiq M, Wijaya K, Jarin T. Synthesis of Biodiesel From Castor Oil Catalyzed by Sodium Hydroxide Dispersed on Bentonite. *Sustain Energi Technol Assessments.* 2022;53(102526).
4. Khan IW, Naeem A, Farooq M, Mahmood T, Ahmad B, Hamayun M, Ahmad Z, Saeed T. Catalytic conversion of spent frying oil into biodiesel over raw and 12-tungsto-phosphoric acid modified clay. *Renew Energy.* 2020;155:181–188. doi:10.1016/j.renene.2020.03.123
5. Bonacci S, Nardi M, Costanzo P, Nino AD, Gioia MLD, Oliverio M, Procopio A. Montmorillonite K10-catalyzed solvent-free conversion of furfural into cyclopentenones. *Catalysts.* 2019;9(3). doi:10.3390/catal9030301
6. Almadani EA, Harun FW, Radzi SM, Muhamad SK. Cu²⁺ montmorillonite K10 clay catalyst as a green catalyst for production of stearic acid methyl ester: Optimization using response surface methodology (RSM). *Bull Chem React Eng Catal.* 2018;13(1):187–195. doi:10.9767/bcrec.13.1.1397.187-195
7. Olutoye MA, Wong SW, Chin LH, Amani H, Asif M, Hameed BH. Synthesis of fatty acid methyl esters via the transesterification of waste cooking oil by methanol with a barium-modified montmorillonite K10 catalyst. *Renew Energy.* 2016;86:392–398. doi:10.1016/j.renene.2015.08.016
8. Meng LY, Wang B, Ma MG, Lin KL. The progress of microwave-assisted hydrothermal method in the synthesis of functional nanomaterials. *Mater Today Chem.* 2016;1–2:63–83. doi:10.1016/j.mtchem.2016.11.003
9. Munir M, Ahmad M, Rehan M, Saeed M, Lam SS, Nizami AS, Waseem A, Sultana S, Zafar M. Production of high quality biodiesel from novel non-edible Raphanus raphanistrum L. seed oil using copper modified montmorillonite clay catalyst. *Environ Res.* 2021;193(October 2020):110398. doi:10.1016/j.envres.2020.110398
10. Oktania T, Wicaks D, Wijayanti H, Shofia D, Maisarah M. Thermal Activation Of Peat Clay And Its Potential In Catalytic Cracking. *Environ Sci Dev Manag.* Published online 2024. doi:10.4108/eai.2-11-2023.2347949
11. Admi, Isnaini D, Syukri. Studi Pendahuluan Uji Aktivitas Katalitik Katalis Montmorillonit K-10 yang Dimodifikasi Cu²⁺. *J Fis Unand.* 2024;13(6):820–826. doi:<https://doi.org/10.25077/jfu.13.6.820-826.2024>
12. Al-Fatesh ASA, Fakeeha AH. Effects of calcination and activation temperature on dry reforming catalysts. *J Saudi Chem Soc.* 2012;16(1):55–61. doi:10.1016/j.jscs.2010.10.020
13. Kumar BS, Dhakshinamoorthy A, Pitchumani K. K10 montmorillonite clays as environmentally benign catalysts for organic reactions. *Catal Sci Technol.* 2014;4(8):2378–2396. doi:10.1039/c4cy00112e
14. Huang R, Wu L, Wang X, Tang N, Gao L, Wang A, Lu Y. Review on the effect of isomorphic replacement on the structure and application performance of typical clay minerals. *Prog Nat Sci Mater Int.* 2024;34(2):251–262. doi:10.1016/j.pnsc.2024.03.007
15. Yanti PH, Muhktar A. Karakteristik Lempung Alam Desa Gema Terakktifasi Fisika. *Chem Prog.* 2015;8(1):1–6.
16. Hamza A, Hussein IA, Mahmoud M. Introduction to Reservoir Fluids and Rock Properties. *Dev Pet Sci.* 2023;78:1–19. doi:<https://doi.org/10.1016/B978-0-323-99285-5.00003-X>
17. Dayal AM, Varma A. Exploration Technique. In: *Shale Gas.* Elsevier; 2017:65–93. doi:10.1016/B978-0-12-809573-7.00005-6
18. Wilson MJ, Wilson L, Shalbybin M V. The importance of illitic minerals in shale instability and in unconventional hydrocarbon reservoirs. *Geol Soc Spec Publ.*

- 2017;454(1):253–269. doi:10.1144/SP454.14
19. Bergaya F, Theng BKG, Lagaly G. *Handbook of Clay Science*. Vol 1.; 2006. doi:10.1016/S1572-4352(05)01039-1
20. Tang Z, Lim S, Pang YL, Ong HC, Lee KT. Synthesis of Biomass as Heterogeneous Catalyst for Application in Biodiesel Production: State of The Art and Fundamental Review. *Renew Sustain Energi Rev*. 2018;92:235–253.
21. Suharto TE. *Katalis Dalam Industri Kimia*. UAD PRESS; 2022. <http://repo.iain-tulungagung.ac.id/5510/5/BAB 2.pdf>
22. Wallis PJ, Gates WP, Patti AF, Scott JL, Teoh E. Assessing and improving the catalytic activity of K-10 montmorillonite. *Green Chem*. 2007;9(9):980–998. doi:10.1039/b701504f
23. Liu Z, Zhang Y, Lee J, Xing L. A review of application mechanism and research progress of Fe/montmorillonite-based catalysts in heterogeneous Fenton reactions. *J Environ Chem Eng*. 2024;12(2):112152. doi:10.1016/j.jece.2024.112152
24. Aher RD, Gade MH, Reddy RS, Sudalai A. Cu²⁺-Exchanged Montmorillonite K-10 Clay-Catalyzed Direct Carboxylation of Terminal Alkynes with Carbon Dioxide. *Indian J Chem*. 2012;51.
25. Demirbas A. *Biodiesel*. Springer-Verlag London Limited; 2008.
26. He BB, Pryor SW. Biodiesel from waste oils and fats. *Adv Biodiesel Prod*. Published online 2020:154–178. doi:10.1533/9780857095862.2.154
27. BSN. *Biodisel SNI 7182-2015*. Badan Standar Indonesia; 2015.
28. Suroso A. Kualitas Minyak Goreng Habis Pakai Ditinjau dari Bilangan Peroksida, Bilangan Asam dan Kadar Air. *J Kefarmasian Indones*. 2013;Vol 3(2):77–88.
29. Rusmalina S. Studi Peninjauan Kualitas Minyak Goreng Hasil Pemanasan Berdasarkan Pada Bilangan Penyabunan. *J Kesehat Pena Med*. 2019;9(2):48–54.
30. Joelianingsih, Alghifari MI, Antika F. Peer Review-Sintesis Biodiesel Dari Minyak Kemiri Sunan Dengan Katalis Homogen Melalui Reaksi Esterifikasi. 2021;(November):1–11. <http://repository.iti.ac.id/handle/123456789/413>
31. Welter RA, Santana HS, Torre LG de la. Biodiesel Production by Heterogeneous Catalysis and Eco-Friendly Routes. *ChemBioEng*. 2023;10(2):86–111.
32. Mathiyazhagan M, Ganapathi A. Factors Affecting Biodiesel Production. *Res Plant Biol*. 2011;1(2):1–5.
33. Setiabudi A, Hardian R, Muzakir A. *Karakterisasi Material: Prinsip dan Aplikasinya dalam Penelitian Kimia*. Vol 1.; 2012.
34. Epp J. *X-Ray Diffraction (XRD) Techniques for Materials Characterization*. Elsevier Ltd; 2016. doi:10.1016/B978-0-08-100040-3.00004-3
35. Jamaludin A, Adiantoro D. Analisis Kerusakan X-Ray Fluorescence (XRF). *Pus Teknol Bahan Bakar Nukl*. 2012;1(9):19–28.
36. Dachriyanus. *Analisis Struktur Senyawa Organik Secara Spektroskopi*; 2004.
37. Margareta MAH, Wonorahardjo S. Optimasi Metode Penetapan Senyawa Eugenol dalam Minyak Cengkeh Menggunakan Gas Chromatography – Mass Spectrum dengan Variasi Suhu Injeksi. *J Sains dan Edukasi Sains*. 2023;6(2):95–103. doi:10.24246/juses.v6i2p95-103
38. Hartono R, Denny YR, Ramdhani DS. Pembuatan Biodisel dengan Reaktor Bersirkulasi Sederhana Menggunakan Katalis KOH. *J Teknol*. 2023;15(1):123–132.
39. Aid A, Andrei RD, Amokrane S, Cammarano C, Nibou D, Hulea V. Ni-exchanged cationic clays as novel heterogeneous catalysts for selective ethylene oligomerization. *Appl Clay Sci*. 2017;146(June):432–438. doi:10.1016/j.clay.2017.06.034
40. Maheshwar M. A Review Article on Measurement of Viscosity. *Int J Res Pharm Chem*. 2018;8(1):69–77. www.ijrpc.com
41. Xu B, Liu Y, Shen Y, Zhu S. Novel CeMo_xO_y-clay hybrid catalysts with layered structure for selective catalytic reduction of NO_x by NH₃. *RSC Adv*. 2018;8(5):2586–2592. doi:10.1039/c7ra12153a
42. Bunea R, Saikumar AK, Sundaram K. A Comparison of Optical Properties of CuO and Cu₂O Thin Films for Solar Cell Applications. *Mater Sci Appl*. 2021;12(07):315–329. doi:10.4236/msa.2021.127021

43. Alajlani Y, Placido F, Barlow A, Chu HO, Song S, Rahman SU, Bold RD, Gibson D. Characterisation of Cu₂O, Cu₄O₃, and CuO mixed phase thin films produced by microwave-activated reactive sputtering. *Vaccum.* 2017;144:217–228. doi:10.1016/j.vacuum.2017.08.005
44. Alekseeva O, Noskov A, Grishina E, Ramenskaya L, Kudryakova N, Ivanov V, Agafonov A. Structural and thermal properties of montmorillonite. *Materials (Basel).* 2019;12(16).
45. Lucas N, Nagpure AS, Gurrala L, Gogoi P, Chilukuri S. Efficacy of clay catalysts for the dehydration of fructose to 5-hydroxymethyl furfural in biphasic medium. *J Porous Mater.* 2020;27(6):1691–1700. doi:10.1007/s10934-020-00943-8
46. Arulkumar E, Shanthosh Shree S, Thanikaikaran S. Structure, morphology, composition, optical properties of CuO/NiO nanocomposite for electrochemical energy storage devices. *Results Chem.* 2023;6(August):101087. doi:10.1016/j.rechem.2023.101087
47. Mo X, Hu J, Shen H, Shui L, Shu D, He J, He G, Wang Y, Li W, He Q. Surface modification of micro-sized CuO by in situ-growing heterojunctions CuO/Cu₂O and CuO/Cu₂O/Cu : effect on surface charges and photogenerated carrier lifetime. *Appl Phys A.* Published online 2018;1–8. doi:10.1007/s00339-018-2138-8
48. Lam NH, Smith RP, Le N, Thuy CTT, Tamboli MS, Tamboli AM, Alshehri S, Ghoneim MM, Truong NTN, Jung JH. Evaluation of the Structural Deviation of Cu/Cu₂O Nanocomposite Using the X-ray Diffraction Analysis Methods. *Crystals.* 2022;12(4). doi:10.3390/crust12040566
49. Danková Z, Mockovčiaková A, Dolinská S. Influence of ultrasound irradiation on cadmium cations adsorption by montmorillonite. *Desalin Water Treat.* 2014;52(28–30):5462–5469. doi:10.1080/19443994.2013.814006
50. Wang FF, Liu J, Li H, Liu CL, Yang RZ, Dong WS. Conversion of cellulose to lactic acid catalyzed by erbium-exchanged montmorillonite K10. *Green Chem.* 2015;17(4):2455–2463. doi:10.1039/c4gc02131b
51. Hamidi F, Baghani AN, Kasraee M, Salari M, Mehdinejad MH. Modeling, optimization and efficient use of MMT K10 nanoclay for Pb (II) removal using RSM, ANN and GA. *Sci Rep.* 2023;13(1):1–13. doi:10.1038/s41598-023-35709-0