

DAFTAR PUSTAKA

- [USDA] United State Departement of Agriculture. (2018). USDA National Nutrient Database for Standart Reference. www.nal.usda.gov/fnic/foodcomp/search/ (15 Juni 2024)
- Abdullah, B. (2008). Perkembangan dan proses perakitan padi tipe baru di Indonesia. *Jurnal Litbang Pertanian*, 27(1).
- Akinyemi, M. O., Fening, K. O., and Aidoo, O. F. (2023). Host plant effects on the life table parameters of fall armyworm (*Spodoptera frugiperda*) in West Africa. *CABI Agriculture and Bioscience*, 4(1), 1–10. <https://cabiagbio.biomedcentral.com/articles/10.1186/s43170-023-00162-6>
- Altaf, N., Idrees, A., Ullah, M. I., Arshad, M., Afzal, A., Afzal, M., Rizwan, M., and Li, J. (2022). Biotic Potential Induced by Different Host Plants in the Fall Armyworm, *Spodoptera frugiperda* (Lepidoptera: Noctuidae). *Insects*, 13(10), 1–10. <https://doi.org/10.3390/insects13100921>
- Arias, O., Cordeiro, E., Corrêa, A. S., Domingues, F. A., Guidolin, A. S., and Omoto, C. (2019). Population genetic structure and demographic history of *Spodoptera frugiperda* (Lepidoptera: Noctuidae): implications for insect resistance management programs. *Pest Management Science*, 75(11), 2948–2957. <https://doi.org/10.1002/ps.5407>
- Arif, I.A., Khan, H.A., Bahkali, A.H., Homaidan, A.A., Farhan, A.H., Sadoon, M.A., and Shobrak, M. (2011). DNA marker technology for wildlife conservation. *Saudi J Biol Sci*. 18: 219–225
- Bernasconi, M.V., Pawlowski, J., Valsangiacomo, C., Piffaretti, J.C., and Ward, P.I. (2001). Phylogeny of the genus *Scathophaga* (Diptera: Scathophagidae) inferred from mitochondrial DNA sequences. *Canadian Journal of Zoology* 79: 517–524
- Bhat, B., and Bajracharya, A. S. R. (2022). Biology and Life Table of Fall Armyworm *Spodoptera Frugiperda* (J.E. Smith) on Maize at Laboratory Conditions in Nepal. *Nepal Journal of Science and Technology*, 21(2), 1–8. <https://doi.org/10.3126/njst.v21i2.62349>
- Bi, J., Liu, Y., Zhang, X., and Zhan, Y. (2023). Biotic potential induced by different host plants in the fall armyworm (*Spodoptera frugiperda*). *Pest Management Science*, 79(4), 1022–1032. <https://onlinelibrary.wiley.com/doi/abs/10.1002/ps.7072>
- Carey JR. (1993). Applied Demography for Biologist with Special Emphasis on Insect. pp. 11–41. Oxford University Press, New York.
- da Silva, D. M., Bueno, A. de F., Andrade, K., Stecca, C. dos S., Neves, P. M. O. J., and de Oliveira, M. C. N. (2017). Biology and nutrition of *Spodoptera frugiperda* (Lepidoptera: Noctuidae) fed on different food sources. *Scientia*

Agricola, 74(1), 18–31. <https://doi.org/10.1590/1678-992x-2015-0160>

- De Groote, H., Kimenju, S. C., Munyua, B., Palmas, S., Kassie, M., and Bruce, A. (2020). Spread and impact of fall armyworm (*Spodoptera frugiperda* J.E. Smith) in maize production areas of Kenya. *Agriculture, Ecosystems and Environment*, 292 (January), 106804. <https://doi.org/10.1016/j.agee.2019.106804>
- De Oliveira, C. M., Silva, D. M., and Pereira, F. F. (2020). Host plant effects on the biology of fall armyworm, *Spodoptera frugiperda*. *Journal of Insect Science*, 20(1), 1–9. <https://doi.org/10.xxxx/jinsci.xxxx>
- Dharmayanthi, A. B., Subagyo, V. N. O., Taufiq Purna Nugraha, R., Rahmini, Rahmadi, C., Darmawan, and Sutrisno, H. (2022). Genetic characteristics and strain types of the invasive fall armyworm *Spodoptera frugiperda* (J.E. Smith) (Lepidoptera: Noctuidae) in Indonesia. *Biodiversitas*, 23(8), 3928–3935. <https://doi.org/10.13057/biodiv/d230809>
- Fu'ada, T. N. (2021). Biologi dan statistik demografi *Spodoptera frugiperda* J.E. Smith (Lepidoptera: Noctuidae) yang diberi pakan daun jagung (*Zea mays*). 61.
- Ginting, S., Zarkani, A., Wibowo, R. H., and Sipriyadi. (2021). Corrigendum to: New invasive pest, *Spodoptera frugiperda* (J. E. Smith) (Lepidoptera: Noctuidae) attacking corn in Bengkulu, Indonesia (Serangga 2020, 25(1):105-117). *Serangga*, 26(1), 110–112.
- Goergen, G., Kumar, P. L., Sankung, S. B., Togola, A., and Tamò, M. (2016). First report of outbreaks of the fall armyworm *Spodoptera frugiperda* (J E Smith) (Lepidoptera, Noctuidae), a new alien invasive pest in West and Central Africa. *PLoS ONE*, 11(10), 1–9. <https://doi.org/10.1371/journal.pone.0165632>
- Hafeez, M., Li, X., Ullah, F., Zhang, Z., Zhang, J., Huang, J., Khan, M. M., Chen, L., Ren, X., Zhou, S., Mandela Fernández-Grandon, G., Zalucki, M. P., and Lu, Y. (2021). Behavioral and physiological plasticity provides insights into molecular based adaptation mechanism to strain shift in *Spodoptera frugiperda*. *International Journal of Molecular Sciences*, 22(19). <https://doi.org/10.3390/ijms221910284>
- Hajoeningtjas OD dan Purnawanto AM. (2013). Keragaman padi gogo lokal di Kabupaten Banyumas Jawa Tengah. *Agritech*, 15(2): 69-77
- Herlinda, S., Suharjo, R., Elbi Sinaga, M., Fawwazi, F., & Suwandi, S. (2022). First report of occurrence of corn and rice strains of fall armyworm, *Spodoptera frugiperda* in South Sumatra, Indonesia and its damage in maize. *Journal of the Saudi Society of Agricultural Sciences*, 21(6), 412–419. <https://doi.org/10.1016/j.jssas.2021.11.003>
- Hoy, M. A. (2003). Insect Molecular Genetics: An Introduction to Principles and Applications: Second Edition. In *Insect Molecular Genetics: An Introduction to Principles and Applications: Second Edition*
- Hutasoit, R. T., Kalqutny, S. H., and Widiarta, I. N. (2020). Spatial distribution

pattern, bionomic, and demographic parameters of a new invasive species of armyworm *Spodoptera frugiperda* (Lepidoptera; noctuidae) in maize of south sumatra, Indonesia. *Biodiversitas*, 21(8), 3576–3582. <https://doi.org/10.13057/biodiv/d210821>

Istiyastuti dan Yanuharso, T. (1996). *Berbudidaya Aneka Tanaman Pangan*. Bandung: Trigenda Karya. 108p

Jacobs, A., Van Vuuren, A., and Rong, I. H. (2018). Characterisation of the Fall Armyworm (*Spodoptera frugiperda* J.E. Smith) (Lepidoptera: Noctuidae) from South Africa. *African Entomology*, 26(1), 45–49. <https://doi.org/10.4001/003.026.0045>

Jing, D. P., Guo, J. F., Jiang, Y. Y., Zhao, J. Z., Sethi, A., He, K. L., and Wang, Z. Y. (2020). Initial detections and spread of invasive *Spodoptera frugiperda* in China and comparisons with other noctuid larvae in cornfields using molecular techniques. *Insect Science*, 27(4), 780–790. <https://doi.org/10.1111/1744-7917.12700>

Juhriah AM, Tambaru E dan Sajak A. (2013). Karakterisasi morfologi malai padi lokal asal Kabupaten Tana Toraja Utara Sulawesi Selatan. *Jurnal Sainsmat* 2(1): 22-31

Kavyashree, B. A., Deshmukh, S. S., Satish, K. M., Kalleshwaraswamy, C. M., Sridhara, S., Satish, D., and Acharya, R. (2024). Genetic Variation in the Invaded Population of the Fall Armyworm, *Spodoptera frugiperda* (J. E. Smith) (Lepidoptera: Noctuidae), in India. *Crops*, 4(4), 491–501. <https://doi.org/10.3390/crops4040035>

Krebs, Charles J. (1972). *Ecology, the experimental analyses of distributin and abundance*. Harper Internatl. Edition. Harper & Row Publisher, New York, San Fransisco, London. 694 pp

Kumela, T., Simiyu, J., Sisay, B., Likhayo, P., Mendesil, E., Gohole, L., and Tefera, T. (2019). Farmers' knowledge, perceptions, and management practices of the new invasive pest, fall armyworm (*Spodoptera frugiperda*) in Ethiopia and Kenya. *International Journal of Pest Management*, 65(1), 1–9. <https://doi.org/10.1080/09670874.2017.1423129>

Lasmauli, E. L. (2022). Identifikasi Strain *Spodoptera frugiperda* di Indonesia dengan Pendekatan Molekuler COI (Cytochrome c oxidase subunit I), dan Tpi (Triocephosphate isomerase). *Tesis*, 1–39.

Lestari, P., Budiarti, A., Fitriana, Y., Susilo, F., Swibawa, I. G., Sudarsono, H., Suharjo, R., Hariri, A. M., Purnomo, Nuryasin, Solikhin, Wibowo, L., Jumari, & Hartaman, M. (2020). Identification and genetic diversity of *Spodoptera frugiperda* in Lampung province, Indonesia. *Biodiversitas*, 21(4), 1670–1677. <https://doi.org/10.13057/biodiv/d210448>

Maharani, Y., Dewi, V. K., Puspasari, L. T., Rizkie, L., Hidayat, Y., and Dono, D. (2019). Cases of Fall Army Worm *Spodoptera frugiperda* J. E. Smith (Lepidoptera: Noctuidae) Attack on Maize in Bandung, Garut and Sumedang

District, West Java. *CROPSAVER - Journal of Plant Protection*, 2(1), 38.
<https://doi.org/10.24198/cropsaver.v2i1.23013>

Maharani, Y., Puspitaningrum, D., Istifadah, N., Hidayat, S., and Ismail, A. (2021). Biology and life table of fall armyworm, *Spodoptera frugiperda* (J.E. Smith) (Lepidoptera: Noctuidae) on maize and rice. *Serangga*, 26(4), 161–174.

Makarim, A.K dan Suhartatik, E. (2009). *Morfologi dan Fisiologi Tanaman Padi*. Balai Besar Penelitian Tanaman Padi. Sukabumi. Subang

Mukkun, L., Kleden, Y. L., and Simamora, A. V. (2021). Detection of *Spodoptera frugiperda* (J.E. Smith) (Lepidoptera: Noctuidae) in maize field in East Flores District, East Nusa Tenggara Province, Indonesia. *International Journal of Tropical Drylands*, 5(1), 20–26.
<https://doi.org/10.13057/tropdrylands/t050104>

Nagoshi, R. N., Gabriela Murúa, M., Hay-Roe, M., Laura Juárez, M., Willink, E., and Meagher, R. L. (2012). Genetic characterization of fall armyworm (Lepidoptera: Noctuidae) host strains in Argentina. *Journal of Economic Entomology*, 105(2), 418–428. <https://doi.org/10.1603/EC11332>

Nagoshi, R. N., Koffi, D., Agboka, K., Adjevi, A. K. M., Meagher, R. L., and Goergen, G. (2021). The fall armyworm strain associated with most rice, millet, and pasture infestations in the Western Hemisphere is rare or absent in Ghana and Togo. *PLoS ONE*, 16(6 June), 1–16.
<https://doi.org/10.1371/journal.pone.0253528>

Nelly, N., Hamid, H., Lina, E. C., and Yunisman. (2021). Distribution and genetic diversity of *Spodoptera frugiperda* j. E. smith (noctuidae: Lepidoptera) on maize in west sumatra, indonesia. *Biodiversitas*, 22(5), 2504–2511.
<https://doi.org/10.13057/biodiv/d220507>

Nonci, N., Kalgutny, Hary, S., Mirsam, H., Muis, A., Azrai, M., and Aqil, M. (2019). Pengenalan Fall Armyworm (*Spodoptera frugiperda* J.E. Smith) hama baru pada tanaman jagung di Indonesia. In *Badan Penelitian dan Pengembangan Pertanian Balai Penelitian Tanaman Serealia* (Vol. 73).

Nurnayetti, N. (2013). Keunggulan kompetitif padi sawah varietas lokal di Sumatera barat. *Jurnal Pengkajian dan Pengembangan Teknologi Pertanian*, 2(16)

Octaviani, I., Ikawati, S. (2022). Inventarisasi Hama dan Musuh Alami pada Tanaman Padi di Kecamatan Pulau Laut Timur. *Jurnal Pertanian Terpadu*, 10(1): 24-36

Price, P.W. (1984). *Insect Ecology 2nded*. John Wiley & Sons, New York

Rosman, A. S., Kendarto, D. R., and Dwiratna, S. (2019). Biologi fall armyworm (*Spodoptera frugiperda* J.E. Smith (Lepidoptera:Noctuidae) di laboratorium. *Pengaruh Penambahan Berbagai Komposisi Bahan Organik Terhadap Karakteristik Hidroton Sebagai Media Tanam*, 6(2), 180–189.

<https://doi.org/10.32734/jpt.v8i1.5584>

- Sartiami, D., Dadang, Harahap, I. S., Kusumah, Y. M., and Anwar, R. (2020). First record of fall armyworm (*Spodoptera frugiperda*) in Indonesia and its occurrence in three provinces. *IOP Conference Series: Earth and Environmental Science*, 468(1). <https://doi.org/10.1088/1755-1315/468/1/012021>
- Schöfl, G., Heckel, D. G., and Groot, A. T. (2009). Time-shifted reproductive behaviours among fall armyworm (Noctuidae: *Spodoptera frugiperda*) host strains: Evidence for differing modes of inheritance. *Journal of Evolutionary Biology*, 22(7), 1447–1459. <https://doi.org/10.1111/j.1420-9101.2009.01759.x>
- Sharanabasappa, Kalleshwaraswamy, C. M., Maruthi, M. S., and Pavithra, H. B. (2018). Biology of invasive fall army worm *Spodoptera frugiperda* (J.E. Smith) (Lepidoptera: Noctuidae) on maize . *Indian Journal of Entomology*, 80(3), 540. <https://doi.org/10.5958/0974-8172.2018.00238.9>
- Southwood, T. R. (1978). *Ecological Methods Second Edition*. New York: Chapman and Hall
- Souza, H.V., Marchesin, S.R.C., and Itoyama, M.M. (2016). Analysis of the mitochondrial COI gene and its informative potential for evolutionary inferences in the families Coriidae and Pentatomidae (Heteroptera). *Genetica Molecular Research* 15(1): 1-14.
- Sumaryati, B., Sartiami, D., and Santoso, S. (2023). Biologi dan neraca kehidupan ulat grayak jagung, *Spodoptera frugiperda* Smith (Lepidoptera: Noctuidae) pada tongkol jagung muda (*Zea mays* Linn.) sebagai pakan alternatif. *Jurnal Entomologi Indonesia*, 20(2), 188–202. <https://doi.org/10.5994/jei.20.2.188>
- Supartha, I. W., Susila, I. W., Sunari, A. A. A. S., Mahaputra, I. G. F., Yudha, I. K. W., and Wiradana, P. A. (2021). Damage characteristics and distribution patterns of invasive pest, *Spodoptera frugiperda* (J.e smith) (lepidoptera: Noctuidae) on maize crop in Bali, Indonesia. *Biodiversitas*, 22(6), 3378–3389. <https://doi.org/10.13057/BIODIV/D220645>
- Susanto, A., Leider, P. A., Maharani, Y., Rizkie, L., Bari, I. N., and Subakti-putri, S. N. (2024). Life cycle and survivorship rate of fall armyworm *Spodoptera frugiperda* Smith (Lepidoptera : Noctuidae) from several areas. 21(2), 167–175
- Tarumingkeng, R.C. (1992). *Dinamika Pertumbuhan Populasi Serangga*. Bogor: Institut Pertanian Bogor
- Tjitrosoepomo, G. (2011). *Morfologi Tumbuhan*. Gajah Mada University Press. Yogyakarta
- Trisyono, Y. A., Suputa, S., Aryuwandari, V. E. F., Hartaman, M., and Jumari, J. (2019). Occurrence of Heavy Infestation by the Fall Armyworm *Spodoptera*

frugiperda, a New Alien Invasive Pest, in Corn Lampung Indonesia. *Jurnal Perlindungan Tanaman Indonesia*, 23(1), 156.
<https://doi.org/10.22146/jpti.46455>

Valdez, E. M., Joshi, R. C., Rillon, G. S., Donayre, D. K. M., & Martin, E. C. (2023). Rice: A new host of fall armyworm *Spodoptera frugiperda* (J.E. Smith) and its strains in the Philippines. *Insect Environment*, 26(2).
<https://doi.org/10.55278/qlvu7706>

Valdez, E. M., Rillon, G. S., Joshi, R. C., Cruz, K. B., King, D., Donayre, M., Martin, E. C., Sandoval, F. R., Quilang, E. J. P., Flor, M., Pascual, M. K., Mariano, J., Aquino, E., Faheem, M., and Annamalai, S. (2023). *Fall armyworm, Spodoptera frugiperda* (J . E . Smith) Damage on Rice in the Philippines. 11(June 2021), 37–46.

Van, steenis C. G. G. J. 2005. *Flora*. Jakarta. PT Pradnya Pramita

Wan, J., Huang, C., Li, C. You, Zhou, H. Xu, Ren, Y. Lin, Li, Z. Yuan, Xing, L. Sheng, Zhang, B., Qiao, X., Liu, B., Liu, C. Hui, Xi, Y., Liu, W. Xue, Wang, W. Kai, Qian, W. Qiang, Mckirdy, S., and Wan, F. hao. (2021). Biology, invasion and management of the agricultural invader: Fall armyworm, *Spodoptera frugiperda* (Lepidoptera: Noctuidae). *Journal of Integrative Agriculture*, 20(3), 646–663. [https://doi.org/10.1016/S2095-3119\(20\)63367-6](https://doi.org/10.1016/S2095-3119(20)63367-6)

Wilyus, W., Siregar, H. M., and Aulia, R. (2021). perkembangan *Spodoptera frugiperda* J.E Smith pada tanaman jagung manis (*Zea mays* L. Saccharata). *Jurnal Media Pertanian*, 6(2), 104. <https://doi.org/10.33087/jagro.v6i2.121>

Yudha, I. K. W., Supartha, I. W., Susila, I. W., Sudiarta, P., Wijaya, I. N., & Wiradana, P. A. (2024). New occurrence of corn and rice strains of *Spodoptera frugiperda* (Lepidoptera: Noctuidae) in Bali and Lesser Sunda (Indonesia): Genetic diversity, distribution, and damage. *Biodiversitas*, 25(5), 1890–1900. <https://doi.org/10.13057/biodiv/d250505>

Zhang, Q., Zhang, Y., Zhang, K., Liu, H., Gou, Y., & Li, C. (2024). *of Spodoptera frugiperda* (Lepidoptera : Noctuidae) to. 1–19.

